AXOR



The prices quoted are recommended retail prices and do not include VAT.
Errors and omissions excepted.Upon publication of this price list, all previously published price ists are no longer valid. Figures given for dimensional drawings are in mm. When installing the products, please follow the instructions in the installation manual. All products are subject to
availability. The availability may be temporarily impacted by material shortages, interruptions in the supply chain or other force majeure events. Please contact us for further details. The following general terms and conditions apply https://www.axor-design.com/uk/terms-of-conditions.
3 (3 - 12 - 12 - 12 - 12 - 12 - 12 - 12 - 1

Contents

AXOR	Brand	4
AXOR	Citterio C	4 1
AXOR	Shower Select ID	67
A Y O P	: Day	0 2



Modern bathroom planning is increasingly about expressing personal style. For more than 30 years, AXOR has stood for the design of personal bathrooms. To this end, customers have access to an impressive range of around 2,000 products from the AXOR collections and AXOR programs. With the AXOR FinishPlus and AXOR Signature customization services, AXOR offers even more options for designing individual bathrooms. Find out how AXOR uses new materials to turn the tap into a sensuous experience in terms of feel and look in the chapter on customization. Support for shower planning with selected product combinations, as well as concrete installation tips, can be found in the Planning and Installation chapter. In the AXOR Inspiration chapter, you will find projects from all over the world that show how AXOR products contribute to the unique style of a hotel or residence. Our Design Lexicon serves as a reference for your sales meetings with design-savvy customers. Here, you will find explanations of the most important terms from the world of architecture and design.

For us, rooms are more than a home. They are sources of inspiration that turn everyday actions into conscious rituals. The objects used in the process reflect not just the taste, but also the personality of their inhabitants.

From personalities -

Our iconic objects for luxury bathrooms and kitchens are created in collaboration with some of the best designers of our time, whose ideas challenge our habits of perception and change our everyday lives. People who live individuality and understand design as an expression of personality.

for personalities

The bathroom and kitchen are among some of our most intimate living spaces, places where we often just take care of ourselves. The element of water we use to do so is a precious commodity. Through outstanding design, we give it a form that unmistakably expresses this appreciation.

FROM PERSONALITIES FOR PERSONALITIES

The AXOR Success Story

For more than 30 years, AXOR has been helping architects, interior designers, and discerning customers express their personalities. AXOR has permanently changed the design and understanding of taps and bathrooms like no other brand has - from functional sanitary spaces to individual places of wellbeing.

In 1981, Klaus Grohe commissions the first designer faucet for the Hansgrohe Group: Allegroh, designed by Esslinger Design, origin of the famous Frog Design studio. The first tap collection in colour, UNO, becomes an innovative market sensation. In the 1990s, design becomes a hallmark of prestige, and Klaus Grohe discovers its potential for the sanitation industry. This marks the beginning of AXOR's success story as a design brand for luxurious products to make the bathroom and kitchen more personal - inspired and created by world-famous, renowned designers.



2006 AXOR Massaud and **AXOR Montreux**

2007 AXOR Citterio M

AXOR ShowerCollection -2008

the first shower product range

2009 **AXOR** Urquiola 2012 **AXOR Starck Organic** 2013 AXOR WaterDream and

> product launch of AXOR Showers designed by Front and Nendo

Establishment of the AXOR Brand



AXOR Citterio



AXOR Starck: Presentation with Salon d'eau by Philippe Starck

2000 AXOR WaterDream with PHOENIX - an innovative

concept bathroom **AXOR Citterio**

2004 AXOR Starck - Redesign

2003

AXOR WaterDream with Patricia Urquiola, Jean-Marie Massaud and 2005

Ronan & Erwan Bouroullec



2014 AXOR Starck V,

2015

AXOR Citterio E and

AXOR Universal Accessories

AXOR One shower products designed by Barber Osgerby and AXOR

WaterDream

with the ÉCAL design school

2016 AXOR WaterDream "Create your own

spout"



2019 AXOR Edge

2022 AXOR Conscious Showers

AXOR Universal Rectangular Accessories

AXOR Starck Nature Shower Column



2017

AXOR Showers PowderRain

2017 AXOR Uno redesign and AXOR Showers with the innovative PowderRain spray

mode
2018 AXOR

AXOR MyEdition



2021



2021 AXOR One

AXOR Citterio lever handle variants

AXOR Universal Circular Accessories

2023

2023 AXOR ShowerComposition
AXOR Suite Basin & Bathtub
AXOR Drain
AXOR One Matt White



Philippe Starck

DESIGN VISIONARY

Philippe Starck is one of the most well-known creators of our time. Subversive and poetic, unexpected and free-spirited, rebellious and political, Starck experiments with a mission and a vision: creation, whatever shape it takes, must make life better for the largest number of people possible. As a vision of a better world, his creations attest a responsibility for society and the environment and a love for humanity.





Barber Osgerby

AGENTS OF INTERACTION DESIGN

Barber Osgerby embody the philosophy of interaction design.
They stand for the interaction of the user with the product – what
they see, hear and need. An art of design that's led to international
public commissions and international awards, including the title of
Royal Designer for Industry and the Order of the British Empire.

Jean-Marie Massaud

DESIGN ART THAT CONNECTS PEOPLE
AND SPACES

Massaud's unmistakable style provides refreshing stimulation
– from product design to architecture. His creations are
meant to touch people and provide a better place to live.
Strongly influenced by the beauty and utility of nature, he
creates synergies between people, design, and space.





Antonio Citterio

MASTER OF ELEGANCE

Nobody else has had an impact on Italian design like Antonio Citterio. As an architect, designer and perfectionist, he creates luxurious objects, interiors and architectural concepts for leading international brands. His signature shows an uncompromising combination of timeless forms and high-quality materials, always under the credo of perfection, of Italian elegance.



Patricia Urquiola

VIRTUOSA OF STYLE FUSION

The Spanish designer enriches the international architecture and design scenes with her feminine design objects. She skillfully combines styles, patterns and materials. She surprises with floral decor, a sensual feel and arouses curiosity with her creations.

PHOENIX

DESIGN FOR REAL LIFE

PHOENIX's creations are tailored to people's real needs and desires in their everyday lives. Touching and forwardlooking, always driven by logic, morality, and magic.





Nendo

POETIC DESIGN FROM JAPAN

Oki Sato's creations break with convention. And are easy to understand. The name of his office translates as "modeling clay." An indication that his designs are created in a very playful way. This approach has put him at the top of the international design scene.

Front

THE SWEDISH "AVANTGARDISTES"

Their design isn't typically Scandinavian. It is experimental, a play with visual effects inspired by fashion, film, and science. Their trademark is their ironic point of view and the joy of surprise. Qualities that have the international design scene buzzing.





FIVE REASONS TO CHOOSE AXOR

01 Design diversity

AXOR collaborates with internationally renowned designers. With their highly distinct signatures, they shape the great stylistic diversity and product depth of the AXOR range. Their design approaches set standards again and again – in terms of their avantgarde designs, which are innovative and timeless at the same time. As part of AXOR WaterDreams, designers from completely different disciplines create their vision of the bathroom of the future, completely detached from a productoriented development. With their ideas, they provide new inspiration for the development of the space, its use, and matching products.

In the following collections, unique water designs create extraordinary haptic and visual experiences – with innovative spray modes and a completely new way of presenting water:

- · AXOR Massaud with a natural looking waterfall
- · AXOR Starck Organic with the gentle shower spray on a tap for the first time
- · AXOR Starck V with powerful water vortex
- · AXOR MyEdition with PowderRain fitting the tap design





02 Individualization

The exclusive AXOR FinishPlus and AXOR Signature customization services meet customers' increasing demand for more options to customize bathroom products. With colored PVD surfaces and customized solutions, AXOR products become unmistakably unique.

03 Made in Germany

At AXOR's own factory at its headquarters in Schiltach, Germany, the first-class brand products are created with German engineering quality and a deep commitment to precision – in every detail. This know-how builds on the Hansgrohe Group's more than 120 years of experience, as well as the expertise of every single skilled worker. AXOR is also a pioneer in innovative manufacturing technologies, such as the latest generation diamond drilling machine for ultra-precision milling of surfaces in the AXOR Edge collection.





04 Worldwide presence

As part of the Hansgrohe Group, AXOR has 33 subsidiaries and 21 sales offices worldwide and supplies its products to over 146 countries. AXOR taps, showers, and kitchen taps can be found in the world's finest homes, hotels, and restaurants. International architects, planners, and builders trust AXOR quality in products and expert advice.

05 International design awards

AXOR's design achievements - marked by independent, internationally renowned industry experts - are confirmed by the numerous awards the brand has received for first-class product design since the very beginning. These include:

- · Red Dot Best of Best for AXOR Edge
- · iF Design Award in Gold for AXOR ShowerComposition, AXOR One and AXOR Uno
- $\cdot \ Green \ Design \ Award \ for \ AXOR \ Starck \ Organic$







AXOR is dedicated to creating the highest quality products. Sustainably.

AXOR contributes to a more sustainable future by designing luxurious products for water-related spaces that will last a lifetime. The brand adheres to eco-design principles and seeks to promote sensible consumption.

As part of the Hansgrohe Group, AXOR is committed to Science-Based Targets. Developed exclusively in Europe, our products are designed to be timeless and built to last. Ninety percent of our portfolio is produced at the AXOR Centre for Excellence in Germany's Black Forest.

In 2022, the Hansgrohe Group switched all international production sites to green electricity. This enables annual savings of over 26,000 tons of CO2. "The Hansgrohe Group defines "ECO" as the reduction of water and/or energy consumption of water-bearing products in use by at least 22 percent compared to the base year 2020."

As part of the Hansgrohe Group, AXOR is committed to supporting five UN Sustainable Development Goals.

Enduring design meant to last a lifetime

AXOR products are designed to be updatable throughout their service life. Any required maintenance or repairs can be easily performed without special tools. AXOR takes pride in its products' quality, which is why AXOR's manufacturer's warranty extends well beyond any legally required timespan. To ensure a secure investment, AXOR guarantees the availability of spare parts for our products for fifteen years—five years more than the legal requirement.

More information:

axor-design.com/int/service/product-guarantee



For almost 30 years, AXOR's ongoing collaboration with Phillipe Starck has set the benchmark for sustainability through timeless, essentialist designs meant to last a lifetime.

Saving water is essential to AXOR

Water is one of our most precious resources. That's why, while continuing to offer water-saving products such as AXOR Conscious Showers, the AXOR product portfolio will be restructured over the coming years, placing even greater emphasis on water-efficiency. Why? Because reducing a product's water consumption also reduces the energy needed to heat that water, thus reducing carbon emissions.



AXOR plans to convert all water-consuming products to its "ECO" specifications by 2030, meaning the products will be available exclusively with water-saving technologies, all while offering the same exceptional functionality and performance.

More information: pro.hansgrohe.com/your-selling-points/innovative-technologies/ecosmart

Our water-saving Conscious Shower produces a generous water spray.

Collaboration lies at the heart of AXOR's Mission

AXOR strives to produce in a resource-friendly manner. Beyond developing all AXOR products exclusively in Europe—and manufacturing 90% of them at its AXOR Centre for Excellence in Germany's Black Forest—the brand maintains long-standing relationships with regional suppliers that prioritise sustainability. Furthermore, the company has developed specific eco-design guidelines for the future development of the entire product range.



Fair working conditions are central to AXOR's sustainability mission.

Making more from less: AXOR's Eco-Design Guidelines

Material management is an essential component of AXOR's sustainability strategy. Throughout the design, production and extended life of a product, AXOR implements a range of measures to promote a minimal environmental impact.

Closing the Cycle

Our products are completely separable by type, allowing exclusively recyclable components to be returned to the material cycle, either via customer recycling or product take-back with subsequent remanufacturing/recycling by Hansgrohe.

Less Complexity

Through innovative design, AXOR ensures its products consist of components and parts that can be used universally across the portfolio, which reduces complexity and costs.

Less Material

AXOR aims to produce material-efficient products by using as little raw material as possible.

Furthermore, AXOR strives to find sustainable, environmentally sound alternatives for widely used materials, which is why our products do not use inseparable composites or material mixes.

Less Coating

AXOR products are durable even without coating. However, when coatings are necessary, they are applied using environmentally friendly surface technologies and the lowest possible amount of materials. To ensure the recyclability of components, coating thickness is kept as low as possible.

Staying Clean

The design of AXOR products and the choice of materials are intended to prevent dirt and lime deposits and to make effective cleaning possible without the use of aggressive, environmentally harmful cleaners.

Climate neutrality* since 2022



After successfully converting its plant in Schiltach, Germany, to green electricity, Hansgrohe did the same with all of its international production sites at the beginning of 2022. This reduces CO2 emissions by more than 26,000 tons annually. Subsequent energy efficiency analyses at Hansgrohe's production plants in France, China and Germany have identified further potential sustainability measures such as:

- · combined heat and power plants and photovoltaics,
- peak load and solar irradiation planning

In its facility in Shanghai, AXOR has already begun to utilise heat pump technology on the heating system for the electroplating baths.

All international production plants have also set their own aspirational sustainability targets for water, waste and energy. As a result of these efforts, all Hansgrohe Group plants worldwide have been climate neutral* since 2022.

*Climate neutrality refers to greenhouse gas emissions from Scope 1 and 2 (direct emissions and energy consumed at the sites) according to the Greenhouse Gas Protocol. The Hansgrohe Group tries to reduce emissions wherever possible. The remaining emissions are offset through recognised, certified climate protection projects. For more information, please visit https://www.hansgrohe-group.com/en/about-us/sustainability.

UN Sustainability goals

Water is life, and water is our passion. We create inspiring moments while protecting this precious element. In doing so, we take responsibility for people and the environment. The Hansgrohe Group is committed to supporting five UN Sustainable Development Goals:

- 1. Good Health and Well-being
- 2. Clean water and sanitization
- 3. Decent work and economic growth
- 4. Responsible consumption and production
- 5. Climate action



Maximum services



AXOR FINISHPLUS AND AXOR SIGNATURE

With these customisation services, AXOR answers customers' personal wishes and the demand for distinctive design. More at: axor-design.com/uk



FIVE-YEAR MANUFACTURER'S GUARANTEE

The manufacturer's warranty extends beyond the legally required period and underlines AXOR's quality claim. In addition, strict quality management is already applied during the manufacturing process to ensure products meet the high requirements of independent testing institutes and legal regulations. Please note the warranty conditions at: axor-design.com/uk/service/product-warranty



15 YEARS GUARANTEED AVAILABILITY

Fifteen years guaranteed availability for spare parts for AXOR products ensures a secure investment. All information and products is fast and easy to find online in the Spare Parts Shop: axor-design.com/uk/service/spare-parts



PROFESSIONAL WEBSITE

On the portal, specialist retailers, architects, and installers can find information, planning data, and prices for all products, as well as practical tips and tools for professional bathroom planning and advice. More at: pro.hansgrohe.com/uk



PLANNING DATA

Installation and service instructions, dimensional drawings, BIM planning data and 3D data for optimal bathroom planning with AXOR products can also be found in the professional portal: pro.hansgrohe.com/uk



COMFORTZONE TEST

Create the perfect combinations of taps and basins in this internal test centre. For this purpose, matching basins from leading manufacturers are tested with AXOR products for optimal functionality and appearance. All recommended combinations can be found on the AXOR website on the respective collection page: axor-design.com/uk



MEISTERSERVICE

AXOR service specialists are trained sanitation experts with advice on technical issues – by phone, email, or chat. In special cases, a specialist for building services can also be available on site. If required, local contacts are available by phone or e-mail: projects@hansgrohe.co.uk



PROJECT CONSULTATION

AXOR offers professional support and advice for project tenders and planning worldwide. If required, please contact your local contact partner or send an email to: projects@hansgrohe.co.uk



BATHROOM EXHIBITION

Experience AXOR live worldwide: The WaterStudios in architectural and design metropolises are sources of inspiration and meeting places, design and training centres for trade partners, architects, and interior designers. In the Aquademie at the brand's headquarters in Schiltach, Germany, visitors and trade partners can experience a bathroom and kitchen world over 1,000 square meters with a museum on the history of the bathroom, the company, and the brand, regular events, and a Showerworld for test showers.




ONLINE AQUADEMIE

You can access the newly developed Hansgrohe Online Aquademie via the trade partner website. Here, partners in the trade and crafts can benefit from detailed knowledge on the topics of products and sanitation technology, as well as from non-technical highlights.

More information at: pro.hansgrohe.co.uk/service/training

Design icons and style diversity

From classic to modern: AXOR taps, showers, wash basins, bath tubs and accessories. Unique, avant-garde pieces and complete collections. Created with world-renowned designers. Uncompromising in quality. Full of pioneering innovations. In pursuit of perfection.



Uncompromisingly innovative

Pioneering ideas. Shaping water into invigorating jets, enveloping cocoons and sensual flows. Intuitive systems. Simple to use, easy to clean and ecologically responsible. Promoting conscious and conscientious water use. The result of intensive research and development, AXOR technologies are made in Germany to the highest quality standards — our own. In pursuit of perfection.



AIRPOWER-TECHNOLOGY:

Enriching water with air produces plump droplets for a velvety touch on the skin.



QUICKCLEAN-TECHNOLOGY:

Remove limescale deposits quickly and easily with flexible silicone nozzles.



ECO-SMART-TECHNOLOGY:

Taps and showers that consume up to 60% less water than our conventional products.



POWDERRAIN-TECHNOLOGY:

The finest silicone nozzles, with several openings per nozzle, provide a uniquely fine mist of water.



SELECT-TECHNOLOGY:

Use the Select button to switch spray modes or shower heads; turn the water on and off at the tap.



COOLSTART-TECHNOLOGY:

Cold water flows automatically when in the neutral handle position.



COMFORTZONE:

Defines the space between the wash basin and tap.

The larger the ComfortZone, the greater the variety of uses.



Individual expression in the bathroom

With collections in a variety of styles, AXOR responds to the desire for individualisation in the bathroom. AXOR FinishPlus and AXOR Signature are two services for maximising options for customers to express their personalities.

With the brushed or polished versions of coloured AXOR FinishPlus surfaces, mixers, showers and accessories become design objects that perfectly complete an interior design and create an exclusive accent. The durable, high-quality surfaces are manufactured in a physical vapor deposition process (PVD).

The AXOR Signature service responds to customer requests for modifications such as inscriptions of the customer's signature, or inscriptions in the local language. The service can also provide extended shower connections to meet certain spatial requirements or to modify the mixer spout with respect to the unusual geometry of a wash basin. Experts with many years of experience and a love of detail address the modification requests, creating solutions in accordance with the most advanced industrial standards.

THE TWO SERVICES
HAVE ONE THING IN
COMMON: THEY RESULT
IN PRODUCTS THAT
COMBINE INDIVIDUALITY
AND QUALITY AT THE
HIGHEST LEVEL.


SPECIAL FEATURES OF THE INDIVIDUALISATION SERVICES:

- / Exclusively developed surfaces for AXOR FinishPlus,
 bring unique personality to the bathroom or kitchen
- / through the use of colour
- / The extremely durable surfaces are created with the physical vapor deposition (PVD) process in the AXOR production facility in Schiltach, Germany
- / The lacquered Matt Black and Matt White finishes offer customers maximum customisation
- / AXOR Signature service implements highly individualised customer requests: Lengthening, shortening, inscription
- All modifications are carried out by AXOR experts at the highest level of craftsmanship and in accordance with industrial standards

Learn more about AXOR FinishPlus and AXOR Signature: axor-design.com/uk

AXOR FinishPlus – Refinement of a special kind

Luxury is all about fulfilling personal dreams. AXOR FinishPlus surfaces are expressions of individuality at the highest level. They set new benchmarks for luster, robustness and durability. Whether as single items or in large quantities, they are manufactured at the highest technical level and stand for quality made in Germany.



- AXOR FinishPlus meets the increasing desire for individualisation: The surfaces can be made to match the interior design perfectly. A standardised process guarantees consistent quality
- / The Black Chrome and Red Gold surface finishes, developed by our own experts through intensive research work, underline the role of AXOR as an innovative leader in the area of surfaces
- / A mixer with an AXOR FinishPlus surface, along with its spare parts, is available for purchase in an identical quality and design for 15 years
- / In addition to the prespecified AXOR FinishPlus surfaces, other surfaces can be produced according to personal specifications by request through AXOR Signature

Learn more about AXOR FinishPlus: axor-design.com/uk

AXOR Finishes



AXOR FinishPlus PVD-surfaces




AXOR FinishPlus lacquered surfaces



The lacquered Matt Black and Matt White finishes are only available for a selected range of AXOR products.







The masterly combination of high-tech and craftsmanship

Electroplating



Chrome is the standard surface in the sanitary environment and has proven itself in the bathroom over many decades. Through the electrochemical deposition of various metals, and depending on the type of substrate, a copper layer is built up in the electroplating bath, followed by a bright nickel and chrome layer on the basic brass body.

PVD



The unmistakable character of the polished and brushed AXOR FinishPlus PVD-surfaces is the result of intensive development, refined in AXOR's in-house vacuum chambers using the physical vapor deposition (PVD) process. The PVD process gives the surfaces an additional metal layer. The vapor deposition of different process gas mixtures creates different light reflections on the surface. The result: exceptional colour brilliance and high resistance. In order to reproduce a brushed surface, an additional work step is required in which the surface is tectured with a brushing fleece by hand.

Lacquer



The wet-lacquered AXOR FinishPlus surfaces, Matt Black and Matt White, offer a bold colour that gives the product a silky, smooth feel and simple elegance.

- / The beneficial properties of PVD surfaces include resistance to scratching, cleaning agents and salty sea air
- / The special textures of the brushed versions are created by hand

Learn more about AXOR FinishPlus: axor-design.com/uk

AXOR Signature – from the special to the one-of-a-kind

Lengthening, shortening, inscription. AXOR Signature is an exclusive service that takes a design object and makes it one-of-a-kind, whether by providing each mixer with the customer's personal touch or by modifying it to fit specific dimensions. The personal and customised result manufactured by AXOR experts in Schiltach. With the utmost in care and precise craftsmanship in accordance with industrial standards.


AXOR SIGNATURE PROVIDES THE FOLLOWING SERVICES:

- / Extensions, e.g., from wall to wash basin or bath tub, or from the ceiling into the room
- / New developments
- / Component mix
- Laser engraving, printing, and deep engraving to integrate initials, logos, or additional markings in the national language or another size, as well as special marking for functions
- / Feasibility testing in advance of order acceptance with individualised delivery schedule and price

Learn more about AXOR Signature: axor-design.com/uk



EXAMPLE INSCRIPTIONS FOR OVERHEAD AND HAND SHOWERS





AXOR SIGNATURE FOR AN INDIVIDUALISED, PERFECT WHOLE.

CUSTOMISED VERSION

Application of personalised inscriptions such as a monogram or icons to clearly identify users



EXAMPLE FOR TEMPERATURE LABELS







































Lengthening of a ceiling connection – adapted for the height of the room

New development of a tap handle from the AXOR Montreux collection for the Hotel Villa Copenhagen. In the suites designed by the jewellery company Shamballa Jewels, some of the AXOR taps are specially equipped with Shamballa gemstone handles.



Length adjustments



Extending a tap spout, adapted to the height of the sink/basin

Redevelopment



Development of a product according to customer requirements.

Component mix



Combination of different design and product components.

A new dimension of individualisation

With materials such as metal, glass, wood, marble and leather, AXOR Signature creates an entirely new feel for mixers. The cover plates are carefully selected by AXOR experts and designed to meet high benchmarks for mixer use. Each plate is a one-of-a-kind original.

- / Natural materials impart an especially sensual look and feel
- / Each product is unique, like the natural material itself

Exclusively for the AXOR MyEdition collection.



METAL -BRUSHED BRONZE



BLACK WALNUT




MARBLE NERO MARQUINA



NAPPA LEATHER

Inspiration and Information



For AXOR, luxury means creating an experience of form and function. One that appeals to the senses and touches people. An experience that begins on the AXOR website. For impressions of and information about all products. For bathroom inspiration and planning. For individualization and refinement possibilities. For background about the brand, the design and the technology.



axor-design.com/uk



AXOR Design



AXOR



axordesign



AXOR



axor.design



brand	Code no.	RRP £	EAN	page	brand	Code no.	RRP £	EAN	page
01					AX	28792140	708.33	4059625543900	62
ΔX	01400180	123.33	4059625316931	86	AX	28792340	708.33	4059625543894	62
3					AX	28792670	658.33	4059625543863	62
lG	13588000	29.17	4059625477359	86	AX	28792820	708.33	4059625543887	62
lG	13632000	33.33	4059625464250	87	AX	28792990	708.33	4059625543870	62
HG	13637000	8.33	4059625534090	87	AX	28793000	470.00	4059625525081	62
lG	13638000	29.17	4059625536209	87	AX	28793140	708.33	4059625543955	62
λX	13640000	68.33	4059625560648	80	AX	28793340	708.33	4059625543948	62
λX	13640140	101.67	4059625560631	80	AX	28793670	658.33	4059625543917	62
λX	13640340	101.67	4059625560624	80	AX	28793820	708.33	4059625543931	62
λX	13640670	95.00	4059625560617	80	AX	28793990	708.33	4059625543924	62
4X	13640990	101.67	4059625560600	80	AX	28794000	406.67	4059625509579	63
λX	13641000	68.33	4059625560594	80	AX	28794140	610.00	4059625544020	63
ΑX	13641140	101.67	4059625560587	80	AX	28794340	610.00	4059625544013	63
ΑX	13641340	101.67	4059625560570	80	AX	28794670	569.17	4059625542088	63
ΑX	13641670	95.00	4059625560563	80	AX	28794820	610.00	4059625544006	63
ΑX	13641990	101.67	4059625560556	80	AX	28794990	610.00	4059625542095	63
λX	13642000	68.33	4059625560549	80	AX	28795000	406.67	4059625525302	63
λX	13642140	101.67	4059625560532	80	AX	28795140	610.00	4059625544068	63
λX	13642340	101.67	4059625560525	80	AX	28795340	610.00	4059625544051	63
λX	13642670	95.00	4059625560518	80	AX	28795670	569.17	4059625544037	63
λX	13642700	95.00	4059625560501	80	AX	28795820	610.00	4059625544044	63
λX	13642990	101.67	4059625560495	80	AX	28795990	610.00	4059625544075	63
λX	13643000	90.83	4059625560488	81	AX	28801000	93.33	4059625553770	64
λX	13643140	135.83	4059625560471	81	AX	28801670	138.33	4059625584248	64
λX	13643340	135.83	4059625560464	81	AX	28802000	93.33	4059625553756	65
λX	13643670	135.83	4059625560457	81	AX	28802670	138.33	4059625584255	65
λX	13643990	135.83	4059625560440	81	36				
λX	13645000	90.83	4059625560433	81	AX	36750000	766.67	4059625539705	<i>7</i> 5
λX	13645140		4059625560426	81	AX	36750140		4059625552469	75
λX	13645340		4059625560419	81	AX	36750340	•	4059625552452	75
λX	13645670		4059625560402	81	AX	36750670	·	4059625552445	75
λX	13645990		4059625560297	81	AX	36750700	•	4059625552438	75
λX	13646000		4059625560280	81	AX	36750820		4059625552421	75
λX	13646140		4059625560273	81	AX	36750990	•	4059625552414	<i>7</i> 5
ΑX	13646340		4059625560266	81	AX	36751000	,	4059625539712	<i>7</i> 6
ΑX	13646670		4059625560259	81	AX	36751140		4059625552407	<i>7</i> 6
AX	13646700		4059625560242	81	AX	36751340		4059625552391	<i>7</i> 6
λX	13646990		4057625560235	81	AX	36751670	•	4057625552371	<i>7</i> 6
26	13040770	100.00	4037023300233	01	AX	36751700		4059625552377	<i>7</i> 6
λX	26039180	100.00	4059625509555	64	AX	36751820	•	4057625552360	76
28	20037100	100.00	4037023307333	04	AX	36751990		4057625552353	<i>7</i> 6
λX	28017000	375.00	4059625503485	58	AX	36752000	•	4057625532535	75
λX	28017140		4057625555637	58	AX	36752140		4059625552346	<i>75</i>
	28017140		4059625555644	58	AX	36752340	•	4059625552339	75 75
λX λX	28017340		4059625555668				•		
	28017820		4059625555651	58 58	AX AX	36752670 36752820	•	4059625552322 4059625552315	75 75
λX λX	28017820		4059625555675	58	AX	36752990	·	4059625552308	
	28790000		4059625525067		AX	36753000	•	4059625539736	75 76
λX λX	28790000		4059625543740	61	AX	36753140		4059625551691	
				61			•		76 76
X	28790340		4059625543757	61	AX	36753340		4059625551684	76 74
X	28790670		4059625543764	61	AX	36753670		4059625552667	76 76
X	28790820		4059625543771	61	AX	36753820		4059625552650	76 74
X	28790990		4059625543788	61	AX	36753990		4059625552643	76 75
X	28791000		4059625525043	61	AX	36754000		4059625539743	75 75
λX	28791140		4059625543801	61	AX	36754140	•	4059625552636	75
λX	28791340		4059625543795	61	AX	36754340		4059625552629	75 75
λX	28791670		4059625543832	61	AX	36754670		4059625552612	75 75
ΔX	28791820		4059625543849	61	AX	36754820		4059625552605	75
ΔX	28791990		4059625543856	61	AX	36754990		4059625552599	75
ΑX	28792000	470.00	4059625525074	62	AX	36755000	866.67	4059625539750	76

brand	Code no.	RRP £	EAN	page	brand	Code no.	RRP £	EAN	page
AX	36755140	1,291.67	4059625552582	76	AX	36778990	1,058.33	4059625553213	78
ΔX	36755340		4059625552575	76	AX	36779000	•	4059625539859	79
λX	36755670	•	4059625552568	76	AX	36779140		4059625553206	79
λX	36755820	•	4059625552551	76	AX	36779340		4059625553190	79
ιX	36755990	•	4059625552544	76	AX	36779670		4059625553183	79
·Χ	36756000	•	4059625539767	74	AX	36779700		4059625553176	79
X	36756140		4057625557767	74	AX	36779820		4059625553169	79
X	36756340		4057625552520	74	AX	36779990		4059625553152	79
·Χ	36756670	•	4057625552513	74	AX	36780000		4059625539866	79
X	36756700		4057625552515	74	AX	36780140		4059625553145	79
	36756820		4059625552490		AX	36780340		4059625553138	79
X		•		74					
X	36756990		4059625552483	74	AX	36780670		4059625553121	79
λX	36757000		4059625539774	74	AX	36780820		4059625553114	79
ιX	36757140		4059625552476	74	AX	36780990		4059625553107	79
λX	36757340	•	4059625552841	74	AX	36781000		4059625539873	79
١X	36757670		4059625552834	74	AX	36781140		4059625553091	79
λX	36757820	•	4059625552827	74	AX	36781340		4059625553084	79
·Χ	36757990		4059625552810	74	AX	36781670		4059625553077	79
λX	36758000		4059625539781	74	AX	36781820	675.00	4059625553060	79
λX	36758140	1,058.33	4059625552803	74	AX	36781990	675.00	4059625553053	79
λX	36758340	1,058.33	4059625552797	74	49				
λX	36758670	983.33	4059625552780	74	AX	49010000	311.67	4059625558409	48
·Χ	36758820	1,058.33	4059625552773	74	AX	49010140	467.50	4059625558393	48
λX	36758990	1,058.33	4059625552766	74	AX	49010340	467.50	4059625558386	48
X	36759000	505.83	4059625539798	77	AX	49010670	436.67	4059625558379	48
X	36759140	766.67	4059625552759	77	AX	49010820	467.50	4059625558362	48
X	36759340	766.67	4059625552742	77	AX	49010990	467.50	4059625558355	48
λX	36759670	708.33	4059625552735	77	AX	49011000	311.67	4059625558348	48
X	36759700		4059625552728	77	AX	49011140		4059625558331	48
λX	36759820		4059625552711	77	AX	49011340		4059625558324	48
·Χ	36759990		4059625552704	77	AX	49011670		4059625558317	48
λX	36774000		4059625539804	77	AX	49011820		4059625558300	48
·Χ	36774140		4059625552698	77	AX	49011990		4059625558294	48
λX	36774340		4057625552681	77	AX	49020000		4059625558287	48
			4059625552674	77				4059625558270	48
ΑX	36774670				AX	49020140			
X	36774820		4059625553046	77	AX	49020340		4059625558263	48
X	36774990		4059625553039	77	AX	49020670		4059625558256	48
λX	36775000		4059625539811	77	AX	49020820		4059625558249	48
λX	36775140		4059625553022	77	AX	49020990		4059625558232	48
λX	36775340		4059625553015	77	AX	49021000		4059625558225	48
·Χ	36775670		4059625553008	77	AX	49021140		4059625558607	48
·Χ	36775820		4059625552995	77	AX	49021340		4059625558591	48
λX	36775990		4059625552988	77	AX	49021670		4059625558218	48
λX	36776000	708.33	4059625539828	78	AX	49021820	467.50	4059625558584	48
·Χ	36776140	1,058.33	4059625552971	78	AX	49021990	467.50	4059625558577	48
X	36776340	1,058.33	4059625552964	78	AX	49030000	325.83	4059625558560	49
·Χ	36776670	983.33	4059625552957	78	AX	49030140	488.33	4059625558553	49
X	36776700		4059625552940	78	AX	49030340	488.33	4059625558546	49
X	36776820		4059625552933	78	AX	49030670		4059625558539	49
X	36776990	•	4059625552926	78	AX	49030820		4059625558522	49
X	36777000		4059625539835	78	AX	49030990		4059625558515	49
X	36777140		4059625552919	78	AX	49031000		4059625558508	49
X	36777340		4059625552902	78 78	AX	49031140		4059625558492	49
X	36777670	·	4059625552896	78 78	AX	49031140		4059625558485	49
X	36777820	•	4059625552889	78 70	AX	49031670		4059625558478	49
X	36777990	•	4059625552872	78	AX	49031820		4059625558461	49
λX	36778000		4059625539842	78	AX	49031990		4059625558454	49
λX	36778140		4059625552865	78	AX	49040000		4059625558447	49
λX	36778340	•	4059625552858	78	AX	49040140		4059625558805	49
λX	36778670		4059625553237	78	AX	49040340		4059625558799	49
λX	36778820	1,058.33	4059625553220	<i>7</i> 8	AX	49040670	455.83	4059625558430	49

brand	Code no.	RRP £	EAN	page	brand	Code no.	RRP £	EAN	page
AX	49040820	488.33	4059625558423	49	AX	49210990	488.33	4059625559017	53
AX	49040990	488.33	4059625558416	49	AX	49211000	325.83	4059625559383	53
AX	49041000	325.83	4059625558782	49	AX	49211140	488.33	4059625559376	53
ΔX	49041140	488.33	4059625558775	49	AX	49211340	488.33	4059625559369	53
ΔX	49041340	488.33	4059625558768	49	AX	49211670	455.83	4059625559352	53
ΔX	49041670	455.83	4059625558751	49	AX	49211820	488.33	4059625559345	53
ΔX	49041820	488.33	4059625558744	49	AX	49211990	488.33	4059625559338	53
λX	49041990	488.33	4059625558737	49	AX	49410000	217.50	4059625559598	58
ΔX	49050000	434.17	4059625558720	49	AX	49410140	325.83	4059625559581	58
λX	49050140	658.33	4059625558713	49	AX	49410340	325.83	4059625559574	58
λX	49050340	658.33	4059625558706	49	AX	49410670	304.17	4059625559567	58
λX	49050670	607.50	4059625558690	49	AX	49410820	325.83	4059625559550	58
λX	49050820	658.33	4059625558683	49	AX	49410990	325.83	4059625559543	58
λX	49050990	658.33	4059625558676	49	AX	49430000	1,225.00	4059625559536	57
λX	49051000	434.17	4059625558669	49	AX	49430140	1,833.33	4059625559529	57
λX	49051140	658.33	4059625558652	49	AX	49430340	1,833.33	4059625559512	57
4X	49051340	658.33	4059625558645	49	AX	49430670	1,708.33	4059625559505	57
ΔX	49051670	607.50	4059625558638	49	AX	49430820	1,833.33	4059625559499	57
ΔX	49051820	658.33	4059625558621	49	AX	49430990	1,833.33	4059625559482	57
ΔX	49051990	658.33	4059625558614	49	AX	49431000	1,225.00	4059625559475	57
λX	49060000	442.50	4059625559000	51	AX	49431140	1,833.33	4059625559468	57
λX	49060140	666.67	4059625558997	51	AX	49431340	1,833.33	4059625559451	57
λX	49060340	666.67	4059625558980	51	AX	49431670	1,708.33	4059625559444	57
λX	49060670	620.00	4059625558973	51	AX	49431820	1,833.33	4059625559437	57
λX	49060820	666.67	4059625558966	51	AX	49431990	1,833.33	4059625559420	57
·Χ	49060990	666.67	4059625558959	51	AX	49440000	1,716.67	4059625559321	54
λX	49061000	442.50	4059625558942	51	AX	49440140	2,575.00	4059625559314	54
λX	49061140	666.67	4059625558935	51	AX	49440340	2,575.00	4059625559307	54
λX	49061340	666.67	4059625558928	51	AX	49440670	2,408.33	4059625559291	54
λX	49061670	620.00	4059625558911	51	AX	49440820	2,575.00	4059625559284	54
λX	49061820	666.67	4059625558904	51	AX	49440990	2,575.00	4059625559277	54
λX	49061990	666.67	4059625558898	51	AX	49441000	1,716.67	4059625559260	54
λX	49070000	415.83	4059625558881	52	AX	49441140	2,575.00	4059625559253	54
λX	49070140	623.33	4059625558874	52	AX	49441340	2,575.00	4059625559246	54
4X	49070340	623.33	4059625558867	52	AX	49441670	2,408.33	4059625559239	54
λX	49070670	581.67	4059625558850	52	AX	49441820	2,575.00	4059625559222	54
λX	49070820	623.33	4059625558843	52	AX	49441990	2,575.00	4059625559215	54
λX	49070990	623.33	4059625558836	52	AX	49449000	45.83	4059625559413	58
λX	49071000	415.83	4059625558829	52	AX	49480000	766.67	4059625559741	55
λX	49071140	623.33	4059625559208	52	AX	49480140	1,141.67	4059625559734	55
λX	49071340	623.33	4059625559192	52	AX	49480340	1,141.67	4059625559727	55
λX	49071670	581.67	4059625558812	52	AX	49480670	1,066.67	4059625559710	55
λX	49071820	623.33	4059625559185	52	AX	49480820	1,141.67	4059625559703	55
·Χ	49071990	623.33	4059625559178	52	AX	49480990	1,141.67	4059625559697	55
·Χ	49110000	397.50	4059625559161	50	AX	49481000	766.67	4059625559680	55
·Χ	49110140	596.67	4059625559154	50	AX	49481140	1,141.67	4059625559673	55
·Χ	49110340	596.67	4059625559147	50	AX	49481340	1,141.67	4059625559666	55
λX	49110670	556.67	4059625559130	50	AX	49481670	1,066.67	4059625559659	55
λX	49110820	596.67	4059625559123	50	AX	49481820	1,141.67	4059625559642	55
·Χ	49110990	596.67	4059625559116	50	AX	49481990	1,141.67	4059625559635	55
λX	49111000		4059625559109	50	AX	49482000		4059625559628	56
·Χ	49111140	596.67	4059625559093	50	AX	49482140	900.00	4059625559949	56
λX	49111340	596.67	4059625559086	50	AX	49482340	900.00	4059625559932	56
λX	49111670	556.67	4059625559079	50	AX	49482670	841.67	4059625559611	56
·Χ	49111820	596.67	4059625559062	50	AX	49482820	900.00	4059625559925	56
·Χ	49111990	596.67	4059625559055	50	AX	49482990	900.00	4059625559604	56
λX	49210000	325.83	4059625559048	53	AX	49483000	596.67	4059625559918	56
λX	49210140	488.33	4059625559406	53	AX	49483140	900.00	4059625559901	56
λX	49210340	488.33	4059625559390	53	AX	49483340	900.00	4059625559895	56
ΔX	49210670	455.83	4059625559031	53	AX	49483670	841.67	4059625559888	56
ΔX	49210820	488.33	4059625559024	53	AX	49483820	900.00	4059625559871	56

	- 1			
brand	Code no.	RRP £	EAN	page
AX	49483990	900.00	4059625559864	56
AX	49626000	352.50	4059625560082	65
AX	49626140	528.33	4059625560099	65
AX	49626340	528.33	4059625560105	65
AX	49626670	493.33	4059625560112	65
AX	49626820	528.33	4059625560129	65
AX	49626990	528.33	4059625560136	65
AX	49700000	633.33	4059625559857	59
AX	49700140	950.00	4059625559840	59
AX	49700340	950.00	4059625559833	59
AX	49700670	891.67	4059625559826	59
AX	49700820	950.00	4059625559819	59
AX	49700990	950.00	4059625559802	59
AX	49701000	633.33	4059625559796	59
AX	49701140	950.00	4059625560075	59
AX	49701340	950.00	4059625559789	59
AX	49701670	891.67	4059625559772	59
AX	49701820	950.00	4059625559765	59
AX	49701990	950.00	4059625559758	59
AX	49710000	666.67	4059625560068	60
AX	49710140	991.67	4059625560051	60
AX	49710340	991.67	4059625560044	60
AX	49710670	925.00	4059625560037	60
AX	49710820	991.67	4059625560020	60
AX	49710990	991.67	4059625560013	60
AX	49711000	666.67	4059625560006	60
AX	49711140	991.67	4059625559994	60
AX	49711340	991.67	4059625559987	60
AX	49711670	925.00	4059625559970	60
AX	49711820	991.67	4059625559963	60
AX	49711990	991.67	4059625559956	60





AXOR Citterio C: Contemporary, Sophisticated, Slender

Slender, elegant and exceptionally refined, AXOR Citterio C reinterprets the washbasin faucet for a new era, one that demands ever more comfort and individuality from ever smaller bathroom spaces. Minimalist in spirit, with soft contours and a sensuous form, the tap invites the touch while intriguing the eye from every angle. Its signature detail, a fine chamfer encircling the outlet and lever handle, extends to all pieces in the collection. Distinctive yet understated, AXOR Citterio C is at home in any bathroom ambience. For those who wish to make a more personal statement, handles are available in the unique cubic cut pattern as standard and other predefined textured patterns via AXOR Signature Service, as well as in the full range of AXOR FinishPlus surfaces.


Design: Antonio Citterio

Single lever basin mixer 125 with CoolStart - cubic cut




AXOR Citterio C is distinguished by its slender verticality, its soft and sensuous form, its flat surfaces and its signature detail, a subtle chamfer that encircles every piece in the collection.

Overhead shower 270/270 1 jet










A wide range of products brings the subtle yet distinctive design language of AXOR Citterio C to every area of the bathroom.

AXOR Finishes

Surface colors from stock*



Surface colors with a production time of max. 6 weeks* (excl. transport)



^{*}Please note that production times and stock availabilities are only valid for small quantities and may vary for project or bulk orders.

AXOR FinishPlus - the refinement of the unique

The exclusive surface finishes from AXOR FinishPlus set new standards, from the lacquered Matt Black surface to Polished Gold Optic and Brushed Black Chrome. Surfaces of exceptional brilliance, robustness, and durability, manufactured in Germany to the highest technical standards – from single pieces to large quantities. AXOR Finish-Plus PVD surface finishes have character. Each color is the result of intensive development and refined in AXOR's vacuum chambers using the PVD (physical vapor deposition) process. An electric arc discharges in the high vacuum, gases combine with zirconium. The mixture hits the tap's chrome surface. This high-tech process gives the surface unprecedented brilliance and high resistance to scratches, cleaning agents, and the salt of the sea air.







AXOR Signature Service - AXOR Citterio C

AXOR Signature is an exclusive service that takes a design object and makes it one-of-a-kind, whether by providing each mixer with the customer's personal touch or by modifying it to fit specific dimensions. The personal and customized result manufactured by AXOR experts in Schiltach. With the utmost in care and precise craftsmanship in accordance with industrial standards.

Bi-color

A contrasting bi-color finish provides AXOR Citterio C a contemporary, elegant twist, emphasizing the poetic form of its handle and pairing especially well with an elegant handle engraving. A bi-color finish offers an individual, contemporary twist on the collection's timeless, elegant design.



Polished Black Chrome body with Polished Gold Optic handle and ball-joint. Individualization possibilities are also available for Dummy products.



Handle structures

AXOR Citterio C is pushing the boundaries of individualization with the possibility to choose a textured pattern for the handle. In addition to the optional cubic cut, AXOR Signature offers three pre-defined structures: the soft cut, the rhombic cut and the linear cut for an even more personalized bathroom.



In addition to the structure options offered as as standard, the cubic pattern is available in fully-structured surface for "one-handle" arrangements and partially-structured surface for "two-handle" arrangements.



Example representation of an individualization service. Further individualization options are possible through AXOR Signature Service.

Individualization possibilities are also available for dummy products.

Single lever basin mixers CoolStart

Features of all variants

/ consists of: single lever basin mixer, waste set / handle variant: lever handle / spray type: normal spray

/ maximum flow rate at 3 bar: 5 l/min

/ ceramic cartridge / suitable for continuous flow water heaters / connection type: G % connections / connection dimension: DN15 / cold water in basic handle position / EU taxonomy: max. 6 l/min - Substantial Contribution (SC) possible



ComfortZone	Projection (mm)	Spout height (mm)	Waste set	For wash bowls	Structure element	Finish	Available from	Code no.	RRP £
90	128	90	рор-ир	-	without	Chrome	Q2/2024	49010000	311.67
					structure	Brushed Bronze	Q2/2024	49010140	467.50
						Brushed Black Chrome	Q2/2024	49010340	467.50
						Matt Black	Q2/2024	49010670	436.67
						Brushed Nickel	Q2/2024	49010820	467.50
						Polished Gold Optic	Q2/2024	49010990	467.50
						AXOR FinishPlus*		49010XXX	467.51
90	128	90	рор-ир	-	cubic cut	Chrome	Q2/2024	49011000	311.67
						Brushed Bronze	Q2/2024	49011140	467.50
						Brushed Black Chrome	Q2/2024	49011340	467.50
						Matt Black	Q2/2024	49011670	436.67
						Brushed Nickel	Q2/2024	49011820	467.50
						Polished Gold Optic	Q2/2024	49011990	467.50
						AXOR FinishPlus*		49011XXX	467.51
90	128	8 90	non-closing	-	without structure	Chrome	Q2/2024	49020000	311.67
						Brushed Bronze	Q2/2024	49020140	467.50
						Brushed Black Chrome	Q2/2024	49020340	467.50
						Matt Black	Q2/2024	49020670	436.67
						Brushed Nickel	Q2/2024	49020820	467.50
						Polished Gold Optic	Q2/2024	49020990	467.50
						AXOR FinishPlus*		49020XXX	467.51
90	128	90	non-closing	-	cubic cut	Chrome	Q2/2024	49021000	311.67
						Brushed Bronze	Q2/2024	49021140	467.50
						Brushed Black Chrome	Q2/2024	49021340	467.50
						Matt Black	Q2/2024	49021670	436.67
						Brushed Nickel	Q2/2024	49021820	467.50
						Polished Gold Optic	Q2/2024	49021990	467.50
						AXOR FinishPlus*		49021XXX	467.51

Single lever basin mixers CoolStart

	ComfortZone	Projection (mm)	Spout height (mm)	Waste set	For wash bowls	Structure element	Fini	sh	Available from	Code no.	RRP £
	125	135	125	рор-ир	-	without		Chrome	Q2/2024	49030000	325.83
						structure		Brushed Bronze	Q2/2024	49030140	488.33
								Brushed Black Chrome	Q2/2024	49030340	488.33
								Matt Black	Q2/2024	49030670	455.83
								Brushed Nickel	Q2/2024	49030820	488.33
								Polished Gold Optic	Q2/2024	49030990	488.33
								AXOR FinishPlus*		49030XXX	488.75
	125	135	125	рор-ир	_	cubic cut		Chrome	Q2/2024	49031000	325.83
								Brushed Bronze	Q2/2024	49031140	488.33
								Brushed Black Chrome	Q2/2024	49031340	488.33
								Matt Black	Q2/2024	49031670	455.83
								Brushed Nickel	Q2/2024	49031820	488.33
								Polished Gold Optic	Q2/2024	49031990	488.33
								AXOR FinishPlus*		49031XXX	488.75
-	125	135	125	non-closing	-	without		Chrome	Q2/2024	49040000	325.83
						structure		Brushed Bronze	Q2/2024	49040140	488.33
								Brushed Black Chrome	Q2/2024	49040340	488.33
								Matt Black	Q2/2024	49040670	455.83
								Brushed Nickel	Q2/2024	49040820	488.33
								Polished Gold Optic	Q2/2024	49040990	488.33
								AXOR FinishPlus*		49040XXX	488.75
	125	135	125	non-closing	_	cubic cut		Chrome	Q2/2024	49041000	325.83
								Brushed Bronze	Q2/2024	49041140	488.33
								Brushed Black Chrome	Q2/2024	49041340	488.33
								Matt Black	Q2/2024	49041670	455.83
								Brushed Nickel	Q2/2024	49041820	488.33
								Polished Gold Optic	Q2/2024	49041990	488.33
								AXOR FinishPlus*		49041XXX	488.75
	250	158	250	non-closing	•	without		Chrome	Q2/2024	49050000	434.17
						structure		Brushed Bronze	Q2/2024	49050140	658.33
								Brushed Black Chrome	Q2/2024	49050340	658.33
								Matt Black	Q2/2024	49050670	607.50
								Brushed Nickel	Q2/2024	49050820	658.33
								Polished Gold Optic	Q2/2024	49050990	658.33
								AXOR FinishPlus*		49050XXX	651.26
	250	158	250	non-closing	•	cubic cut		Chrome	Q2/2024	49051000	434.17
								Brushed Bronze	Q2/2024	49051140	658.33
								Brushed Black Chrome	Q2/2024	49051340	658.33
								Matt Black	Q2/2024	49051670	607.50
								Brushed Nickel	Q2/2024	49051820	658.33
								Polished Gold Optic	Q2/2024	49051990	658.33
								AXOR FinishPlus*		49051XXX	651.26


Single lever basin mixers for concealed installation wall-mounted

Features of all variants


- / consists of: single lever basin mixer for concealed installation wall-mounted, waste set
- / projection: 193 mm
- / handle variant: lever handle / spray type: normal spray
- / maximum flow rate at 3 bar: 5 l/min
- / ceramic cartridge / suitable for continuous flow water heaters
- / non-closing waste set
- / connection type: basic set

- / connection dimension: DN15
- / handle can be positioned on the right or left,
- depending on the basic set installation
 / EU taxonomy: max. 6 | / min Substantial
- Contribution (SC) possible









Sustainability



Technologies




Proje	ection (mm)	Structure element	Finish	Available from	Code no.	RRP £
	193	without structure	Chrome	Q2/2024	49110000	397.50
			Brushed Bronze	Q2/2024	49110140	596.67
			Brushed Black Chrome	Q2/2024	49110340	596.67
			Matt Black	Q2/2024	49110670	556.67
			Brushed Nickel	Q2/2024	49110820	596.67
			Polished Gold Optic	Q2/2024	49110990	596.67
			AXOR FinishPlus*		49110XXX	596.25
	193	cubic cut	Chrome	Q2/2024	49111000	397.50
			Brushed Bronze	Q2/2024	49111140	596.67
			Brushed Black Chrome	Q2/2024	49111340	596.67
			Matt Black	Q2/2024	49111670	556.67
			Brushed Nickel	Q2/2024	49111820	596.67
			Polished Gold Optic	Q2/2024	49111990	596.67
			AXOR FinishPlus*		49111XXX	596.25
A Required part	s:				Code no.	RRP £
160	Basic set for single lever basin mounted		13623180	295.83		
Optional parts:					Code no.	RRP £
200	Extension set 25 mm for single	lever basin mixer wall-mounted			13586000	143.33

3-hole basin mixers

Features of all variants

/ consists of: 3-hole basin mixer, waste set / ComfortZone: 125 / projection: 135 mm / spout height: 125 mm / handle variant: lever handle / spray type: normal spray / maximum flow rate at 3 bar: 5 l/min / ceramic valves hot/cold 90° / suitable for continuous flow water heaters / pop-up waste set G 11/4 / connection type: G 3/8 connections / connection dimension: DN 15 / EU taxonomy: max. 6 l/min - Substantial Contribution (SC) possible



ComfortZone	Projection (mm)	Spout height (mm)	Structure element	Finish	Available from	Code no.	RRP £			
125	135	125	without structure	Chrome	Q2/2024	49060000	442.50			
				Brushed Bronze	Q2/2024	49060140	666.67			
				Brushed Black Chrome	Q2/2024	49060340	666.67			
				Matt Black	Q2/2024	49060670	620.00			
				Brushed Nickel	Q2/2024	49060820	666.67			
				Polished Gold Optic	Q2/2024	49060990	666.67			
				AXOR FinishPlus*		49060XXX	663.75			
125	135	125	cubic cut	Chrome	Q2/2024	49061000	442.50			
				Brushed Bronze	Q2/2024	49061140	666.67			
				Brushed Black Chrome	Q2/2024	49061340	666.67			
				Matt Black	Q2/2024	49061670	620.00			
				Brushed Nickel	Q2/2024	49061820	666.67			
					ĺ		Polished Gold Optic	Q2/2024	49061990	666.67
				AXOR FinishPlus*		49061XXX	663.75			

3-hole basin mixers for concealed installation wall-mounted

Features of all variants

- / consists of: 3-hole basin mixer for concealed installation wall-mounted, waste set / projection: 193 mm
- / handle variant: lever handle / spray type: normal spray
- / maximum flow rate at 3 bar: 5 l/min / ceramic valves hot/cold 90° / suitable for continuous flow water heaters
- / non-closing waste set / connection type: basic set


/ connection dimension: DN15 / EU taxonomy: max. 6 l/min - Substantial Contribution (SC) possible


Sustainability

Technologies

RRP £

254.17





Overview variants					
Projection (mm)	Structure element	Finish	Available from	Code no.	RRP £
193	without structure	Chrome	Q2/2024	49070000	415.83
		Brushed Bronze	Q2/2024	49070140	623.33
		Brushed Black Chrome	Q2/2024	49070340	623.33
		Matt Black	Q2/2024	49070670	581.67
		Brushed Nickel	Q2/2024	49070820	623.33
		Polished Gold Optic	Q2/2024	49070990	623.33
		AXOR FinishPlus*		49070XXX	623.75
193	cubic cut	Chrome	Q2/2024	49071000	415.83
		Brushed Bronze	Q2/2024	49071140	623.33
		Brushed Black Chrome	Q2/2024	49071340	623.33
		Matt Black	Q2/2024	49071670	581.67
		Brushed Nickel	Q2/2024	49071820	623.33
		Polished Gold Optic	Q2/2024	49071990	623.33
		AXOR FinishPlus*		49071XXX	623.75

Optional parts:		Code no.	RRP £
•••	Seal	96383000	39.17
B	Extension set 25 mm for basic set for 3-hole basin mixer wall-mounted	96259000	67.50

Basic set for 3-hole basin mixer for concealed installation wall-mounted

Code no.


10303180


Required parts:

Single lever bidet mixers

Features of all variants

/ consists of: single lever bidet mixer, waste set / projection: 113 mm / spout height: 95 mm / ball-pivot joint / spray type: laminar spray / maximum flow rate at 3 bar: 7,5 l/min / ceramic cartridge / suitable for continous flow water heaters / pop-up waste set G 11/4 / connection type: G 3/8 connections / connection dimension: DN15





	Structure element	Finish	Available from	Code no.	RRP £
	without structure	Chrome	Q2/2024	49210000	325.83
		Brushed Bronze	Q2/2024	49210140	488.33
		Brushed Black Chrome	Q2/2024	49210340	488.33
		Matt Black	Q2/2024	49210670	455.83
		Brushed Nickel	Q2/2024	49210820	488.33
	cubic cut	Polished Gold Optic	Q2/2024	49210990	488.33
		AXOR FinishPlus*		49210XXX	488.75
		Chrome	Q2/2024	49211000	325.83
		Brushed Bronze	Q2/2024	49211140	488.33
		Brushed Black Chrome	Q2/2024	49211340	488.33
		Matt Black	Q2/2024	49211670	455.83
		Brushed Nickel	Q2/2024	49211820	488.33
		Polished Gold Optic	Q2/2024	49211990	488.33
		AXOR FinishPlus*		49211XXX	488.75

Single lever bath mixers floor-standing

Features of all variants


- / consists of: single lever bath mixer floor standing, baton hand shower, shower hose, shower holder / 2 functions
- / projection: 194 mm
- /spray type mixer: laminar spray
- / maximum flow rate at 3 bar: 23,4 l/min / flow rate for bath spout at 3 bar: 23,4 l/min
- /M35 S
- / diverter with automatic resetting
- / non-return valve

/ connection dimension: DN15 / connection type: basic set / deck mounted installation / min. operating pressure: 1 bar / max. operating pressure: 10 bar

863 - 943

827 - 907

min. 80-



Spray types




Projection ((mm) S	Structure element	Fin	ish	Available from	Code no.	RRP £
194	•	without structure		Chrome	Q2/2024	49440000	1,716.67
				Brushed Bronze	Q2/2024	49440140	2,575.00
				Brushed Black Chrome	Q2/2024	49440340	2,575.00
				Matt Black	Q2/2024	49440670	2,408.33
				Brushed Nickel	Q2/2024	49440820	2,575.00
				Polished Gold Optic	Q2/2024	49440990	2,575.00
194		cubic cut		Chrome	Q2/2024	49441000	1,716.67
				Brushed Bronze	Q2/2024	49441140	2,575.00
				Brushed Black Chrome	Q2/2024	49441340	2,575.00
				Matt Black	Q2/2024	49441670	2,408.33
				Brushed Nickel	Q2/2024	49441820	2,575.00
				Polished Gold Optic	Q2/2024	49441990	2,575.00
Required parts:						Code no.	RRP £
Ba	sic set for mixers floor-standing					10452180	487.50
Optional parts:						Code no.	RRP £
Sec	Sealing foil for basic set bath mixer floor-standing					96441000	146.67
Î Ext	ension 60 mm for pipe					93882000	233.33

3-hole bath mixer for concealed installation wall-mounted with hand shower

Features of all variants

/ 2 functions / projection: 222 mm / spray type mixer: normal spray / spray type hand shower: Rain, Mono / flow rate for bath spout at 3 bar: 20 l/min / flow rate of hand shower at 3 bar: 9,7 l/min / diverter with automatic resetting / connection dimension: DN15

/ connection type: basic set / wall-mounted / min. operating pressure: 1 bar / max. operating pressure: 10 bar





Overview varian	15					
Proj	ection (mm)	Structure element	Finish	Available from	Code no.	RRP £
	222	without structure	Chrome	Q2/2024	49480000	766.67
			Brushed Bronze	Q2/2024	49480140	1,141.67
			Brushed Black Chrome	Q2/2024	49480340	1,141.67
			Matt Black	Q2/2024	49480670	1,066.67
			Brushed Nickel	Q2/2024	49480820	1,141.67
			Polished Gold Optic	Q2/2024	49480990	1,141.67
222		cubic cut	Chrome	Q2/2024	49481000	766.67
			Brushed Bronze	Q2/2024	49481140	1,141.67
			Brushed Black Chrome	Q2/2024	49481340	1,141.67
			Matt Black Q2/2	Q2/2024	49481670	1,066.67
			Brushed Nickel	Q2/2024	49481820	1,141.67
			Polished Gold Optic	Q2/2024	49481990	1,141.67
			AXOR FinishPlus*		49481XXX	1,150.01
A Required par	rts:				Code no.	RRP £
600	Basic set for 3-hole basin mixer for concealed installation wall-mounted					254.17
Optional parts:					Code no.	RRP £
B.	Extension set 25 mm	n for basic set for 3-hole basin mixer wall-m	nounted		96259000	67.50
	Seal				96383000	39.17

3-hole bath mixer for concealed installation wall-mounted

Features of all variants

/ 1 function / projection: 222 mm / spray type mixer: normal spray / maximum flow rate at 3 bar: 20 l/min / flow rate for bath spout at 3 bar: 20 l/min / ceramic valves hot/cold 90° / connection type: basic set / wall-mounted / min. operating pressure: 1 bar / max. operating pressure: 10 bar





Technologies






Proje	ection (mm)	Structure element	Finish	Available from	Code no.	RRP £
	222	without structure	Chrome	Q2/2024	49482000	596.67
			Brushed Bronze	Q2/2024	49482140	900.00
			Brushed Black Chrome	Q2/2024	49482340	900.00
			Matt Black	Q2/2024	49482670	841.67
			Brushed Nickel	Q2/2024	49482820	900.00
			Polished Gold Optic	Q2/2024	49482990	900.00
2	222	cubic cut	Chrome	Q2/2024	49483000	596.67
			Brushed Bronze	Q2/2024	49483140	900.00
			Brushed Black Chrome	Q2/2024	49483340	900.00
			Matt Black	Q2/2024	49483670	841.67
			Brushed Nickel	Q2/2024	49483820	900.00
			Polished Gold Optic	Q2/2024	49483990	900.00
A Required part	ts:				Code no.	RRP £
600	Basic set for 3-hole basin mixe	for concealed installation w	rall-mounted		10303180	254.17
Optional parts:					Code no.	RRP £
••••	Seal				96383000	39.17
B	Extension set 25 mm for basic	set for 3-hole basin mixer wo	ll-mounted		96259000	67.50

3-hole rim mounted single lever bath mixers

Features of all variants

/ consists of: 3-hole rim mounted single lever bath / maximum pull-out length of hand shower: 1,45 m $\,$ / connection dimension: DN15 / connection type: basic set mixer, baton hand shower, shower holder / sBox for quiet, smooth and protected hose guidance /installation on bath rim / 2 functions / projection: 155 mm /M35L / min. operating pressure: 1 bar /temperature limitation adjustable / spray type mixer: normal spray / max. operating pressure: 10 bar / spray type hand shower: Rain, Mono / non-return valve



Overview variants

Projection (mm)	Structure element	Finish	Available from	Code no.	RRP £
155	without structure	Chrome	Q2/2024	49430000	1,225.00
		Brushed Bronze	Q2/2024	49430140	1,833.33
		Brushed Black Chrome	Q2/2024	49430340	1,833.33
		Matt Black	Q2/2024	49430670	1,708.33
		Brushed Nickel	Q2/2024	49430820	1,833.33
		Polished Gold Optic	Q2/2024	49430990	1,708.33 1,833.33 1,833.33 1,225.00 1,833.33
155	cubic cut	Chrome	Q2/2024	49431000	1,225.00
		Brushed Bronze	Q2/2024	49431140	1,833.33
		Brushed Black Chrome	Q2/2024	49431340	1,833.33
		Matt Black	Q2/2024	49431670	1,708.33
		Brushed Nickel	Q2/2024	49431820	1,833.33
		Polished Gold Optic	Q2/2024	49431990	1,833.33
Required parts:				Code no.	RRP £

Optional parts:		Code no.	RRP £
2	Installation plate	49449000	45.83

Basic set for 3-hole rim mounted single lever bath mixer

429.17

15487180


Installation plate


Features

/installation: indispensable for rim mounted mixers with plate

/ material: metal

/ installation type: concealed installation





Available from	Code no.	RRP £
Q2/2024	49449000	45.83

Finish set softsquare

Features

/ consists of: hose box, shower hose, escutcheon / suitable for rim or tile mounted installation

/ 1 function

/ sBox for quiet, smooth and protected hose guidance

/ connection dimension: DN15

/ no additional maintenance opening required

/ bath rim width at least 80 mm / clamping range: 0 - 30 mm


/ maximum pull-out length of hand shower 1.45 m

/ removable for service at any time

/ protected against backflow, according to DIN EN . 1717

/ maximum flow rate at 3 bar: 9,5 l/min





Finish	Available from	Code no.	RRP £
Chrome	Q2/2024	28017000	375.00
Brushed Bronze	Q2/2024	28017140	562.50
Brushed Black Chrome	Q2/2024	28017340	562.50
Matt Black	Q2/2024	28017670	525.00
Brushed Nickel	Q2/2024	28017820	562.50
Polished Gold Optic	Q2/2024	28017990	562.50
AXOR FinishPlus*		28017XXX	562.50


Bath spout

Features

/ 1 function / projection: 222 mm / maximum flow rate at 3 bar: 22 l/min / connection dimension: DN20

/ spray type: normal spray







Finish	Available from	Code no.	RRP £
Chrome	Q2/2024	49410000	217.50
Brushed Bronze	Q2/2024	49410140	325.83
Brushed Black Chrome	Q2/2024	49410340	325.83
Matt Black	Q2/2024	49410670	304.17
Brushed Nickel	Q2/2024	49410820	325.83
Polished Gold Optic	Q2/2024	49410990	325.83
AXOR FinishPlus*		49410XXX	326.25


Thermostatic modules concealed installation with plate


Features of all variants

/ 2 functions / simultaneous utilization of 2 functions / T42K

/ naximum flow rate at 3 bar: 42 l/min / flow rate upper outlet: 42 l/min / flow rate lower outlet: 40 l/min / min. operating pressure: 1 bar / max. operating pressure: 10 bar / combination of highflow thermostat with shut-off valve and Duo diverter valve for controlling 2 consumers

/ Safety stop at 40 °C / temperature limitation adjustable







Sustainability

Overview variants

	Structure element	Finish	Available from	Code no.	RRP £
	without structure	Chrome	Q2/2024	49700000	633.33
		Brushed Bronze	Q2/2024	49700140	950.00
		Brushed Black Chrome	Q2/2024	49700340	950.00
		Matt Black	Q2/2024	49700670	891.67
		Brushed Nickel	Q2/2024	49700820	950.00
		Polished Gold Optic	Q2/2024	49700990	950.00
		AXOR FinishPlus*		49700XXX	950.00
-	cubic cut	Chrome	Q2/2024	49701000	633.33
		Brushed Bronze	Q2/2024	49701140	950.00
		Brushed Black Chrome	Q2/2024	49701340	950.00
		Matt Black	Q2/2024	49701670	891.67
		Brushed Nickel	Q2/2024	49701820	950.00
		Polished Gold Optic	Q2/2024	49701990	950.00
		AXOR FinishPlus*		49701XXX	950.00



Basic set for thermostatic module 380/120 for concealed installation for 2 functions

Code no. RRP £ 36701180 675.00

Thermostatic modules concealed installation with escutcheons

Features of all variants

/ consists of: shower thermostat, shut-off/ diverter valve, shut-off valve


/ 3 functions


/ simultaneous utilization of 2 functions /T42K


/maximum flow rate at 3 bar: 42 l/min / flow rate lower outlet: 37,9 l/min

/ Flow rate left and right: 37,9 l/min / min. operating pressure: 1 bar / max. operating pressure: 10 bar / combination of highflow thermostat with shut-off valve and Quattro diverter valve for controlling 3 / temperature limitation adjustable / connection dimension: DN20 / connection type: basic set

/ Safety stop at 40 °C







Overview variants

	Structure element	Finish	Available from	Code no.	RRP £
	without structure	Chrome	Q2/2024	49710000	666.67
		Brushed Bronze	Q2/2024	49710140	991.67
		Brushed Black Chrome	Q2/2024	49710340	991.67
		Matt Black	Q2/2024	49710670	925.00
		Brushed Nickel	Q2/2024	49710820	991.67
			Q2/2024	49710990	991.67
		AXOR FinishPlus*		49710XXX	991.67
	cubic cut	Chrome	Q2/2024	49711000	666.67
		Brushed Bronze	Q2/2024	49711140	991.67
		Brushed Black Chrome	Q2/2024	49711340	991.67
		Matt Black	Q2/2024	49711670	925.00
		Brushed Nickel	Q2/2024	49711820	991.67
		Polished Gold Optic	Q2/2024	49711990	991.67
		AXOR FinishPlus*		49711XXX	991.67

Code no. RRP £ 🚹 Required parts: Basic set for thermostatic module 380/120 for concealed installation 36708180 675.00 for 3 functions

Overhead showers 1 jet with shower arm

Features of all variants

/ consists of: overhead shower, shower arm / shower head size: 270 x 270 mm / spray type: PowderRain / material spray disc: metal / shower arm length 390 mm / overhead shower removable for cleaning / installation: wall / connection thread G $^{1}\!\!/_{2}$ / suitable for continous flow water heaters






Technologies











	Shower head size	Number of sprays	Spray types	Max. flow rate at 3 bar (I/min)	Min. flow pressure (bar)	Fini	ish	Available from	Code no.	RRP £
8	† 270/270	1	PowderRain	6.5	1.5		Chrome	Q2/2024	28791000	505.83
							Brushed Bronze	Q2/2024	28791140	766.67
							Brushed Black Chrome	Q2/2024	28791340	766.67
							Matt Black	Q2/2024	28791670	708.33
							Brushed Nickel	Q2/2024	28791820	766.67
							Polished Gold Optic	Q2/2024	28791990	766.67
							AXOR FinishPlus*		28791XXX	758.75
	270/270	1	PowderRain	11	1		Chrome	Q2/2024	28790000	505.83
							Brushed Bronze	Q2/2024	28790140	766.67
							Brushed Black Chrome	Q2/2024	28790340	766.67
							Matt Black	Q2/2024	28790670	708.33
							Brushed Nickel	Q2/2024	28790820	766.67
							Polished Gold Optic	Q2/2024	28790990	766.67
							AXOR FinishPlus*		28790XXX	758.75
	Optional parts:						Finish		Code no.	RRP £
	B	Wall escutch	eon 120/120 so	tsquare			Chrome		28801000	93.33
							Matt Blad	ck	28801670	138.33
							AXOR Fir	nishPlus*	28801XXX	140.00

Overhead showers 1 jet with ceiling connector

Features of all variants

/ consists of: overhead shower, ceiling connector / shower head size: 270 x 270 mm / spray type: PowderRain

/ material spray disc: metal / ceiling connection length: 100 mm / overhead shower removable for cleaning / installation: ceiling / connection thread G $\,1/2\,$ / suitable for continous flow water heaters






Technologies











Shower head size	Number of sprays	Spray types	Max. flow rate at 3 bar (I/min)	Min. flow pressure (bar)	Finish	Available from	Code no.	RRP £
\$ 270/270	1	PowderRain	6.5	1.5	Chrome	Q2/2024	28793000	470.00
					Brushed Bronze	Q2/2024	28793140	708.33
					Brushed Black Chrome	Q2/2024	28793340	708.33
					Matt Black	Q2/2024	28793670	658.33
					Brushed Nickel	Q2/2024	28793820	708.33
					Polished Gold Optic	Q2/2024	28793990	708.33
					AXOR FinishPlus*		28793XXX	705.00
270/270	1	PowderRain	11	1	Chrome	Q2/2024	28792000	470.00
					Brushed Bronze	Q2/2024	28792140	708.33
					Brushed Black Chrome	Q2/2024	28792340	708.33
					Matt Black	Q2/2024	28792670	658.33
					Brushed Nickel	Q2/2024	28792820	708.33
					Polished Gold Optic	Q2/2024	28792990	708.33
					AXOR FinishPlus*		28792XXX	705.00
Optional parts:					Finish		Code no.	RRP £
40	Ceiling escu	tcheon 120/120 :	oftsquare		Chrome		28802000	93.33
					Matt Bla	ck	28802670	708.33 708.33 705.00 RRP £
					AXOR F	nishPlus*	28802XXX	140.00

Overhead showers 1 jet ceiling

Features of all variants

/ shower head size: 270 x 270 mm

/ spray type: Rain / material spray disc: metal / overhead shower removable for cleaning

/installation: ceiling /connection type: basic set / suitable for continous flow water heaters







Technologies



Spray types







	Shower head size	Number of sprays	Spray types	Max. flow rate at 3 bar (l/min)	Min. flow pressure (bar)	Finis	h	Available from	Code no.	RRP £
H	270/270	1	Rain	6.8	1.2		Chrome	Q2/2024	28795000	406.67
							Brushed Bronze	Q2/2024	28795140	
							Brushed Black Chrome	Q2/2024	28795340	610.00
							Matt Black	Q2/2024	28795670	569.17
						Brushed Nickel	Q2/2024	28795820	610.00	
						Polished Gold Optic Q2/2024 2	28795990	610.00		
					AXOR FinishPlus*		28795XXX	610.01		
	270/270	1	Rain	11.3	1		Chrome	Q2/2024	28794000	406.67
							Brushed Bronze	Q2/2024	28794140	610.00
							Brushed Black Chrome	Q2/2024	28794340	610.00
							Matt Black	Q2/2024	28794670	569.17
							Brushed Nickel	Q2/2024	28794820	610.00
							Polished Gold Optic	Q2/2024	28794990	610.00
							AXOR FinishPlus*		28794XXX	610.01

A Required parts:		Code no.	RRP £
	Basic set for overhead shower ceiling	26039180	100.00

Basic set for overhead shower ceiling

Features

/ minimum mounting depth: 60 mm / maxi

/ maximum mounting depth: 80 mm


/ connection dimension: G $\frac{1}{2}$

Code no.

RRP £

Available






Time to the second seco	from		
	Q2/2024	26039180	100.00

Wall escutcheon 120/120 softsquare

Features

/ material: metal / wall-mounted





Finish	Available from	Code no.	RRP £
Chrome	Q2/2024	28801000	93.33
Matt Black	Q2/2024	28801670	138.33
AXOR FinishPlus*		28801XXX	140.00


Optional parts:	Finish	Code no.	RRP £
Overhead shower 270/270 1 jet EcoSmart+ with shower arm	Chrome	28791000	505.83
	Matt Black	28791670	708.33
	AXOR FinishPlus*	28791XXX	758.75
Overhead shower 270/270 1 jet with shower arm	Chrome	28790000	505.83
	Matt Black	28790670	708.33
	AXOR FinishPlus*	28790XXX	758.75

Ceiling escutcheon 120/120 softsquare

Features

/ material: metal / ceiling installation





Finish	Available from	Code no.	RRP £
Chrome	Q2/2024	28802000	93.33
Matt Black	Q2/2024	28802670	138.33
AXOR FinishPlus*		28802XXX	140.00

Optional parts:		Finish	Code no.	RRP £
	Overhead shower 270/270 1 jet EcoSmart+ with ceiling	Chrome	28793000	470.00
	connector	Matt Black	Matt Black 28793670	658.33
		AXOR FinishPlus*	28793XXX	705.00
1	Overhead shower 270/270 1 jet with ceiling connector	Chrome	28792000	470.00
		Matt Black	28792670	658.33
		AXOR FinishPlus*	28792XXX	705.00


Porter unit 120/120 softsquare with baton hand shower 2jet and textile shower hose

Features

/ consists of: porter unit, baton hand shower, shower holder, shower hose
/ shower head size: 68 x 24 mm
/ integrated support function
/ spray type: Rain, Mono

/ maximum flow rate at 3 bar: 16,2 l/min / minimum flow pressure: 1 bar / operating pressure: min. 1 bar/max. 10 bar / for shower hoses with conical or cylindrical nut on both sides / with non-return valve / wall mounting: screw fastening / rinseable screen seal







Technologies

Finish	Available from	Code no.	RRP £
Chrome	Q2/2024	49626000	352.50
Brushed Bronze	Q2/2024	49626140	528.33
Brushed Black Chrome	Q2/2024	49626340	528.33
Matt Black	Q2/2024	49626670	493.33
Brushed Nickel	Q2/2024	49626820	528.33
Polished Gold Optic	Q2/2024	49626990	528.33
AXOR FinishPlus*		49626XXX	528.75






AXOR ShowerSelect ID

Precision meets Personality.

AXOR ShowerSelect ID brings unprecedented precision and personalization to the shower experience. Developed in collaboration with PHOENIX, the concealed thermostatic mixer extends just 45 mm from the wall, a feat made possible by the new AXOR iBox universal 2. Within these sleek confines, a central temperature control dial offers satisfying haptic and auditory feedback while surrounding paddles utilize the latest Select technology, allowing for quick, easy switching among spray types and outlets. With three design styles to choose from—round, square or softsquare—as well as a wide range of AXOR FinishPlus surfaces and AXOR Signature custom inlay options, AXOR ShowerSelect ID is more than a marvel of technology and design. As its name suggests, it's a unique opportunity to express one's individual identity, taste and style.

Design: PHOENIX



AXOR ShowerSelect ID is characterized by ultra-precise control, universal design styles and unique customisation options. Users can combine AXOR ShowerSelect ID thermostats to cover up to four outlets in order to accommodate almost any shower configuration, from a small 1 outlet shower enclosure up to a 4 function wellness shower.

 $^{^{\}star}$ Same finish inlay for AXOR FinishPlus surfaces, Matt Black inlay for Chrome surface

AXOR Finishes

Surface colors from stock*



Surface colors with a production time of max. 6 weeks* (excl. transport)



^{*}Please note that production times and stock availabilities are only valid for small quantities and may vary for project or bulk orders.

AXOR FinishPlus - the refinement of the unique

The exclusive surface finishes from AXOR FinishPlus set new standards, from the lacquered Matt Black surface to Polished Gold Optic and Brushed Black Chrome. Surfaces of exceptional brilliance, robustness, and durability, manufactured in Germany to the highest technical standards – from single pieces to large quantities. AXOR FinishPlus PVD surface finishes have character. Each colour is the result of intensive development and refined in AXOR's vacuum chambers using the PVD (physical vapor deposition) process. An electric arc discharges in the high vacuum, gases combine with zirconium. The mixture hits the faucet's chrome surface. This high-tech process gives the surface un-precedented brilliance and high resistance to scratches, cleaning agents, and the salt of the sea air.







AXOR Signature Service - AXOR ShowerSelect ID

AXOR Signature is an exclusive service that takes a design object and makes it one-of-a-kind, whether by providing each mixer with the customer's personal touch or by modifying it to fit specific dimensions. The personal and customised result manufactured by AXOR experts in Schiltach. With the utmost in care and precise craftsmanship in accordance with industrial standards.

Bi-color

For those wishing to accentuate the minimalist shape and bold simplicity of AXOR ShowerSelect ID, the AXOR Signature Service introduces custom bi-colour finishes. With 10 distinct PVD finishes to choose from, the combination options - from subtle tonal shifts to bold and colourful contrasts - are seemingly endless.







AXOR Signature Service - AXOR ShowerSelect ID

Material inlays

Beyond functionality and design, AXOR ShowerSelect ID also sets new standards in individualisation. With its unique system of custom inlay options for the product's monolithic central dial, AXOR ShowerSelect ID presents the perfect canvas to express your personality. This includes black Nero Marquina marble, Marble Lasa Covelano Vena Oro, black walnut, mirrored glass and black glass.






To request the customised product via the AXOR Signature Service, the order number is composed of the model number, the finish and the individualisation service, the S-Tag. This creates an individual product that fits into every bathroom interior.









Thermostats for concealed installation for 1 function


Features of all variants

- / 1 function
- /comfortable turning on / off of outlets with large Select-paddle
- / precise temperature control thanks to vertical handle structure and haptic feedback from the thermostat handle
- / water flow control with stop function
- / thermostat cartridge, Start/stop valve to operate the functions
- / maximum flow rate at 3 bar: 20,3 l/min
- / min. operating pressure: 1 bar
- / max. operating pressure: 10 bar / flat escutcheon for more space in the shower
- / escutcheon can be aligned by +/- 3°
- / easy installation due to pre-assembled function
- / handles always at the same height regardless of the installation depth of the basic set
- / Safety stop at 40 °C
- / temperature limitation adjustable


- / the thermostat offers the possibility for thermal disinfection
- / material button: metal
- / material handles: metal
- / connection type: basic set iBox universal 2 (# 01400180)
- / Select-paddle is delivered with lasered On/Off symbol

round














Sustainability









Overview variants

	Shape	Finish	Available from	Code no.	RRP £
	round	Chrome	Q2/2024	36756000	708.33
		Brushed Bronze	Q2/2024	36756140	1,058.33
		Brushed Black Chrome	Q2/2024	36756340	1,058.33
		Matt Black	Q2/2024	36756670	983.33
		Matt White	Q2/2024	36756700	983.33
		Brushed Nickel	Q2/2024	36756820	1,058.33
		Polished Gold Optic	Q2/2024	36756990	1,058.33
		AXOR FinishPlus*		36756XXX	1,062.50
	square	Chrome	Q2/2024	36757000	708.33
		Brushed Bronze	Q2/2024	36757140	1,058.33
		Brushed Black Chrome	Q2/2024	36757340	1,058.33
		Matt Black	Q2/2024	36757670	983.33
		Brushed Nickel	Q2/2024	36757820	1,058.33
		Polished Gold Optic	Q2/2024	36757990	1,058.33
		AXOR FinishPlus*		36757XXX	1,062.50
	softsquare	Chrome	Q2/2024	36758000	708.33
		Brushed Bronze	Q2/2024	36758140	1,058.33
		Brushed Black Chrome	Q2/2024	36758340	1,058.33
		Matt Black	Q2/2024	36758670	983.33
		Brushed Nickel	Q2/2024	36758820	1,058.33
		Polished Gold Optic	Q2/2024	36758990	1,058.33
		AXOR FinishPlus*		36758XXX	1,062.50
Required parts:				Code no.	RRP £

AXOR iBox universal 2 Basic set

Thermostats for concealed installation for 2 functions

Features of all variants


- / 2 functions
- / simultaneous use of several outlets
- / comfortable turning on / off of outlets with large Select-paddle
- / precise temperature control thanks to vertical handle structure and haptic feedback from the thermostat handle
- / water flow control with stop function
- / thermostat cartridge, Start/stop valve to operate the functions
- / maximum flow rate at 3 bar: 22,1 l/min

- / flow rate upper outlet: 20 l/min
- / flow rate lower outlet: 20 l/min / min. operating pressure: 1 bar
- /max. operating pressure: 10 bar
- / flat escutcheon for more space in the shower / escutcheon can be aligned by +/- 3 °
- / easy installation due to pre-assembled function
- block
 / handles always at the same height regardless of the installation depth of the basic set
- / Safety stop at 40 °C


- / temperature limitation adjustable
- / the thermostat offers the possibility for thermal disinfection
- / material button: metal
- / material handles: metal
- / connection type: basic set iBox universal 2 (# 01400180)
- / Select-paddles are delivered with lasered user symbols (Rain large and hand shower)
















Sustainability









Overview variants

	Shape	Finish	Available from	Code no.	RRP £
	round	Chrome	Q2/2024	36750000	766.67
		Brushed Bronze	Q2/2024	36750140	1,150.00
		Brushed Black Chrome	Q2/2024	36750340	1,150.00
		Matt Black	Q2/2024	36750670	1,075.00
		Matt White	Q2/2024	36750700	1,075.00
		Brushed Nickel	Q2/2024	36750820	1,150.00
		Polished Gold Optic	Q2/2024	36750990	1,150.00
		AXOR FinishPlus*		36750XXX	1,150.01
	square	Chrome	Q2/2024	36752000	766.67
		Brushed Bronze	Q2/2024	36752140	1,150.00
		Brushed Black Chrome	Q2/2024	36752340	1,150.00
		Matt Black	Q2/2024	36752670	1,075.00
		Brushed Nickel	Q2/2024	36752820	1,150.00
		Polished Gold Optic	Q2/2024	36752990	1,150.00
		AXOR FinishPlus*		36752XXX	1,150.01
	softsquare	Chrome	Q2/2024	36754000	766.67
		Brushed Bronze	Q2/2024	36754140	1,150.00
		Brushed Black Chrome	Q2/2024	36754340	1,150.00
		Matt Black	Q2/2024	36754670	1,075.00
		Brushed Nickel	Q2/2024	36754820	1,150.00
		Polished Gold Optic	Q2/2024	36754990	1,150.00
		AXOR FinishPlus*		36754XXX	1,150.01
A Required parts:				Code no.	RRP £

For more information about this product, please see the next page.

01400180

AXOR iBox universal 2 Basic set

123.33


Thermostat for concealed installation for 2 functions with integrated security combination according to EN1717

Features of all variants

- / 2 functions
- / comfortable turning on / off of outlets with large Select-paddle
- / precise temperature control thanks to vertical handle structure and haptic feedback from the thermostat handle
- / water flow control with stop function
- / thermostat cartridge, Start/stop valve to operate the functions
- maximum flow rate at 3 bar: 26 l/min
- / flow rate upper outlet: 23 l/min

- / flow rate lower outlet: 23 l/min
- / min. operating pressure: 1 bar / max. operating pressure: 10 bar
- / flat escutcheon for more space in the shower
- / escutcheon can be aligned by +/- 3°
- / easy installation due to pre-assembled function block
- / handles always at the same height regardless of the installation depth of the basic set / Safety stop at 40 °C
- / temperature limitation adjustable

- / the thermostat offers the possibility for thermal disinfection
- / with integrated safety combination EN 1717
- / material button: metal / material handles: metal
- /connection type: basic set iBox universal 2 (# 01400180)
- / Select-paddles are delivered with lasered user symbols (hand shower and bath tub)




Overview variants

		Shape	Finish	Available from	Code no.	RRP £
		round	Chrome	Q2/2024	36751000	866.67
			Brushed Bronze	Q2/2024	36751140	1,291.67
			Brushed Black Chrome	Q2/2024	36751340	1,291.67
			Matt Black	Q2/2024	36751670	1,208.33
			Matt White	Q2/2024	36751700	1,208.33
			Brushed Nickel	Q2/2024	36751820	1,291.67
			Polished Gold Optic	Q2/2024	36751990	1,291.67
			AXOR FinishPlus*		36751XXX	1,300.01
		square	Chrome	Q2/2024	36753000	866.67
			Brushed Bronze	Q2/2024	36753140	1,291.67
			Brushed Black Chrome	Q2/2024	36753340	1,291.67
			Matt Black	Q2/2024	36753670	1,208.33
			Brushed Nickel	Q2/2024	36753820	1,291.67
			Polished Gold Optic	Q2/2024	36753990	1,291.67
			AXOR FinishPlus*		36753XXX	1,300.01
		softsquare	Chrome	Q2/2024	36755000	866.67
			Brushed Bronze	Q2/2024	36755140	1,291.67
			Brushed Black Chrome	Q2/2024	36755340	1,291.67
			Matt Black	Q2/2024	36755670	1,208.33
			Brushed Nickel	Q2/2024	36755820	1,291.67
			Polished Gold Optic	Q2/2024	36755990	1,291.67
			AXOR FinishPlus*		36755XXX	1,300.01
A Required p	parts:				Code no.	RRP £
C	AXOR iBox universal 2 Basic set				01400180	123.33

Thermostats HighFlow for concealed installation

Features of all variants

- / temperature and water flow control / precise temperature control thanks to vertical handle structure and haptic feedback from the thermostat handle
- /water flow control with stop function
- / thermostat cartridge
- / maximum flow rate at 3 bar: 24 l/min
- / flow rate upper outlet: 24 l/min
- / flow rate lower outlet: 23 l/min / min. operating pressure: 1 bar / max. operating pressure: 10 bar
- / flat escutcheon for more space in the shower / escutcheon can be aligned by +/- 3 °
- / easy installation due to pre-assembled function block
- / handles always at the same height regardless of the installation depth of the basic set
- / Safety stop at 40 °C
- / temperature limitation adjustable
- / material button: metal / material handles: metal
- / connection type: basic set iBox universal 2 (# 01400180)



Sustainability












Overview variants



Code no. RRP £ Required parts: AXOR iBox universal 2 Basic set 01400180 123.33

Thermostat HighFlow for concealed installation for 1 function and additional outlet

Features of all variants


- / 1 function and 1 additional outlet
- / Select push-button on/off control for 1 outlet
- / precise temperature control thanks to vertical handle structure and haptic feedback from the thermostat handle
- / water flow control with stop function
- / thermostat cartridge, Start/stop valve to operate the functions
- maximum flow rate at 3 bar: 32,8 l/min
- / flow rate upper outlet: 23 l/min

- / flow rate lower outlet: 23 l/min
- / min. operating pressure: 1 bar / max. operating pressure: 10 bar
- / flat escutcheon for more space in the shower / escutcheon can be aligned by +/- 3°
- / easy installation due to pre-assembled function block
- / handles always at the same height regardless of the installation depth of the basic set / Safety stop at 40 °C


- / temperature limitation adjustable
- / the thermostat offers the possibility for thermal disinfection
- / material button: metal
- / material handles: metal
- /connection type: basic set iBox universal 2 (# 01400180)
- /thermostat is delivered with buttons hand shower, bath tub, whirl, body shower and On/Off

round














Sustainability







Overview variants

	- 5 5 1	100	- 551
C Select SELECT			

	Shape	Finish	Available from	Code no.	RRP £
	round	Chrome	Q2/2024	36776000	708.33
		Brushed Bronze	Q2/2024	36776140	1,058.33
		Brushed Black Chrome	Q2/2024	36776340	1,058.33
		Matt Black	Q2/2024	36776670	983.33
		Matt White	Q2/2024	36776700	983.33
		Brushed Nickel	Q2/2024	36776820	1,058.33
		Polished Gold Optic	Q2/2024	36776990	1,058.33
		AXOR FinishPlus*		36776XXX	1,062.50
	square	Chrome	Q2/2024	36777000	708.33
		Brushed Bronze	Q2/2024	36777140	1,058.33
		Brushed Black Chrome	Q2/2024	36777340	1,058.33
		Matt Black	Q2/2024	36777670	983.33
		Brushed Nickel	Q2/2024	36777820	1,058.33
		Polished Gold Optic	Q2/2024	36777990	1,058.33
		AXOR FinishPlus*		36777XXX	1,062.50
	softsquare	Chrome	Q2/2024	36778000	708.33
		Brushed Bronze	Q2/2024	36778140	1,058.33
		Brushed Black Chrome	Q2/2024	36778340	1,058.33
		Matt Black	Q2/2024	36778670	983.33
		Brushed Nickel	Q2/2024	36778820	1,058.33
		Polished Gold Optic	Q2/2024	36778990	1,058.33
		AXOR FinishPlus*		36778XXX	1,062.50
A Required parts:				Code no.	RRP £

AXOR iBox universal 2 Basic set


01400180


123.33

Valves for concealed installation

Features of all variants


- / 3 functions
- / simultaneous use of several outlets
- /comfortable turning on / off of outlets with large Select-paddle
- Start/stop valve to operate the functions / maximum flow rate at 3 bar: 32 l/min
- / flow rate upper outlet: 26 l/min
- / min. operating pressure: 1 bar / max. operating pressure: 10 bar / flat escutcheon for more space in the shower / escutcheon can be aligned by +/- 3° / easy installation due to pre-assembled function block
- / material button: metal / connection type: basic set iBox universal 2 (# 01400180)
- / valve is delivered with buttons Rain small, Rain large, hand sower, Waterfall and Mono





/ Flow rate left and right: 26 l/min






Technologies



Overview variants



01400180 AXOR iBox universal 2 Basic set


123.33

Extension element 5 mm


Features of all variants

/ for installation between tiles and finish set / is required if the basic set is installed too flat / for larger tile coverage / suitable for AXOR ShowerSelect ID / dimension: 170 x 170 mm / extension length: 5 mm














Overview variants

	Shape	Finish	Available from	Code no.	RRP £
	round	Chrome	Q2/2024	13642000	68.33
		Brushed Bronze	Q2/2024	13642140	101.67
		Brushed Black Chrome	Q2/2024	13642340	101.67
		Matt Black	Q2/2024	13642670	95.00
		Matt White	Q2/2024	13642700	95.00
		Polished Gold Optic	Q2/2024	13642990	101.67
		AXOR FinishPlus*		13642XXX	102.50
	square	Chrome	Q2/2024	13641000	68.33
		Brushed Bronze	Q2/2024	13641140	101.67
		Brushed Black Chrome	Q2/2024	13641340	101.67
		Matt Black	Q2/2024	13641670	95.00
		Polished Gold Optic	Q2/2024	13641990	101.67
		AXOR FinishPlus*		13641XXX	102.50
	softsquare	Chrome	Q2/2024	13640000	68.33
		Brushed Bronze	Q2/2024	13640140	101.67
		Brushed Black Chrome	Q2/2024	13640340	101.67
		Matt Black	Q2/2024	13640670	95.00
		Polished Gold Optic	Q2/2024	13640990	101.67
		AXOR FinishPlus*		13640XXX	102.50

Extension element 22 mm

Features of all variants


/ for installation between tiles and finish set / is required if the basic set is installed too flat

/ for larger tile coverage / suitable for AXOR ShowerSelect ID


/ dimension: 170 x 170 mm / extension length: 22 mm

















Overview variants

	Shape	Finish	Available from	Code no.	RRP £
	round	Chrome	Q2/2024	13646000	90.83
		Brushed Bronze	Q2/2024	13646140	135.83
		Brushed Black Chrome	Q2/2024	13646340	135.83
		Matt Black	Q2/2024	13646670	126.67
		Matt White	Q2/2024	13646700	126.67
		Polished Gold Optic	Q2/2024	13646990	135.83
		AXOR FinishPlus*		13646XXX	136.25
	square	Chrome	Q2/2024	13645000	90.83
		Brushed Bronze	Q2/2024	13645140	135.83
		Brushed Black Chrome	Q2/2024	13645340	135.83
		Matt Black	Q2/2024	13645670	126.67
		Polished Gold Optic	Q2/2024	13645990	135.83
		AXOR FinishPlus*		13645XXX	136.25
	softsquare	Chrome	Q2/2024	13643000	90.83
		Brushed Bronze	Q2/2024	13643140	135.83
		Brushed Black Chrome	Q2/2024	13643340	135.83
		Matt Black	Q2/2024	13643670	135.83
		Polished Gold Optic	Q2/2024	13643990	135.83
		AXOR FinishPlus*		13643XXX	136.25

AXOR iBox universal 2





AXOR iBox universal 2

Powering the sleek design of AXOR ShowerSelect ID is none other than the new AXOR iBox universal 2. A revolutionary basic set for concealed installation that's even faster, smarter and more flexible than its celebrated predecessor introduced 22 years prior, AXOR iBox universal 2 represents the future of concealed-installed AXOR products. By its streamlined, modular design, this basic set enables unprecedentedly slimmer escutcheons while making increasingly complex, cutting-edge product arrangements both more powerful in function and easier to install than ever before. Simply put, the promise of AXOR iBox universal 2 lies in its name—one universal solution for a vast variety of concealed AXOR thermostats, to meet the exacting demands of both today's and tomorrow's bathrooms. The new AXOR iBox universal 2 can also be combined with all previous and future AXOR finish sets. Finish sets of existing collections only require an adapter plate for installation.



Basic set

Features

- / suitable for all new shower, bath tub and thermostat finish sets for concealed installation (AXOR ShowerSelect ID)
- / in conjunction with adapter plate (# 13588000) compatible with other concealed shower, bath tub and thermostat finish sets
- / material: dezincification brass, EPP foam, heat and sound insulating
- / connection thread Rp 1/2


- / connection dimension: DN15
- / / no additional maintenance opening required / rotationally-symmetric installation
- / sound-decoupled installation
- / flexible mounting ring for different mounting situations
- / mounting ring adjustable in 5 mm steps / mounting ring suitable for front and rear installation

/ no shortening necessary thanks to sliding sleeve / support aid for the spirit level / integrated spirit level for correct horizontal and vertical alignment / sealing foil permanently fixed / minimum mounting depth: 80 mm / maximum mounting depth: 108 mm

Available

from









Installation



Certificates/declarations

Code no.



RRP £

		Q2/2024	01400180	123.33
Optional parts:			Code no.	RRP £
	Adapter plate for iBox universal 2		13588000	29.17
O	Extension iBox universal 2 basic set 25 mm		13637000	8.33
0	Extension finish sets 25 - 75 mm		13632000	33.33
®O.	Extension finish sets 25 mm		13638000	29.17

Adapter plate for iBox universal 2

Features

/ is required when installing iBox universal (# 01800180, # 01700180) compatible overhead showers, shower, bath tub and thermostat finish sets for concealed installation in conjunction with the iBox universal 2 (# 01500180, # 01400180)



Available from	Code no.	RRP £
Q3/2023	13588000	29.17

Extension finish sets 25 mm

Features

/ extension for finish sets ShowerSelect Comfort, DuoTurn and AXOR ShowerSelect ID / is required if the basic set is installed too deep / extension length: 25 mm



Available from	Code no.	RRP £
Q4/2023	13638000	29.17

Extension finish sets 25 - 75 mm

Features

/ extension for finish sets ShowerSelect Comfort, DuoTurn and AXOR ShowerSelect ID

/ is required if the basic set is installed too deep / extension length: 25 - 75 mm



Available from	Code no.	RRP £
Q3/2023	13632000	33.33

Extension iBox universal 2 basic set 25 mm

Features

/ extension for basic set

/ is required if the basic set is installed too deep

/ extension length: 25 mm



Available from	Code no.	RRP £
Q4/2023	13637000	8.33





AXOR / Hansgrohe Limited
Unit 2, Edgehill Drive
Tournament Fields
Warwick
CV34 6XQ
SWITCHBOARD 01926 242300

