

A woman with long brown hair, wearing a light blue long-sleeved shirt, is standing at a modern white rectangular sink. She is using a sleek, silver Hansgrohe faucet to fill a clear glass. Her right hand is resting on the top of the faucet handle. The sink is set into a dark countertop. In the background, there is a large window looking out onto a garden with tall grasses and a small tree. The lighting is bright and natural, suggesting daytime.

hansgrohe

Test de la ComfortZone

A chaque lavabo sa robinetterie adéquate.

hansgrohe Metris et Keramag iCon








réf. art.					
		500 x 485	600 x 485		900 x 485
		● # 124050 # 124150	● # 124060	⊗ # 124063	● # 124075
		● # 124090 # 124190 # 124195			⊗ # 124093
Metris 110 	# 31080000 # 31121000	✓	✓		✓
	# 31084000	✓	✓		✓
Metris 200 	# 31183000		✓		✓
	# 31185000		✓		✓
Metris 230 	# 31087000 # 31187000		✓		✓
	# 31081000		✓		✓
Metris 260 	# 31082000				✓
	# 31184000				✓
Metris 165 mm 	# 31085000		✓ c1		✓ c1
Metris 225 mm 	# 31086000		✓ c1		✓ c1

hansgrohe Metris et Keramag Silk

réf. art.					
		400 x 295	600 x 470	570 x 427	1000 x 470
		● # 121640	● # 121660	● # 121650 # 121655	● # 121600 ⊗ # 121625
Metris 100 	# 31166000	✓		✓	
Metris 110 	# 31080000 # 31121000		✓		✓
	# 31084000	✓	✓	✓	✓
Metris 200 	# 31183000		✓		✓
	# 31185000		✓	✓	✓
Metris 230 	# 31087000 # 31187000		✓		✓
	# 31081000		✓	✓	✓
Metris 260 	# 31082000				✓
	# 31184000				✓
Metris 165 mm 	# 31085000				✓ c1
Metris 225 mm 	# 31086000				✓ c1

Légende:



✓ = Combinaison recommandée

● = Trou percé

○ = Trou prépercé

⊗ = Sans trou

hansgrohe Talis et Keramag iCon








					
		500 x 485	600 x 485	750 x 485	900 x 485
		● # 124050 # 124150	● # 124060 ⊗ # 124063	● # 124075	● # 124090 # 124190 # 124195 ⊗ # 124093
réf. art.					
	Talis 80				
	# 32040000 # 32057000	✓	✓	✓	✓
	# 32041000 # 32130000	✓	✓	✓	✓
	# 32053000	✓	✓	✓	✓
	Talis 150				
	# 32052000		✓	✓	✓
	Talis S²				
	# 32070000 # 32073000		✓	✓	✓
	Talis 210				
	# 32084000 # 32082000 # 32080000		✓	✓	✓
	Talis 165 mm				
	# 31618000		✓ c1		✓ c1
	Talis 225 mm				
	# 31611000		✓ c1		✓ c1

hansgrohe Talis et Keramag Silk

					
		400 x 295	600 x 470	570 x 427	1000 x 470
		● # 121640	● # 121660	● # 121650 # 121655	● # 121600 ⊗ # 121625
réf. art.					
	Talis 80				
	# 32040000 # 32057000		✓		✓
	# 32041000 # 32130000	✓	✓	✓	✓
	# 32053000		✓		✓
	Talis 150				
	# 32052000		✓		
	Talis S²				
	# 32070000 # 32073000				✓
	Talis 210				
	# 32084000 # 32082000 # 32080000				✓
	Talis 165 mm				
	# 31618000				✓ c1
	Talis 225 mm				
	# 31611000				✓ c1

Légende:



✓ = Combinaison recommandée

● = Trou percé

○ = Trou prépercé

⊗ = Sans trou

hansgrohe Focus et Keramag iCon








réf. art.					
		500 x 485	600 x 485	750 x 485	900 x 485
		● # 124050 # 124150	● # 124060	● # 124075	● # 124090 # 124190 # 124195
	Focus 100	# 31607000 # 31621000	✓	✓	✓
		# 31517000	✓	✓	✓
	Focus 190	# 31608000		✓	✓
		# 31518000		✓	✓
	Focus 240	# 31609000		✓	✓
		# 31519000		✓	✓

hansgrohe Focus et Keramag Silk

réf. art.					
		400 x 295	600 x 470	570 x 427	1000 x 470
		● # 121640	● # 121660	● # 121650 # 121655	● # 121600
	Focus 70	# 31733000 # 31130000	✓	✓	
	Focus 100	# 31607000 # 31621000			✓
		# 31517000	✓	✓	✓
	Focus 190	# 31608000			✓
		# 31518000	✓	✓	✓
	Focus 240	# 31609000			✓
		# 31519000			✓

hansgrohe

Légende:



- ✓ = Combinaison recommandée
- = Trou percé
- = Trou prépercé
- ⊗ = Sans trou

hansgrohe PuraVida et Keramag iCon








						
		500 x 485	600 x 485		750 x 485	900 x 485
		●	●	⊗	●	●
réf. art.		# 124050 # 124150	# 124060	# 124063	# 124075	# 124090 # 124190 # 124195 # 124093
 PuraVida 100	# 15075000 # 15075400	✓	✓		✓	
	# 15132000 # 15132400	✓	✓		✓	
 PuraVida 110	# 15070000 # 15070400 # 15074000 # 15074400	✓	✓		✓	✓
 PuraVida 200	# 15081000 # 15081400		✓		✓	✓
 PuraVida 240	# 15072000 # 15072400 # 15066000 # 15066400					✓
 PuraVida 165 mm	# 15084000 # 15084400			✓ ^{c1}		✓ ^{c1}
 PuraVida 225 mm	# 15085000 # 15085400			✓ ^{c1}		✓ ^{c1}

hansgrohe PuraVida et Keramag Silk

					
		400 x 295	600 x 470	570 x 427	1000 x 470
		●	●	●	●
réf. art.		# 121640	# 121660	# 121650 # 121655	# 121600 # 121625
 PuraVida 100	# 15075000 # 15075400				
	# 15132000 # 15132400	✓			
 PuraVida 110	# 15070000 # 15070400	✓	✓	✓	✓
	# 15074000 # 15074400		✓		✓
 PuraVida 200	# 15081000 # 15081400		✓	✓	✓
 PuraVida 165 mm	# 15084000 # 15084400				✓ ^{c1}
 PuraVida 225 mm	# 15085000 # 15085400				✓ ^{c1}

Légende:



✓ = Combinaison recommandée

● = Trou percé

○ = Trou prépercé

⊗ = Sans trou

hansgrohe Metris Classic et Keramag iCon








réf. art.					
		500 x 485	600 x 485	750 x 485	900 x 485
	#31075000	● # 124050	● # 124060	● # 124075	● # 124090
	#31077000	● # 124150	⊗ # 124063		⊗ # 124195
	#31078000				● # 124093
	#31000000		✓ ^{c1}		✓ ^{c1}
	#31003000		✓ ^{c1}		✓ ^{c1}

hansgrohe Metris Classic et Keramag Silk

réf. art.					
		400 x 295	600 x 470	570 x 427	1000 x 470
	#31075000	● # 121640	● # 121660	● # 121650	● # 121600
	#31077000			● # 121655	⊗ # 121625
	#31078000				✓
	#31000000				✓ ^{c1}

Légende:



- ✓ = Combinaison recommandée
- = Trou percé
- = Trou prépercé
- ⊗ = Sans trou

hansgrohe Talis Classic et Keramag iCon








réf. art.					
		500 x 485	600 x 485		900 x 485
	réf. art.	● # 124050 # 124150	● # 124060	⊗ # 124063	● # 124075
		● # 124090 # 124190 # 124195			
		✓	✓		✓
		✓	✓		✓
	réf. art.				✓

hansgrohe Talis Classic et Keramag Silk

réf. art.					
		400 x 295	600 x 470	570 x 427	1000 x 470
	réf. art.	● # 121640	● # 121660	● # 121650 # 121655	● # 121600
		✓		✓	
			✓		✓
					✓

Légende:



- ✓ = Combinaison recommandée
- = Trou percé
- = Trou prépercé
- ⊗ = Sans trou






hansgrohe Novus et Keramag iCon



réf. art.		600 x 485		500 x 485
		● # 124060	⊗ # 124063	● # 124560
Novus 70 	# 71020000	✓		✓
	# 71021000			
	# 71022000			
Novus 100 	# 71030000	✓		✓
	# 71031000			
	# 71032000			
Novus 230 	# 71123000			
	# 71124000			
Novus 240 	# 71126000	✓		
	# 71128000			
Novus 195mm 	# 71127000		✓ ^{c1}	
Novus 100 3-trous 	# 71140000			

hansgrohe

Légende:



- ✓ = Combinaison recommandée
- = Trou percé
- = Trou prépercé
- ⊗ = Sans trou

hansgrohe Metris et Keramag Renova Nr.1 Plan








réf. art.

réf. art.

																			
		400 x 250		600 x 480		650 x 480		750 x 480	600 x 480	650 x 480	850 x 480	1000 x 480	850 x 480		1000 x 480				
		● # 272 140	● # 272 142	● # 222260	● # 222262	● # 222265	● # 222267	⊗ # 222268	⊗ # 222266	● # 122 175 # 122 180	● # 225160	● # 225165	● # 125185	● # 125100	● # 122185	● # 122187	⊗ # 122188	⊗ # 122186	● # 122100
réf. art.		réf. art.																	
	# 31088000	✓																	
	# 31166000	✓	✓																
	# 31080000 # 31121000	✓		✓		✓				✓	✓	✓	✓	✓					✓
	# 31084000	✓	✓	✓	✓	✓	✓			✓	✓	✓	✓	✓	✓			✓	✓
	# 31183000			✓		✓				✓	✓	✓	✓	✓					✓
	# 31185000			✓	✓	✓	✓			✓	✓	✓	✓	✓	✓				✓
	# 31087000 # 31187000			✓		✓				✓	✓	✓	✓	✓					✓
	# 31081000			✓	✓	✓	✓			✓	✓	✓	✓	✓	✓				✓
	# 31082000					✓				✓		✓	✓	✓	✓				✓
	# 31184000					✓	✓			✓		✓	✓	✓	✓				✓
	# 31085000							✓ ^{c1}	✓ ^{c1}								✓ ^{c1}	✓ ^{c1}	
	# 31086000							✓ ^{c1}	✓ ^{c1}								✓ ^{c1}	✓ ^{c1}	

Légende:



✓ = Combinaison recommandée

● = Trou percé

○ = Trou prépercé

⊗ = Sans trou

hansgrohe Talis et Keramag Renova Nr.1 Plan

hansgrohe








réf. art.

réf. art.

---	--

Légende:



✓ = Combinaison recommandée

● = Trou percé

○ = Trou prépercé

⊗ = Sans trou

hansgrohe Focus et Keramag Renova Nr.1 Plan








réf. art.

réf. art.

 réf. art.														
		600 x 480		650 x 480		750 x 480	600 x 480	650 x 480	850 x 480	1000 x 480	850 x 480		1000 x 480	
		●	●	●	●	●	●	●	●	●	●	●	●	●
		# 222260	# 222262	# 222265	# 222267	# 122175 # 122180	# 225160	# 225165	# 125185	# 125100	# 122185	# 122187	# 122100	# 122102
réf. art.														
 Focus 100	# 31607000	✓		✓		✓	✓	✓	✓	✓		✓		
	# 31621000	✓				✓	✓	✓	✓	✓		✓		
	# 31517000	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
 Focus 190	# 31608000	✓		✓		✓	✓	✓	✓	✓		✓		
	# 31518000	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
 Focus 240	# 31609000	✓		✓		✓	✓	✓	✓	✓		✓		
	# 31519000	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	

Légende:



✓ = Combinaison recommandée

● = Trou percé

○ = Trou prépercé

⊗ = Sans trou






hansgrohe PuraVida et Keramag Renova Nr.1 Plan



réf. art.

réf. art.																				
		400 x 250		600 x 480		650 x 480				750 x 480	600 x 480	650 x 480	850 x 480	1000 x 480	850 x 480				1000 x 480	
		● # 272140	● # 272142	● # 222260	● # 222262	● # 222265	● # 222267	⊗ # 222268	⊗ # 222266	● # 122175 # 122180	● # 225160	● # 225165	● # 125185	● # 125100	● # 122185	● # 122187	⊗ # 122188	⊗ # 122186	● # 122100	● # 122102
réf. art.		 PuraVida 100	#15075000 #15075400	✓ ✓	✓ ✓															
			#15132000 #15132400	✓ ✓	✓ ✓															
		 PuraVida 110	#15070000 #15070400	✓ ✓	✓ ✓	✓ ✓	✓ ✓			✓ ✓	✓ ✓	✓ ✓	✓ ✓	✓ ✓	✓ ✓				✓ ✓	✓ ✓
			#15074000 #15074400			✓ ✓		✓ ✓		✓ ✓	✓ ✓	✓ ✓	✓ ✓	✓ ✓				✓ ✓		
		 PuraVida 200	#15081000 #15081400			✓ ✓	✓ ✓			✓ ✓	✓ ✓	✓ ✓	✓ ✓	✓ ✓	✓ ✓				✓ ✓	✓ ✓
		 PuraVida 240	#15072000 #15072400 #15066000 #15066400			✓ ✓	✓ ✓			✓ ✓	✓ ✓	✓ ✓	✓ ✓	✓ ✓	✓ ✓				✓ ✓	✓ ✓
		 PuraVida 165 mm	#15084000 #15084400					✓ ^{c1} ✓ ^{c1}								✓ ^{c1} ✓ ^{c1}				
		 PuraVida 225 mm	#15085000 #15085400					✓ ^{c1} ✓ ^{c1}								✓ ^{c1} ✓ ^{c1}				

Légende:



✓ = Combinaison recommandée

● = Trou percé

○ = Trou prépercé

⊗ = Sans trou

hansgrohe Metris Classic et Keramag Renova Nr.1 Plan








réf. art.

réf. art.

 réf. art.																			
		400 x 250		600 x 480		650 x 480				600 x 480	650 x 480	850 x 480	1000 x 480	850 x 480				1000 x 480	
		●	●	●	●	●	●	⊗	⊗	●	●	●	●	●	●	⊗	⊗	●	●
		# 272 140	# 272 142	# 222 260	# 222 262	# 222 265	# 222 267	# 222 268	# 222 266	# 225 160	# 225 165	# 125 185	# 125 100	# 122 185	# 122 187	# 122 188	# 122 186	# 122 100	# 122 102
réf. art.		✓	✓	✓		✓			✓	✓	✓	✓	✓				✓		
 Metris Classic 100	#31075000			✓	✓	✓	✓						✓	✓			✓	✓	
	#31077000																		
 Metris Classic 250	#31078000			✓		✓			✓	✓	✓	✓	✓				✓		
 Metris Classic 165 mm	#31000000							✓ ^{c1}	✓ ^{c1}						✓ ^{c1}	✓ ^{c1}			
 Metris Classic 225 mm	#31003000							✓ ^{c1}	✓ ^{c1}						✓ ^{c1}	✓ ^{c1}			

Légende:



✓ = Combinaison recommandée

● = Trou percé

○ = Trou prépercé






⊗ = Sans trou

hansgrohe Talis Classic et Keramag Renova Nr.1 Plan



		400 x 250		600 x 480		650 x 480	750 x 480	600 x 480	650 x 480	850 x 480	1000 x 480	850 x 480	1000 x 480		
		●	●	●	●	●	●	●	●	●	●	●	●	●	●
réf. art.		# 272 140	# 272 142	# 222 260	# 222 262	# 222 265	# 222 267	# 122 175 # 122 180	# 225 160	# 225 165	# 125 185	# 125 100	# 122 185	# 122 187	# 122 100 # 122 102
Talis Classic 80 	# 14111000	✓	✓	✓		✓			✓	✓	✓	✓	✓		✓
	# 14118000	✓	✓	✓	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓
Talis Classic 90 	# 14127000	✓	✓	✓		✓		✓	✓	✓	✓	✓	✓		✓
Talis Classic 230 	# 14116000			✓		✓		✓	✓	✓	✓	✓	✓		✓

Légende:








- ✓ = Combinaison recommandée
- = Trou percé
- = Trou prépercé
- ⊗ = Sans trou

hansgrohe Novus et Keramag Renova Nr.1 Comprimo

			
		650 x 370	
réf. art.		●	# 226165
Novus 70	# 71020000 # 71021000 # 71022000	✓	
Novus 100	# 71030000 # 71031000 # 71032000	✓	
Novus 230	# 71123000 # 71124000		
Novus 240	# 71126000 # 71128000		
Novus 195mm	# 71127000		
Novus 100 3-trous	# 71140000		

Légende:



- ✓ = Combinaison recommandée
- = Trou percé
- = Trou prépercé
- ⊗ = Sans trou

hansgrohe Metris et Keramag Xeno








							
		400 x 230	600 x 475	600 x 475	1200 x 475	1200 x 475	
réf. art.		●	●	●	●	⊗	●
réf. art.		#126240	#126245	#126260	#126560	#126220 #126221	#126225
	Metris 100 #31186000 #31166000	✓	✓				
	Metris 110 #31084000	✓	✓	✓	✓	✓	✓
	Metris 200 #31185000			✓	✓	✓	✓
	Metris 230 #31081000			✓	✓	✓	✓
	Metris 260 #31184000			✓	✓	✓	✓
	Metris 165 mm #31085000					✓ ^{c1}	
	Metris 225 mm #31086000					✓ ^{c1}	

hansgrohe Metris et Keramag My Day

											
		400 x 280		650 x 480		800 x 480		1000 x 480		600 x 400	
		●	●	●	●	●	●	●	●		
réf. art.		# 125540	# 125440	# 125465	# 125480	# 125400	# 245460				
réf. art.		# 125540	# 125440	# 125465	# 125480	# 125400	# 245460				
 Metris 100	#31088000	✓	✓								
	#31186000 #31166000	✓	✓								
 Metris 110	#31080000 #31121000	✓	✓	✓	✓	✓					
	#31084000	✓	✓	✓	✓	✓					
 Metris 200	#31183000			✓	✓	✓	✓ ^{a2}				
	#31185000			✓	✓	✓	✓ ^{a2}				
 Metris 230	#31087000			✓	✓	✓					
	#31187000			✓	✓	✓					
 Metris 260	#31082000				✓	✓	✓ ^{a3}				
	#31184000				✓	✓	✓ ^{a3}				
 Metris 165 mm	#31085000						✓ ^{c1} _{d2}				
 Metris 225 mm	#31086000						✓ ^{c1} _{d3}				

Légende:



✓ = Combinaison recommandée

● = Trou percé

○ = Trou prépercé

⊗ = Sans trou

hansgrohe Talis et Keramag Xeno








		420 x 230	600 x 475	600 x 475	1200 x 475	1200 x 475	
réf. art.		# 126240	# 126245	# 126260	# 126560	# 126220	# 126221
réf. art.		# 126240	# 126245	# 126260	# 126560	# 126220	# 126221
Talis 80	# 32041000 # 32130000	✓	✓	✓	✓	✓	✓
Talis 210	# 32082000 # 32080000			✓	✓	✓	✓
Talis 165 mm	# 31618000						✓ c1
Talis 225 mm	# 31611000						✓ c1

hansgrohe Talis et Keramag My Day

		400 x 280	650 x 480	800 x 480	1000 x 480	600 x 400
réf. art.		# 125540	# 125440	# 125465	# 125480	# 125400
réf. art.		# 125540	# 125440	# 125465	# 125480	# 125400
Talis 80	# 32040000 # 32057000	✓	✓		✓	✓
Talis 80	# 32041000 # 32130000	✓	✓		✓	✓
Talis 150	# 32053000			✓	✓	✓
Talis 150	# 32052000					✓ a2
Talis S	# 32070000 # 32073000			✓	✓	✓
Talis 165 mm	# 31618000					✓ c1 d2
Talis 225 mm	# 31611000					✓ c1 d3

Légende:



✓ = Combinaison recommandée

● = Trou percé

○ = Trou prépercé

⊗ = Sans trou

hansgrohe Focus et Keramag Xeno








											
		400 x 230		600 x 475		600 x 475		1200 x 475		1200 x 475	
		●		●		●		●		●	
réf. art.		#126240		#126245		#126260		#126560		#126220	
réf. art.		#126240		#126245		#126260		#126560		#126220	
Focus 100 	#31517000	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	#31518000			✓	✓	✓	✓	✓	✓	✓	✓
	#31519000			✓	✓	✓	✓	✓	✓	✓	✓

hansgrohe Focus et Keramag My Day

									
		400 x 280		650 x 480		800 x 480		1000 x 480	
		●		●		●		●	
réf. art.		#125540		#125440		#125465		#125400	
réf. art.		#125540		#125440		#125465		#125400	
Focus 100 	#31607000	✓	✓	✓	✓	✓	✓	✓	
	#31621000	✓	✓	✓	✓	✓	✓	✓	
	#31517000	✓	✓	✓	✓	✓	✓	✓	
Focus 190 	#31608000			✓	✓	✓	✓	✓	✓a2
	#31518000			✓	✓	✓	✓	✓	✓a2

Légende:



- ✓ = Combinaison recommandée
- = Trou percé
- = Trou prépercé
- ⊗ = Sans trou

hansgrohe PuraVida et Keramag Xeno








		400 x 230	600 x 475	600 x 475	1200 x 475	1200 x 475	1200 x 475
réf. art.		#126240	#126245	#126260	#126560	#126220	#126221
réf. art.		#15075000 #15075400	#15132000 #15132400	#15070000 #15070400	#15081000 #15081400	#15072000 #15072400 #15066000 #15066400	#15084000 #15084400
PuraVida 100 	#15075000 #15075400	✓	✓	✓	✓		✓
	#15132000 #15132400	✓	✓	✓	✓		
PuraVida 110 	#15070000 #15070400	✓	✓	✓	✓	✓	✓
	#15081000 #15081400			✓	✓	✓	✓
PuraVida 200 	#15072000 #15072400 #15066000 #15066400			✓	✓	✓	✓
	#15084000 #15084400						✓ ^{c1}
PuraVida 240 	#15072000 #15072400 #15066000 #15066400			✓	✓	✓	✓
	#15084000 #15084400						✓ ^{c1}
PuraVida 165mm 	#15084000 #15084400						✓ ^{c1}
	#15085000 #15085400						✓ ^{c1}

hansgrohe PuraVida et Keramag My Day

		400 x 280	650 x 480	800 x 480	600 x 400
réf. art.		#125540	#125440	#125465	#125480
réf. art.		#15075000 #15075400	#15132000 #15132400	#15070000 #15070400	#15081000 #15081400
PuraVida 100 	#15075000 #15075400	✓	✓	✓	✓
	#15132000 #15132400	✓	✓	✓	✓
PuraVida 110 	#15070000 #15070400	✓	✓	✓	✓
	#15074000 #15074400	✓	✓	✓	
PuraVida 200 	#15081000 #15081400			✓	✓ ^{a2}
	#15072000 #15072400 #15066000 #15066400			✓	✓ ^{a2}
PuraVida 165mm 	#15084000 #15084400				✓ ^{c1} ✓ ^{d2}
	#15085000 #15085400				✓ ^{c1} ✓ ^{d3}

Légende:



✓ = Combinaison recommandée


● = Trou percé

○ = Trou prépercé

⊗ = Sans trou

A circular seal with a metallic, brushed metal texture. The text "FUNCTION APPROVED" is curved along the top inner edge. In the center, the words "Hansgrohe" and "Test Center" are stacked in a bold, sans-serif font. Along the bottom inner edge, the text "MIXER - WASH BASIN - COMBINATION" is curved.

réf. art.



- ✓ = Combinaison recommandée
● = Trou percé
○ = Trou prépercé
⊗ = Sans trou