

A woman with long brown hair, wearing a light blue long-sleeved shirt, is standing at a modern white rectangular sink. She is using a sleek, silver Hansgrohe faucet to fill a clear glass. Her right hand is resting on the top of the faucet handle. The sink is set into a dark countertop. In the background, there is a large window looking out onto a garden with tall grasses and a small tree. The lighting is bright and natural, suggesting daytime.

hansgrohe

Test de la ComfortZone






A chaque lavabo sa robinetterie adéquate.

hansgrohe Metris et Laufen My Life



réf. art.		470 x 380		750 x 480		750 x 530		650 x 440	
		● #815942/104	⊗ #815942/109	● #811946/104	⊗ #811946/109	● #810946/104	⊗ #810946/109	● #818944/104	⊗ #818944/109
Metris 100	#31088000	✓							
Metris 110	#31080000 #31121000	✓		✓		✓		✓	
Metris 200	#31183000	✓		✓		✓		✓	
Metris 230	#31087000			✓ ^{a1}		✓		✓	
Metris 260	#31082000			✓ ^{a2}		✓			✓ ^{a1}
Metris 165 mm	#31085000		✓ ^{c1}						✓ ^{c1} d1
Metris 225 mm	#31086000		✓ ^{c1}		✓ ^{c1} d1		✓ ^{c1}		✓ ^{c1} d2

Légende:








- ✓ = Combinaison recommandée
- = Trou percé
- = Trou prépercé
- ⊗ = Sans trou

hansgrohe Talis et Laufen My Life



réf. art.		470 x 380		750 x 480		750 x 530		650 x 440	
		● #815942/104	⊗ #815942/109	● #811946/104	⊗ #811946/109	● #810946/104	⊗ #810946/109	● #818944/104	⊗ #818944/109
Talis 80	#32040000 #32057000	✓		✓		✓		✓	
Talis 80	#32053000			✓		✓		✓	
Talis 150	#32052000					✓			
Talis S²	#32070000 #32073000			✓		✓		✓	
Talis 210	#32084000			✓		✓		✓	
Talis 250	#32055000					✓			
Talis 165 mm	#31618000		✓ ^{c1}						✓ ^{c1 d1}
Talis 225 mm	#31611000		✓ ^{c1}	✓		✓ ^{c1}		✓	

Légende:








- ✓ = Combinaison recommandée
- = Trou percé
- = Trou prépercé
- ⊗ = Sans trou

hansgrohe Focus et Laufen My Life



réf. art.					
		470 x 380	750 x 480	750 x 530	650 x 440
		● #815942/104	● #811946/104	● #810946/104	● #818944/104
Focus 70					
	#31730000	✓			
Focus 100					
	#31607000 #31621000	✓	✓	✓	✓
Focus 190					
	#31608000	✓	✓	✓	✓
Focus 240					
	#31609000			✓	✓

Légende:








- ✓ = Combinaison recommandée
- = Trou percé
- = Trou prépercé
- ⊗ = Sans trou

hansgrohe PuraVida et Laufen My Life



réf. art.		470 x 380		750 x 480		750 x 530		650 x 440	
		●	⊗	●	⊗	●	⊗	●	⊗
PuraVida 100		#815942/104	#815942/109	#811946/104	#811946/109	#810946/104	#810946/109	#818944/104	#818944/109
	#15075000	✓							
	#15075400								
	#15132000	✓							
	#15132400								
PuraVida 110	#15070000	✓							
	#15070400								
	#15074000			✓		✓		✓	
	#15074400								
PuraVida 165 mm	#15084000		✓ ^{c1}		✓ ^{c1}		✓ ^{c1}		✓ ^{c1} _{d2}
	#15084400								
	#15085000		✓ ^{c1}		✓ ^{c1}		✓ ^{c1}		✓ ^{c1} _{d2}
	#15085400								

Légende:








- ✓ = Combinaison recommandée
- = Trou percé
- = Trou prépercé
- ⊗ = Sans trou

hansgrohe Metris Classic et Laufen My Life



réf. art.		470 x 380		750 x 480		750 x 530		650 x 440	
		● #815942/104	⊗ #815942/109	● #811946/104	⊗ #811946/109	● #810946/104	⊗ #810946/109	● #818944/104	⊗ #818944/109
Metris Classic 100 	#31075000			✓		✓		✓	
	#31077000	✓							
Metris Classic 250 	#31078000			✓ ^{a2}		✓		✓ ^{a2}	
Metris Classic 165 mm 	#31000000		✓ ^{c1}	✓ ^{d1}				✓ ^{d1}	
Metris Classic 225 mm 	#31003000		✓ ^{c1}	✓ ^{d1}		✓ ^{c1}		✓ ^{d2}	

Légende:



- ✓ = Combinaison recommandée
- = Trou percé
- = Trou prépercé
- ⊗ = Sans trou






hansgrohe Talis Classic et Laufen My Life



réf. art.		470 x 380		750 x 480		750 x 530		650 x 440	
		● #815942/104	⊗ #815942/109	● #811946/104	⊗ #811946/109	● #810946/104	⊗ #810946/109	● #818944/104	⊗ #818944/109
Talis Classic 80 	#14111000			✓		✓		✓	
	#14118000	✓							
Talis Classic 90 	#14127000			✓		✓		✓	
Talis Classic 230 	#14116000			✓ ^{a2}		✓		✓ ^{a2}	

hansgrohe

Légende:








- ✓ = Combinaison recommandée
- = Trou percé
- = Trou prépercé
- ⊗ = Sans trou

hansgrohe Novus et Laufen Living



		600 x 460 x 155			450 x 380 x 155			360 x 360 x 180		
		●	⊗	●●●	●	⊗		⊗		
		# 817434 104	# 817434 109	# 817434 108	# 815432 104	# 815432 109		# 811433 112		
réf. art.										
Novus 70 	# 71020000									
	# 71021000	✓			✓					
	# 71022000									
Novus 100 	# 71030000	✓			✓					
	# 71031000									
	# 71032000									
Novus 230 	# 71123000							✓a2		
	# 71124000									
Novus 240 	# 71126000	✓								
	# 71128000									
Novus 195mm 	# 71127000		✓c1					✓c1, d2		
Novus 100 3-trous 	# 71140000			✓						

Légende:



- ✓ = Combinaison recommandée
- = Trou percé
- = Trou prépercé
- ⊗ = Sans trou

hansgrohe Metris et Laufen Pro








réf. art.

réf. art.

 réf. art.																				
		450 x 340					525 x 400	625 x 400	600 x 380				850 x 480		1050 x 480		600 x 400			
		● #811951/104 ⊗ #811952/104	● #811951/156 ⊗ #811951/109 ⊗ #811952/109	⊗ #811951/142			⊗ #811961/109 ⊗ #811961/155	⊗ #811969/109 ⊗ #811969/155	● #812953/104	● #812953/156	⊗ #812953/109	⊗ #812953/142	● #813956/104	⊗ #813956/109	● #813958/104	⊗ #813958/109	⊗ #816952/112			
réf. art.																				
	# 31088000	✓																		
	# 31166000	✓	✓																	
	# 31080000 # 31121000	✓					✓ ^{b1}	✓ ^{b1}	✓				✓		✓					
	# 31084000	✓	✓				✓ ^{b1}	✓ ^{b1}	✓	✓			✓		✓					
	# 31183000						✓ ^{b1}	✓ ^{b1}	✓				✓		✓					
	# 31185000						✓ ^{b1}	✓ ^{b1}	✓	✓			✓		✓			✓ ^{a2}		
	# 31087000 # 31187000						✓ ^{b1}	✓ ^{b1}					✓		✓					
	# 31081000						✓ ^{b1}	✓ ^{b1}					✓		✓					
	# 31082000						✓ ^{b1}	✓ ^{b1}												
	# 31184000						✓ ^{b1}	✓ ^{b1}										✓ ^{a2}		
	# 31085000			✓ ^{c1}	✓ ^{c1}		✓ ^{c1} _{e2}	✓ ^{c1} _{e2}			✓ ^{c1}	✓ ^{c1}						✓ ^{c1} _{d2}		
	# 31086000						✓ ^{c1} _{e2}	✓ ^{c1} _{e2}			✓ ^{c1}	✓ ^{c1}		✓ ^{c1}		✓ ^{c1}		✓ ^{c1} _{d2}		

Légende:



✓ = Combinaison recommandée

● = Trou percé

○ = Trou prépercé






⊗ = Sans trou

hansgrohe Talis et Laufen Pro



 réf. art.																
		450 x 340					525 x 400	625 x 400	600 x 380				850 x 480	1050 x 480		600 x 400
		● #811951/104 #811952/104	● #811951/156	⊗ #811951/109 #811952/109	⊗ #811951/142	⊗ #811961/109 #811961/155	⊗ #811969/109 #811969/155	● #812953/104	● #812953/156	⊗ #812953/109	⊗ #812953/142	● #813956/104	⊗ #813956/109	● #813958/104	⊗ #813958/109	⊗ #816952/112
Talis 80 	#32040000 #32057000	✓									✓		✓			
	#32041000 #32130000	✓	✓					✓	✓		✓		✓			
Talis 80 	#32053000							✓			✓		✓			
Talis 150 	#32052000					✓ ^{b1}	✓ ^{b1}				✓		✓			
Talis S² 	#32070000 #32073000					✓ ^{b1}	✓ ^{b1}	✓			✓		✓			
Talis 210 	#32084000 #32082000 #32080000					✓ ^{b1}	✓ ^{b1}	✓			✓		✓			
Talis 250 	#32055000					✓ ^{b1}	✓ ^{b1}				✓		✓			
Talis 165 mm 	#31618000			✓ ^{c1}	✓ ^{c1}	✓ ^{c1} _{e2}	✓ ^{c1} _{e2}			✓ ^{c1}	✓ ^{c1}				✓ ^{c1} _{d2}	
Talis 225 mm 	#31611000					✓ ^{c1} _{e2}	✓ ^{c1} _{e2}			✓ ^{c1}	✓ ^{c1}	✓ ^{c1}	✓ ^{c1}	✓ ^{c1} _{d2}		

Légende:



✓ = Combinaison recommandée

● = Trou percé

○ = Trou prépercé

⊗ = Sans trou

hansgrohe Focus et Laufen Pro








réf. art.

réf. art.

									
		450 x 340	525 x 400	625 x 400	600 x 380	850 x 480	1050 x 480	600 x 400	
		● #811951/104 #811952/104	● #811951/156	⊗ #811961/109 #811961/155	⊗ #811969/109 #811969/155	● #812953/104 #812953/156	● #813956/104 #813958/104	● #816952/112	⊗
Focus 70 	# 31730000	✓							
	# 31733000 # 31130000	✓	✓						
Focus 100 	# 31607000 # 31621000	✓		✓ ^{b1}	✓ ^{b1}	✓	✓	✓	
	# 31517000	✓	✓	✓ ^{b1}	✓ ^{b1}	✓	✓	✓	
Focus 190 	# 31608000			✓ ^{b1}	✓ ^{b1}	✓	✓	✓	
	# 31518000			✓ ^{b1}	✓ ^{b1}	✓	✓	✓	✓ ^{a2}
Focus 240 	# 31609000			✓ ^{b1}	✓ ^{b1}		✓	✓	
	# 31519000			✓ ^{b1}	✓ ^{b1}		✓	✓	

Légende:



✓ = Combinaison recommandée

● = Trou percé

○ = Trou prépercé

⊗ = Sans trou

hansgrohe PuraVida et Laufen Pro








réf. art.

réf. art.

réf. art.																		
		450 x 340					525 x 400	625 x 400	600 x 380				850 x 480		1050 x 480		600 x 400	
		● #811951/104 ⊗ #811952/104	● #811951/156 ⊗ #811951/109 ⊗ #811952/109	⊗ #811961/109 ⊗ #811961/155	⊗ #811969/109 ⊗ #811969/155	● #812953/104 ● #812953/156 ⊗ #812953/109 ⊗ #812953/142	● #813956/104 ⊗ #813956/109	● #813958/104 ⊗ #813958/109	⊗ #816952/112									
	#15075000 #15075400	✓	✓					✓	✓									
	#15132000 #15132400	✓	✓					✓	✓									
	#15070000 #15070400	✓	✓			✓ ^{b1}	✓ ^{b1}	✓	✓			✓		✓				
	#15074000 #15074400	✓				✓ ^{b1}	✓ ^{b1}	✓				✓						
	#15081000 #15081400					✓ ^{b1}	✓ ^{b1}	✓				✓		✓			✓ ^{a2}	
	#15072000 #15072400 #15066000 #15066400					✓ ^{b1}	✓ ^{b1}					✓		✓			✓ ^{a2}	
	#15084000 #15084400		✓ ^{c1}	✓ ^{c1}	✓ ^{c1} _{e2}	✓ ^{c1} _{e2}			✓ ^{c1}	✓ ^{c1}		✓ ^{c1}		✓ ^{c1}		✓ ^{c1} _{d2}		
	#15085000 #15085400		✓ ^{c1}	✓ ^{c1}	✓ ^{c1} _{e2}	✓ ^{c1} _{e2}			✓ ^{c1}	✓ ^{c1}		✓ ^{c1}		✓ ^{c1}		✓ ^{c1} _{d2}		

Légende:



✓ = Combinaison recommandée

● = Trou percé

⊗ = Trou prépercé






⊗ = Sans trou

hansgrohe Metris Classic et Laufen Pro



 réf. art.		 450 x 340					 525 x 400		625 x 400		 600 x 380				 850 x 480		1050 x 480		 600 x 400	
		● #811951/104	● #811952/104	● #811951/156	⊗ #811951/109	⊗ #811952/109	⊗ #811951/142	⊗ #811961/109	⊗ #811961/155	● #811969/109	● #811969/155	● #812953/104	● #812953/156	⊗ #812953/109	⊗ #812953/142	● #813956/104	⊗ #813956/109	● #813958/104	⊗ #813958/109	⊗ #816952/112
		réf. art.																		
 Metris Classic 100	#31075000	✓					✓ ^{b1}	✓ ^{b1}	✓						✓					
	#31077000	✓	✓				✓ ^{b1}	✓ ^{b1}	✓	✓					✓					
 Metris Classic 250	#31078000						✓ ^{b1}	✓ ^{b1}							✓		✓		✓ ^{a2}	
 Metris Classic 165 mm	#31000000			✓ ^{c1}	✓ ^{c1}		✓ ^{c1} _{e2}	✓ ^{c1} _{e2}				✓ ^{c1}	✓ ^{c1}		✓ ^{c1}		✓ ^{c1}		✓ ^{c1} _{d2}	
 Metris Classic 225 mm	#31003000			✓ ^{c1}	✓ ^{c1}		✓ ^{c1} _{e2}	✓ ^{c1} _{e2}				✓ ^{c1}	✓ ^{c1}		✓ ^{c1}		✓ ^{c1}		✓ ^{c1} _{d2}	

Légende:



- ✓ = Combinaison recommandée
- = Trou percé
- = Trou prépercé
- ⊗ = Sans trou

hansgrohe Talis Classic et Laufen Pro








réf. art.

réf. art.

Légende:



✓ = Combinaison recommandée

● = Trou percé

○ = Trou prépercé

⊗ = Sans trou






hansgrohe Novus et Laufen Pro S



réf. art.

		 700 x 465 x 95			
réf. art.		# 816967 104 # 816967 111	# 816967 109 # 816967 112	# 816967 108 # 816967 158	
Novus 70	# 71020000 # 71021000 # 71022000	✓			
Novus 100	# 71030000 # 71031000 # 71032000	✓			
Novus 230	# 71123000 # 71124000				
Novus 240	# 71126000 # 71128000	✓			
Novus 195mm	# 71127000		✓ ^{c1}		
Novus 100 3-trous	# 71140000				✓

Légende:



- ✓ = Combinaison recommandée
- = Trou percé
- = Trou prépercé
- ⊗ = Sans trou