

### Price Book 2023

hansgrohe Australia assortment bath and kitchen

Effective 1st January 2023

The prices quoted are recommended retail prices and include 10% GST. Errors and omissions excepted.

This Price List renders all preceding ones void.

Measurements within scale drawings are in mm.

#### Price Book 2023

hansgrohe Australia assortment bath and kitchen

hansgrohe



#### **Contents**

Price List	26
Metropol	68
Metris   Metris S	70
Finoris	74
Vivenis	77
<b>Talis</b> Talis S   Talis E	80
Focus / Decor	85
Rebris	87
<b>Logis</b> Logis Fine   Logis	91
MySport	94
Electronic mixers Metris   Focus	96
Thermostatic mixers / valves ShowerSelect   ShowerSelect S   Valves   Thermostats	98
Showerpipes	105
Hand showers  Rainfinity   Raindance Select   Pulsify   Croma Select   Crometta   Furly   Porter	107
Shower hoses and accessories  Sensoflex   Isiflex   Comfortflex   Metaflex   Fixfit wall outlets	114
Shower sets / Shower bars Shower bars   Soap dishes   Shower sets	11 <i>7</i>
Overhead showers  Rainmaker Select   Rainfinity   Raindance Select   Raindance   Croma   Pulsify S   Crometta   Shower arms   Ceiling connectors   Body showers	129
Basic sets and wastes	140
Accessories Rainfinity   Logis   Logis Universal   AddStoris	143
Kitchen mixers  Aquno Select   Metris Select   Talis S   Talis   Focus   Zesis   Logis   MySport   Soap dispensers	156

# Meet the beauty of water

#### The new meaning of 'home'

Over the past year, many of us have come to realise the importance of home providing a place of relaxation and retreat. As a company, we know we are providing something truly fundamental to our customers: a home filled with beauty and quality, a place of escape from the outside world. Whatever happens, we are – and always will – be by your side.


#### Innovations to bring your business to life

This year, we're introducing a range of exciting new products that deliver on our guiding principles: **innovation**, **design**, **quality** and **responsibility**. We offer solutions to every need, by developing cutting-edge products to suit every lifestyle. Meet Pulsify, the shower that offers a completely new experience in any sized bathroom, thanks to the innovative PowderRain spray. Or Finoris, the tap that gives a new freedom of movement in the bathroom.

#### **Designed for people**

hansgrohe is a brand for life. Whether you are looking for a moment of calm or refreshment, every product we make is designed to make life easier. Our products are not one-off ideas but comprehensive solutions, destined to become integral to everyday life. It's this that defines our brand: our focus on people.





## hansgrohe – our past informs our future

hansgrohe is a company steeped in tradition. It was founded by Hans Grohe in 1901, with a small metalwork shop in Schiltach, the Black Forest. Today, you will still find our Innovation Centre and corporate headquarters there. The hansgrohe brand has an international reputation for excellence, thanks largely to the commitment of its people. Each employee is passionate about water, but it's our expertise which really set us apart as a company. These qualities have resulted in revolutionary bathroom innovations and pioneering watersaving technologies, yesterday, today and tomorrow.



In 1901, Hans Grohe founded his metalwork business. He was a visionary, recognising the changing role of the bathroom in the home (despite it being a fairly new concept to most at the time).



Hand shower

The first shower with a white porcelain handle. This hansgrohe innovation made showering affordable for many households for the first time.



Shower bar Unica

Thanks to this revolutionary idea, hand showers could be mounted at a required height



Tribel

First design award winning hand shower in many colours and with three spray types.



ALLEGRO

New milestones

in bathroom

innovation

The first mixer with the new lever handle, swivel spout and innovative ball mix technique.



iBox universal

First and only basic set for all standard and thermostat solutions – a revolution in concealed installation.



#### Raindance

The first hand shower with an XXL shower head, flat silhouette and short handle. The all-rounder becomes a trendsetter.



FinishPlus

High-quality finishes provide a variety of design options.



#### PowderRain

 $\boldsymbol{\mathsf{A}}$  unique shower experience thanks to the soft caress of micro droplets.




#### ainTunes\*

We combine water with sound, light, imagery and fragrance into one holistic wellness experience.

## Innovation – driving our business and yours

Whether in a new build or renovation, clever products and state-of-the-art technologies will keep you ahead of the competition. Hansgrohe SE registers hundreds of new designs, patents and brands every year, holding 15,000 patents to date. It's the reason we're considered pioneers in the industry. We combine top technical performance with a focus on the needs and enjoyment of the customer. With hansgrohe, you can have confidence that you have technological innovation on your side.



### Our own research and development laboratory

We believe every part of a product is important. From the look, functionality and material of a shower, to the sound it makes as water flows. In our in-house spray laboratory, acoustic experts tirelessly research the perfect water sound. This attention to detail is reflected in over 15,000 active patents. The result is that customers around the world can enjoy more comfort and relaxation in the bathroom.



## Technologies that inspire

The best products enrich people's lives, bringing more comfort and enjoyment. And sometimes, it's the smallest technologies that make the difference. hansgrohe's Select is just one button that brings a new ease of use to the bathroom. Or QuickClean, the clever antilimescale solution. hansgrohe technologies make taps and showers enjoyable to use and easy to clean.

## Design – collaborating for excellence

Elegant functionality appeals to both the heart and mind, and it's something we specialise in. Our products are consistently awardwinning, outlasting fads and instead providing long-lasting value, whether they are found in the home or in a world famous hotel. With over 30 years of collaboration with Phoenix Design, hansgrohe is a leader within the industry, with more than 600 awards collected for our design achievements.











### More than 600 awards







At home all over the world

Developers, investors, architects and planners around the world spearhead the most ambitious of projects, ensuring that intelligent and elegant water solutions are always in demand. Our shower and bathroom collections are well known as the very embodiment of design excellence. That's why you'll find them in world class hotels, exclusive sports clubs, royal castles and luxury yachts.

You can find more inspiring examples at

pro.hansgrohe.com/your-selling-points/references


## Quality — the highest standards for the longest product life

Install a hansgrohe product, and you know it will be enjoyed for years to come. Offering customers the highest quality at all times is a fundamental part of our philosophy. We have been manufacturing bathroom and kitchen products for over 120 years, and we are proud of our intensive quality control processes, practiced around the world.

Our reliability goes one step further: we offer our end users a fififteen year\* manufacturer's guarantee on shower products.

This manufacturer's guarantee goes far beyond statutory requirements. With this, we provide our sales partners with yet another advantage of using hansgrohe over other brands. We also ensure that we provide assistance to our specialist partners when applying this manufacturer's guarantee.

Your customer will also benefit from the fifteen year parts availability guarantee, which ensures the security of their investment even after a product is phased out.





hansgrohe produces incredibly advanced technology, but the measurement of quality is a very human endeavour. That's why every single product is carefully checked by human hands before it leaves our factory.

<sup>\*</sup> For full warranty Terms and Conditions please see:
www.hansarohe.com.au/service/augrantee

## Taking responsibility — acting sustainably

We focus on three areas of accountability: **responsible management, social action** and **ecological awareness**. We believe this is the only way to be successful, both now and in the future. This is something we put into practice worldwide, and have been doing so for many years. This includes ensuring we have an environmentally conscious production process, and mindfully employing people and other resources.

Klaus Grohe, the founder's son, was an ardent campaigner for sustainability from an early age. He ensured that environmentally-conscious thinking was a core principle at Hansgrohe. As early as 1987, Hansgrohe was one of the first to bring a water-saving shower to the market. From this point on, many projects were undertaken to ensure environmentally and resource-friendly production in our factories.

At Hansgrohe, we are in the process of taking giant steps forward to help minimise climate change. By 2030, our aim is to make the entire company, including our products, climate neutral. To implement this, we carefully choose our raw materials, packaging and logistics based on their climate impact.



## Sports sponsorship — teaming premium athletes with premium products

hansgrohe has been the official title sponsor of the world class cycling team BORA-hansgrohe since 2017. We share the same values and have a similarly global reach: with this international dream team of 29 athletes from ten nations, hansgrohe has helped them to compete in 140 countries around the world. As brand ambassadors, the athletes are on the road for almost 300 days a year.

In 2019, BORA-hansgrohe was the second ranked team in the UCI WorldTour. A highlight of 2021 was the top German team winning the points classification at the Giro d'Italia – largely thanks to superstar Peter Sagan, who won the famous "Maglia Ciclamino" jersey. Find out where, when and who is in the starting position on the website and via social media from hansgrohe and the BORA-hansgrohe team.

borahansgroheofficial hansgrohe







#### FinishPlus — new surfaces bring new individuality to the bathroom

Today's bathroom increasingly reflects our own personal style. FinishPlus has been developed to provide five new surface designs in

matte and metallic tones, expanding your style options far beyond classic chrome. The highquality surfaces offer a wide range of design options, giving you brand new ways of expressing yourself.



670 Matte Black: Getting back to basics with black and white contrasts.



700 Matte White: Cheeky, unconventional freshness.



340 Brushed Black Chrome: A dark, partially reflective surface creates asophisticated aesthetic.



140 Brushed Bronze: Soft natural tones and subtle nuances.



990 Polished Gold Optic: Glamorous look for aesthetic extravagance.



**000 Chrome:** Timeless classic paired with dainty elegance.

#### **Finishes**

When specifying the surface, each order number (#) has 8 digits, for example 28500, - 000 = chrome



Chrome



Chrom Gold Optic



-140 Brushed Bronze



-340 Brushed Black



-400 White Chrome



-450 White



-540 Sky Blue



Pink



Black Chrome



-610 Black



-670 Matt Black



Matt White



Stainless Steel

-820 Brushed Nickel



Polished Gold Optic

#### Spray types - relax or energise with every shower

Different people require different things from the shower. Some look for a relaxing timeout from the world, while others want an energising, refreshing shower experience.

Whatever your customers are looking for, with hansgrohe you will find the right hand and overhead shower, with the right spray type. Products featuring our Select technology provide


particular convenience for your customers.



Revolutionise your daily shower experience with Powder- Rain and transform your bathroom into an oasis of relaxation. Instead of only one jet outlet per nozzle, PowderRain has up to five openings that create thousands of fine and silky micro-droplets that envelope your body.



Intense jets of fine micro-droplets for sensational showering. Intense PowderRain is extraordinarily effective as the number of droplets has been substantially increased to produce an intense, yet velvety soft spray.





Despite the smaller nozzles on the hand shower and overhead shower, the performance of both are consistently excellent. The Rain spray invigorates and refreshes, making rinsing out shampoo quick and easy.



#### RainAir and RainAir XL

Relaxing shower rain, which is enriched with air inside the shower head. This makes the water feel exceptionally soft and plump, covering your body with soft beads of water and enveloping you to create a sense of well-being. It's a spray most loved by pleasure seekers.



#### IntenseRain

It's not just shampoo you can rinse away with ease thanks to IntenseRain water spray. It's perfect for setting yourself up for the day too: wash morning tiredness down the drain - for a refreshing start to the day.



#### **TurboRain**

The all-purpose tool for quick, straightforward results: TurboRain is the most powerful of our Rain spray modes and lives up to its name every time.



#### SoftRain

The gentle SoftRain spray is a treat for soul and skin, whether it's a quick daily shower or a pampering evening indulgence.



#### Mix

Simultaneously gentle and dynamic. The mix spray combines the rich, soft RainAir spray with the strong, revitalising CaresseAir spray. Soft drops envelop your body, while a warm jet massages the skin. It's a dream combination for daily showering pleasure.



#### Whirl

A swirling massage spray, which showers away the stresses of the day. This relieves tension, primarily in the neck area and shoulders. The rotating helix jet wanders over the skin, just like a masseur's fingers. The ideal choice for relieving stress or giving yourself a spa-like treatment after playing sport.




#### CaresseAi

Five strong single sprays combine in a pleasantly revitalising and powerful massage. It's just the thing for post-exercise or after a hard day at work – good as new in minutes



#### Massage

A concentrated spray that relieves the stress of everyday life, easing areas of tension. The innovative ring-shaped spray creates an at-home wellness experience like no other.



#### Mono

A targeted, soothing spray from the centre of the showerhead. The Mono jet's lightness helps you to unwind, making it a perfect spray for relaxing.



#### RainFlow

An overhead shower with RainFlow creates a waterfall in the bathroom. The effect is a cascade of water on the neck and shoulders, easing tension and bringing total relaxation.



#### RainStream

The new single sparkling RainStream spray is a crowning achievement for the hansgrohe R&D team. These special overhead shower sprays remain revitalising and intense from head to toe, giving a consistent experience however tall you are.

## Spray types — for a streamlined workflow in every kitchen



#### Laminar spray

Crystal clear waterspray without added air, which prevents splashing and is ideal for filling large containers, like vases, quickly.



#### Normal spray

Fuller, lighter and softer droplets from an aerated spray, thanks to AirPower technology.



#### Shower spray

A gently water-saving cleaning spray, suitable for rinsing the sink.



#### SatinFlow spray

The soft, flat spray is splash-free, making it highly efficient at saving water.

## Technology — providing the ultimate ease of use for your customers



#### **Select**

Because sometimes pressing is easier than turning. With our innovative Select technology, a simple touch of a button on the shower or shower control is all it takes to change the spray mode or turn the water on/off for even more comfort while showering, no matter your age.

- Intuitive control at the touch of a button
- Suitable for all age groups
- Mechanical construction for permanent functional safety
- Temperature can be pre-set
- Can even be operated with your elbow or arm



The idea: a button instead of a lever at the sink. The mechanical Select button simplifies everyday routines, and is robust enough to stand the rigours of everyday life, as our longterm testing proves.

These small changes can have a large impact on how convenient a product is to use, and make them ideal for a multi-generational household.









#### **EcoSmart**

Thanks to EcoSmart technology, hansgrohe showers consume up to 60 % less water than conventional products thanks to the addition of air to the spray. This also saves valuable energy.

- Up to 60% less water consumption (shower)
- Water consumption of only 5 l/min (tap)
- Lower consumption means lower energy requirements, and thefore fewer CO<sub>2</sub> emissions
- Lower water and energy consumption for double efficiency

The savings calculator computes how much water and energy can be saved at: pro.hansgrohe.com/consultation/water-savings-calculator




Thanks to EcoSmart technology's aeration, our basin taps consume just 5 l/min of water. This saves warm water and energy. All of our basin taps have achieved level A in the home sector: EcoSmart tech- the best possible result.



#### **QuickClean**

QuickClean means flexible silicone inserts on the aerators. Dirt and limescale deposits can be simply rubbed off with your finger with no need to use cleaning products, helping to extend your shower's lifespan.

- Fast and easy cleaning
- Ultra high quality and tear resistant silicone
- For a long lifetime and functionality







#### **AirPower**

Comfort and efficiency don't have to be mutually exclusive and our AirPower showers prove it. An ample supply of air is sucked in via the spray disc of your shower, making the droplets fuller, lighter and softer, increasing water efficiency at the same time.

- Fuller, lighter and softer drops pure shower pleasure
- Fewer splashes, so less cleaning
- Higher water efficiency thanks to a larger water volume



#### **XXL Performance**

Large-format showers have to be experienced to be truly appreciated. The luxurious hansgrohe design envelops the individual in water, bringing XXL performance to the bathroom.

- Large-format showering sensation
- Higher water efficiency evenly distributed spray nozzles, for an incomparable shower experience



#### **Tiltable**

You can adjust t his overhead s hower a t an angle to suit the shower area, so that the whole body is soothingly enveloped in water.

- Adjustable shower head to suit the individual
- Angle of adjustments provides flexibility
- Modern installation for contemporary enjoyment



### FastDrain minimises drips

This clever technology significantly reduces dripping from the overhead shower.

- Reduces annoying dripping
- Smarter waterflow inside the shower
- Easier cleaning



#### **Water regulation**

The amount of water can be precisely regulated using the thermostat. Not only does this conserve water, it's great for children, who often find a gentler waterflow more pleasant.

- Precisely regulate the amount of water
- Actively regulate water consumption with the volume control
- Easy operation suitable for all ages



#### Height-adjustable PushSlider

With just one hand, the shower holder can be freely adjusted in height at the touch of a button. For a safe and comfortable shower experience.

- Easy to use with one hand
- More comfort for every generation
- Easily adjustable shower heights



#### **Pull-out function**

Thanks to the pull-out tap, the working area at the sink becomes much larger. It also offers fantastic ease of use, thanks to the magnetic recoil function

- The pull-out tap extends your workspace
- Easy handling
- Minimalist design for maximum flexibility and freedom of movement



#### **ComfortZone**

Whether you want more elbow room when washing your hands, a comfortable way to wash your hair or just fill containers, the higher the tap, the more flexible your options become. We call the space between the tap and the ceramics the ComfortZone because you can use it however you like.

- The optimal height for every requirement
- The perfect combination of tap and basin
- Reduce unnecessary water spraying through a reliable test:

pro.hansgrohe.com/ consultation/comfortzone



#### **Contactless taps**

Like many motion detectors, the sensor on our non-contact products reacts to changes in infrared radiation. As soon as it detects the warmth of the hand, water flows, making it economical and hygienic.

- Contactless
- Savings in water and energy
- Maximum hand hygiene ideal in public spaces



#### **CoolStart**

On standard taps the continuous flow heater or circulation pump starts up immediately when the handle is in the middle position, but with Cool-Start taps the hot water is only added when the lever is moved to the left. This cuts down on energy needs, CO2 emissions and costs.

- Basic setting enables only cold water to flow
- Large energy, and therefore money, saving potential – ideal in business premises
- Special user ergonomics (the lever only needs to be moved to the left for hot water)

### Technologies to make your kitchen chores easier



#### Select

Select technology makes using the kitchen tap easier than ever before, because the water can be turned on and off with just one click. You can do that with your elbow or even the back of your hand, keeping your taps clean when you're cooking or washing up.

- Convenient use and optimal water flow
- Stop and start the water flow at the touch of a button during operation
- Can also be operated with an arm or elbow



#### QuickClean

QuickClean means flexible silicone discs. Dirt and limescale deposits can be simply rubbed off with your finger – low effort with no need to use cleaning products, extending you shower's lifespan.

- Fast and easy cleaning
- Ultra high quality and tear resistant silicone
- For a long lifetime and functionality



#### **EcoSmart**

Thanks to EcoSmart technology with added air, certain hansgrohe kitchen taps consume only 6 l/min. This reduced water volume means less water needs to be heated up, which also saves valuable energy for your customer.

- Air enriched water for a full, sparkling spray
- Lower energy consumption means fewer CO<sub>2</sub> emissions
- Lower water and energy consumption for double efficiency



#### **AirPower**

AirPower works by drawing in air via the jet outlet. This addition of air enriches the inc ming water, making the jet fuller, lighter and softer. AirPower cleverly delivers a high jet volume with less water.

- Fuller, lighter and softer droplets, for an enhanced water jet
- Less risk of splashing
- High efficiency helps to reduce water consumption



#### **ComfortZone**

Kitchen taps with an extra high spout offer additional space, making them ideal for filling large pots and tall vases. For those that swivel, the rotation can be set incrementally up to  $360^{\circ}$ .

- The optimum height for all needs
- A flexible swivel area prevents over-rotation
- Ultimate freedom to move



#### **Pull-out function**


More flexibility, thanks to the pull-out function. This pull-out tap extends your working area at the sink, making it easier to fill containers or water plants.

- Standard extension max. 50 cm
- The sBox extends the working space to 76 cm



#### sBox kitchen

With extendible kitchen taps and sink combi units, the sBox ensures that the hose can be pulled out and stowed away safely and easily. The 52 cm-tall box fits into all standard base units from 74 cm upwards. Alternatively, products can also be purchased without the sBox.



- Smooth and safe retrieval of the hose, without getting in the way of the drawer or waste separation system
- Multiple installation options in the base unit thanks to flexible mounting elements
- For a more organised sink cabinet
- The hose weight in the sBox ensures smooth and quiet use
- Optional accessories:
   An additional spacer rail that allows for installation lower in the cabinet body

#### **Installation options**



#### Best placement – vertically below kitchen tap:

The lower brackets are firmly screwed to the base. The upper brackets can be either screwed to or suspended on the rear panel. The mounting elements can be moved and rotated 360°. This makes installation fast and easy.



#### Vertically below kitchen tap, tilted backwards or forwards:

The tilted back assembly is recommended if the rear wall is offset to the front or if there are obstacles on the floor. The brackets are all aligned to the front. This way, the sBox can simply be tilted forward and clicked out of all brackets. This enables quick and easy cleaning. The sBox can be tilted backwards or forwards. Maximum recommended tilt angle:  $\pm\,20\,^{\circ}$ .



#### At the back of the rear wall, tilted sideways:

Laterally tilted installation is an option where there are obstacles on the ground such as waste pull-out or drainage systems, or when angle valves are difficult to access. The brackets can be screwed to the base, sides or rear panel.

Maximum recommended tilt angle:  $\pm 20^{\circ}$ .



#### Tilted and offset on the side wall:

The installation on the side panel is ideal for corner sinks, sinks with draining boards or sinks with tap holes that are positioned to the side. All the brackets are screwed to the side. You should avoid parallel displacement of the sBox. If displacement is required for the installation, there must not be more than 30mm between the tap and outlet axis of the sBox.



ode No.	Description	Colour	RRP (ex GST)	RRP (inc GST)	Notes	Pg. Nun
01800180	HG iBox Universal concealed part only		179.09	197.00		140
01850180	HG iBox Universal conc.part only w.s/off		357.27	393.00		140
10						
10452180	AX Basic set bath mixer floor standing		1,007.27	1,108.00		140
13						
3414000	HG Bath spout	Chrome	274.55	302.00		86
3414340	HG Bath spout	Brushed Black Chrome	430.00	473.00		86
3595000	HG extension set 2,5cm for iBox universal		145.45	160.00		140
3620180	HG Shower basic set DN15		179.09	197.00		140
13622180	HG 2-hole basin mix.basic set conc.	Chrome	402.73	443.00		141
	HG Aerator to convert to bath filler		33.64	37.00		68
4						
	HG Metris S Bath spout	Brushed Nickel	551.82	607.00		86
	HG Focus Variarc M41 kitchen mixer 320	Chrome	1,071.82	1,179.00	While stocks last. Phased out.	159
15						
5310180	HG Basic set Select 2 functions		1,767.27	1,944.00		101
5311180	HG Basic set Select 3 functions		2,069.09	2,276.00		102
5312180	HG Basic set Select 4 functions		2,360.91	2,597.00		103
5313180	HG Basic set Select 5 functions		2,650.91	2,916.00		104
5355000	HG RainSelect fs conc.2 funct.shower supp.	Chrome	3,489.09	3,838.00		100
5355400	HG RainSelect fs conc.2 funct.shower supp.	White/Chrome	3,489.09	3,838.00		100
5355600	HG RainSelect fs conc.2 funct.shower supp.	Black/Chrome	3,489.09	3,838.00		100
5356000	HG RainSelect fs conc.3 funct.shower supp.	Chrome	4,116.36	4,528.00		101
5356400	HG RainSelect fs conc.3 funct.shower supp.	White/Chrome	4,116.36	4,528.00		101
5356600	HG RainSelect fs conc.3 funct.shower supp.	Black/Chrome	4,116.36	4,528.00		101
5357000	HG RainSelect fs conc.4 funct.shower supp.	Chrome	4,754.55	5,230.00		102
5357400	HG RainSelect fs conc.4 funct.shower supp.	White/Chrome	4,754.55	5,230.00		102
5357600	HG RainSelect fs conc.4 funct.shower supp.	Black/Chrome	4,754.55	5,230.00		102
5358000	HG RainSelect fs conc.5 funct.shower supp.	Chrome	5,381.82	5,920.00		103
5358400	HG RainSelect fs conc.5 funct.shower supp.	White/Chrome	5,381.82	5,920.00		103
5358600	HG RainSelect fs conc.5 funct.shower supp.	Black/Chrome	5,381.82	5,920.00		103
15380000	HG RainSelect fs conc.2 funct.	Chrome	3,203.64	3,524.00		101
15380340	HG RainSelect fs conc.2 funct.	Brushed Black Chrome	4,715.45	5,187.00		101
	HG RainSelect fs conc.2 funct.	Matt Black	4,161.82	4,578.00		101
	HG RainSelect fs conc.2 funct.	Matt White	4,161.82	4,578.00		101
	HG RainSelect fs conc.3 funct.	Chrome	3,809.09	4,190.00		102
	HG RainSelect is conc.3 funct.	Matt White	4,936.36	5,430.00		102
	HG RainSelect is conc.4 funct.	Chrome	4,401.82	4,842.00		103
	HG RainSelect is conc.4 funct.	Brushed Black Chrome	6,477.27	7,125.00		103
	HG RainSelect is conc.4 funct.	Matt Black				103
			5,722.73	6,295.00		
	HG RainSelect fs conc.4 funct.	Matt White	5,722.73	6,295.00		103
	HG RainSelect fs conc.5 funct.	Chrome	5,005.45	5,506.00		104
	HG RainSelect fs conc.5 funct.	Matt White	6,499.09	7,149.00		104
<i>57</i> 41003	HG ShowerSelect S therm.Highflow	Chrome	1,322.73	1,455.00		99
5743003	HG ShowerSelect S therm.conc.2 outl	Chrome	1,995.45	2,195.00		99
5744003	HG ShowerSelect S therm.conc 1 outl.	Chrome	1,836.36	2,020.00		99
5745003	HG ShowerSelect S valve 3	Chrome	1,322.73	1,455.00		99
5760003	HG ShowerSelect therm.Highflow conc.	Chrome	1,230.91	1,354.00		98
5762003	HG ShowerSelect therm.conc.1 outlet	Chrome	1,699.09	1,869.00		98
<i>57</i> 63003	HG ShowerSelect therm.conc. 2outlets	Chrome	1,824.55	2,007.00		98
5764003	HG ShowerSelect valve 3	Chrome	1,230.91	1,354.00		98
5930180	HG Quattro basic set		<i>7</i> 38.18	812.00		141
5032000	HG Quattro/Trio f-set cylindrical handle	Chrome	364.55	401.00		100

Code No.	Description	Colour	RRP (ex GST)	RRP (inc GST)		Price List Pg. Num
15970180	HG Basic set for shut-off valve		236.36	260.00		100
15972000	HG Valve conc.f-set cylindrical handle	Chrome	274.55	302.00		100
	HG Basic set for conc.valve spindle		219.09	241.00		100
15974180	HG Basic set for conc.valve ceramic		256.36	282.00		100
15981180	HG Trio shut off valve basic set		469.09	516.00		141
15984180	HG Trio valve basic set w/o stop		460.91	507.00		141
24						
24010180	HG Rainmaker Select Basic Set for OHS w/ ceiling con.		683.64	752.00		129
24011400	HG Rainmaker Select 580 3jet OHS with arm	White/Chrome	7,468.18	8,215.00		129
24012400	HG Rainmaker Select 460 1 jet OHS with ceiling con.	White/Chrome	4,422.73	4,865.00		130
24013400	HG Rainmaker Select 460 1 jet OHS with arm	White/Chrome	4,754.55	5,230.00		130
24014400	HG Rainmaker Select 460 2jet OHS with ceiling con.	White/Chrome	5,780.00	6,358.00		130
	HG Rainmaker Select 460 2jet OHS with arm	White/Chrome	6,111.82	6,723.00		129
24016400	HG Rainmaker Select 460 3jet OHS with ceiling con.	White/Chrome	6,453.64	7,099.00		129
24017400	HG Rainmaker Select 400 3jet OHS with arm	White/Chrome	·			129
	•	<u>,                                      </u>	6,795.45	7,475.00		
24101000	HG Pulsify HS 105 3 et Active	Chrome	202.73	223.00		109
24101670	HG Pulsify HS 105 3jet Active	Matt Black	262.73	289.00		109
24101700	HG Pulsify HS 105 3 jet Active	Matt White	262.73	289.00		109
24111000	HG Pulsify HS 105 3 jet Relax	Chrome	202.73	223.00		109
24111670	HG Pulsify HS 105 3 jet Relax	Matt Black	262.73	289.00		109
24111700	HG Pulsify HS 105 3 jet Relax	Matt White	262.73	289.00		109
24121000	HG Pulsify HS 105 1 jet Green	Chrome	153.64	169.00		109
24121670	HG Pulsify HS 105 1 jet Green	Matt Black	199.09	219.00		109
24121700	HG Pulsify HS 105 1 jet Green	Matt White	199.09	219.00		109
24132000	HG Pulsify OHS 105 1 jet Green w/o wall con.	Chrome	255.45	281.00		136
24132670	HG Pulsify OHS 105 1 jet Green w/o wall con.	Matt Black	332.73	366.00		136
	HG Pulsify OHS 105 1 jet Green w/o wall con.	Matt White	332.73	366.00		136
24139000	HG Pulsify wall connect OHS 105	Chrome	149.09	164.00		136
24139670	HG Pulsify wall connect OHS 105	Matt White	192.73	212.00		136
24139700	HG Pulsify wall connect OHS 105	Matt Black	192.73	212.00		136
24161003	HG Pulsify 105 3j Relax U'S 650 set	Chrome	425.45	468.00		125
24161673	HG Pulsify 105 3j Relax U'S 650 set	Matt Black	595.45	655.00		125
24141000	HG Pulsify S Overhead shower 260 1 jet	Chrome	700.00	770.00	NEW - Available Q3 202	3 136
24141670	HG Pulsify S Overhead shower 260 1 jet	Matt Black	974.55	1,072.00	NEW - Available Q3 202	3 136
24141700	HG Pulsify S Overhead shower 260 1 jet	Matt White	974.55	1,072.00	NEW - Available Q3 202	3 136
24149000	HG Pulsify wall connector OHS 260	Chrome	231.82	255.00	NEW - Available Q3 202	3 136
24149670	HG Pulsify wall connector OHS 260	Matt Black	301.82	332.00	NEW - Available Q3 202	3 136
24149700	HG Pulsify wall connector OHS 260	Matt White	301.82	332.00	NEW - Available Q3 202	3 136
24161703	HG Pulsify 105 3j Relax U'S 650 set	Matt White	595.45	655.00		125
24311003	HG Pulsify 105 1 j U'S 650 set	Chrome	390.00	429.00		125
24311673	HG Pulsify 105 1; U'S 650 set	Matt Black	560.00	616.00		125
24311703	HG Pulsify 105 1j U'S 650 set	Matt White	560.00	616.00		125
26	,					
	HG Croma 280 Air OHS EcoSmart	Chrome	767.27	844.00		135
	HG Croma 280 Air OHS EcoSmart	Brushed Bronze	1,455.45	1,601.00		135
	HG Croma 280 Air OHS EcoSmart	Brushed Black Chrome	1,455.45	1,601.00		135
26221670	HG Croma 280 Air OHS EcoSmart	Matt Black	1,074.55	1,182.00		135
26221700	HG Croma 280 Air OHS EcoSmart	Matt White	1,074.55	1,182.00		135
	HG Croma 280 Air OHS EcoSmart	Brushed Nickel	1,164.55	1,182.00		135
	HG Croma 280 Air OHS EcoSmart	Polished Gold Optic	1,455.45			135
				1,601.00		
	HG Rainfinity 250 1 jet OHS with wall connector	Chrome	2,108.18	2,319.00		131
	HG Rainfinity 250 1 jet OHS with wall connector	Matt White	2,741.82	3,016.00		131
20229007	HG Rainfinity 250 1 jet OHS with ceiling con.	Chrome	1,773.64	1,951.00		131

FIICE LIS	-		RRP	RRP		Pg.
Code No.	Description	Colour	(ex GST)	(inc GST)	Notes	Num
0.4000707			0.000.7.1			101
	HG Rainfinity 250 1 jet OHS with ceiling con.	Matt White	2,303.64	2,534.00		131
	HG Rainfinity 250 3jet OHS with wall connector	Chrome	3,024.55	3,327.00		131
	HG Rainfinity 250 3jet OHS with wall connector	Matt White	3,931.82	4,325.00		131
26253000	HG Raindance E 400/400 1 jet OHS	Chrome	2,382.73	2,621.00		133
26254180	HG Basic set for OHS 400/400 1 jet	Chrome	353.64	389.00		133
26328400	HG Unica Comfort grab bar w/ shelf and shower holder	Chrome	427.27	470.00		118
26329000	HG Unica Comfort foot rest	Chrome	433.64	477.00		119
26334400	HG Crometta 1 jet Green HS 6 I/min	White/Chrome	62.73	69.00		111
26336400	HG Crometta Vario Green HS 6 I/min	White/Chrome	68.18	75.00		111
26401000	HG Unica Comfort wall bar 650mm	Chrome	524.55	577.00		118
26402000	HG Unica Comfort wall bar 900mm	Chrome	560.00	616.00		118
26403400	HG Unica Comfort wall bar 1100mm L	Chrome	889.09	978.00		119
26404400	HG Unica Comfort wall bar 1100mm R	Chrome	889.09	978.00		119
26453340	HG Wall outlet S	Brushed Black Chrome	119.09	131.00		115
26453670	HG Wall outlet S	Matt Black	110.00	121.00		115
26453700	HG Wall outlet S	Matt White	110.00	121.00		115
26455003	HG FixFit Square wall outlet	Chrome	79.09	87.00		115
	HG FixFit Square wall outlet	Brushed Bronze	114.55	126.00		115
	HG FixFit Square wall outlet	Brushed Black Chrome	114.55	126.00		115
	HG FixFit Square wall outlet	Matt Black	107.27	118.00		115
	HG FixFit Square wall outlet	Matt White	107.27	118.00		115
	HG FixFit Square wall outlet	Polished Gold Optic	114.55	126.00		115
26469001	HG Raindance S 240 2jet OHS	Chrome	1,173.64	1,291.00		132
26471180	HG Raindance 260x260 1 jet OHS basic set		285.45	314.00		132
26481000	HG Raindance 260x260 OHS	Chrome	1,243.64	1,368.00		132
26511000	HG Cassetta Unica E soap dish	Chrome	193.64	213.00		121
26515000	HG Raindance Select S HS 120 3jet PowderRain	Chrome	281.82	310.00		108
26519000	HG Cassetta E soap dish	Chrome	60.00	66.00		121
26521003	HG Raindance Select E120 EcoSmart HS	Chrome	274.55	302.00		107
26521400	HG Raindance Select E 120 EcoSmart HS	White/Chrome	261.82	288.00		107
26523000	HG Croma Select S 180 2jet OHS EcoSmart	Chrome	707.27	778.00		135
26528000	HG Croma Select E 180 2jet OHS EcoSmart	Chrome	707.27	778.00		135
26528400	HG Croma Select E 180 2jet OHS EcoSmart	White/Chrome	707.27	778.00		135
26531003	HG Raindance Select S 120 EcoSmart HS	Chrome	274.55	302.00		108
26531340	HG Raindance Select \$ 120 EcoSmart HS	Brushed Black Chrome	402.73	443.00	NFW	108
26531400	HG Raindance Select S 120 EcoSmart HS	White/Chrome	261.82	288.00	. 1217	108
26531670	HG Raindance Select S 120 EcoSmart HS	Matt Black	370.00	407.00		108
	HG Raindance Select S 120 EcoSmart HS					
26531823		Brushed Nickel	438.18	482.00		108
26551003	HG Raindance Select E 150 EcoSmart HS	Chrome	353.64	389.00		107
	HG Crometta 1 jet Green 6 l/min Set 65cm	White/Chrome	148.18	163.00		128
26555400	HG Crometta Vario Green 6 I/min Set 65cm	White/Chrome	160.00	176.00		128
26563400	HG Croma Select S Vario 91 Unica Set 65cm	White/Chrome	319.09	351.00		127
26565400	HG Croma Select S 1 jet 91 Unica Set 65cm	White/Chrome	285.45	314.00		127
26581403	HG Croma Select E Multi Unica Set 65cm	White/Chrome	427.27	470.00		126
26583400	HG Croma Select E Vario 91 Unica Set 65cm	White/Chrome	319.09	351.00		126
26585400	HG Croma Select E 1 jet 91 Unica Set 65cm	White/Chrome	285.45	314.00		126
26622003	HG Raindance Select E120 U'S Puro Set 65cm	Chrome	535.45	\$589.00		123
26622403	HG Raindance Select E120 U'S Puro Set 65cm	White/Chrome	560.00	\$616.00		123
26622823	HG Raindance Select E120 U'S Puro Set 65cm	Brushed Nickel	1,093.64	1,203.00		123
	HG Raindance Select \$120 U'S Puro Set 65cm	Chrome	535.45	589.00		125
	HG Raindance Select \$120 U'S Puro Set 65cm	Brushed Black Chrome	845.45	930.00		125
	HG Raindance Select \$120 U'S Puro Set 65cm	White/Chrome	560.00	616.00		125
	HG Raindance Select S120 U'S Puro Set 65cm	Brushed Nickel	1,093.64			125
20032623	Numuance belect 5120 0 5 Furo Set OSCM	Diosilea Mickel	1,093.04	1,203.00		123

					Pr	ice List
Code No.	Description	Colour	RRP (ex GST)	RRP (inc GST)	Notes	Pg. Num
26634003	HG Raindance Select S150 U'S Puro Set 65cm	Chrome	627.27	690.00	While stocks last. Phased out.	124
26635003	HG Raindance Select E150 U'S Puro Set 65cm	Chrome	673.64	741.00	While stocks last. Phased out.	124
26635403	HG Raindance Select E150 U'S Puro Set 65cm	White/Chrome	673.64	741.00	While stocks last. Phased out.	124
26640540	HG DogShower 150 3jet	Petrol	250.00	275.00		112
26640560	HG DogShower 150 3jet	Pink	250.00	275.00		112
26640670	HG DogShower 150 3jet	Matt Black	250.00	275.00		112
26640700	HG DogShower 150 3jet	Matt White	250.00	275.00		112
	HG Crometta S 240 1 jet OHS	Chrome	604.55	665.00		137
26724670	HG Crometta S 240 1 jet OHS	Matt Black	786.36	865.00		137
26727000	HG Crometta E 240 1 jet OHS	Chrome	604.55	665.00		137
26727670	HG Crometta E 240 1 jet OHS	Matt Black	786.36	865.00		137
26742003	HG Crometta S 240 Showerpipe Reno Select	Chrome	1,230.91	1,354.00		106
	HG Croma Select E Showerpipe Reno EcoSmart	Chrome	1,390.91	1,530.00		105
26743823	HG Croma Select E Showerpipe Reno EcoSmart	Brushed Nickel	2,224.55	2,447.00		105
26744003	HG Croma Select S Showerpipe Reno EcoSmart	Chrome	1,390.91	1,530.00		105
26801400	HG Croma Select S Multi HS EcoSmart	Chrome	1,370.71	-		110
	HG Croma Select S Vario HS EcoSmart	White/Chrome	148.18	213.00		
		•		163.00		110
	HG Croma Select S 1 jet HS EcoSmart	White/Chrome	114.55	126.00		111
26811400	HG Croma Select E Multi HS EcoSmart	White/Chrome	193.64	213.00		110
26813400	HG Croma Select E Vario HS EcoSmart	White/Chrome	148.18	163.00		110
	HG Croma Select E 1 jet HS EcoSmart	White/Chrome	114.55	126.00		110
26828400	HG Crometta 100 1 jet HS EcoSmart	White/Chrome	63.64	70.00	While stocks last. Phased out.	111
26843000	HG Rainfinity FixFit 500 w/ shower holder, shelf L	Chrome	991.82	1,091.00		116
26843700	HG Rainfinity FixFit 500 w/ shower holder, shelf L	Matt White	1,289.09	1,418.00		116
26844000	HG Rainfinity Shelf 500	Chrome	752.73	828.00		143
26844700	HG Rainfinity Shelf 500	Matt White	980.91	1,079.00		143
26858000	HG Rainfinity FixFit 500 w/ shower holder, shelf R	Chrome	991.82	1,091.00		116
26858700	HG Rainfinity FixFit 500 w/ shower holder, shelf R	Matt White	1,289.09	1,418.00		116
26865000	HG Rainfinity 130 3jet HS EcoSmart	Chrome	296.36	326.00		107
26865700	HG Rainfinity 130 3jet HS EcoSmart	Matt White	375.45	413.00		107
26867000	HG Rainfinity Baton HS 100 1 jet EcoSmart	Chrome	250.91	276.00		107
26867700	HG Rainfinity Baton HS 100 1 jet EcoSmart	Matt White	319.09	351.00		107
26887000	HG FixFit Q porter with shower holder	Chrome	240.00	264.00	NEW	113
26887140	HG FixFit Q porter with shower holder	Brushed Bronze	360.00	396.00	NEW	113
26887340	HG FixFit Q porter with shower holder	Brushed Black Chrome	360.00	396.00	NEW	113
26887670	HG FixFit Q porter with shower holder	Matt Black	336.36	370.00	NEW	113
26887700	HG FixFit Q porter with shower holder	Matt White	336.36	370.00	NEW	113
26888000	HG FixFit S porter with shower holder	Chrome	240.00	264.00	NEW	113
26888140	HG FixFit S porter with shower holder	Brushed Bronze	360.00	396.00	NEW	113
26888340	HG FixFit S porter with shower holder	Brushed Black Chrome	360.00	396.00		113
	HG FixFit S porter with shower holder	Matt Black	336.36	370.00		113
	HG FixFit S porter with shower holder	Matt White	336.36	370.00		113
	HG FixFit E porter with shower holder	Chrome	240.00	264.00		113
26889140	HG FixFit E porter with shower holder	Brushed Bronze	360.00	396.00		113
	HG FixFit E porter with shower holder	Brushed Black Chrome	360.00	396.00		113
	HG FixFit E porter with shower holder	Matt Black	336.36	370.00		113
26889700		Matt White	336.36	370.00		113
	HG FixFit E porter with shower holder	widii willie	330.30	3/0.00		113
27291001	HC Paindance E2 240 Air 11-4 OLIC	Chr	1 270 00	1 517 00		122
27381001	HG Raindance E2 360 Air 1jet OHS	Chrome	1,379.09	1,517.00		133
27381821	HG Raindance E2 OSH 360 Air 1 jet	Brushed Nickel	2,021.82	2,224.00		133
27388000	HG Ceiling connector E 300mm	Chrome	228.18	251.00		139
27389000 27389340	HG Ceiling connector \$ 300mm	Chrome	194.55	214.00		139
. 1 (2) (1) (1)	HG Ceiling connector S 300mm	Brushed Black Chrome	304.55	335.00		139

Code No.	Description	Colour	RRP (ex GST)	RRP (inc GST)	Notes	Pg. Num
27300470	HG Cailing connector \$ 200	Matt Black	272.73	200.00		139
	HG Ceiling connector \$ 300mm	Matt White		300.00		
	HG Ceiling connector \$ 300mm	Brushed Nickel	319.09	351.00		139
	HG Ceiling connector \$ 300mm	Chrome	435.45 170.00	479.00		139
	HG Ceiling Connector \$ 100mm		253.64	187.00		
	HG Ceiling Connector \$ 100mm	Brushed Bronze Brushed Black Chrome		279.00		138 138
	HG Ceiling Connector \$ 100mm	Matt Black	253.64	279.00 261.00		138
	HG Ceiling Connector \$ 100mm		237.27			
	HG Ceiling Connector S 100mm	Matt White	237.27	261.00		138
	HG Ceiling Connector S 100mm	Polished Gold Optic	253.64	279.00	, ,	138
	HG Shower arm 241 mm	Chrome	182.73		While stocks last. Phased out.	138
27413003	HG Shower arm 389mm	Chrome	197.27	217.00		138
27413343	HG Shower arm 389mm	Brushed Black Chrome	464.55	511.00		138
27413670	HG Shower arm 389mm	Matt Black	278.18	306.00		138
27413700	HG Shower arm 389mm	Matt White	278.18	306.00		138
27413823	HG Shower arm 389mm	Brushed Nickel	292.73	322.00		138
	HG PuraVida FixFit	Chrome	128.18		While stocks last. Phased out.	115
27451820	AX Starck Fixfit wall outlet	Brushed Nickel	122.73	135.00		115
27453003	HG Fixfit S wall outlet	Chrome	102.73	113.00		115
	HG Fixfit E wall outlet	Chrome	82.73	91.00		115
27461003	HG Raindance Air 240 1 jet OHS	Chrome	1,077.27	1,185.00		134
	HG Ceiling connector 100mm	Chrome	170.91	188.00		138
27624001	HG Raindance S 240 1 jet PowderRain OHS	Chrome	1,049.09	1,154.00		134
27624341	HG Raindance S 240 1 jet PowderRain OHS	Brushed Black Chrome	1,588.18	1,747.00		134
27629019	HG Raindance S 180 1 jet PowderRain OHS	Chrome	775.45		While stocks last. Phased out.	134
	HG Raindance Wall bar Unica'S 900mm	Chrome	810.00	891.00		120
	HG Unica Shower bar E 90 cm with hose	Chrome	889.09	978.00		117
	HG Unica Shower bar E 90 cm with hose	White/Chrome	889.09	978.00		117
	HG Unica E Shower bar E 150 with hose	Chrome	1,208.18	1,329.00		117
	HG Unica E Shower bar E 150 with hose	White/Chrome	1,208.18	-	While stocks last. Phased out.	117
	HG Raindance Sel S120 3j 9l/Unica E Set 90cm	Chrome	1,078.18	1,186.00		124
	HG Raindance Select S 120 3jet PowderRain set 65cm	Chrome	570.00	627.00		124
27667007	HG Raindance Select S 120 3jet PowderRain set 90cm	Chrome	593.64	653.00		124
	HG Unica Reno Wall bar 720mm	Chrome	204.55	225.00		120
	HG Showerpipe Reno without shower components	Chrome	1,130.00	1,243.00		106
28	110.0	CI.	11.4.55			11.4
	HG Sensoflex shower hose 1600mm	Chrome	114.55	126.00		114
28167000	HG Comfortflex shower hose 1250mm	Chrome	57.27	63.00		114
	HG Comfortflex shower hose 1600mm	Chrome	62.73	69.00		114
	HG Comfortflex shower hose 2000mm	Chrome	68.18	75.00		114
	HG Isiflex 1600mm volume control	Chrome	140.91	155.00		114
	HG Isiflex 1250mm volume control	Chrome	136.36	150.00		114
	HG Metaflex C shower hose 1600mm	Chrome	47.27	52.00		114
	HG Isiflex B Shower hose 1250mm	Chrome	80.00	88.00		114
	HG Isiflex B Shower hose 1250mm	Brushed Black Chrome	109.09	120.00		114
	HG Isiflex B Shower hose 1250mm	Matt Black	90.00	99.00		114
	HG Isiflex B Shower hose 1250mm	Matt White	90.00	99.00		114
	HG Isiflex B Shower hose 1250mm	Brushed Nickel	107.27	118.00		114
	HG Isiflex B Shower hose 1600mm	Chrome	82.73	91.00		114
	HG Isiflex B Shower hose 1600mm	Brushed Black Chrome	118.18	130.00		114
	HG Isiflex B Shower hose 1600mm	Matt Black	114.55	126.00		114
	HG Isiflex B Shower hose 1600mm	Matt White	114.55	126.00		114
	HG Isiflex B Shower hose 1600mm	Brushed Nickel	117.27	129.00		114
28307000	HG Shower support rim mounted with hose	Chrome	307.27	338.00		113

Code No.	Description	Colour	RRP (ex GST)	RRP (inc GST)		rice List Pg. Num
28331000	HG Porter'S Shower support	Chrome	70.91	78.00		113
28331340	HG Porter'S shower support	Brushed Black Chrome	111.82	123.00		113
28331670	HG Porter'S Shower support	Matt Black	102.73	113.00		113
28331700	HG Porter'S Shower support	Matt White	102.73	113.00		113
28331820	HG Porter'S Shower support	Brushed Nickel	110.91	122.00		113
28346000	HG Coupling set DN15 HS		37.27	41.00		112
28387000	HG Rainfinity Shower holder Porter E	Chrome	136.36	150.00		113
28387340	HG Porter E shower holder	Brushed Black Chrome	213.64	235.00		113
28387670	HG Rainfinity Shower holder Porter E	Matt Black	193.64	213.00		113
28387700	HG Rainfinity Shower holder Porter E	Matt White	193.64	213.00		113
28462000	HG Croma 100 Vario EcoSmart OHS	Chrome	170.91	188.00		137
28466000	HG Bodyvette Body shower with rubit	Chrome	296.36	326.00		139
28467000	HG Bodyvette Body shower with stop	Chrome	341.82	376.00		139
28588003	HG Raindance Select 150 HS EcoSmart	Chrome	353.64	389.00		108
28588400	HG Raindance Select 150 HS EcoSmart	White/Chrome	331.82	365.00		108
28631000	HG Unica'S Puro shower bar 900mm	Chrome	369.09	406.00		120
28631670	HG Unica'S Puro shower bar 900mm	Matt Black	516.36	568.00		120
28631700	HG Unica'S Puro shower bar 900mm	Matt White	516.36	568.00		120
28631820	HG Unica'S Puro shower bar 900mm	Brushed Nickel	554.55	610.00		120
	HG Unica'S Puro shower bar 650mm	Chrome	341.82	376.00		120
	HG Unica'S Puro shower bar 650mm	Matt Black	481.82	530.00		120
	HG Unica'S Puro shower bar 650mm	Matt White	481.82	530.00		120
	HG Cassetta Soap dish for Unica'C	Chrome	47.27	52.00		121
	HG Cassetta'S Puro Soap dish	Chrome	114.55	126.00		121
31	The Cassella 5 Folio Soup dish	Cilionie	114.55	120.00		121
	HG Metris S Basin mixer 90 w/o waste	Chrome	535.45	580 00	While stocks last. Phased out.	73
	HG Metris Basin mixer highriser 260 w/o waste	Chrome	1,083.64		Phase out 30/06/2023	70
	HG Metris Basin mixer 110 w/o waste	Chrome	775.45	-	Phase out 30/06/2023	70
	HG Metris 2-h.basin mixer .conc.fs short	Chrome	923.64		While stocks last. Phased out.	
31103000	HG Metris S Basin mixer electronic	Chrome	2,007.27	2,208.00	TTIME STOCKS TUSH. I HUSEU OUI.	96
31162000	HG Metris S Basin mixer set conc.fs short	Chrome	980.91		Phase out 30/06/2023	73
31171000	HG Focus Basin mixer electronic battery	Chrome	1,425.45	1,568.00	1 flase out 50/00/2025	97
	HG Focus Basin mixer electronic pade adjust, battery	Chrome	1,289.09			97
31172000	HG Focus Basin mixer electronic pre adjust, battery	Chrome	1,425.45	1,418.00		97
		Chrome	958.18		DL 20 /04 /2022	
31185003	HG Metris Highriser 200 w/o waste			1,054.00	Phase out 30/06/2023	70
	HG Metris Bath mixer conc square	Chrome	730.91		Phase out 30/06/2023	71
	HG Metris Shower mixer conc.fs square	Chrome	683.64		Phase out 30/06/2023	72
31493003	HG Metris Bath mixer conc.fs	Chrome	730.91		Phase out 30/06/2023	71
	HG Metris Bath spout	Chrome	604.55		Phase out 30/06/2023	71
31517003	HG Focus Basin mixer 100 w/o waste	Chrome	353.64	389.00		85
31517343	HG Decor Single lever basin mixer 100 w/o waste set	Brushed Black Chrome	554.55	610.00		85
31517823	HG Focus Basin mixer 100 w/o waste	Brushed Nickel	533.64	587.00		85
31518003	HG Focus Basin mixer 190 w/o waste	Chrome	467.27	514.00		85
31518343	HG Decor Single lever basin mixer 190 w/o waste set	Brushed Black Chrome	733.64	807.00		85
31518823	HG Focus Basin mixer 190 w/o waste	Brushed Nickel	692.73	762.00	-1 /- /	85
31652000	HG Metris Shower mix. Conc.fs high flow	Chrome	593.64		Phase out 30/06/2023	72
	HG Metris Shower mixer conc.fs	Chrome	683.64		Phase out 30/06/2023	71
31730003	HG Focus Basin mixer 70 w/o waste	Chrome	239.09		While stocks last. Phased out.	
	HG Decor Single lever basin mixer 70 w/o waste set	Brushed Black Chrome	375.45	413.00		85
31815003	HG Focus M41 kitchen mixer 240 with pull-out spray	Chrome	810.00	891.00		159
31815343	HG Decor Single lever KM 240, pull-out spray, 2jet	Brushed Black Chrome	1,215.45	1,337.00	NEW	159
31815803	HG Focus M41 kitchen mixer 240, pull-out spray	Stainless Steel	1,052.73	1,158.00		159
31817003	HG Focus M41 kitchen mixer 280	Chrome	638.18	702.00	While stocks last. Phased out.	159

Code No.	Description	Colour	RRP (ex GST)	RRP (inc GST)	Notes	Pg. Num
31817343	HG Decor Single lever kitchen mixer 280, 1 jet	Brushed Black Chrome	957.27	1,053.00	NEW	159
31820003	HG Focus M41 kitchen mixer 260	Chrome	593.64	653.00		159
31820343	HG Decor Single lever KM 260, 1 jet	Brushed Black Chrome	890.00	979.00	NEW	159
31937000	HG Focus 3-h.basin mixer w waste set	Chrome	740.91	815.00		85
31945003	HG Focus Bath mixer fs	Chrome	433.64	477.00		86
31945343	HG Decor Single lever bath mixer fs	Brushed Black Chrome	679.09	747.00		86
31945823	HG Focus Bath mixer fs	Brushed Nickel	660.00	726.00		86
31961000	HG Focus Shower mixer conc.small esc.Export	Chrome	125.45	138.00		86
31961340	HG Focus Shower mixer conc.small esc.Export	Brushed Black Chrome	420.00	462.00	NEW	86
31961820	HG Focus Shower mixer conc.small esc.Export	Brushed Nickel	199.09	219.00		86
31965343	HG Decor Single lever shower mixer fs	Brushed Black Chrome	679.09	747.00		86
32	The pool of the color of the co	Siconou Sidok emieme	0, 7.07			
32500003	HG Metropol Basin mixer 100 short w/o waste	Chrome	854.55	940.00	Phase out 30/06/2023	68
32507003	HG Metropol Basin mixer 110 w/o waste	Chrome	935.45	1,029.00	Phase out 30/06/2023	68
32513003	HG Metropol Basin mixer 260 w/o waste	Chrome	1,289.09	1,418.00	Phase out 30/06/2023	68
32525000	HG Metropol 2-h.basin mixer 165 wall	Chrome	958.18	1,054.00	Phase out 30/06/2023	68
32526000	HG Metropol 2-h.basin mixer 225 wall	Chrome	1,015.45	1,117.00	Phase out 30/06/2023	68
32545003	HG Metropol Bath mixer conceal.	Chrome	764.55	841.00	Phase out 30/06/2023	69
32565003	HG Metropol Shower mixer conceal.	Chrome	718.18	790.00	Phase out 30/06/2023	69
40						
40088000	HG Replacement brush for toilet brush	White	51.82	57.00		144
10089000	HG Replacement toilet brush with handle	Chrome	159.09	175.00		150
10438000	HG A41 Soap dispenser	Chrome	170.91	188.00		162
10438340	HG A41 Soap dispenser	Brushed Black Chrome	256.36	282.00	NEW	162
10438670	HG A41 Soap dispenser	Matt Black	236.36	260.00		162
10438800	HG A41 Soap dispenser stainless steel	Stainless Steel	228.18	251.00		162
40448000	HG A51 Soap dispenser	Chrome	239.09	263.00		162
40448670	HG A51 Soap dispenser	Matt Black	321.82	354.00		162
40448800	HG A51 Soap dispenser stainless steel	Stainless Steel	307.27	338.00		162
40468000	HG A71 Soap dispenser	Chrome	239.09	263.00		162
40468670	HG A71 Soap dispenser	Matt Black	321.82	354.00		162
40468800	HG A71 Soap dispenser stainless steel	Stainless Steel	307.27	338.00		162
40511000	HG Logis Single hook	Chrome	60.00	66.00		144
40511820	HG Logis Single hook	Brushed Nickel	82.73	91.00		144
40512000	HG Logis Twin bar towel holder	Chrome	261.82	288.00		146
10512820	HG Logis Twin bar towel holder	Brushed Nickel	389.09	428.00		146
40513000	HG Logis Grab Bar 300mm	Chrome	261.82	288.00		146
10513820	HG Logis Grab bar 300mm	Brushed Nickel	389.09	428.00		146
10514000	HG Logis Lotion dispenser	Chrome	341.82	376.00		144
10514820	HG Logis Lotion dispenser	Brushed Nickel	512.73	564.00		144
10515000	HG Logis Soap dish	Chrome	218.18	240.00		144
40515820	HG Logis Soap dish	Brushed Nickel	319.09	351.00		144
40516000	HG Logis Bath towel holder 600mm	Chrome	307.27	338.00		146
10516820	HG Logis Bath towel holder 600mm	Brushed Nickel	456.36	502.00		146
10517000	HG Logis Holder for spare roll	Chrome	170.91	188.00		146
10517820	HG Logis Holder for spare roll	Brushed Nickel	261.82	288.00		146
40518000	HG Logis Toothbrush tumbler	Chrome	218.18	240.00		142
	HG Logis Toothbrush tumbler	Brushed Nickel	319.09	351.00		142
	-	Chrome	389.09	428.00		142
	HG Logis Toilet brush w.holder	Brushed Nickel	580.91	639.00		142
	HG Logis Paper roll holder	Chrome	218.18	240.00		146
	Lagio rapor foil floladi					
	HG Logis Paper roll holder	Brushed Nickel	319.09	351.00		146

Code No.	Description	Colour	RRP (ex GST)	RRP (inc GST) Notes	Price List Pg. Num
40526820	HG Logis Paper roll holder w/o lid	Brushed Nickel	261.82	288.00	146
	HG F14 Multifunctional strainer	Matt Black	63.64	70.00	156
41					
41710000	HG Logis Universal Corner basket	Chrome	82.73	91.00	147
41711000	HG Logis Universal Single hook	Chrome	23.64	26.00	147
41712000	HG Logis Universal Double towel holder	Chrome	160.00	176.00	149
41713000	HG Logis Universal Grab bar	Chrome	128.18	141.00	149
41714000	HG Logis Universal Soap dispenser	Chrome	114.55	126.00	147
41715000	HG Logis Universal Soap dish	Chrome	82.73	91.00	147
41716000	HG Logis Universal Bath towel holder	Chrome	128.18	141.00	148
41717000	HG Logis Universal Double spare roll holder	Chrome	82.73	91.00	148
41718000	HG Logis Universal Toothbrush tumbler	Chrome	82.73	91.00	148
41720000	HG Logis Universal Towel rack w/ bath tow.h.	Chrome	218.18	240.00	149
41722000	HG Logis Universal Toilet brush holder wall	Chrome	114.55	126.00	148
41723000	HG Logis Universal Roll holder w/ cover	Chrome	114.55	126.00	148
41724000	HG Logis Universal Towel ring	Chrome	82.73	91.00	147
41725000	HG Logis Universal Double hook	Chrome	47.27	52.00	147
41726000	HG Logis Universal Roll holder w/o cover	Chrome	82.73	91.00	148
41727000	HG Logis Universal Basic set 3-in-1	Chrome	341.82	376.00	149
41728000	HG Logis Universal Extended set 5-in-1	Chrome	560.00	616.00	150
41741000	HG Addstoris Corner basket	Chrome	99.09	109.00	151
41741140	HG Addstoris Corner basket	Brushed Bronze	150.00	165.00	151
41741340	HG Addstoris Corner basket	Brushed Black Chrome	160.00	176.00	151
41741670	HG Addstoris Corner basket	Matt Black	140.00	154.00	151
41741700	HG Addstoris Corner basket	Matt White	140.00	154.00	151
41741990	HG Addstoris Corner basket	Polished Gold Optic	150.00	165.00	151
41742000	HG Addstoris Single hook	Chrome	25.45	28.00	151
41742140	HG Addstoris Single hook	Brushed Bronze	38.18	42.00	151
41742340	HG Addstoris Single hook	Brushed Black Chrome	40.91	45.00	151
41742670	HG Addstoris Single hook	Matt Black	36.36	40.00	151
41742700	HG Addstoris Single hook	Matt White	36.36	40.00	151
41742990	HG Addstoris Single hook	Polished Gold Optic	38.18	42.00	151
41742770	HG AddStoris Double bath towel rail	Chrome	185.45	204.00	151
41743140	HG AddStoris Double bath towel rail	Brushed Bronze	278.18	306.00	151
41743140	HG AddStoris Double bath towel rail	Brushed Black Chrome	295.45	325.00	151
41743340	HG AddStoris Double bath towel rail	Matt Black	259.09		151
41743700	HG AddStoris Double bath towel rail	Matt White	259.09	285.00	151
	HG AddStoris Double bath towel rail	Polished Gold Optic	278.18	285.00	151
	HG Addstoris Grab bar			306.00	
41744000		Chrome Brushed Bronze	138.18	152.00	153
41744140	HG Addstoris Grab bar		207.27	228.00	153
41744340	HG Addstoris Grab bar	Brushed Black Chrome	221.82	244.00	153
41744670	HG Addstoris Grab bar	Matt Black	193.64	213.00	153
41744700	HG Addstoris Grab bar	Matt White	193.64	213.00	153
41744990	HG Addstoris Grab bar	Polished Gold Optic	207.27	228.00	153
	HG Addstoris Liquid soap dispenser	Chrome	122.73	135.00	154
41745140	HG Addstoris Liquid soap dispenser	Brushed Bronze	182.73	201.00	154
41745340	HG Addstoris Liquid soap dispenser	Brushed Black Chrome	194.55	214.00	154
41745670	HG Addstoris Liquid soap dispenser	Matt Black	170.00	187.00	154
41745700	HG Addstoris Liquid soap dispenser	Matt White	170.00	187.00	154
41745990	HG Addstoris Liquid soap dispenser	Polished Gold Optic	182.73	201.00	154
	HG Addstoris Soap dish	Chrome	87.27	96.00	154
41746140	HG Addstoris Soap dish	Brushed Bronze	130.00	143.00	154
41746340	HG Addstoris Soap dish	Brushed Black Chrome	137.27	151.00	154

Code No.	Description	Colour	RRP (ex GST)	RRP (inc GST) Notes	Pg. Num
41746670	HG Addstoris Soap dish	Matt Black	120.91	133.00	154
41746700	HG Addstoris Soap dish	Matt White	120.91	133.00	154
41746990	HG Addstoris Soap dish	Polished Gold Optic	130.00	143.00	154
41747000	HG AddStoris Bath towel rail	Chrome	138.18	152.00	151
41747140	HG AddStoris Bath towel rail	Brushed Bronze	207.27	228.00	151
41747340	HG AddStoris Bath towel rail	Brushed Black Chrome	221.82	244.00	151
41747670	HG AddStoris Bath towel rail	Matt Black	193.64	213.00	151
41747700	HG AddStoris Bath towel rail	Matt White	193.64	213.00	151
417477990	HG AddStoris Bath towel rail	Polished Gold Optic	207.27	228.00	151
41748000	HG Addstoris Double roll holder	Chrome	87.27	96.00	153
41748140	HG Addstoris Double roll holder	Brushed Bronze		143.00	153
			130.00		
41748340	HG Addstoris Double roll holder	Brushed Black Chrome	137.27	151.00	153
41748670	HG Addstoris Double roll holder	Matt Black	120.91	133.00	153
41748700	HG Addstoris Double roll holder	Matt White	120.91	133.00	153
41748990	HG Addstoris Double roll holder	Polished Gold Optic	130.00	143.00	153
41749000	HG Addstoris Toothbrush tumbler	Chrome	87.27	96.00	154
41749140	HG Addstoris Toothbrush tumbler	Brushed Bronze	130.00	143.00	154
41749340	HG Addstoris Toothbrush tumbler	Brushed Black Chrome	137.27	151.00	154
41749670	HG Addstoris Toothbrush tumbler	Matt Black	120.91	133.00	154
41749700	HG Addstoris Toothbrush tumbler	Matt White	120.91	133.00	154
41749990	HG Addstoris Toothbrush tumbler	Polished Gold Optic	130.00	143.00	154
41751000	HG AddStoris Towel rack with towel holder	Chrome	402.73	443.00	152
41751140	HG AddStoris Towel rack with towel holder	Brushed Bronze	602.73	663.00	152
41751340	HG AddStoris Towel rack with towel holder	Brushed Black Chrome	643.64	708.00	152
41751670	HG AddStoris Towel rack with towel holder	Matt Black	562.73	619.00	152
41751700	HG AddStoris Towel rack with towel holder	Matt White	562.73	619.00	152
41751990	HG AddStoris Towel rack with towel holder	Polished Gold Optic	602.73	663.00	152
41752000	HG Addstoris Toilet brush holder wall mounted	Chrome	122.73	135.00	154
41752140	HG Addstoris Toilet brush holder wall mounted	Brushed Bronze	182.73	201.00	154
	HG Addstoris Toilet brush holder wall mounted	Brushed Black Chrome	194.55	214.00	154
	HG Addstoris Toilet brush holder wall mounted	Matt Black	170.00		154
41752670				187.00	
41752700	HG Addstoris Toilet brush holder wall mounted	Matt White	170.00	187.00	154
41752990	HG Addstoris Toilet brush holder wall mounted	Polished Gold Optic	182.73	201.00	154
41753000	HG AddStoris Roll Holder with cover	Chrome	135.45	149.00	153
41753140	HG AddStoris Roll Holder with cover	Brushed Bronze	202.73	223.00	153
41753340	HG AddStoris Roll Holder with cover	Brushed Black Chrome	218.18	240.00	153
41753670	HG AddStoris Roll Holder with cover	Matt Black	190.00	209.00	153
41753700	HG AddStoris Roll Holder with cover	Matt White	190.00	209.00	153
41753990	HG AddStoris Roll Holder with cover	Polished Gold Optic	202.73	223.00	153
41754000	HG Addstoris Towel ring	Chrome	87.27	96.00	152
41754140	HG Addstoris Towel ring	Brushed Bronze	130.00	143.00	152
41754340	HG Addstoris Towel ring	Brushed Black Chrome	137.27	151.00	152
41754670	HG Addstoris Towel ring	Matt Black	120.91	133.00	152
41754700	HG Addstoris Towel ring	Matt White	120.91	133.00	152
41754990	HG Addstoris Towel ring	Polished Gold Optic	130.00	143.00	152
41755000	HG Addstoris Double hook	Chrome	52.73	58.00	151
41755140	HG Addstoris Double hook	Brushed Bronze	80.00	88.00	151
41755340	HG Addstoris Double hook	Brushed Black Chrome	84.55	93.00	151
41755670	HG Addstoris Double hook	Matt Black	75.45	83.00	151
41755700	HG Addstoris Double hook	Matt White	75.45	83.00	151
	HG Addstoris Double hook				
41755990		Polished Gold Optic	80.00	88.00	151
41756000	HG Addstoris Spare roll holder	Chrome	87.27	96.00	154
41756140	HG Addstoris Spare roll holder	Brushed Bronze	130.00	143.00	154

Code No.	Description	Colour	RRP (ex GST)	RRP (inc GST) Notes	Price List Pg. Num
41756340	HG Addstoris Spare roll holder	Brushed Black Chrome	137.27	151.00	154
41756670	HG Addstoris Spare roll holder	Matt Black	120.91	133.00	154
41756700	HG Addstoris Spare roll holder	Matt White	120.91	133.00	154
41756990	HG Addstoris Spare roll holder	Polished Gold Optic	130.00	143.00	154
41759000	HG Addstoris Shower door handle	Chrome	185.45	204.00	152
41759140	HG Addstoris Shower door handle	Brushed Bronze	278.18	306.00	152
41759340	HG Addstoris Shower door handle	Brushed Black Chrome	295.45	325.00	152
41759670	HG Addstoris Shower door handle	Matt Black	259.09	285.00	152
41759700	HG Addstoris Shower door handle	Matt White	259.09	285.00	152
41759990	HG Addstoris Shower door handle	Polished Gold Optic	278.18	306.00	152
41770000	HG AddStoris Twin handle bath towel holder	Chrome	138.18	152.00	152
41770140	HG AddStoris Twin handle bath towel holder	Brushed Bronze	207.27	228.00	152
41770340	HG AddStoris Twin handle bath towel holder	Brushed Black Chrome	221.82	244.00	152
41770670	HG AddStoris Twin handle bath towel holder	Matt Black	193.64	213.00	152
41770700	HG AddStoris Twin handle bath towel holder	Matt White	193.64	213.00	152
41770990	HG AddStoris Twin handle bath towel holder	Polished Gold Optic	207.27	228.00	152
41771000	HG Addstoris Roll holder without cover	Chrome	97.27	107.00	153
41771140	HG Addstoris Roll holder without cover	Brushed Bronze	146.36	161.00	153
41771340	HG Addstoris Roll holder without cover	Brushed Black Chrome	154.55	170.00	153
41771670	HG Addstoris Roll holder without cover	Matt Black	135.45	149.00	153
41771700	HG Addstoris Roll holder without cover	Matt White	135.45	149.00	153
41771990	HG Addstoris Roll holder without cover	Polished Gold Optic	146.36	161.00	153
41772000	HG Addstoris Roll holder with shelf	Chrome	135.45	149.00	153
41772140	HG Addstoris Roll holder with shelf	Brushed Bronze	202.73	223.00	153
41772140	HG Addstoris Roll holder with shelf	Brushed Black Chrome	202.73	240.00	153
41772570	HG Addstoris Roll holder with shelf	Matt Black	190.00	209.00	153
41772700	HG Addstoris Roll holder with shelf	Matt White	190.00	209.00	153
	HG Addstoris Roll holder with shelf				
41772990		Polished Gold Optic	202.73	223.00	153
41773000	HG Addstoris Sanitary bag dispenser	Chrome	61.82	68.00	155
41773140	HG Addstoris Sanitary bag dispenser	Brushed Bronze	91.82	101.00	155
41773340	HG Addstoris Sanitary bag dispenser	Brushed Black Chrome	97.27	107.00	155
41773670	HG Addstoris Sanitary bag dispenser	Matt Black	85.45	94.00	155
41773700	HG Addstoris Sanitary bag dispenser	Matt White	85.45	94.00	155
41773990	HG Addstoris Sanitary bag dispenser	Polished Gold Optic	91.82	101.00	155
41774000	HG Addstoris Tissue box	Chrome	133.64	147.00	155
41774140	HG Addstoris Tissue box	Brushed Bronze	198.18	218.00	155
41774340	HG Addstoris Tissue box	Brushed Black Chrome	211.82	233.00	155
41774670	HG Addstoris Tissue box	Matt Black	185.45	204.00	155
41774700	HG Addstoris Tissue box	Matt White	185.45	204.00	155
41774990	HG Addstoris Tissue box	Polished Gold Optic	198.18	218.00	155
41775000	HG Addstoris Pedal bin	Chrome	133.64	147.00	155
41775670	HG Addstoris Pedal bin	Matt Black	185.45	204.00	155
41775700	HG Addstoris Pedal bin	Matt White	185.45	204.00	155
41790000	HG AddStoris Shaving mirror with LED light	Chrome	421.82	464.00	155
41790140	HG AddStoris Shaving mirror with LED light	Brushed Bronze	632.73	696.00	155
41790340	HG AddStoris Shaving mirror with LED light	Brushed Black Chrome	674.55	742.00	155
41790670	0 0	Matt Black	590.00	649.00	155
41790700	HG AddStoris Shaving mirror with LED light	Matt White	590.00	649.00	155
41790990	HG AddStoris Shaving mirror with LED light	Polished Gold Optic	632.73	696.00	155
41791000	HG AddStoris Shaving mirror	Chrome	207.27	228.00	155
41791140	HG AddStoris Shaving mirror	Brushed Bronze	432.73	476.00	155
41791340	HG AddStoris Shaving mirror	Brushed Black Chrome	460.00	506.00	155
	HG AddStoris Shaving mirror	Matt Black	290.91	320.00	155

### **Price List**

Code No.	Description	Colour	RRP (ex GST)	RRP (inc GST) Notes	Pg. Num
41791700	HG AddStoris Shaving mirror	Matt White	290.91	320.00	155
41791990	HG AddStoris Shaving mirror	Polished Gold Optic	432.73	476.00	155
50					
50100000	HG Basin waste push open	Chrome	167.27	184.00	141
50100670	HG Basin waste push open	Matt Black	236.36	260.00	141
50100700	HG Basin waste push open	Matt White	236.36	260.00	141
58					
	HG Exa-Bathtub Filler Set	Chrome	380.00	418.00	142
<i>7</i> 1					
71071003	HG Logis 70 Basin mixer w/o waste	Chrome	228.18	251.00	92
71091003	HG Logis 190 Basin mixer w/o waste	Chrome	421.82	464.00	92
71101003	HG Logis 100 Basin mixer w/o waste	Chrome	307.27	338.00	92
71110003	HG MySport M Basin mixer	Chrome	270.00	297.00	94
71111003	HG MySport L Basin mixer	Chrome	348.18	383.00	94
71112003	HG MySport XL Basin mixer	Chrome	443.64	488.00	94
71220003	HG Logis 2-h.basin mix.conc.fs	Chrome	433.64	477.00	92
71246000	HG MySport bath mixer conc.set	Chrome	474.55	522.00	94
71253003	HG Logis bas.m.110 Fine w/o waste	Chrome	320.00	352.00	91
71256000	HG Logis 2h bas.mx.con.Fine	Chrome	468.18	515.00	91
71258003	HG Logis bas.m.240 Fine w/o waste	Chrome	468.18	515.00	91
71266000	HG MySport shower mixer conc.set	Chrome	418.18	460.00	94
71405003	HG Logis Bath mixer conc	Chrome	389.09	428.00	93
71410000	HG Logis Bath spout	Chrome	261.82	288.00	83
71410820	HG Logis Bath spout	Brushed Nickel	391.82	431.00	83
71420670	HG Vernis Blend Bath Spout	Matt Black	316.36	348.00	83
71460670	HG Vernis Shape Bath Spout	Matt Black	316.36	348.00	83
71604000	HG Logis Shower mixer conc.small esc.Export	Chrome	102.73	113.00	93
71605003	HG Logis Shower mixer conc.chrome	Chrome	331.82	365.00	93
71617000	HG MySport Shower mixer sm.escutch.Exp Set	Chrome	367.27	404.00	95
71702003	HG Talis E 80 Basin mixer w/o waste	Chrome	319.09	351.00	82
71712003	HG Talis E 110 Basin mixer w/o waste	Chrome	399.09	439.00	82
71712673	HG Talis E 110 Basin mixer w/o waste	Matt Black	559.09	615.00	82
71712823	HG Talis E 110 Basin mixer w/o waste	Brushed Nickel	611.82	673.00	82
71717003	HG Talis E 240 Basin mixer w/o waste	Chrome	<i>7</i> 40.91	815.00	82
71717673	HG Talis E 240 Basin mixer w/o waste	Matt Black	1,037.27	1,141.00	82
71717823	HG Talis E 240 Basin mixer w/o waste	Brushed Nickel	1,129.09	1,242.00	82
71732003	HG Talis E Basin mixer set conc.fs short	Chrome	570.00	627.00	83
71733000	HG Talis E 3-h.basin mixer	Chrome	718.18	790.00	82
71734003	HG Talis E Basin mixer.set conc.fs long	Chrome	496.36	546.00	83
71734673	HG Talis E Basin mixer.set conc.fs long	Matt Black	961.82	1,058.00	83
71734823	HG Talis E Basin mixer.set conc.fs long	Brushed Nickel	752.73	828.00	83
71745003	HG Talis E Bath mixer conc.fs	Chrome	456.36	502.00	84
71745673	HG Talis E Bath mixer conc.fs	Matt Black	638.18	702.00	84
71745823	HG Talis E Bath mixer conc.fs	Brushed Nickel	677.27	745.00	84
71764000	HG Talis E Shower mixer conc.small esc.Export	Chrome	141.82	156.00	84
71764670	HG Talis E Shower mixer conc.small esc.Export	Matt Black	210.91	232.00	84
71764820	HG Talis E Shower mixer conc.small esc.Export	Brushed Nickel	233.64	257.00	84
71765003	HG Talis E Shower mixer conc.fs	Chrome	399.09	439.00	84
71765673	HG Talis E Shower mixer conc.fs	Matt Black	559.09	615.00	84
	HG Logis M31 Single lever kitchen mixer 120	Chrome	307.27	338.00	161
	HG Logis M31 Single lever kitchen mixer 160	Chrome	341.82	376.00	161
. 1002000	Lagia iria i anigia latai kiidhali lilixei 100	Cilionic	0-1.02	0,0.00	101

72012002	HOTE COOR : /	Cl	202.22	400.00		00
72012003	HG Talis S 80 Basin mixer w/o waste	Chrome	399.09	439.00		80
	HG Talis S 100 Basin mixer w/o waste	Chrome	478.18	526.00		80
	HG Talis S 190 Basin mixer w/o waste	Chrome	730.91	804.00		80
	HG Talis S Bath mixer concealed	Chrome	560.00	616.00		81
72410000	HG Talis S Bath spout chrome	Chrome	307.27	338.00		81
72430000	HG Rebris S Bath spout	Chrome		TBA	NEW - Available 2H 2023	88
72430670	HG Rebris S Bath spout	Matt Black		TBA	NEW - Available 2H 2023	88
72431000	HG Rebris E Bath spout	Chrome		TBA	NEW - Available 2H 2023	90
72431670	HG Rebris E Bath spout	Matt Black		TBA	NEW - Available 2H 2023	90
72466003	HG Rebris S Single lever bath mixer	Chrome		TBA	NEW - Available 2H 2023	88
72466673	HG Rebris S Single lever bath mixer	Matt Black		TBA	NEW - Available 2H 2023	88
72468003	HG Rebris E Single lever bath mixer	Chrome		TBA	NEW - Available 2H 2023	90
72468673	HG Rebris E Single lever bath mixer	Matt Black		TBA	NEW - Available 2H 2023	90
72512003	HG Rebris S 80 Basin mixer w/o waste	Chrome		TBA	NEW - Available 2H 2023	87
72512673	HG Rebris S 80 Basin mixer w/o waste	Matt Black		TBA	NEW - Available 2H 2023	87
72518003	HG Rebris S 110 Basin mixer w/o waste	Chrome		TBA	NEW - Available 2H 2023	87
72518673	HG Rebris S 110 Basin mixer w/o waste	Matt Black		TBA	NEW - Available 2H 2023	87
72524003	HG Rebris S 240 Basin mixer w/o waste	Chrome		TBA	NEW - Available 2H 2023	87
72524670	HG Rebris S 240 Basin mixer w/o waste	Matt Black		TBA	NEW - Available 2H 2023	87
72528000	HG Rebris S 2h Wall-mounted basin mixer 20.5cm	Chrome		TBA	NEW - Available 2H 2023	87
72528670	HG Rebris S 2h Wall-mounted basin mixer 20.5cm	Matt Black		TBA	NEW - Available 2H 2023	87
	HG Rebris E 80 Basin mixer w/o waste	Chrome		TBA		89
	HG Rebris E 80 Basin mixer w/o waste	Matt Black			NEW - Available 2H 2023	89
	HG Rebris E 110 Basin mixer w/o waste	Chrome				89
	HG Rebris E 110 Basin mixer w/o waste	Matt Black		TBA	NEW - Available 2H 2023	89
	·	Chrome			NEW - Available 2H 2023	89
	HG Rebris E 240 Basin mixer w/o waste	Matt Black			NEW - Available 2H 2023	89
	HG Rebris E 240 Basin mixer w/o waste HG Rebris E 2h Wall-mounted basin mixer 20.5cm					
		Chrome		TBA	NEW - Available 2H 2023	89
	HG Rebris E 2h Wall-mounted basin mixer 20.5cm	Matt Black	500.70		NEW - Available 2H 2023	89
	HG Talis S Shower mixer concealed	Chrome	502.73	553.00		81
	HG Talis S Shower mixer concealed Export	Chrome	148.18	163.00		81
	HG Rebris S Shower mixer small esc.Export	Chrome		TBA	NEW - Available 2H 2023	88
	HG Rebris S Shower mixer small esc.Export	Matt Black		TBA	NEW - Available 2H 2023	88
72659000	HG Rebris E Shower mixer small esc.Export	Chrome		TBA	NEW - Available 2H 2023	90
72659670	HG Rebris E Shower mixer small esc.Export	Matt Black		TBA	NEW - Available 2H 2023	90
72667003	HG Rebris S Shower mixer (ibox)	Chrome		TBA	NEW - Available 2H 2023	88
72667673	HG Rebris S Shower mixer (ibox)	Matt Black		TBA	NEW - Available 2H 2023	88
72668003	HG Rebris E Shower mixer (ibox)	Chrome		TBA	NEW - Available 2H 2023	90
72668673	HG Rebris E Shower mixer (ibox)	Matt Black		TBA	NEW - Available 2H 2023	90
72800003	HG Talis M54 kitchen mixer 210, pull-out spout, 2jet	Chrome	901.82	992.00		158
72800673	HG Talis M54 kitchen mixer 210, pull-out spout, 2jet	Matt Black	1,173.64	1,291.00		158
72800803	HG Talis M54 kitchen mixer 210, pull-out spout, 2jet	Stainless Steel	1,173.64	1,291.00	NEW	158
72802003	HG Talis M54 kitchen mixer 210, pull-out spout, 1 jet	Chrome	775.45	853.00		158
72802673	HG Talis M54 kitchen mixer 210, pull-out spout, 1 jet	Matt Black	1,002.73	1,103.00		158
72804003	HG Talis M54 kitchen mixer 220 1 jet	Chrome	616.36	678.00		158
72804673	HG Talis M54 kitchen mixer 220 1 jet	Matt Black	810.00	891.00		158
72804803	HG Talis M54 kitchen mixer 220 1 jet	Stainless Steel	810.00	891.00	NEW	158
72810003	HG Talis S M51 kitchen mixer 260	Chrome	878.18	966.00		157
72813003	HG Talis S M51 kitchen mixer 200 with pull-out spray	Chrome	1,049.09	1,154.00		157
72813803	HG Talis S M51 kitchen mixer 200, pull-out spray	Stainless Steel	1,363.64	1,500.00		157
	HG Talis Select S M51 kitchen mixer 300	Chrome	1,265.45	1,392.00		157
	HG Talis Select S M51 kitchen mixer 300 with pull-out spout	Chrome	1,322.73	1,455.00		157
	The second secon		.,522., 5	-, -55.00		,

Code No.	Description	Colour	RRP (ex GST)	RRP (inc GST) Notes	Pg. Num
73					
73561000	HG Logis Universal shaving mirror w/o light	Chrome	193.64	213.00	149
73816003	HG Metris Select M71 KM 320, pull-out spray, 2jet, sBox	Chrome	1,630.91	1,794.00	156
73816803	HG Metris Select M71 KM 320, pull-out spray, 2jet, sBox	Stainless Steel	2,444.55	2,689.00	156
73831003	HG Aquno Select M81 KM 170 pull-out spout, 3 jet, sBox	Chrome	1,924.55	2,117.00	156
73831673	HG Aquno Select M81 KM 170 pull-out spout, 3 jet, sBox	Matt Black	2,640.00	2,904.00	156
73831803	HG Aquno Select M81 KM 170 pull-out spout, 3 jet, sBox	Stainless Steel	2,475.45	2,723.00	156
74					
74800003	HG Zesis M33 KM 150 2j pull-out	Chrome	522.73	575.00	160
74800673	HG Zesis M33 KM 150 2j pull-out	Matt Black	724.55	797.00	160
74802003	HG Zesis M33 KM 150 1j	Chrome	377.27	415.00	160
	HG Zesis M33 KM 150 1j	Matt Black	522.73	575.00	160
<b>7</b> 5	•				
<i>7</i> 5012003	HG Vivenis basin mixer 80 w/o waste	Chrome	400.91	441.00	77
75012673	HG Vivenis basin mixer 80 w/o waste	Matt Black	560.91	617.00	77
75012703	HG Vivenis basin mixer 80 w/o waste	Matt White	560.91	617.00	77
	HG Vivenis basin mixer 110 w/o waste	Chrome	459.09	505.00	77
75022673	HG Vivenis basin mixer 110 w/o waste	Matt Black	641.82	706.00	77
75022703	HG Vivenis basin mixer 110 w/o waste	Matt White	641.82	706.00	77
	HG Vivenis basin mixer 250 w/o waste	Chrome	716.36	788.00	77
75042673	HG Vivenis basin mixer 250 w/o waste	Matt Black	1,001.82	1,102.00	77
75042073 75042703	HG Vivenis basin mixer 250 w/o waste	Matt White	1,001.82		77
			•	1,102.00	
75050000		Chrome	659.09	725.00	77
75050670	HG Vivenis 2-h basin mix conc. 195	Matt Black	921.82	1,014.00	77
	HG Vivenis 2-h basin mix conc. 195	Matt White	921.82	1,014.00	77
75410000	HG Vivenis bath spout	Chrome	349.09	384.00	78
75410670	HG Vivenis bath spout	Matt Black	488.18	537.00	78
75410700	HG Vivenis bath spout	Matt White	488.18	537.00	78
75415003	HG Vivenis bath mixer	Chrome	522.73	575.00	78
75415673	HG Vivenis bath mixer	Matt Black	730.91	804.00	78
75415703	HG Vivenis bath mixer	Matt White	730.91	804.00	78
75445009	HG Vivenis bath mixer freestanding	Chrome	3,912.73	4,304.00	78
75445679	HG Vivenis bath mixer freestanding	Matt Black	5,476.36	6,024.00	78
75445709	HG Vivenis bath mixer freestanding	Matt White	5,476.36	6,024.00	78
75615003	HG Vivenis shower mixer	Chrome	464.55	511.00	79
75615673	HG Vivenis shower mixer	Matt Black	650.00	715.00	79
75615703	HG Vivenis shower mixer	Matt White	650.00	715.00	79
76					
76010003	HG Finoris basin mixer 100 w/o waste	Chrome	462.73	509.00	74
76010673	HG Finoris basin mixer 100 w/o waste	Matt Black	646.36	711.00	74
76010703	HG Finoris basin mixer 100 w/o waste	Matt White	646.36	711.00	74
76020003	HG Finoris basin mixer 110 w/o waste	Chrome	531.82	585.00	74
76020673	HG Finoris basin mixer 110 w/o waste	Matt Black	743.64	818.00	74
76020703	HG Finoris basin mixer 110 w/o waste	Matt White	743.64	818.00	74
76050000	HG Finoris 2-h basin mixer conc.225	Chrome	732.73	806.00	75
76050670	HG Finoris 2-h basin mixer conc.225	Matt Black	1,024.55	1,127.00	75
76050700	HG Finoris 2-h basin mixer conc.225	Matt White	1,024.55	1,127.00	75
<i>7</i> 6051000	HG Finoris 2-h basin mixer conc.165	Chrome	660.00	726.00	75
76051670	HG Finoris 2-h basin mixer conc.165	Matt Black	921.82	1,014.00	75
76051700	HG Finoris 2-h basin mixer conc.165	Matt White	921.82	1,014.00	75
76063003	HG Finoris basin mixer 230 2j pull out w/o waste	Chrome	879.09	967.00	74
76063673	HG Finoris basin mixer 230 2j pull out w/o waste	Matt Black	1,230.91	1,354.00	74
			.,_00.,1	-,	, -

Code No.	Description	Colour	RRP (ex GST)	RRP (inc GST) Notes	Price List Pg. Num
76070003	HG Finoris basin mixer 260 w/o waste	Chrome	778.18	856.00	74
76070673	HG Finoris basin mixer 260 w/o waste	Matt Black	1,089.09	1,198.00	74
76070703	HG Finoris basin mixer 260 w/o waste	Matt White	1,089.09	1,198.00	74
76410000	HG Finoris bath spout	Chrome	464.55	511.00	76
76410670	HG Finoris bath spout	Matt Black	650.00	715.00	76
76410700	HG Finoris bath spout	White	650.00	715.00	76
76415003	HG Finoris bath mixer f.s.	Chrome	537.27	591.00	75
76415673	HG Finoris bath mixer f.s.	Matt Black	<i>7</i> 51.82	827.00	75
76415703	HG Finoris bath mixer f.s.	Matt White	<i>7</i> 51.82	827.00	75
76445009	HG Finoris bath mixer floor-standing	Chrome	4,346.36	4,781.00	76
76445679	HG Finoris bath mixer floor-standing	Matt Black	6,084.55	6,693.00	76
76445709	HG Finoris bath mixer floor-standing	Matt White	6,084.55	6,693.00	76
76615003	HG Finoris shower mixer f.s	Chrome	479.09	527.00	76
76615673	HG Finoris shower mixer f.s.	Matt Black	670.00	737.00	76
76615703	HG Finoris shower mixer f.s.	Matt White	670.00	737.00	76
93					
93276000	HG Hose connection elbow		38.18	42.00	115
93395000	HG Adaptor G 3/8 to G1/2		51.82	57.00	96
94					
94139000	HG Waste set pop-up for basin and bidet mixers	Chrome	182.73	201.00	141
96					
96615000	HG Fastening rails for iBox universal		102.73	113.00	140

### **Discontinued Articles**

Article	Description	Colour	Comment
13861003	HG MySport KM M 1 jet	Chrome	Phased out 01/01/2023
13862003	HG MySport KM L 1 jet	Chrome	Phased out 01/01/2023
14420000	HG Metris S Bath spout	Chrome	Phased out 01/01/2023
26251000	HG Raindance E 300 1 jet OHS with ceiling con.	Chrome	Phased out 01/01/2023
26465000	HG Croma 220 OHS EcoSmart	Chrome	Phased out 01/01/2023
26827400	HG Crometta 100 Vario HS EcoSmart	White/Chrome	Phased out 01/01/2023
27387001	HG Raindance Select E 300 2jet OHS	Chrome	Phased out 01/01/2023
27464003	HG Raindance Air 180 1 jet OHS	Chrome	Phased out 01/01/2023
31465003	HG Metris S Bath mixer conc.fs	Chrome	Phased out 01/01/2023
31665003	HG Metris S Shower conc.fs	Chrome	Phased out 01/01/2023
32505003	HG Metropol Basin mixer 100 long w/o waste	Chrome	Phased out 01/01/2023
32570003	HG Metropol Select basin mixer 100 w/o waste	Chrome	Phased out 01/01/2023
32571003	HG Metropol Select basin mixer 110 w/o waste	Chrome	Phased out 01/01/2023
32572003	HG Metropol Select basin mixer 260 w/o waste	Chrome	Phased out 01/01/2023
71751003	HG Talis Select E 110 Basin mixer.w/o waste	Chrome	Phased out 01/01/2023
71753003	HG Talis Select E 240 Basin mixer w/o waste	Chrome	Phased out 01/01/2023
72041003	HG Talis Select S 80 Basin mix.w/o waste	Chrome	Phased out 01/01/2023
72043003	HG Talis Select S 100 Basin mx.w/o waste	Chrome	Phased out 01/01/2023
72045003	HG Talis Select S 180 Basin mx.w/o waste	Chrome	Phased out 01/01/2023
72111003	HG Talis S 2-h Basin mixer.set conc.fs long	Chrome	Phased out 01/01/2023
72116003	HG Talis \$ 250 Basin mixer w/o waste	Chrome	Phased out 01/01/2023
74500003	HG Metropol Loop Basin mixer 100 short w/o waste	Chrome	Phased out 01/01/2023
74505003	HG Metropol Loop Basin mixer 100 long w/o waste	Chrome	Phased out 01/01/2023
74507003	HG Metropol Loop Basin mixer 110 w/o waste	Chrome	Phased out 01/01/2023
<i>7</i> 4513003	HG Metropol Loop Basin mixer 260 w/o waste	Chrome	Phased out 01/01/2023
74525000	HG Metropol Loop 2-h.basin mixer 165 wall	Chrome	Phased out 01/01/2023
74526000	HG Metropol Loop 2-h.basin mixer 225 wall	Chrome	Phased out 01/01/2023
74545003	HG Metropol Loop Bath mixer conc.fs	Chrome	Phased out 01/01/2023
74565003	HG Metropol Loop Shower mixer conc.fs	Chrome	Phased out 01/01/2023

40

### **Index Brackets for Spare Parts**

For individual spare parts, please see **spares.hansgrohe.com** and search an article code/spare part number/product name to find the appropriate spare part and associated Price Group (PG) number.

Price Group	RRP (ex GST)	RRP (inc GST)
Spare part - Price group 1	7.64	8.40
Spare part - Price group 2	12.36	13.60
Spare part - Price group 3	19.82	21.80
Spare part - Price group 4	26.73	29.40
Spare part - Price group 5	32.73	36.00
Spare part - Price group 6	43.27	47.60
Spare part - Price group 7	52.82	58.10
Spare part - Price group 8	66.36	73.00
Spare part - Price group 9	84.64	93.10
Spare part - Price group 10	105.00	115.50
Spare part - Price group 11	134.64	148.10
Spare part - Price group 12	166.18	182.80
Spare part - Price group 13	203.00	223.30
Spare part - Price group 14	236.55	260.20
Spare part - Price group 15	294.18	323.60
Spare part - Price group 16	381.64	419.80
Spare part - Price group 17	480.18	528.20
Spare part - Price group 18	588.45	647.30
Spare part - Price group 19	776.64	854.30
Spare part - Price group 20	944.45	1,038.90
Spare part - Price group 21	1,269.91	1,396.90
Spare part - Price group 22	1,795.00	1,974.50
Spare part - Price group 23	2,570.27	2,827.30
Spare part - Price group 24	5,082.36	5,590.60

Price Group	RRP (ex GST)	RRP (inc GST)
Spare part - Price group 51	11.36	12.50
Spare part - Price group 52	18.73	20.60
Spare part - Price group 53	29.73	32.70
Spare part - Price group 54	40.27	44.30
Spare part - Price group 55	49.27	54.20
Spare part - Price group 56	64.82	71.30
Spare part - Price group 57	79.18	87.10
Spare part - Price group 58	99.55	109.50
Spare part - Price group 59	126.82	139.50
Spare part - Price group 60	157.45	173.20
Spare part - Price group 61	202.09	222.30
Spare part - Price group 62	249.18	274.10
Spare part - Price group 63	304.64	335.10
Spare part - Price group 64	354.91	390.40
Spare part - Price group 65	441.27	485.40
Spare part - Price group 66	572.55	629.80
Spare part - Price group 67	720.27	792.30
Spare part - Price group 68	882.73	971.00
Spare part - Price group 69	1,165.00	1,281.50
Spare part - Price group 70	1,416.73	1,558.40
Spare part - Price group 71	1,904.91	2,095.40
Spare part - Price group 72	2,692.55	2,961.80
Spare part - Price group 73	3,855.36	4,240.90
Spare part - Price group 74	7,623.45	8,385.80



# Focus / Talis E Brushed Nickel Range



Focus
Single lever basin mixer 100 without waste set
# 31517823
WELS 5 Stars, 5 I/min



Focus Single lever basin mixer 190 without waste set # 31518823 WELS 5 Stars, 5 l/min



Focus Single lever shower mixer # 31961820 Basic Set (not shown) # 13620180



Focus Single lever bath mixer # 31945823 Basic Set iBox Universal (not shown) # 01800180



Focus Bath spout # 14420820



Talis E
Single lever basin mixer 110 without waste set # 71712823
WELS 5 Stars, 5 l/min



**Talis E**Single lever basin mixer 240 without waste set # 71717823
WELS 5 Stars, 5 |/min



Talis E
Single lever basin mixer wall-mounted with spout 22.5
# 71734823
Basic set (not shown) # 13622180
WELS 5 Stars, 5 I/min



Talis E
Single lever shower mixer
# 71764820
Basic set (not shown) # 13620180



Talis E
Single lever bath mixer
# 71745823
Basic set iBox universal (not shown)
# 01800180



**Talis E**Bath spout
# 71410820

# Brushed Nickel Showers



Croma
Overhead shower 280 1 jet
# 26221820
WELS 3 Stars, 9 I/min



Raindance E Overhead shower 300 1 jet # 27381821 WELS 2 Stars, 12 I/min



Hansgrohe
Ceiling connector \$ 30cm
# 273898200



Hansgrohe Shower arm 38.9cm # 27413823



Raindance Select S Hand shower 120 3 jet # 26531823 WELS 3 Stars, 9 I/min



Isiflex Shower hose 160 cm # 28276820 Shower hose 125 cm # 28272820



Hansgrohe FixFit Starck # 27451820



Hansgrohe Shower holder Porter S # 28331820

# Brushed Nickel Rail Sets



#### Raindance Select E

Shower set 120 3jet EcoSmart 9 l/ min with shower bar 65cm and soap dish # 26622823 WELS 3 Stars, 9 I/min





#### Raindance Select S

Shower set 120 3 jet EcoSmart 9 l/ min with shower bar 65cm and soap dish # 26632823 WELS 3 Stars, 9 I/min





#### Croma Select E

Showerpipe Reno EcoSmart # 26743823

WELS 3 Stars / /min\_ Intense III Turbo Rain



**Logis** Brushed nickel accessories

See the accessories section of the price book.

# Decor Brushed Black Chrome Range



Single lever basin mixer 70 without waste set WELS 5 Stars, 5 l/min



**Decor**Single lever basin mixer 100 without waste set WELS 5 Stars, 5 l/min



**Decor**Single lever basin mixer 190 without waste set WELS 5 Stars, 5 I/min



**Decor** Single lever shower mixer # 31965343 Basic set iBox universal (not shown) # 01800180



**Decor** Single lever bath mixer # 31961340 Basic set (not shown) # 13620180



**Decor** Single lever bath mixer # 31945343 Basic set iBox universal (not shown) # 01800180



Hansgrohe Bath spout # 13414340



**Croma** Overhead shower 280 1 jet WELS 3 Stars, 9 I/min



Raindance S Overhead shower 240 1 jet PowderRain WELS 3 Stars, 9 I/min





Hansgrohe Shower arm 38.9cm # 27413343



Hansgrohe Ceiling connector S  $30\,\mathrm{cm}$ # 27389340



Ceiling Connector S 10cm # 27393340

# Decor Brushed Black Chrome Range



Raindance Select S
Shower set 120 3jet EcoSmart 9 I/ min with shower bar 65cm and soap dish
# 26632343
WELS 3 Stars, 9 I/min



Raindance Select S Hand shower 120 3jet # 26531340 WELS 3 stars, 9 l/min





Isiflex
Shower hose 160 cm
# 28276340
Shower hose 125 cm
# 28272820



Hansgrohe
FixFit S with non return valve
# 26453340
Required part
# 93276000 Hose connection elbow



Wall Outlet Q with shower holder # 26887340



Wall Outlet S with shower holder # 26888340



**Wall Outlet E** with shower holder # 26889340



**Shower holder Porter S** # 28331340



**Shower holder Porter E** # 28387340



AddStoris Brushed black chrome accessories See the accessories section of the price book

# Talis E Matt Black Range



Talis E
Single lever basin mixer 110 without waste set # 71712673
WELS 5 Stars, 5 I/min



Talis E
Single lever basin mixer 240 without waste set # 71717673
WELS 5 Stars, 5 l/min



Talis E
Single lever basin mixer wall-mounted 22.5cm #71734673
Basic set (not shown) # 13622180
WELS 5 Stars, 5 I/min



Talis E Single lever bath mixer # 71745673 Basic set iBox universal (not shown) # 01800180



hansgrohe Bath spout # 71420670 (male connection)



hansgrohe Bath spout # 71460670 (male connection)



Talis E Single lever shower mixer # 71764670 Basic set (not shown) # 13620180



Talis E
Single lever shower mixer
# 71765673
Basic set (not shown) # 01800180

# Finoris Matt Black Range



Finoris Single lever basin mixer 100 without waste set # 76010673 WELS 5 Stars, 5 I/min



Finoris Single lever basin mixer 110 without waste set # 76020673 WELS 5 Stars, 5 l/min



Finoris
Single lever basin mixer 260 without waste set # 76070673
WELS 5 Stars, 5 I/min



Finoris
Single lever basin mixer 230 with pull-out spray, 2jet without waste set # 76063673
WELS 5 Stars, 5 I/min



Finoris
Single lever basin mixer wall-mount with spout 22.8 cm # 76050670
Basic set (not shown) # 13622180
Alternate size16.8cm spout # 76051670



Finoris
Single lever bath mixer floor-standing
# 76445679
Basic Set (not shown) # 10452180
WELS No Stars, 7 I/min



Finoris Single lever bath spout # 76410670 (male connection)



Finoris Single lever bath mixer # 76415673 Basic set iBox universal (not shown) # 01800180

WELS 5 Stars, 6 I/min



Finoris Single lever shower mixer # 76615673 Basic set iBox universal (not shown) # 01800180

# Vivenis Matt Black Range



**Vivenis**Single lever basin mixer 80 without waste set # 75012673
WELS 6 Stars, 4.5 I/min



**Vivenis**Single lever basin mixer 110 without waste set # 75022673
WELS 6 Stars, 4.5 I/min



**Vivenis**Single lever basin mixer 250 without waste set # 75042673
WELS 6 Stars, 4.5 I/min



Vivenis
Single lever basin mixer wall-mounted with spout 19.2 cm
# 75050670
Basic set (not shown) # 13622180
WELS 6 Stars, 4.5 |/min



Single lever bath mixer floor-standing # 75445679 Basic Set (not shown) # 10452180 WELS No Stars, 7 I/min



Vivenis Single lever bath spout # 75410670 (male connection)



Vivenis Single lever bath mixer # 75415673 Basic set iBox universal (not shown) # 01800180



Vivenis Single lever shower mixer # 75615673 Basic set iBox universal (not shown) # 01800180

# Rebris S Matt Black Range



Rebris S Single lever basin mixer 80 without waste set # 72512673 WELS 5 Stars, 5 l/min



Rebris S Single lever basin mixer 110 without waste set # 72518673 WELS 5 Stars, 5 l/min



Rebris 5 Single lever basin mixer 240 without waste set #72524673 WELS 5 Stars, 5 I/min



Rebris S
Single lever basin mixer wall-mount with spout 20.5cm # 72528670
Basic set (not shown) # 13622180
WELS 5 Stars, 6 I/min



Rebris S Single lever bath mixer # 72466673 Basic set iBox universal (not shown) # 01800180



Rebris S Single lever bath spout # 72430670 (male connection)



Rebris S
Single lever shower mixer
# 72667673
Basic set iBox universal (not shown)
# 01800180



Rebris S Single lever shower mixer #72649670 Basic set (not shown) # 13620180

Price Book 2023 51

# Rebris E Matt Black Range



Rebris E
Single lever basin mixer 80 without waste set
# 72552673
WELS 5 Stars, 5 I/min



Rebris E Single lever basin mixer 110 without waste set # 72558673 WELS 5 Stars, 5 I/min



Rebris E Single lever basin mixer 240 without waste set # 72564673 WELS 5 Stars, 5 l/min



Rebris E
Single lever basin mixer wall-mount with spout 20.5cm
# 72568670
Basic set (not shown) # 13622180
WELS 5 Stars, 6 I/min



Rebris E Single lever bath mixer # 72468673 Basic set iBox universal (not shown) # 01800180



Rebris E Single lever bath spout # 72431670 (male connection)



Rebris E Single lever shower mixer # 72668673 Basic set iBox universal (not shown) # 01800180



Rebris E
Single lever shower mixer
# 726597670
Basic set (not shown) # 13620180

# Matt Black Overhead Showers




Croma
Overhead shower 280 1 jet
# 26221670
WELS 3 Stars, 9 I/min





Crometta S Overhead shower 240 1 jet # 26724670 WELS 3 Stars, 9 I/min





Crommetta E Overhead shower 240 1 jet # 26727670 WELS 3 Stars, 9 I/min





Pulsify S
Overhead shower 260 1jet EcoSmart
# 24141670
Optional part: # 24149670 Wall connector
WELS 3 Stars, 9 I/min





Pulsify
Wall connector for overhead shower 260
# 24149670
(male connection)



Pulsify S
Overhead shower 105 1jet Green
# 24132670
Required part: # 24139670 Wall connector
WELS 5 Stars, 5 l/min





Pulsify
Wall connector for overhead shower 105
# 24139670
(male connection)



Hansgrohe
Shower arm 38.9cm
# 27413670 (male connection)



**Hansgrohe**Ceiling Connector S 10cm
# 27393670



**Hansgrohe** Ceiling connector \$ 30cm # 27389670



RainSelect Thermostat 2 functions # 15380670 Basic set (not shown) # 15310180



AddStoris
Matt black accessories
See the accessories section of the price book

# Matt Black Hand Showers



Raindance Select S Hand shower 120 3 jet # 26531670 WELS 3 Stars, 9 I/min





Pulsify Select S Hand shower 105 3jet Activation EcoSmart # 24101670 WELS 3 Stars, 9 l/min





Pulsify Select S Hand shower 105 3 jet Relaxation EcoSmart #24111670 WELS 3 Stars, 9 I/min





Pulsify Select S Hand shower 105 1 jet Green # 24121670 WELS No Stars, 6 I/min





Isiflex Shower hose 160 cm # 28276670 Shower hose 125 cm # 28272670



Hansgrohe
FixFit S with non return valve
# 26453670
Required part
# 93276000 Hose connection elbow



**Rianfinity** FixFit square #26455673



Rainfinity Shower holder Porter E # 28387670



**Hansgrohe** Shower holder Porter S # 28331670



Wall Outlet Q with shower holder # 26887670



Wall Outlet S with shower holder # 26888670



**Wall Outer E** with shower holder # 26889670

# Matt Black Shower Sets



#### Raindance Select S

Shower set 120 3jet EcoSmart 9 l/ min with shower bar 65 cm

Required Parts

# 28632670 Unica S Puro shower bar 65cm with hose

# 26531670 Raindance Select S hand shower

 $\#\ 26453670\ \text{FixFit}\ \text{S}\ \text{with non return valve}$ 

# 93276000 Hose connection elbow (not shown)

WELS 3 Stars, 9 I/min









#### Pulsify

Shower set 105 3jet Relaxation with shower bar  $65\ cm$ 

# 24161673

WELS 3 Stars, 9 I/min





#### Pulsify


Shower set 105 1jet with shower bar 65 cm # 24311673

WELS No Stars, 7.5 I/min



55

# Finoris Matt White Range



Finoris
Single lever basin mixer 100 without waste set # 76010703
WELS 5 Stars, 5 I/min



Finoris
Single lever basin mixer 110 without waste set # 76020703
WELS 5 Stars, 5 l/min



Finoris
Single lever basin mixer 260 for washbowls without
waste set
# 76070703
WELS 5 Stars, 5 I/min



Finoris
Single lever basin mixer 230 with pull-out spray, 2jet without waste set # 76063703
WELS 5 Stars, 5 I/min



Finoris
Single lever basin mixer wall-mounted with spout 22.8 cm #76050700
Basic set (not shown) # 13622180
Alternate size16.8 cm spout #76051700
WELS 5 Stars, 6 I/min



Finoris
Single lever bath mixer floor-standing
# 76445709
Basic Set (not shown) # 10452180
WELS No Stars, 7 I/min



Finoris Single lever bath spout # 76410700 (male connection)



Finoris Single lever bath mixer # 76415703 Basic set iBox universal (not shown) # 01800180



Finoris Single lever shower mixer # 76615703 Basic set iBox universal (not shown) # 01800180

# Vivenis Matt White Range



**Vivenis**Single lever basin mixer 80 without waste set # 75012703
WELS 6 Stars, 4.5 I/min



**Vivenis**Single lever basin mixer 110 without waste set # 75022703
WELS 6 Stars, 4.5 I/min



**Vivenis**Single lever basin mixer 250 without waste set #75042703
WELS 6 Stars, 4.5 l/min



Vivenis
Single lever basin mixer wall-mounted with spout 19.2 cm
# 75050700
Basic set (not shown) # 13622180
WELS 6 Stars, 4.5 I/min



Vivenis
Single lever bath mixer floor-standing
# 75445709
Basic Set (not shown) # 10452180
WELS No Stars, 7 I/min



Vivenis Single lever bath spout # 75410700 (male connection)



Vivenis Single lever both mixer # 75415703 Basic set iBox universal (not shown) # 01800180



Vivenis Single lever shower mixer # 75615703 Basic set iBox universal (not shown) # 01800180

## Matt White Overhead Showers



Rainfinity

Overhead shower 250 3jet with wall connector # 26233707

WELS 3 Stars, 9 I/min

Basic set iBox universal (not shown) # 01800180











Rainfinity

Overhead shower 250 1jet with wall connector # 26227707 WELS 3 Stars, 9 I/min





Rainfinity

Overhead shower 250 1jet EcoSmart # 26229707 WELS 3 Stars, 9 I/min





Overhead shower 280 1 jet # 26221700 WELS 3 Stars, 9 I/min





**Pulsify S**Overhead shower 260 1 jet EcoSmart # 24141700 Optional part: # 24149700 Wall connector WELS 3 Stars, 9 I/min





Wall connector for overhead shower 260 # 24149700 (male connection)



**Pulsify S** Overhead shower 105 1jet Green

Required part: # 24139700 Wall connector WELS 5 Stars, 5 I/min





**Pulsify**Wall connector for overhead shower 105 # 24139700 (male connection)



#### Hansgrohe

Shower arm 38.9cm # 27413700 (male connection)



#### Hansgrohe

Ceiling Connector S 10cm # 27393700



### Hansgrohe

Ceiling connector \$ 30cm # 27389700

## Matt White Hand Showers



Rainfinity Hand shower 130 3jet # 26865700 WELS 3 Stars, 9 I/min









Rainfinity
Baton hand shower 100 1jet # 26867700 WELS 3 Stars, 9 I/min





**Pulsify Select S** Hand shower 105 3jet Activation EcoSmart # 24101700 WELS 3 Stars, 9 I/min











Hand shower 105 3jet Relaxation EcoSmart #24111700 WELS 3 Stars, 9 l/min












**Pulsify Select S** Hand shower 105 1jet Green # 24121700 WELS No Stars, 6 I/min






Shower hose 160 cm # 28276700 Shower hose 125 cm # 28272700



Hansgrohe FixFit S with non return valve # 26453700 # 93276000 Hose connection elbow



Rianfinity FixFit square #26455703



**Rainfinity** Shower holder Porter E # 28387700



**Hansgrohe** Shower holder Porter S # 28331700



**Rainfinity**Wall outlet Porter 500 with shower holder and shower shelf left # 26843700

Wall outlet Porter 500 with shower holder and shower shelf right # 26858700



Wall Outlet Q with shower holder # 26887700



Wall Outlet S with shower holder # 26888700



Wall Outer E with shower holder # 26889700

### Matt White Rail Sets and Thermostats



#### Rainfinity

Shower set 130 3jet with shower bar 65cm

Required Parts:

# 28632700 S Puro shower bar with hose

# 26865700 Rainfinity Hand shower EcoSmart

# 26453700 FixFit S

# 93276000 Hose connection elbow (not shown)

WELS 3 Stars, 9 I/min





Shower set 105 3jet Relaxation with shower bar 65 cm

# 24161703

WELS 3 Stars, 9 I/min





Pulsify

Shower set 105 1jet with shower bar 65 cm # 24311703 WELS No Stars, 7.5 I/min





#### RainSelect

Thermostat for concealed Installation - 2 functions

# 15380700

Basic set #15310180



Thermostat for concealed Installation - 3 functions

# 15381700

Basic set #15311180




#### RainSelect

Thermostat for concealed Installation - 4 functions

# 15382700

Basic set #15312180



Thermostat for concealed Installation - 5 functions

# 15384700

Basic set #15313180



Matt white accessories

See the accessories section of the price book

## PowderRain Chrome Overhead Showers



Rainfinity

Overhead shower 250 3jet with wall connector # 26233007

WELS 3 Stars, 9 I/min

Basic set iBox universal (not shown) # 01800180











Rainfinity

Overhead shower 250 1jet with wall connector # 26227007 WELS 3 Stars, 9 I/min





Rainfinity

Overhead shower 250 1jet EcoSmart # 26229007 WELS 3 Stars, 9 I/min





Raindance S

Overhead shower 240 1 jet # 27624001 WELS 3 Stars, 9 l/min





**Pulsify S**Overhead shower 260 1jet EcoSmart # 24141000 Optional part: # 24149000 Wall connector WELS 3 Stars, 9 I/min





Wall connector for overhead shower 260 # 24149000 (male connection)



**Pulsify S** Overhead shower 105 1jet Green # 24132000

Required part: # 24139000 Wall connector WELS 5 Stars, 5 l/min





Wall connector for overhead shower 105 # 24139000

(male connection)



Hansgrohe

Shower arm 38.9cm # 27453003



### Hansgrohe

Ceiling Connector S 10cm # 27393000



### Hansgrohe

Ceiling connector \$ 30cm # 27389000

## PowderRain Chrome Hand Showers



Rainfinity Hand shower 130 3jet # 26865000 WELS 3 Stars, 9 l/min





Rainfinity Baton hand shower 100 1jet # 26867000 WELS 3 Stars, 9 I/min





Raindance Select S Hand shower 120 3 jet # 26515000 WELS 3 Stars, 9 l/min





Pulsify Select S Hand shower 105 3 jet Activation EcoSmart # 24101000 WELS 3 Stars, 9 I/min





Pulsify Select S Hand shower 105 3 jet Relaxation EcoSmart #24111000 WELS 3 Stars, 9 I/min





Pulsify Select S Hand shower 105 1jet Green # 24121000 WELS No Stars, 6 l/min



Hansgrohe
FixFit S with non return valve
# 2743003



Rainfinity FixFit square #26455003



Isiflex Shower hose 160 cm # 28276000 Shower hose 125 cm # 28272000



Rainfinity Shower holder Porter E # 28387000



**Hansgrohe** Shower holder Porter S # 28331000



Rainfinity
Wall outlet Porter 500 with shower holder and shower shelf left
# 26843000
Wall outlet Porter 500 with shower holder and shower

shelf right # 26858000



Wall Outlet Q with shower holder # 26887000




Wall Outlet S with shower holder # 26888000



Wall Outer E with shower holder # 26889000

## PowderRain Chrome Rail Sets



**Rainfinity** Shower set 130 3jet with shower bar 65cm

#### Required Parts:

# 28632000 S Puro shower bar 65 with hose # 26865000 Rainfinity Hand shower EcoSmart # 27453003 FixFit S

WELS 3 Stars, 9 I/min





Rainfinity
Shower set 130 3 jet with Unica E shower bar 90cm &

#### Required Parts:

- # 27640000 Unica E shower bar 90 with hose
- # 26865000 Rainfinity Hand shower EcoSmart
- # 27453003 FixFit S

WELS 3 Stars, 9 I/min





#### Raindance Select S

Shower set 120 3jet PowderRain with shower bar 90cm

# 27667007

WELS 3 Stars, 9 I/min





#### Raindance Select S

Shower set 120 3jet PowderRain with shower bar 65cm # 27654007

WELS 3 Stars, 9 I/min



Shower set 105 3jet Relaxation with shower bar 65 cm # 24161003

WELS 3 Stars, 9 I/min





#### Pulsify

Shower set 105 1 jet with shower bar 65 cm # 24311003

WELS No Stars, 7.5 I/min



### Chrome Thermostats



RainSelect

Thermostat for concealed Installation - 2 functions # 15380000

Basic set # 15310180



RainSelect

Thermostat for concealed Installation - 3 functions # 15381000


Basic set # 15311180



RainSelect

Thermostat for concealed Installation - 4 functions # 15382000

Basic set # 15312180



Thermostat for concealed Installation - 5 functions # 15384000

Basic set # 15313180



Thermostat for concealed Installation - 1 function # 15762003

Basic set # 01850180



Thermostat for concealed Installation - 2 functions # 15763003

Basic set # 01850180



ShowerSelect

Thermostat highflow # 15760003

Basic set # 01850180



ShowerSelect

Thermostat for concealed Installation - 3 functions

# 15764003

Basic set # 01850180



See the accessories section of the price book




Rainfinity

Shelf 500 # 26844000



Metropol					RRP
Basin —			finish	code no	(inc GST)
	<u> </u>	Single lever basin mixer 100 with lever handle for hand washbasins without waste set · ComfortZone 100	Chrome	32500003	940.00
	127 — G 1/2	comtortzone 100 projection 127 mm normal spray flow rate: 5 l/min ceramic cartridge temperature limitation adjustable suitable for continuous flow water heaters connection dimension: DN15 not included: waste set	Marked f	or phase out 3	WATER RETURN OF THE PROPERTY O
	48/48 - 32 - 1335 - 235	Single lever basin mixer 110 with lever handle without waste set  ComfortZone 110  projection 135 mm  normal spray flow rate: 5 l/min ceramic cartridge temperature limitation adjustable suitable for continuous flow water	Chrome  Air Power	32507003  Eco Guick Clean	1,029.00
	→ G 1/2	connection dimension: DN15	Marked f	or phase out 3	0/06/2023
	10 10 10 10 10 10 10 10 10 10 10 10 10 1	Single lever basin mixer 260 with lever handle for washbowls without waste set ComfortZone 260 projection 204 mm normal spray flow rate: 5  / min ceramic cartridge temperature limitation adjustable	Chrome  Air Power	32513003  Eco Guick Clean	1,418.00
	204	<ul> <li>suitable for continuous flow water heaters</li> <li>connection dimension: DN15</li> <li>not included: waste set</li> </ul>	Marked f	or phase out 3	1 Joseph M III Hergeld M
	180 180 180 20 165	Single lever basin mixer for concealed installation wall-mounted with lever handle and spout 16.5 cm  projection 165 mm normal spray flow rate at: 5 l/min ceramic cartridge temperature limitation adjustable	Chrome	32525000  Air & Eco Smart	1,054.00  Quick Clean
	168	<ul> <li>suitable for continuous flow water heaters</li> <li>non-closing flush grated valve</li> <li>connection dimension: DN15</li> <li>handle can be positioned on the right or left, depends on the basic set installation</li> <li>not included: basic set</li> </ul>	Marked f	or phase out 3	0/06/2023
	1, 12, 11, 12, 11	Alternative sizes: Single lever basin mixer for concealed installation wall-mounted with lever handle and spout 22.5 cm	Chrome	32526000	1,117.00
		Required parts:  Basic set for single lever basin mixer for concealed installation wall-mounted		13622180	443.00
		Optional parts: Aerator to convert to bath filler		13914000	<i>37</i> .00

RRP finish code no (inc GST)



Single lever bath mixer for concealed installation with lever handle

· connection type: basic set

- ceramic cartridge
- min. operating pressure: 1 bar
- temperature limitation adjustable
- with automatic resetting
- non-return valve
- with silencer
- · scope of supply: handle, sleeve, escutcheon, diverter, mixing unit

#### Required parts:

· Basic set iBox universal

Marked for phase out 30/06/2023

32545003

Chrome


01800180 197.00

Metropol

841.00

#### Shower





Single lever shower mixer for concealed installation with lever handle

connection type: basic set

- ceramic cartridge
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar
- temperature limitation adjustable
- with silencer
- scope of supply: escutcheon, handle, sleeve, mixing unit

#### **Required parts:**


· Basic set iBox universal

Chrome 32565003 790.00

Marked for phase out 30/06/2023

01800180 197.00

# Basin Single lever basin mixer 110 Without waste set Chrome 31084003



without waste set

ComfortZone 110

flow rate: 5 l/min

ceramic cartridge

connection dimension: DN15

· not included: waste set

853.00

**RRP** 

(inc GST)












#### Marked for phase out 30/06/2023



### Single lever basin mixer 200 without waste set

- ComfortZone 200
- normal spray
- flow rate at 3 bar: 5 1/min
- ceramic cartridge
- temperature limitation adjustable
- suitable for continuous flow water heaters
- · connection dimension: DN15
- not included: waste set

Chrome

31185003

1,054.00











Marked for phase out 30/06/2023



### Single lever basin mixer 260 for washbowls without waste set

- · ComfortZone 260
- · flow rate 5 l/min · ceramic cartridge
- connection dimension: DN15
- not included: waste set

Chrome

31082003

1,192.00












Marked for phase out 30/06/2023





# Single lever basin mixer for concealed installation wall-mounted with spout 16.5 cm

- projection 165 mm
- · normal spray
- flow rater: 5 1/min
- ceramic cartridge
- temperature limitation adjustable
- · non-closing flush grated valve
- · material waste set: metal
- connection dimension: DN15
- · handle can be positioned on the right or left, depends on the basic set installation

#### Required parts:

· Basic set for single lever basin mixer for concealed installation wall-mounted

#### **Optional parts:**

· Aerator to convert to bath filler

Chrome

31085003

1,016.00









### While stocks last. Phased out

13622180


443.00

13914000

37.00

**RRP** finish (inc GST) code no Bath





### **Bath spout**

- projection 165 mm
- wall-mounted
- flow rate: 20 l/min
- spray type: normal spray
- connection thread G 1/2

31494000 Chrome






665.00

**Metris** 

Marked for phase out 30/06/2023





### Single lever bath mixer for concealed installation

- connection type: basic set
- ceramic cartridge
- with automatic resetting
- connection dimension: DN15

material: dezincification brass

Chrome

31493003 804.00

Marked for phase out 30/06/2023




Basic set iBox universal

01800180

197.00





### Single lever bath mixer for concealed installation

- connection type: basic set
- ceramic cartridge
- min. operating pressure: 1 bar
- temperature limitation adjustable
- with automatic resetting
- non-return valve
- with silencer
- scope of supply: handle, sleeve, escutcheon, diverter, mixing unit

### Required parts:

Chrome

31454003

804.00

Marked for phase out 30/06/2023




Basic set iBox universal

01800180

197.00





## Bathtub filler and push-open waste Chrome


- suitable for standard bath tubs
- supply hose water connection left DN20
- with integrated overflow
- adjustable direction of water with waterfall spray
- push waste
- complies with AS3718 & WMTS 040

58129003

418.00

### Shower





### Single lever shower mixer for concealed installation

- connection type: basic set
- ceramic cartridge
- connection dimension: DN15
- scope of supply: finish set with installation unit included

### Required parts:

Chrome

31685003


752.00

Marked for phase out 30/06/2023

Basic set iBox universal

01800180





### Single lever shower mixer highflow for concealed installation

1 outlet

connection type: basic set flow rate: 49 l/ min ceramic cartridge (Highflow) temperature limitation adjustable

connection dimension: DN15

scope of supply: escutcheon, handle, mixing unit, sleeve

not included: basic set

### Required parts:

Basic set iBox universal

01800180

code no

31652000

Marked for phase out 30/06/2023


197.00

**RRP** 

(inc GST)

653.00





### Single lever shower mixer for concealed installation

1 outlet

connection type: basic set

ceramic cartridge

min. operating pressure: 1 bar max. operating pressure: 10 bar

temperature limitation adjustable

with silencer

scope of supply: escutcheon, handle,

sleeve, mixing unit

### Required parts:

Basic set iBox universal

Chrome

finish

Chrome

31456003

752.00


Marked for phase out 30/06/2023

01800180

31060003

finish (inc GST) code no Basin





### Single lever basin mixer 90 without waste set

- ComfortZone 90
- flow rate: 5 l/min
- ceramic cartridge
- connection dimension: DN15

Chrome








**Metris S** 

589.00



### While stock lasts. Phased out



### Single lever basin mixer for concealed installation wallmounted with spout 16.5 cm

- consists of: Single lever basin mixer for concealed installation wall-mounted, waste set
- projection 165 mm
- normal spray flow rate: 5 1/min
- ceramic cartridge
- temperature limitation adjustable
- suitable for continuous flow water
- non-closing flush grated valve
- material waste set: metal
- connection dimension: DN15
- handle can be positioned on the right or left, depends on the basic set installation
- not included: basic set

### **Required parts:**

Basic set for single lever basin mixer for concealed installation wall-mounted

Chrome

31162000

1,079.00










### While stock lasts. Phased out

13622180

### Basin -



## Single lever basin mixer 100 without waste set

- · ComfortZone 100
- projection 126 mm
- · spray type: laminar spray
- ceramic cartridge
- temperature limitation adjustable
- suitable for continuous flow water heaters
- connection type: G  $\frac{1}{2}$  connections
- connection dimension: DN15








**RRP** 





## Single lever basin mixer 110 without waste set

- · ComfortZone 110
- projection 139 mm
- spray type: laminar spray
- ceramic cartridge
- · temperature limitation adjustable
- suitable for continuous flow water heaters
- · connection type: G ½ connections
- connection dimension: DN15

 Chrome
 76020003
 585.00


 Matt Black
 76020673
 818.00

 Matt White
 76020703
 818.00









## Single lever basin mixer 260 for washbowls without waste set

- · ComfortZone 260
- projection 208 mm
- spray type: laminar spray
- ceramic cartridge
- · temperature limitation adjustable
- suitable for continuous flow water heaters
- · material waste set: metal
- connection type: G  $\frac{1}{2}$  connections
- · connection dimension: DN15

 Chrome
 76070003
 856.00

 Matt Black
 76070673
 1,198.00


76070703





1,198.00





# Single lever basin mixer 230 with pull-out spray, 2jet without waste set

- ComfortZone 230
- projection 191 mm
- spray type: laminar spray, PowderRain spray returns through pressing spray diverter and spray returns automatically through handle closing
- extension length: 50 cm
- · spray disc surface: graphite
- ceramic cartridge

 Chrome
 76063003
 967.00

 Matt Black
 76063673
 1,354.00

 Matt White
 76063703
 1,354.00



Matt White









588 240
168

### Single lever basin mixer for concealed installation wallmounted with spout 22,8 cm

consists of: single lever basin mixer for concealed installation wall-mounted, waste set

finish

Chrome

Matt Black

Matt White

projection 228 mm

spray type: laminar spray maximum flow rate at 3 bar: 5 l/min

ceramic cartridge

suitable for continuous flow water heaters

non-closing waste set

material waste set: metal

connection type: basic set

connection dimension: DN15

handle can be positioned on the right or left, depends on the basic set installation

### **Alternative sizes:**

Single lever basin mixer for concealed installation wall-mounted with spout 16,8 cm

76051000	726.00
76051670	1,014.00
76051700	1,014.00
	76051670

13622180

**Finoris RRP** 

(inc GST)

806.00

1,127.00

1,127.00

443.00

code no

76050000

76050670


76050700

### Required parts:

Basic set for single lever basin mixer for concealed installation wall-mounted

### Bath -





### Single lever bath mixer for concealed Installation

2 functions

connection type: basic set flow rate upper outlet: 21 l/min

flow rate lower outlet: 29 l/min min. operating pressure: 1 bar

max. operating pressure: 10 bar

ceramic cartridge

temperature limitation adjustable


diverter with automatic resetting

with silencer

### **Required parts:**

Basic set iBox universal

Chrome 76415003 591.00 Matt Black 76415673 827.00 Matt White 76415703 827.00



### Single lever bath mixer floorstanding

consists of: single lever bath mixer floor standing, baton hand shower, shower hose, shower holder

finish

Chrome

Matt Black

Matt White

- 2 functions
- projection 210 mm
- connection type: basic set
- spray type mixer: normal spray spray type hand shower: Rain, Mono
- flow rate for bath spout at 3 bar: 20,7
- flow rate of hand shower at 3 bar: 6 l/
- min. operating pressure: 1 bar max. operating pressure: 10 bar
- ceramic cartridge
- diverter with automatic resetting
- non-return valve
- connection dimension: DN15

Required parts:

Basic set for bath mixer floor-standing

10452180

1,108.00

**RRP** 

(inc GST)

4,781.00

6,693.00


6,693.00

code no

76445009

76445679

76445709




### **Bath spout**

- 1 function
- connection type: G ½ male
- with escutcheon
- projection 174 mm
- wall-mounted
- maximum flow rate at 3 bar: 20,3 l/min
- spray type: normal spray

Chrome	76410000	511.00
Matt Black	76410670	715.00
Matt White	76410700	715.00

### **Shower**



### Single lever shower mixer for concealed installation

- 1 function
- connection type: basic set
- maximum flow rate at 3 bar: 23 l/min
- ceramic cartridge
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar temperature limitation adjustable
- with silencer
- connection dimension: DN15


### Required parts:

Basic set iBox universal

Chrome	76615003	527.00
Matt Black	76615673	737.00
Matt White	7661 <i>57</i> 03	737.00

RRP

Basin — finish code no (inc GST)



## Single lever basin mixer 80 without waste set

- · ComfortZone 80
- · projection 133 mm
- spray type: WaterfallStream
- · maximum flow rate at 3 bar: 5 l/min
- · ceramic cartridge
- temperature limitation adjustable
- suitable for continuous flow water heaters
- · connection type: G ½ connections
- connection dimension: DN15



Chrome

Matt Black

Matt White

Matt White



75012003

75012673






505.00

Vivenis

441.00

617.00

617.00



## Single lever basin mixer 110 without waste set

- · ComfortZone 110
- projection 146 mm
- spray type: WaterfallStream
- maximum flow rate at 3 bar: 5 l/min
- ceramic cartridge
- temperature limitation adjustable
- suitable for continuous flow water heaters
- connection type: G ½ connections
- connection dimension: DN15

 Chrome
 75022003

 Matt Black
 75022673


75022673 706.00 75022703 706.00











## Single lever basin mixer 250 without waste set

- · ComfortZone 250
- projection 191 mm
- spray type: WaterfallStream
- · ceramic cartridge
- temperature limitation adjustable
- suitable for continuous flow water heaters
- connection type: G ½ connections
- connection dimension: DN15

Chrome 75042003 Matt Black 75042673

75042703

1,102.00 1,102.00


788.00











### Single lever basin mixer for concealed installation wallmounted with spout 19,2 cm

- consists of: single lever basin mixer for concealed installation wall-mounted, waste set
- projection 192 mm
- spray type: WaterfallStream
- maximum flow rate at 3 bar: 5 l/min
- ceramic cartridge
- · temperature limitation adjustable
- suitable for continuous flow water heaters
- non-closing waste set
- material waste set: metal
- connection type: basic set
- connection dimension: DN15
- handle can be positioned on the right or left, depends on the basic set installation

### Required parts:

Basic set for single lever basin mixer for concealed installation wall-mounted

 Chrome
 75050000
 725.00

 Matt Black
 75050670
 1,014.00

 Matt White
 75050700
 1,014.00








13622180 443.00

#### **RRP** finish (inc GST) code no Bath -Single lever bath mixer for Chrome 75415003 575.00 ▶48-76 ◀ concealed Installation Matt Black 75415673 804.00 2 functions connection type: basic set Matt White 75415703 804.00 flow rate upper outlet: 21 l/min flow rate lower outlet: 29 l/min min. operating pressure: 1 bar max. operating pressure: 10 bar ceramic cartridge temperature limitation adjustable diverter with automatic resetting with silencer 78-106▶ -104-132-Required parts: 01800180 Basic set iBox universal 197.00 Single lever bath mixer floor-Chrome 75445009 4,304.00 standing Matt Black 75445679 6,024.00 consists of: single lever bath mixer floor consists of: single lever bath mixer floor Matt White 75445709 6,024.00 standing, baton hand shower, shower hose, shower holder 2 functions connection type: basic set spray type mixer: WaterfallStream spray type hand shower: Rain, Mono maximum flow rate at 3 bar: 22,2 l/min flow rate for bath spout at 3 bar: 22,2 I/min flow rate of hand shower at 3 bar: 6,2 I/min min. operating pressure: 1 bar max. operating pressure: 10 bar ceramic cartridge temperature limitation adjustable diverter with automatic resetting non-return valve connection dimension: DN15 Required parts: Basic set for bath mixer floor-standing 10452180 1,108.00 **Bath spout** Chrome 75410000 384.00 ▶ 30-35 1 function Matt Black 537.00 75410670 connection type: G ½ male connection Matt White 75410700 537.00 with escutcheon projection 202 mm wall-mounted maximum flow rate at 3 bar: 24,3 l/min spray type: WaterfallStream IMPORTANT NOTE: MALE CONNECTION THREAD ON PRODUCT

### Shower -





Basic set iBox universal

#### finish code no (inc GST) Single lever shower mixer for Chrome 75615003 511.00 concealed Installation Matt Black 75615673 715.00 1 function connection type: basic set maximum flow rate at 3 bar: 23 l/min Matt White 75615703 715.00 ceramic cartridge min. operating pressure: 1 bar max. operating pressure: 10 bar temperature limitation adjustable with silencer **Required parts:**

Vivenis RRP


197.00

01800180

### **RRP** finish (inc GST) code no Talis S Basin Single lever basin mixer 80 Chrome 72012003 439.00 without waste set ComfortZone 80 projection 108 mm normal spray flow rate: 5 1/min ceramic cartridge temperature limitation adjustable suitable for continuous flow water heaters connection dimension: DN15 not included: waste set Single lever basin mixer 100 Chrome 72021003 526.00 without waste set ComfortZone 100 projection 108 mm normal spray 221 flow rate: 5 1/min 0 4 ceramic cartridge temperature limitation adjustable suitable for continuous flow water heaters connection dimension: DN15 not included: waste set Single lever basin mixer 190 Chrome 72032003 804.00 without waste set ComfortZone 190 projection 131 mm normal spray flow rate : 5 l/min ceramic cartridge temperature limitation adjustable suitable for continuous flow water connection dimension: DN15 not included: waste set Single lever basin mixer for 72110003 Chrome 702.00 concealed installation wallmounted with spout 16.5 cm projection 165 mm normal spray -74 - 92**→** flow rate: 5 1/min ceramic cartridge 184 temperature limitation adjustable suitable for continuous flow water - 100 heaters non-closing flush grated valve material waste set: metal connection dimension: DN15 Required parts: 13622180 443.00 Basic set for single lever basin mixer for concealed installation wall-mounted **Optional parts:** 37.00 Aerator to convert to bath filler 13914000 While stock lasts. Phased out

### Talis E Basin





### Single lever basin mixer 80 without waste set

- ComfortZone 80
- projection 107 mm
- normal spray
- flow rate: 5 1/min
- ceramic cartridge
- temperature limitation adjustable
- suitable for continuous flow water heaters
- connection dimension: DN15
- not included: waste set

finish Chrome

71702003

code no

351.00

**RRP** 

(inc GST)















### Single lever basin mixer 110 without waste set

- ComfortZone 110
- projection 108 mm flow rate: 5 l/min
- ceramic cartridge
- temperature limitation adjustable
- suitable for continuous flow water
- connection dimension: DN15
- not included: waste set

Chrome Matt Black Brushed Nickel 71712003 71712673 71712823 439.00 615.00 673.00














### Single lever basin mixer 240 without waste set

- ComfortZone 190
- projection 166 mm
- normal spray flow rate: 5 l/min
- ceramic cartridge
- temperature limitation adjustable
- suitable for continuous flow water heaters
- connection dimension: DN15
- not included: waste set

Chrome Matt Black

71717003 71717673 **Brushed Nickel** 

71717823

815.00 1,141.00 1,242.00















## 3-hole basin mixer with pop-up

- consists of: 3-hole basin mixer, waste set
- ComfortZone 150
- projection 112 mm flow rate: 5 l/min
- ceramic valves hot/ cold 90°
- suitable for continuous flow water
- heaters
- pop-up waste set G 11/4
- material waste set: metal
- connection dimension: DN15
- scope of supply: basic and finish set

Chrome

71733000














Single lever basin mixer for
concealed installation wall-
mounted with spout 22.5 cm

- projection 225 mm
- normal spray flow rate: 5 l/min
- ceramic cartridge
- temperature limitation adjustable
- suitable for continuous flow water heaters
- non-closing flush grated valve
- material waste set: metal
- connection dimension: DN15

## **Alternative sizes:**

Single lever basin mixer for concealed installation wall-mounted with spout

### Required parts:

Basic set for single lever basin mixer for concealed installation wall-mounted

### **Optional parts:**

Aerator to convert to bath filler



Brushed Nickel

Chrome



71734823

71732003

13622180



828.00







627.00


443.00

37.00

### 13914000

### Bath





### **Bath spout**

- with escutcheon
- projection 195 mm
- wall-mounted
- connection dimension: DN20
- spray type: normal spray connection thread G 1/2

Chrome 71410000 **Brushed Nickel** 

431.00 71410820





288.00




### **Bath spout**

- with escutcheon
- projection 204 mm
- wall-mounted
- maximum flow rate at 3 bar: 21.7 l/min
- connection dimension: G ½ male
- spray type: normal spray

Matt Black 71460670







THREAD ON PRODUCT

### **Bath spout**

- with escutcheon
- projection 204 mm
- wall-mounted
- maximum flow rate at 3 bar: 21.7 l/min
- connection dimension: G  $\frac{1}{2}$  male
- spray type: normal spray

71420670 Matt Black




Talis E			finish	والمراجعة	RRP
	25/155 125/	Single lever bath mixer for concealed installation  connection type: basic set ceramic cartridge temperature limitation adjustable with automatic resetting scope of supply: handle, sleeve, escutcheon, diverter, mixing unit	Chrome Matt Black Brushed Nickel	71745003 71745673 71745823	502.00 702.00 745.00
	59.87 — -88-116-	Required parts: Basic set iBox universal		01800180	197.00
Shower	15 15 15 17 18 18 18 18 18 18 18 18 18 18	Single lever shower mixer for concealed installation  connection type: s-shaped connections spray type mixer: normal spray flow rate: 22 l/min ceramic cartridge temperature limitation adjustable with automatic resetting non-return valve with silencer suitable for continous flow water heaters connection dimension: DN15	Chrome Matt Black	71765003 71765673 Air Power	439.00 615.00
		Required parts: Basic set iBox universal		01800180	197.00
	<b>4</b> 65-93 <b>▶</b>	Single lever shower mixer for concealed installation  1 outlet  connection type: basic set  min. operating pressure: 1 bar  max. operating pressure: 10 bar  scope of supply: handle, sleeve, escutcheon Ø 117 mm	Chrome Matt Black Brushed Nickel	71764000 71764670 71764820	156.00 232.00 257.00
	-	Required parts:  Basic set for single lever shower mixer for concealed installation		13620180	197.00

### code no (inc GST)

### Basin





## Single lever basin mixer 70 without waste set

- · ComfortZone 70
- · normal spray
- flow rate: 5 1/min
- ceramic cartridge
- temperature limitation adjustable
- suitable for continuous flow water heaters
- · connection dimension: DN15
- · not included: waste set

Chrome\* 31730003

Brushed Black Chrome 31733343 413.00



finish








263.00



### \*While stocks last. Phased out





## Single lever basin mixer 100 without waste set

- · ComfortZone 100
- · flow rate: 5 l/min
- · ceramic cartridge
- temperature limitation adjustable
- · suitable for continuous flow water heaters
- · connection dimension: DN15
- · not included: waste set

Chrome 31517003 389.00

Brushed Black Chrome 31517343 610.00

Brushed Nickel 31517823








587.00







## Single lever basin mixer 190 without waste set

- · ComfortZone 190
- normal spray
- flow rate: 5 ĺ/min
- ceramic cartridge
- · temperature limitation adjustable
- suitable for continuous flow water heaters
- · connection dimension: DN15
- not included: waste set

Chrome 31518003 514.00

Brushed Black Chrome 31518343

Brushed Nickel 31518823 762.00












807.00



### 3-hole basin mixer 100 with popup waste set

- consists of: 3-hole basin mixer, waste set
- ComfortZone 100
- flow rate: 5 l/min
- ceramic valves hot/ cold 90°
- suitable for continuous flow water
- pop-up waste set G 11/4
- material waste set: metal
- connection dimension: DN15
- · scope of supply: basic and finish set

Chrome 31937000










#### Focus/Decor **RRP** finish (inc GST) code no Bath **Bath spout** Chrome 13414000 302.00 30 - 35 with silencer Brushed Black Chrome 13414340 473.00 with escutcheon projection 147 mm flow rate: 32 l/min connection dimension: DN20 connection thread G 1/2 **Bath spout Brushed Nickel** 14420820 607.00 ₱28 - 31 projection 161 mm wall-mounted flow rate: 20 l/min spray type: normal spray connection thread G 1/2 Single lever bath mixer for Chrome 31945003 477.00 concealed installation Brushed Black Chrome 31945343 747.00 connection type: basic set ceramic cartridge **Brushed Nickel** 31945823 726.00 with automatic resetting connection dimension: DN15 material; dezincification brass scope of supply: finish set with installation unit included 4-108-136-▶ Required parts: 197.00 01800180 Basic set iBox universal **Shower** Single lever shower mixer for Brushed Black Chrome 31965343 747.00 concealed installation 1 outlet connection type: basic set flow rate: 22 l/min ceramic cartridge material; dezincification brass connection dimension: DN15 Required parts: 80 - 108 ■ 112 - 140 197.00 Basic set iBox universal 01800180 Single lever shower mixer for Chrome 31961000 -66-94 138.00 concealed installation 110mm **Brushed Nickel** 31961820 1 outlet 219.00 connection type: basic set Burshed Black Chrome 31961340 462.00 min. operating pressure: 1 bar Ø110max. operating pressure: 10 bar scope of supply: handle, sleeve, escutcheon Ø 110 mm Required parts: 197.00 13620180 Basic set for single lever shower mixer for concealed installation



### Single lever basin mixer 80 without waste set ComfortZone 80 projection: 121 mm

spray type: normal spray

ceramic cartridge

temperature limitation adjustable

suitable for continuous flow water heaters

connection type: G ½ connections

connection dimension: DN15

Chrome 72512673 Matt Black

finish

Matt Black








TBA



TRA

Available 2H 2023





Single lever basin mixer 110 without Chrome

ComfortZone 110

projection: 133 mm

spray type: normal spray

ceramic cartridge

temperature limitation adjustable

suitable for continuous flow water heaters

connection type: G ½ connections

connection dimension: DN15

72518003 72518673










Available 2H 2023



### Single lever basin mixer 240 without waste set

ComfortZone 240

projection: 169 mm

spray type: normal spray

ceramic cartridge

temperature limitation adjustable

suitable for continuous flow water heaters

connection type: G ½ connections

connection dimension: DN15

Chrome Matt Black

72524003 72524673








TBA



Available 2H 2023



### Single lever basin mixer for concealed installation wall-mounted Matt Black with spout 20,5 cm

onsists of: single lever basin mixer for concealed installation wall-mounted, waste set

projection: 205 mm

spray type: normal spray

maximum flow rate at 3 bar: 5 l/min

ceramic cartridge

temperature limitation adjustable

suitable for continuous flow water heaters

non-closing waste set

material waste set: metal

connection type: basic set

connection dimension: DN15

handle can be positioned on the right or left, depends on the basic set installation

### Required parts:

Basic set for single lever basin mixer for concealed installation wall-mounted

72528000 Chrome 72528670






TBA

**TBA** 




Available 2H 2023

13622180



**Rebris E** RRP finish code no. (inc GST) Basin Chrome 72552003 TBA Single lever basin mixer 80 without NEW 72552673 **TBA** waste set Matt Black ComfortZone 80



- projection: 121 mm spray type: normal spray
- ceramic cartridge
- temperature limitation adjustable
- suitable for continuous flow water heaters
- connection type: G ½ connections
- connection dimension: DN15










Available 2H 2023





## Single lever basin mixer 110 without Chrome

ComfortZone 110

- projection: 133 mm
- spray type: normal spray
- ceramic cartridge
- temperature limitation adjustable
- suitable for continuous flow water heaters
- connection type: G 1/2 connections
- connection dimension: DN15

72558003 72558673 TRA **TBA** 










Available 2H 2023



### Single lever basin mixer 240 without waste set

- ComfortZone 240
- projection: 169 mm
- spray type: normal spray
- ceramic cartridge
- temperature limitation adjustable
- suitable for continuous flow water heaters
- connection type: G ½ connections
- connection dimension: DN15

Chrome Matt Black

Chrome

Matt Black

72564003 72564673 TBA **TBA** 










Available 2H 2023



### Single lever basin mixer for concealed installation wall-mounted Matt Black with spout 20,5 cm

onsists of: single lever basin mixer for

concealed installation wall-mounted, waste set

projection: 205 mm

spray type: normal spray maximum flow rate at 3 bar: 5 l/min

ceramic cartridge

temperature limitation adjustable

suitable for continuous flow water heaters

non-closing waste set

material waste set: metal

connection type: basic set

connection dimension: DN15

handle can be positioned on the right or left, depends on the basic set installation

### Required parts:

Basic set for single lever basin mixer for concealed installation wall-mounted

72568000 72568670 TBA







Available 2H 2023

13622180

Bath ———			finish	code no.	(inc GST)
NEW	21.2 × 4 × 0 × 0 × 0 × 0 × 0 × 0 × 0 × 0 × 0	Single lever bath mixer for concealed installation for iBox universal 2 functions connection type: basic set min. operating pressure: 1 bar max. operating pressure: 10 bar	Chrome Matt Black	72468003 72468673	TBA TBA
	62-90	ceramic cartridge temperature limitation adjustable diverter with automatic resetting with silencer		Availabl	le 2H 2023
		Required parts:  Basic set iBox universal		01800180	197.00
NEW	33-35 200 212	Bath spout  connection type: G ½ male connection with escutcheon projection 200 mm wall-mounted maximum flow rate at 3 bar: 22,2 l/min spray type: normal spray	Chrome Matt Black	72431000 72431670	TBA TBA
	: IMPORTANT NOTE: MALE CONNECTION THREAD ON PRODUCT			Availab	le 2H 2023
_					
_	0150	Single lever shower mixer for concealed installation for iBox universal  1 function connection type: basic set ceramic cartridge min. operating pressure: 1 bar max. operating pressure: 10 bar	Chrome Matt Black	72668003 72668673	TBA TBA
_	05.93	concealed installation for iBox universal 1 function connection type: basic set ceramic cartridge		72668673	
_	08180	concealed installation for iBox universal 1 function connection type: basic set ceramic cartridge min. operating pressure: 1 bar max. operating pressure: 10 bar temperature limitation adjustable		72668673	TBA
NEW	05.93	concealed installation for iBox universal 1 function connection type: basic set ceramic cartridge min. operating pressure: 1 bar max. operating pressure: 10 bar temperature limitation adjustable with silencer  Required parts: Basic set iBox universal  Single lever shower mixer for concealed installation 1 function maximum flow rate at 3 bar: 28,7 l/min connection type: basic set min. operating pressure: 1 bar		72668673 <b>Availab</b> l	TBA le <b>2H 2023</b>
Shower	65.93	concealed installation for iBox universal  1 function connection type: basic set ceramic cartridge min. operating pressure: 1 bar max. operating pressure: 10 bar temperature limitation adjustable with silencer  Required parts: Basic set iBox universal  Single lever shower mixer for concealed installation 1 function maximum flow rate at 3 bar: 28,7 l/min	Matt Black	72668673  Available 01800180  72659000 72659670	TBA

**RRP** finish (inc GST) code no Basin

### Single lever basin mixer 110 Fine without waste set

- ComfortZone 110
- projection 121 mm
- ceramic cartridge
- temperature limitation adjustable
- suitable for continuous flow water heaters
- connection type: G 1/2 connections
- connection dimension: DN15

Chrome 71253003








**Logis Fine** 

352.00





### Single lever basin mixer 240 Fine without waste set

- ComfortZone 240
- projection 172 mm
- spray type: normal spray
- ceramic cartridge
- temperature limitation adjustable
- suitable for continuous flow water heaters
- connection type: G 1/2 connections
- connection dimension: DN15

Chrome 71258003








515.00





### Single lever basin mixer Fine for concealed installation wallmounted with spout 20.5 cm

- consists of: single lever basin mixer for concealed installation wall-mounted, waste set
- projection 206 mm
- spray type: normal spray
- maximum flow rate at 3 bar: 5 l/min
- ceramic cartridge
- temperature limitation adjustable
  - suitable for continuous flow water heaters
  - material waste set: metal
- connection type: basic set
- connection dimension: DN15
- handle can be positioned on the right or left, depends on the basic set installation
- non-closing waste set

### **Required parts:**

Basic set for single lever basin mixer for concealed installation wall-mounted

71256000

Chrome

515.00








#### Logis **RRP** finish (inc GST) code no **Basin** Single lever basin mixer 70 71071003 Chrome 251.00 without waste set ComfortZone 70 projection 107 mm normal spray flow rate: 5 1/min ceramic cartridge temperature limitation adjustable suitable for continuous flow water heaters connection dimension: DN15 material: dezincification brass not included: waste set





### Single lever basin mixer 100 without waste set

- ComfortZone 100
- projection 108 mm
- normal spray flow rate: 5 l/min
- ceramic cartridge
- temperature limitation adjustable suitable for continuous flow water
- connection dimension: DN15
- material: dezincification brass
- not included: waste set

Chrome

71101003

338.00
















### Single lever basin mixer 190 without waste set

- ComfortZone 190
- projection 166 mm
- normal spray flow rate: 5 l/min
- ceramic cartridge
- temperature limitation adjustable suitable for continuous flow water
- connection dimension: DN15
- material: dezincification brass

not included: waste set

Chrome

71091003

464.00
















### Single lever basin mixer for concealed installation wallmounted with spout 19.5 cm

- consists of: Single lever basin mixer for concealed installation wall-mounted, waste set
- projection 195 mm
- normal spray flow rate: 5 l/min
- ceramic cartridge
- temperature limitation adjustable
- suitable for continuous flow water
- non-closing flush grated valve
- material waste set: metal
- connection dimension: DN15
- handle can be positioned on the right or left, depends on the basic set installation
- not included: basic set

### Required parts:

Basic set for single lever basin mixer for concealed installation wall-mounted

### **Optional parts:**

Aerator to convert to bath filler

Chrome

71220003

477.00








13914000

13622180

37.00

**RRP** finish code no (inc GST) Basin





## Single lever basin mixer M without Chrome

- ComfortZone 70
- projection 107 mm
- normal spray
- flow rate at 3 bar: 5 l/min
- ceramic cartridge
- temperature limitation adjustable
- suitable for continuous flow water
- heaters
- connection type: G ½ connections
  - connection dimension: DN15

71110003

297.00








Marked for phase out 30/06/2023





### Single lever basin mixer L without waste set

- ComfortZone 100
- projection 108 mm
- normal spray flow rate at 3 bar: 5 l/min
- ceramic cartridge
- temperature limitation adjustable suitable for continuous flow water
- connection type: G ½ connections
- connection dimension: DN15

71111003 Chrome

383.00








Marked for phase out 30/06/2023





### Single lever basin mixer XL without waste set

- ComfortZone 190
- projection 166 mm
- normal spray
- flow rate at 3 bar: 5 l/min
- ceramic cartridge
- temperature limitation adjustable
- suitable for continuous flow water heaters
- connection type: G 1/2 connections
- connection dimension: DN15

Chrome

71112003

488.00







Marked for phase out 30/06/2023

Marked for phase out 30/06/2023

### Bath



### Single lever bath mixer for concealed installation

- consists of: Single lever bath mixer, basic set
- projection 97 mm
- connection type: basic set
- flow rate at 3 bar: 30 l/min
- ceramic cartridge
- temperature limitation adjustable
- diverter with automatic resetting
- non-return valve
- suitable for continous flow water heaters
- Basic set 31741180 included

Chrome 71246000 522.00

### Shower



### Single lever shower mixer for concealed installation

- consists of: single lever shower mixer, basic set
- 1 function
- connection type: basic set flow rate at 3 bar: 28 l/min
- ceramic cartridge
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar
- temperature limitation adjustable
- suitable for continous flow water heaters Basic Set 13620180 included

Chrome

71266000


460.00

Marked for phase out 30/06/2023

finish code no

71617000 Chrome 404.00

Marked for phase out 30/06/2023




## Single lever shower mixer for concealed installation

- consists of: single lever shower mixer, basic set
- 1 function
- connection type: basic set maximum flow rate at 3 bar: 28 l/min

- min. operating pressure: 1 bar max. operating pressure: 10 bar Basic Set 13620180 included

**RRP** finish code no (inc GST) Metris



Electronic basin mixer with temperature pre-adjustment mains connection 230 V

- ComfortZone 150
- projection 128 mm flow rate: 5 l/min
- theft-proof aerator
- temperature limitation adjustable
- temperature pre-adjustable
- suitable for continous flow water heaters
- infrared sensor technology automatic environmental adjustment of infrared sensor
- adjustable optical range of infrared sensor (2 settings)
- European connection 230 V / 50 Hz mains connection
- hygiene rinse activatable (automatic water flow for 10 seconds every 24 hours following the last operation)
- permanent rinse activatable (single water flow for 180 seconds, suitable for thermal disinfection)
- manual water stop for washbasin cleaning
- performance may be impaired if the sensor is obscured by the design of the wash basin, or when the wash basin is oversized and the distance between sensor and the wash basin edge is larger than 75 mm
- functional restriction due to too large distance
- connection dimension: DN15
- TÜV certified
- scope of supply: with two filter units with fine filter to protect from incoming dirt, for assembly on existing angle valves. Filter element can be removed and cleaned, non-return valve
- dirt filters in the connection hoses

Required parts:

Adaptor G 3/8 to G 1/2

31103000 Chrome







2,208.00



93395000


31174000

Chrome

1,568.00

1,568.00

finish code no **Focus** 



# Electronic basin mixer with

- ComfortZone 130


- temperature limitation adjustable
- temperature pre-adjustable
- suitable for continous flow water heaters
- infrared sensor technology automatic environmental adjustment of
- adjustable optical range of infrared sensor (2 settings)
- European connection 230 V / 50 Hz mains connection
- hygiene rinse activatable (automatic water flow for 10 seconds every 24 hours following the last operation)
- permanent rinse activatable (single water flow for 180 seconds, suitable for thermal disinfection)
- manual water stop for washbasin cleaning
- performance may be impaired if the sensor is obscured by the design of the wash basin, or when the wash basin is oversized and the distance between sensor and the wash basin edge is larger than 75 mm
- connection dimension: DN15
- dirt filters in the connection hoses

Al	lternative	prod	luct

- Electronic basin mixer 130 with Chrome 31171000 temperature control battery operation
- Electronic basin mixer with temperature 31172000 Chrome 1,418.00 pre-adjustment battery operation

### Required parts:

57.00 93395000 · Adaptor G 3/8 to G 1/2



- projection 127 mm flow rate: 5 l/min
- theft-proof aerator

- infrared sensor

- functional restriction due to too large distance
- TÜV certified
- scope of supply: with two filter units with fine filter to protect from incoming dirt, for assembly on existing angle valves. Filter element can be removed and cleaned, non-return valve

code no	(inc GST)
15762003	1,869.00 Select Select 393.00
01850180	393.00
15763003	2,007.00  Select
01850180	393.00
1 <i>57</i> 60003	1,354.00 393.00
1 <i>57</i> 64003	1,354.00  Select SELECT 197.00

## Thermostatic mixers / valves

### finish code no (inc GST) ShowerSelect S **→**20**←** Thermostat for concealed Chrome 15744003 2,020.00 installation for 1 function 1 outlet Select push-button on/off control for thermostat cartridge, Select valve min. operating pressure: 1 bar max. operating pressure: 10 bar safety lock at 40° C flow rate: 26 l/min temperature limitation adjustable scope of supply: handle, sleeve, ▶ 54-82 ◀ escutcheon, mixing unit, button Required parts: 393.00 Basic set iBox universal with shut off unit 01850180 Thermostat for concealed **→**20 Chrome 15743003 2,195.00 installation for 2 functions 2 outlets simultaneous use of several outlets 106 Select push-button on/off control for 2 outlets thermostat cartridge, Select valve min. operating pressure: 1 bar max. operating pressure: 10 bar safety lock at 40° C flow rate: 26 l/min ▶ 54-82 ◀ temperature limitation adjustable scope of supply: handle, sleeve, mixing unit, escutcheon, buttons Required parts: Basic set iBox universal with shut off unit 01850180 393.00 Thermostat highflow for concealed Chrome 15741003 1,455.00 **→**20 installation thermostat cartridge safety lock at 40° C 48 flow rate: 59 l/min 0210 material: dezincification brass temperature limitation adjustable Ø scope of supply: handle, sleeve, escutcheon, mixing unit Required parts: **4**68-96▶ 01850180 393.00 Basic set iBox universal with shut off unit Valve for concealed installation for Chrome 15745003 1,455.00 3 functions 3 outlets simultaneous use of several outlets Select valve min. operating pressure: 1 bar max. operating pressure: 10 bar flow rate: 43 l/min scope of supply: escutcheon, mixing unit, buttons Required parts: 197.00 01800180 Basic set iBox universal

Quattro ———			finish	code no	RRP (inc GST)
Quarro	76	Shut-off/ diverter valve S Trio/ Quattro for concealed installation scope of supply: handle, sleeve, escutcheon	Chrome	15932000	401.00
		Required parts:			
**	- <b>&gt;</b>   <b>4</b> 14	Basic set for Duo diverter valve valve for concealed installation for 1 users		15984180	507.00
		Basic set for Trio shut-off/ diverter valve for concealed installation for 2 users		15981180	516.00
		Basic set for Quattro four-way diverter valve for concealed installation for 3 users		15930180	812.00
	4-63-▶	Shut-off valve S for concealed installation  scope of supply: handle, sleeve, escutcheon	Chrome	15972000	302.00
	\$ 90 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Required parts:  Basic set 52   / min for shut-off valve for		15973180	241.00
	→ 0 - 45 ←	concealed installation spindle  Basic set 40 I/min for shut-off valve for		15974180	282.00
		concealed installation ceramic  Basic set 130 I/min for shut-off valve for		15970180	260.00
RainSelect	15. 16. 16. 16. 16. 16. 16. 16. 16. 16. 16	RainSelect Thermostat for concealed installation for 2 functions with shower support  Thermostat is delivered with buttons Rain large and hand shower  consists of: Thermostat, shower holder  depending on volume flow and installation situation approx. 50% flow rate reduction and integrated shut off function  2 outlets  simultaneous use of several outlets  Select push-button on/off control for 2 outlets  thermostat cartridge, Select valve  min. operating pressure: 1 bar  max. operating pressure: 10 bar  safety lock at 40° C  temperature limitation adjustable  non-return valve  hose nut: for shower hoses with conical nut on both sides	Chrome White/Chrome Black/Chrome	15355000 15355400 15355600	3,838.00 3,838.00 3,838.00
		Required parts:  Basic set for 2 functions		15310180	1,944.00

## Thermostatic mixers / valves

			finish	code no	(inc GST)
10m: A I	264 70 142 328 328 328 328 328 328 328 328 328 32	RainSelect Thermostat for concealed installation for 2 functions  Depending on volume flow and installation situation approx. 50% flow rate reduction and integrated shut off function 2 functions simultaneous use of several outlets Select push-button on/off control for 2 outlets maximum flow rate at 3 bar: 26 l/min thermostat cartridge, Select valve min. operating pressure: 1 bar max. operating pressure: 10 bar safety lock at 40° C temperature limitation adjustable non-return valve connection type: basic set Thermostat is delivered with buttons handshower and PowderRain	Chrome Brushed Black Chrome Matt White Matt Black	15380000 15380340 15380700 15380670	3,524.00 5,187.00 4,578.00 4,578.00
		· Basic set for 2 functions		15310180	1,944.00
Samuel Market		Basic set for 2 functions  2 outlets  connection thread Rp ¾ installation depth: 87 - 122 mm horizontal installation sound-decoupled installation connection dimension: DN15/DN20		15310180	1,944.00
		RainSelect Thermostat for concealed installation for 3 functions with shower support  Thermostat is delivered with buttons hand shower, Waterfall, Rain large consists of: Thermostat, shower holder depending on volume flow and installation situation approx. 50% flow rate reduction and integrated shut off function 3 outlets simultaneous use of several outlets Select push-button on/off control for 3 outlets thermostat cartridge, Select valve min. operating pressure: 1 bar max. operating pressure: 10 bar safety lock at 40° C temperature limitation adjustable non-return valve hose nut: for shower hoses with conical or cylindrical nut on both sides  Required parts:  Basic set for 3 functions	Chrome White/Chrome Black/Chrome	15356000 15356400 15356600	4,528.00 4,528.00 4,528.00 Select SELECT 2,276.00
		Same series o terrements		.5571100	2,27 0.00

			finish	code no	RRP (inc GST)
	232	RainSelect Thermostat for concealed installation for 3 functions  depending on volume flow and installation situation approx. 50% flow rate reduction and integrated shut off function  3 functions  simultaneous use of several outlets  Select push-button on/off control for 3 outlets  thermostat cartridge, Select valve min. operating pressure: 1 bar max. operating pressure: 10 bar safety lock at 40° C  temperature limitation adjustable non-return valve  connection type: basic set  Thermostat is delivered with buttons handshower, PowderRain, shoulder shower	Chrome Matt White	1 <i>5</i> 381000 1 <i>5</i> 381 <i>7</i> 00	4,190.00 5,430.00
		· Basic set for 3 functions		15311180	2,276.00
		Basic set for 3 functions 3 outlets connection thread Rp 3/4 installation depth: 87 - 122 mm horizontal installation sound-decoupled installation connection dimension: DN15/DN20		15311180	2,276.00
	RainSelect Thermostat for concealed installation for 4 functions with shower support  Thermostat is delivered with buttons hand shower, Waterfall, Rain large, Mono consists of: Thermostat, shower holder depending on volume flow and installation situation approx. 50% flow rate reduction and integrated shut off function 4 outlets simultaneous use of several outlets Select push-button on/off control for 4 outlets thermostat cartridge, Select valve min. operating pressure: 1 bar max. operating pressure: 10 bar safety lock at 40° C temperature limitation adjustable non-return valve hose nut: for shower hoses with conical nut on both sides  Required parts:	Chrome White/Chrome Black/Chrome	15357000 15357400 15357600	5,230.00 5,230.00 5,230.00	
		· Basic set for 4 functions		15312180	2,597.00

## Thermostatic mixers / valves

		finish	code no	(inc GST)
1 1 1 2	RainSelect Thermostat for concealed installation for 4 functions  depending on volume flow and installation situation approx. 50% flow rate reduction and integrated shut off function  4 functions  simultaneous use of several outlets  Select push-button on/off control for 4 outlets  thermostat cartridge, Select valve min. operating pressure: 1 bar max. operating pressure: 10 bar safety lock at 40° C  temperature limitation adjustable non-return valve  connection type: basic set  Thermostat is delivered with buttons handshower, PowderRain, Waterfall, Rain large	Chrome Brushed Black Chrome Matt White Matt Black	15382000 15382340 15382700 15382670	4,842.00 7,125.00 6,295.00 6,295.00 Select
	· Basic set for 4 functions		15312180	2,597.00
· Days ·	Basic set for 4 functions 4 outlets connection thread Rp 3/4 installation depth: 87 - 122 mm horizontal installation sound-decoupled installation connection dimension: DN15/DN20		15312180	2,597.00
	RainSelect Thermostat for concealed installation for 5 functions with shower support  Thermostat is delivered with buttons hand shower, Waterfall, Rain large, Mono, body shower  consists of: Thermostat, shower holder depending on volume flow and installation situation approx. 50% flow rate reduction and integrated shut off function 5 outlets simultaneous use of several outlets Select push-button on/off control for 5 outlets thermostat cartridge, Select valve min. operating pressure: 1 bar max. operating pressure: 10 bar safety lock at 40° C temperature limitation adjustable non-return valve hose nut: for shower hoses with conical nut on both sides  Required parts:	Chrome White/Chrome Black/Chrome	15358000 15358400 15358600	5,920.00 5,920.00 5,920.00 Select
	Dasic serior 3 functions		15313180	2,916.00



### RainSelect Thermostat for concealed installation for 5 functions

depending on volume flow and installation situation approx. 50% flow rate reduction and integrated shut off function

finish

Chrome

Matt White

- 5 functions
- simultaneous use of several outlets
- Select push-button on/off control for 5
- thermostat cartridge, Select valve
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar safety lock at 40° C
- temperature limitation adjustable
- non-return valve
- connection type: basic set Thermostat is delivered with buttons handshower, PowderRain, Waterfall, Rain large, shoulder shower

### Required parts:

Basic set for 5 functions

15313180

15313180

2,916.00

2,916.00

**RRP** 

(inc GST)

5,506.00


7,149.00

code no

15384000

15384700






### **Basic set for 5 functions**

- 5 outlets
- connection thread Rp  $^{3}\!/_{4}$
- installation depth: 87 122 mm
- horizontal installation
- sound-decoupled installation
- connection dimension: DN15/DN20

#### **RRP** finish (inc GST) code no **Croma Select E**





### Croma Select E Showerpipe Reno **EcoSmart**

- consists of: overhead shower, hand shower, shower hose, slider
- water inlet via top wall connection
- maximium flow rate at 0.3 MPa: 9 l/min
- convenient diversion between showers by the Select button
- shower arm length: 390 mm
- slide inclination angle can be adjusted
- chrome-plated wall supports of metal
- type: exposed installation
- overhead Shower: Croma Select E 180 2 jet
- shower head size 180 x 180mm
- overhead shower angle adjustable
- Select button on overhead shower
- spray type: Rain, IntenseRain
- hand shower Croma Select E Vario EcoSmart
- shower head size: 110mm
- convenient diversion via Select button to change hand shower spray
- spray type: Rain, TurboRain, IntenseRain
- Isiflex hose 160cm

Chrome 26743003 1,530.00

**Brushed Nickel** 26743823






2,447.00

**Showerpipes** 



### **Croma Select S**



### **Showerpipe Reno EcoSmart**

- consists of: overhead shower, hand shower, shower hose, slider
- water inlet via top wall connection
- maximum flow rate: 9 1/min
- convenient diversion between showers by the Select button
- shower arm length: 390 mm
- chrome-plated wall supports of metal
- type: exposed installation
- slide inclination angle can be adjusted
- overhead Shower: Croma Select S 180
- shower head size 180 mm
- overhead shower angle adjustable
- Select button on overhead shower
- spray type: Rain, IntenseRain
- hand shower Croma Select S Vario **EcoSmart**
- shower head size: 110mm
- convenient diversion via Select button to change hand shower spray
- spray type: Rain, TurboRain, IntenseRain
- Isiflex hose 160cm

Chrome

26744003

1,530.00












finish (inc GST) code no Crometta S



Showerpipe 240 EcoSmart 9 l/min

consists of: overhead shower, hand

- shower, shower hose, slider water inlet via top wall connection
- maximum flow rate: 9 1/min
- installation type: exposed installation
- convenient diversion between showers by the Select button
- shower arm length: 390 mm
- slide inclination angle can be adjusted
- overhead Shower: Crometta S 240 1 jet
- shower head size 240 mm
- overhead shower angle adjustable
- spray type: Rain hand shower Crometta Vario EcoSmart
- shower head size: 100 mm
- spray type adjustment by turning spray disc
- spray type: Rain, IntenseRain
- Isiflex hose 160cm

Chrome 26742003








1,354.00

**RRP** 





**Showerpipe Reno EcoSmart** without shower components

- maximum flow rate at 0.3 MPa: 9 l/min installation type: exposed installation
- water inlet via top wall connection
- convenient diversion between showers by the Select button
- shower arm length: 390 mm
- slide inclination angle can be adjusted
- Isiflex hose 160cm

Chrome

27732003

1,243.00





326.00

413.00

### **RRP** (inc GST)

### finish code no **Rainfinity**



### Hand shower 130 3jet EcoSmart


- shower head size: 130 mm
- convenient diversion via Select button
- spray type: PowderRain, Intense PowderRain, MonoRain
- maximum flow rate at 3 bar: 9 l/min
- with internal water conduction
- rinseable dirt filter
- connection thread G ½connection
- suitable for continous flow water heaters

Chrome 26865000 Matt white


26865700








Matt white





- shower head size: 100 mm
- spray type: PowderRain maximum flow rate at 3 bar: 9 l/min
- with internal water conduction
- rinseable dirt filter

G1/2

- connection thread G 1/2 connection
- suitable for continous flow water heaters

Chrome

26867000

276.00










### Raindance Select E



## Hand shower 150 3jet EcoSmart

- hand shower with 2-shell construction
- shower head size: 150 mm convenient diversion via Select button
- spray type: RainAir, CaresseAir, Mix fflow rate at 3 bar:9 l/min
- with internal water conduction
- rinseable dirt filter
- connection thread G 1/2
- suitable for continous flow water heaters
- scope of supply: hand shower, filter seal, assembly instruction

Chrome

26551003

389.00
















### Hand shower 120 3jet EcoSmart 9 l/min

- shower head size: 120 mm
- convenient diversion via Select button
- spray type: Rain, RainAir, WhirlAir
- flow rate at 3 bar: 9 l/min
- with internal water conduction
- rinseable dirt filter
- connection thread G  $\frac{1}{2}$
- suitable for continous flow water heaters
- scope of supply: hand shower, filter seal, assembly instruction

Chrome

White/Chrome

26521003 26521400

288.00














### Raindance Select S



### Hand shower 150 3jet EcoSmart 9 l/min

- hand shower with 2-shell construction
- shower head size: 150 mm
- convenient diversion via Select button
- spray type: RainAir, CaresseAir, Mix flow rate at 3 bar: 9 l/min
- with internal water conduction
- rinseable dirt filter
- connection thread G  $\frac{1}{2}$
- suitable for continous flow water heaters
- scope of supply: hand shower, filter seal, assembly instruction

code no	(inc GST)
28588003	389.00
28588400	365.00
	28588003










**RRP** 









### Hand shower 120 3jet EcoSmart 9 l/min

- shower head size: 125 mm
- convenient diversion via Select button
- spray type: Rain, RainAir, WhirlAir
- flow rate at 3 bar: 9 1/min
- with internal water conduction
- rinseable dirt filter
- connection thread G  $\frac{1}{2}$
- suitable for continous flow water heaters scope of supply: hand shower, filter seal, assembly instruction

Chrome	26531003	302.00
Brushed Black Chrome	26531340	443.00
White/Chrome	26531400	288.00
Matt Black	26531670	407.00
Brushed Nickel	26531823	482.00
















### Hand shower 120 3jet EcoSmart 9 l/min PowderRain

- shower head size: 125 mm
- convenient diversion via Select button
- spray type: PowderRain, Rain, Whirl
- maximum flow rate at 3 bar: TBA
- with internal water conduction
- rinseable dirt filter
- connection thread G  $\frac{1}{2}$
- connection dimension: DN15
- suitable for continous flow water heaters

Chrome

26515000












### **Hand showers RRP**

(inc GST)

### finish code no **Pulsify Select S**





### Hand shower 105 3jet Activation **EcoSmart**

- shower head size: 105 mm
- spray type: PowderRain, IntenseRain, MonoRain
- convenient diversion via Select button
- spray disc surface: graphite
- maximum flow rate at 3 bar: 8,5 l/min
- flow rate Mono spray (at 3 bar): 8 l/min flow rate Rain spray (at 3 bar): 8,2 l/min
- minimum flow pressure: 1,5 bar
- with internal water conduction
- rinseable screen insert
- connection thread G 1/2
- connection dimension: DN15

Chrome	24101000	223.00
Matt Black	24101670	289.00
Matt White	24101700	289.00














### Hand shower 105 3jet Relaxation **EcoSmart**

- shower head size: 105 mm
- spray type: PowderRain, IntenseRain, Massage spray
- convenient diversion via Select button
- spray disc surface: graphite
- maximum flow rate at 3 bar: 8,2 l/min
- minimum flow pressure: 1,2 bar
- with internal water conduction
- rinseable screen insert
- connection thread G 1/2
- connection dimension: DN15



24111670 289.00 Matt White 24111700 289.00














### Hand shower 105 ljet Green

- shower head size: 105 mm spray type: PowderRain
- spray disc surface: graphite
- maximum flow rate at 3 bar: 5,7 l/min minimum flow pressure: 1 bar
- with internal water conduction
- rinseable screen insert
  - connection thread G  $\frac{1}{2}$
- connection dimension: DN15

Chrome

Matt White

Matt Black 24121670

219.00

24121000


24121700 219.00







### **Croma Select E**



### Hand shower Multi EcoSmart 9 I/min

- shower head size: 110 mm
- convenient diversion via Select button
- spray type: SoftRain, IntenseRain, Massage
- spray flow rate at 3 bar: 9 l/min
- with internal water conduction
- rinseable dirt filter
- connection thread G ½
- connection dimension: DN15
- suitable for continous flow water heaters

White/Chrome

finish

26811400

code no








213.00

**RRP** (inc GST)







### **Hand shower Vario EcoSmart** 9 l/min

- shower head size: 110 mm
- convenient diversion via Select button
- spray type: Rain, TurboRain, IntenseRain
- flow rate at 3 bar: 9 l/min
- with internal water conduction
- rinseable dirt filter
- connection thread G 1/2
- suitable for continous flow water heaters
- scope of supply: hand shower, filter seal, assembly instruction

White/Chrome

26813400

163.00
















# Hand shower 1 jet EcoSmart 9 I/min White/Chrome

- shower head size: 110 mm
- convenient diversion via Select button
- spray type: Rain
- flow rate at 3 bar: 9 l/min
- with internal water conduction
- rinseable dirt filter
- connection thread G ½
- suitable for continous flow water heaters
- scope of supply: hand shower, filter seal, assembly instruction

26815400

126.00










### **Croma Select S**





### Hand shower Multi EcoSmart 9 l/min

- shower head size: 110 mm
- convenient diversion via Select button
- spray type: SoftRain, IntenseRain,
- spray flow rate at 3 bar: 9 l/min with
- internal water conduction
- rinseable dirt filter
- connection thread G 1/2
- connection dimension: DN15
- suitable for continous flow water heaters

White/Chrome

26801400

213.00
















### **Hand shower Vario EcoSmart** 9 l/min

- shower head size: 110 mm
- convenient diversion via Select button
- spray type: Rain, TurboRain, IntenseRain flow rate at 3 bar: 9 l/min
- with internal water conduction
- rinseable dirt filter
- connection thread G 1/2
- suitable for continous flow water heaters
- scope of supply: hand shower, filter seal, assembly instruction

White/Chrome

26803400












(inc GST) code no

finish





# Hand shower 1 jet EcoSmart 9 I/min White/Chrome

- shower head size: 110 mm
- spray type: Rain
- flow rate at 3 bar: 9 l/min
- with internal water conduction
- rinseable dirt filter
- connection thread G  $\frac{1}{2}$
- suitable for continous flow water heaters
- scope of supply: hand shower, filter seal, assembly instruction

26805400








126.00



### **Crometta 100**





# **Hand shower 1 jet EcoSmart 9 I/min** white/Chrome shower head size: 100 mm

- spray type: Rain
- flow rate at 3 bar: 9 1/min
- with internal water conduction
- rinseable dirt filter
- connection thread G  $\frac{1}{2}$
- suitable for continous flow water heaters
- scope of supply: hand shower, filter seal, assembly instruction

26828400

70.00










### While stocks last. Phased out

### Crometta





### Hand shower Vario Green 6 l/min

- shower head size: 100 mm
- spray type adjustment by turning spray disc
- spray type: Rain, IntenseRain
- maximum flow rate at 3 bar: 6 l/min
- with internal water conduction
- rinseable dirt filter
- connection thread G 1/2
- connection dimension: DN15

suitable for continous flow water heaters

White/Chrome

26336400

75.00














### Hand shower 1jet Green 6 l/min

- shower head size: 100 mm
- spray type: Rain
- maximum flow rate at 3 bar: 6 l/min
- with internal water conduction
- rinseable dirt filter
- connection thread G 1/2 connection dimension: DN15
- suitable for continous flow water heaters

White/Chrome

26334400










	finish	code no	RRP (inc GST)
Dogs hand shower 150 3jet Select shower head size: 150 x 63 mm	Sky Blue	26640540	275.00
· spray type: fur spray, leg spray, paw	Pink	26640560	275.00
convenient diversion via Select button	Matt Black	26640670	275.00
minimum function point for proper	Matt White	26640700	275.00
minimum function point for proper function in I/min: 5,7 I/min operating pressure: min. 0.2 MPa/max. 0.6 MPa minimum flow pressure: 1 bar elongated, brush-like nozzles (1,5 cm) for thorough cleaning with massage effect ergonomic design Water Boost: boost function to increase waterflow when needed suitable for continous flow water heaters connection dimension: DN15 rinseable screen seal non-return valve  Optional parts: Quick coupling Set	function in I/min: 5,7 I/min operating pressure: min. 0.2 MPa/max. 0.6 MPa minimum flow pressure: 1 bar elongated, brush-like nozzles (1,5 cm) for thorough cleaning with massage effect ergonomic design Water Boost: boost function to increase waterflow when needed suitable for continous flow water heaters connection dimension: DN15 rinseable screen seal non-return valve	Select Se	
Quick coupling Set  - enables quick and easy changing of hand showers - material: plastic - connection dimension DN15		28346000	41.00
	shower head size: 150 x 63 mm spray type: fur spray, leg spray, paw spray convenient diversion via Select button maximum flow rate at 3 bar: 7,6 l/min minimum function point for proper function in l/min: 5,7 l/min operating pressure: min. 0.2 MPa/max. 0.6 MPa minimum flow pressure: 1 bar elongated, brush-like nozzles (1,5 cm) for thorough cleaning with massage effect ergonomic design Water Boost: boost function to increase waterflow when needed suitable for continous flow water heaters connection dimension: DN15 rinseable screen seal non-return valve  Optional parts: Quick coupling Set enables quick and easy changing of hand showers material: plastic	Pogs hand shower 150 3jet Select shower head size: 150 x 63 mm spray type: fur spray, leg spray, paw spray convenient diversion via Select button maximum flow rate at 3 bar: 7,6 l/min minimum function point for proper function in l/min: 5,7 l/min operating pressure: min. 0.2 MPa/max. 0.6 MPa minimum flow pressure: 1 bar elongated, brush-like nozzles (1,5 cm) for thorough cleaning with massage effect ergonomic design Water Boost: boost function to increase waterflow when needed suitable for continous flow water heaters connection dimension: DN15 rinseable screen seal non-return valve  Optional parts: Quick coupling Set enables quick and easy changing of hand showers material: plastic	Pogs hand shower 150 3jet Select shower head size: 150 x 63 mm spray type: fur spray, leg spray, paw spray convenient diversion via Select button maximum flow rate at 3 bar: 7,6 l/min minimum function point for proper function in l/min: 5,7 l/min operating pressure: min. 0.2 MPa/max. 0.6 MPa minimum flow pressure: 1 bar elongated, brush-like nozzles (1,5 cm) for thorough cleaning with massage effect ergonomic design Water Boost: boost function to increase waterflow when needed suitable for continous flow water heaters connection dimension: DN15 rinseable screen seal non-return valve  Optional parts: Quick coupling Set enables quick and easy changing of hand showers material: plastic

### **Porter**






### **Shower holder rim mounted**

- · 30° angle of handshower
- · 2000mm metal hose
- · 32mmØ cut out for tiled surface or bath
- maintenance opening/access preferred

finish

Chrome






### Wall outlet Q with shower holder

- consists of: wall connector, escutcheon version: plastic housing with internal
- water supply made of plastic
- fixed holding position for all Hansgrohe hand showers except AXOR Starck hand shower
- for hoses with conical nut
- material: plastic with non-return valve
- connection type: G ½ male
  - wall connection to be plumbed with female thread

Chrome	26887000	264.00
Brushed Bronze	26887140	396.00
Brushed Black Chrome	26887340	396.00
Matt Black	26887670	370.00
Matt White	26887700	370.00






### Wall outlet S with shower holder

- consists of: wall connector, escutcheon
   version: plastic housing with internal water supply made of plastic
   fixed holding position
- for all Hansgrohe hand showers except AXOR Starck hand shower
- for hoses with conical nutmaterial: plastic
- with non-return valve
- connection type: G ½ male
   wall connection to be plumbed with female thread

Chrome	26888000	264.00
Brushed Bronze	26888140	396.00
Brushed Black Chrome	26888340	396.00
Matt Black	26888670	370.00
Matt White	26888700	370.00






### Wall outlet E with shower holder

- · consists of: wall connector, escutcheon · version: plastic housing with internal water supply made of plastic
- fixed holding position
- for all Hansgrohe hand showers except AXOR Starck hand shower
- for hoses with conical nut
- · material: plastic
- with non-return valve
- connection type: G ½ male
- wall connection to be plumbed with female thread

Chrome	26889000	264.00
Brushed Bronze	26889140	396.00
Brushed Black Chrome	26889340	396.00
Matt Black	26889670	370.00
Matt White	26889700	370.00






### **Shower holder Porter S**

- fixed holding position for hoses with conical nut
- scope of supply: shower holder, mounting material, assembly instruction

Chrome	28331000	78.00
Brushed Black Chrome	28331340	123.00
Matt White	28331700	113.00
Matt Black	28331670	113.00
Brushed Nickel	28331820	122.00






### Rainfinity Shower holder Porter E

- fixed holding position
- for hoses with conical nut


Chrome	28387000	150.00
Brushed Black Chrome	28387340	235.00
Matt White	28387700	213.00
Matt Black	28387670	213.00

Measurements at scale drawings are in mm.



# Shower hoses and accessories RRP code no (inc GST)

FixFit wall outlets			finish	code no	RRP (inc GST)
FIAFII WOII OUTIETS	<b>41→ 41→</b>	FixFit PuraVida 1/2" male/female elbow	Chrome	27414003	141.00
	\$\frac{1}{4}\frac{1}{4	with non return valve connection dimension DN15	While sto	ck lasts. Ph	nased out
	₩	FixFit Starck · non-return valve · male connection  Required parts: · Hose connection elbow	Brushed Nickel	27451820 93276000	135.00
1				73270000	42.00
	₩	FixFit S 1/2" male/female elbow with non return valve connection dimension DN 15	Chrome	27453003	113.00
		Fig.Fig.Co., walk as in a comparison would			
	±	FixFit S synthetic connection angle  plastic connection angle  non-return valve	Brushed Black Chrome		131.00
Y	38 + G V4	male connection	Matt Black Matt White	26453670 26453700	121.00 121.00
		Required parts:  Hose connection elbow	-	93276000	42.00
9	0 40 N	FixFit E  1/2" male/female elbow with non return valve material: brass	Chrome	27459000	91.00
		FixFit Square	Chrome	26455003	87.00
	411	· 1/2" male/female elbow · with non return valve	Brushed Bronze	26455143	126.00
	4 9	connection dimension DN15 connection thread G ½	Brushed Black Chrome	26455343	126.00
	G 1/2 4 64		Matt Black	26455673	118.00
	O		Matt White	26455703	118.00
			Polished Gold Optic	26455993	126.00



(inc GST)

1,329.00

1,329.00

978.00

978.00

978.00

code no

27645000

27645400

\*While stocks last. Phased out


27640000

27640000

27640400

\*While stocks last. Phased out

### Unica E shower bar



# Shower bar E 150 cm with shower

pivot connectors prevent hose from tangling

90° position adjustable slider, pivots left and right, up and down shelf: shelf made of safety glass

wall bar type: flat aluminium profile with safety glass finish

41 mm

fully chrome-plated shower slide

self-locking slide

slide inclination angle steplessly adjustable

wall supports of plastic

2x Casetta' E soap dish

finish: chrome, white or black

### **Alternative sizes:**

	White/Chrome*	27640400	978.00
Optional parts:	_		
· Soap dish E	Chrome	26511000	213.00

Chrome


Chrome

White/Chrome\*

finish

Chrome

White/Chrome\*



### Shower bar E 90 cm with shower hose

pivot connectors prevent hose from tangling

90° position adjustable slider, pivots left and right, up and down shelf: shelf made of safety glass

wall bar type: flat aluminium profile with safety glass finish

41 mm

fully chrome-plated shower slide self-locking slide

slide inclination angle steplessly adjustable

chrome-plated wall supports of plastic

1x Casetta' E soap dish

finish: chrome, white or black

### Consisting of:

Shower hose 160 cm (# 28276000)

Soap dish E (# 26511000)


### **Alternative sizes:**

Optional parts:			
	White/Chrome*	27645400	1,329.00
$\cdot$ Shower bar E 150 cm with shower hose	Chrome	27645000	1,329.00

213.00 Soap dish E Chrome 26511000


RRP finish code no (inc GST)						
Unica E Comfort sh	35	25	Shower bar Comfort 90 cm  consists of: shower bar, slider  TÜV certifiedwallbar could be also used as grab bar  90° position adjustable slider, pivots left and right, up and down  Fully chrome-plated metal shower slide bar width: 25 mm material: solid brass chrome-plated wall supports of metal	Chrome	26402000	616.00
			Optional parts:	Chrome	26401000	577.00
		T <b>⊲</b> 93▶	Grab handle Comfort with shelf and shower holder	White/Chrome	26328400	470.00
@			Foot support Comfort  Shower bar Comfort 65 cm	Chrome	26329000	477.00
	35 - 55 - 55 - 55 - 55 - 55 - 55 - 55 -	0 25	consists of: shower bar, slider TÜV certified wallbar could be also used as grap bar 90° position adjustable slider, pivots left and right, up and down fully chrome-plated metal shower slide bar width: 25 mm material: solid brass chrome-plated wall supports of metal	Chrome	26401000	577.00
0	<u> </u>	5 8 49.3 ►	Shower bar Comfort 65 cm  Optional parts:	Chrome	26402000	616.00
			Grab handle Comfort with shelf and shower holder	White/Chrome	26328400	470.00
			· Foot support Comfort	Chrome	26329000	477.00
	335 300 300 300 300 300 300 300 300 300	3 3 4 4 55 4 4 55 4 4 55 4 4 55 4 5 5 4 5	Grab handle Comfort with shelf and shower holder  consists of: grab bar, shelf, shower holder  TÜV certified  shower holder can be installed on both sides  shower holder can be removed  shelf made of plastic, finish white  shelf can be removed for cleaning  fixed holding position  for hoses with conical nut  bar width: 25 mm  brass  scope of supply: grab bar, escutcheons, mounting material, assembly instruction	White/Chrome	26328400	470.00
			· Foot support Comfort	Chrome	26329000	477.00

			finish	code no	RRP (inc GST)
A A	227 192 192 192 107 107 107 107 107	Foot support Comfort  TÜV certified  antislip foot rest  metal  scope of supply: foot support, escutcheons, mounting material, assembly instruction	Chrome	26329000	477.00
	335 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 1	Shower bar Comfort 110 cm left consists of: shower bar, shelf, slider TÜV certified shower holder can be removed wallbar could be also used as grap bar shelf made of plastic, finish white shelf can be removed for cleaning 90° position adjustable slider, pivots left and right, up and down fully chrome-plated metal shower slide bar width: 25 mm material: solid brass chrome-plated wall supports of metal scope of supply: shower bar, mounting material, assembly instruction	Chrome	26403400	978.00
		Shower bar Comfort 110 cm right	White/Chrome	26404400	978.00
		Optional parts:			
		· Foot support Comfort	Chrome	26329000	477.00
	0 25 - 17 - 18 - 17 - 18 - 17 - 18 - 18 - 18	Shower bar Comfort 110 cm right consists of: shower bar, shelf, slider TÜV certified shower holder can be removed wallbar could be also used as grap bar shelf made of plastic, finish white shelf can be removed for cleaning 90° position adjustable slider, pivots left and right, up and down fully chrome-plated metal shower slide bar width: 25 mm material: solid brass chrome-plated wall supports of metal scope of supply: shower bar, mounting material, assembly instruction  Alternative products:	White/Chrome	26404400	978.00
		Shower bar Comfort 110 cm left  Optional parts:	White/Chrome	26403400	978.00
		Foot support Comfort	Chrome	26329000	477.00



			~	onower sets / 3i	RRP
Soap dishes ——			finish	code no	(inc GST)
	200	Cassetta Soap dish E Unica E length 200 mm material: flat aluminium profile with safety glass finish shelf finish: chrome, white or black	Chrome	26511000	213.00
	\$\frac{130}{4}\$\$\$\$\frac{38}{4}\$	Cassetta Soap dish S Puro  • purpose of use: for shower bars with Ø 22 mm  • material: plastic • removable • self-draining soap dish for Unica S and C wallbars	Chrome	28679000	126.00
	140 © 0 N 0 N 127	Cassetta Soap dish E  · purpose of use: for shower bars with Ø 22 mm  · material: plastic  · removable	Chrome	26519000	66.00
	140	Cassetta Soap dish C  · purpose of use: for shower bars with Ø 22 mm  · removable	Chrome	28678000	52.00

**RRP** finish (inc GST) code no **Rainfinity** 



### Shower set 130 3jet with shower bar 65cm

- consists of: hand shower, shower bar, shower hose, slider
- shower head size: 130 mm
- spray type: Mono, PowderRain, IntensePowderRain
- convenient diversion via Select button pivot connector prevent hose from tangling
- 90° position adjustable hand shower
- holder, pivots left and right, up and down maximum flow rate at 3 bar: 9 l/min
- wall bar type: chrome-plated brass pipe
- bar width: 22 mm
- fully chrome-plated shower slide
- slide inclination angle steplessly adjustable

- S Puro shower bar 65 with hose
- Rainfinity Hand shower 130 3jet
- FixFit S



















### Shower set 130 3jet with shower bar 65cm

- consists of: hand shower, shower bar, shower hose, slider shower head size: 130 mm
- spray type: Mono, PowderRain, IntensePowderRain
- convenient diversion via Select button
- pivot connector prevent hose from
- 90° position adjustable hand shower holder, pivots left and right, up and down maximum flow rate at 3 bar: 9 l/min
- wall bar type: chrome-plated brass pipe bar width: 22 mm
- fully chrome-plated shower slide
- slide inclination angle steplessly adjustable

### Required parts:

- S Puro shower bar 65 with hose
- Rainfinity Hand shower 130 3jet
- FixFit S
- Hose connection elbow












28632700	530.00
26865700	413.00
26453700	121.00
93276000	42.00

code no

### Raindance Select E shower sets



### Shower set 150 3jet with shower bar 65 cm and soap dish

- Raindance E150 Handshower
- hand shower with 2-shell construction
- shower head size: 150 mm
- convenient diversion via Select button
- spray type: RainAir, CaresseAir, Mix
- with internal water conduction
- connection thread G 1/2
- Unica S Puro wallbar 65cm Isiflex hose 1600mm
- Cassetta E soap dish
- includes FixFit S

### Chrome 26635003

741.00 White/Chrome 26635403 741.00



finish








(inc GST)



While stocks last. Phased out



### Shower set 120 3jet EcoSmart 9 I/min with shower bar 65 cm and soap dish

- Raindance E120 Handshower
- hand shower with 2-shell construction
- shower head size: 120 mm
- convenient diversion via Select button
- spray type: RainAir, Rain, Massage with internal water conduction
- connection thread G  $\frac{1}{2}$
- Unica S Puro wallbar 65cm
- Isiflex hose 1600mm
- Cassetta E soap dish
- includes FixFit S

Chrome 26622003 White/Chrome\* 26622403

Brushed Nickel 26622823









589.00


616.00

1,203.00



\*While stocks last. Phased out

### Raindance Select S shower sets



### Shower set 150 3jet with shower bar 65 cm and soap dish

- Raindance \$150 Handshower
- hand shower with 2-shell construction
- shower head size: 150 mm
- convenient diversion via Select button
- spray type: RainAir, Rain, Massage
- with internal water conduction
- connection thread G ½
- Unica S Puro wallbar 65cm
- Isiflex hose 1600mm
- Cassetta S Puro soap dish
- includes FixFit S

Chrome

26634003

690.00














While stocks last. Phased out



### Shower set 120 3jet with shower bar 90cm and Soap dish

- consists of: hand shower, shower bar, shower hose, hand shower holder, soap dish
- shower head size: 125 mm spray type: Rain, RainAir, Whirl
- shelf made of safety glass
- convenient diversion via Select button
- pivot connector prevent hose from
- 90° position adjustable hand shower holder, pivots left and right, up and down
- maximum flow rate at 3 bar: 9 l/min
- bar width: 41 mm
- profile stand pipe: square wall supports of plastic
- wall bar type: flat aluminium profile with safety glass finish

### FixFit not included

### Required parts:

FixFit S

finish Chrome

27649000

code no

(inc GST) 1,186.00

**RRP** 












27453003

113.00



### Shower set 120 3jet PowderRain with shower bar 90cm

- spray type: PowderRain, Rain, Whirl
- convenient diversion via Select button
- shower head size: 125 mm
- wall bar length 90 cm
- pivot connectors prevent hose from tangling
- 90° position adjustable slider, pivots left and right, up and down
- maximum flow rate at 0.3 MPa: 9 l/min
- bar width: 22 mm
- wall supports of plastic
- wall mounting: screw fastening
  FixFit not included

### Required parts:

FixFit S

Chrome

27667007

653.00












27453003

113.00





### Shower set 120 3jet PowderRain with shower bar 65cm

- spray type: PowderRain, Rain, Whirl
- convenient diversion via Select button
- shower head size: 125 mm
- wall bar length 65 cm
- pivot connectors prevent hose from
- tangling 90° pos position adjustable slider, pivots left and right, up and down
- maximum flow rate at 0.3 MPa: 9 l/min
- bar width: 22 mm
- wall supports of plastic
- wall mounting: screw fastening
  FixFit not included

### Required parts:

FixFit S

Chrome



27654007





627.00

27453003

### Shower sets / Shower bars **RRP**

code no

max. 310→
0.25
▼ 153 ►

### Shower set 120 3jet EcoSmart 9 I/min with shower bar 65 cm and soap dish

- Raindance S120 Handshower
- hand shower with 2-shell construction
- shower head size: 120 mm
- convenient diversion via Select button
- spray type: RainAir, Rain, Massage
- with internal water conduction
- connection thread G 1/2
- Unica S Puro wallbar 65cm
- Isiflex hose 1600mm
- Cassetta E soap dish
- includes FixFit S

		•	•
Chrome	26632003		589.00
Brushed Black Chrome	26632343		930.00
White/Chrome	26632403		616.00
Brushed Nickel	26632823	1	,203.00



finish








(inc GST)





### **Pulsify Select S**



699

### Shower set 105 3jet Relaxation with shower bar 65 cm

- consists of: hand shower, slider, shower bar, shower hose
- shower head size: 105 mm
- spray type: PowderRain, IntenseRain, Massage spray
- convenient diversion via Select button
- wall supports of plastic stand pipe length: 669 mm
- shower bar diameter: 22 mm
- profile stand pipe: round
- drilling distance 625 mm
- height-adjustable slider with locking push-button slider
- includes Fixfit S

Chrome	24161003	468.00
Matt Black	24161673	655.00
Matt White	24161703	655.00













- consists of: hand shower, slider, shower bar, shower hose
- shower head size: 105 mm
- spray type: PowderRain
- wall supports of plastic
- stand pipe length: 669 mm shower bar diameter: 22 mm
- profile stand pipe: round
- drilling distance 625 mm
- height-adjustable slider with locking push-button slider
- includes Fixfit S

Chrome	24311003	429.00
Matt Black	24311673	616.00
Matt White	24311703	616.00
		_










# **Croma Select E shower sets**



### Shower set Multi EcoSmart 9 l/min with shower bar 65 cm

- spray type: IntenseRain, Massage spray, SoftRain
- convenient diversion via Select button
- pivot connectors prevent hose from tangling
- 90° position adjustable slider,
- pivots left and right, up and down maximum flow rate at 0.3 MPa: 9 l/min
- chrome-plated wall supports of plastic
- Unica Croma wallbar 65cm
- Isiflex hose 1600mm
- includes FixFit S

finish Chrome

26581403

code no

470.00

**RRP** (inc GST)














### Shower set Vario EcoSmart 9 I/min Chrome with shower bar 65 cm

- Croma Select E Vario Handshower
- spray type: Rain, TurboRain, IntenseRain
- convenient diversion via Select button
- pivot connectors prevent hose from tangling
- slide inclination angle can be adjusted
- maximum flow rate (at 0.3 MPa): 9 1/min
- chrome-plated wall supports of plastic
- Unica Croma wallbar 65cm
- Isiflex hose 1600mm

### FixFit not included

### Required parts:

FixFit S

26583400

351.00
















27453003 113.00



### Shower set 1jet EcoSmart 9 l/min with shower bar 65 cm

- Croma Select E 1Jet Handshower
- spray type: Rain
- convenient diversion via Select button
- pivot connectors prevent hose from tangling
- slide inclination angle can be adjusted
- maximum flow rate (at 0.3 MPa): 9 1/min
- chrome-plated wall supports of plastic
- Unica Croma wallbar 65cm
- Isiflex hose 1600mm

## FixFit not included





White/Chrome





26585400





314.00



### Required parts:


FixFit S

27453003

Shower sets / Shower bars **RRP** finish code no (inc GST) **Croma Select S shower sets** Shower set Vario EcoSmart 9 l/min White/Chrome351.00 26563400 304 with shower bar 65 cm **←** 201 **→** Croma Select S Vario Handshower spray type: Rain, TurboRain, IntenseRain convenient diversion via Select button shower head size: 110 mm pivot connectors prevent hose from tangling slide inclination angle can be adjusted by 45° 699 625 maximum flow rate (at 0.3 MPa): 9 l/min chrome-plated wall supports of plastic Unica Croma wallbar 65cm Ø 22 Isiflex hose 1600mm FixFit not included 22 Required parts: 27453003 · FixFit S 113.00 Shower set 1jet EcoSmart 9 l/min 304 White/Chrome 26565400 314.00 with shower bar 65 cm - 201 -Croma Select S 1Jet Handshower spray type: Rain shower head size: 110 mm pivot connectors prevent hose from tangling slide inclination angle can be adjusted by 45° 625 699 maximum flow rate (at 0.3 MPa): 9 l/min chrome-plated wall supports of plastic Unica Croma wallbar 65cm Isiflex hose 1600mm Ø 22 FixFit not included

**Required parts:** 

FixFit S



27453003

# Crometta 281 165-699 625 Ø 22

Shower set Vario Green 6 l/min with shower bar 65 cm

consists of: hand shower, shower bar, shower hose, slider

shower head size: 100 mm

spray type: Rain, IntenseRain

spray type adjustment by turning spray

pivot connector prevents hose from tangling

slide inclination angle can be adjusted

maximum flow rate at 3 bar: 6 l/min bar width: 22 mm

FixFit not included

### Required parts:

FixFit S

White/Chrome

finish

26555400

code no

176.00

**RRP** 

(inc GST)










27453003

113.00



Shower set 1jet Green 6 I/min with White/Chrome shower bar 65 cm

consists of: hand shower, shower bar,

shower hose, slider

shower head size: 100 mm

spray type: Rain

pivot connector prevents hose from tangling

slide inclination angle can be adjusted by 45°

maximum flow rate at 3 bar: 6 l/min bar width: 22 mm

wall supports of plastic

FixFit not included

Required parts:

FixFit S

26554400

163.00










27453003

### **RRP** code no (inc GST)

### **Rainmaker Select**



### Overhead shower 580 3jet EcoSmart 9 I/min

- shower head size: 560 x 260 mm
- spray type: Rain, RainFlow, MonoRain
- flow rate Rain spray (at 0.3 MPa): 9 1/
- flow rate Mono spray (at 0.3 MPa): 9 1/min
- flow rate RainFlow spray (at 0.3 MPa): 9.5 l/min
- easy cleanable glass spray disc
- material spray disc: safety glass
- spray disc removable for cleaning
- connection dimension: DN15

### Required parts:

Basic set iBox universal

White /Chrome


finish

24011400





8,215.00



### Overhead shower 460 3jet EcoSmart 9 I/min with shower arm

- shower head size: 466 x 300 mm
- shower arm length: 461 mm
- spray type: Rain, RainStream, MonoRain
- flow rate Rain spray (at 0.3 MPa): 9 1/
- flow rate RainStream spray (at 0.3 MPa): 9 I/min
- flow rate Mono spray (at 0.3 MPa): 9 1/min
- easy cleanable glass spray disc
- material spray disc: safety glass
- spray disc removable for cleaning
- overhead shower for cleaning removable

Basic set iBox universal

White /Chrome

24017400

01800180

7,475.00








197.00



### Required parts:

01800180

197.00



### Overhead shower 460 3jet **EcoSmart 9 I/min with ceiling** connector

- shower head size: 460 x 300 mm
- spray type: Rain, RainStream, MonoRain
- flow rate Rain spray (at 0.3 MPa): 9 1/
- flow rate RainStream spray (at 0.3 MPa): 9 I/min
- flow rate Mono spray (at 0.3 MPa): 9 1/ mineasy cleanable glass spray disc
- material spray disc: safety glass spray disc removable for cleaning
- overhead shower for cleaning removable
- brass ceilling connector
- ceiling connection length: 100 mm
- connection dimension: DN15

shower with ceiling connector

White /Chrome

24016400

7,099.00












Rainmaker Select Basic set for overhead

24010180

752.00



### Overhead shower 460 2jet EcoSmart 9 I/min with shower arm

- shower head size: 466 x 300 mm
- shower arm length: 461 mm
- spray type: Rain, RainStream
- flow rate Rain spray (at 0.3 MPa): 9 1/ min
- flow rate RainStream spray (at 0.3 MPa): 9 I/min
- easy cleanable glass spray disc
- material spray disc: safety glass
- spray disc removable for cleaning
- overhead shower for cleaning removable

### Required parts:

Basic set iBox universal

White /Chrome

24015400

6,723.00










01800180



### Overhead shower 460 2jet EcoSmart 9 I/min with ceiling connector

- shower head size: 460 x 300 mm
- spray type: Rain, RainStream
- flow rate Rain spray (at 0.3 MPa): 9 1/
- flow rate RainStream spray (at 0.3 MPa): 9 I/min
- material spray disc: safety glass
- spray disc removable for cleaning
- overhead shower for cleaning removable
- brass ceilling connector
- ceiling connection length: 100 mm
- connection dimension: DN15

### Required parts:

Rainmaker Select Basic set for overhead shower with ceiling connector

White /Chrome

finish

24014400

code no




**RRP** 

(inc GST)





24010180 752.00



### Overhead shower 460 ljet EcoSmart 9 I/min with shower arm

- shower head size: 460 x 270 mm
- shower arm length: 460 mm
- spray type: Rain flow rate Rain spray (at 0.3 MPa): 9 1/
- easy cleanable glass spray disc
- material spray disc: safety glass
- spray disc removable for cleaning
- overhead shower for cleaning removable
- installation: wall
- connection dimension: DN15
- connection thread G ½ male
- wall connection to be plumbed with female thread

White /Chrome

24013400


5,230.00











### Overhead shower 460 ljet EcoSmart 9 I/min with ceiling connector

- shower head size: 460 x 270 mm
- spray type: Rain
- flow rate Rain spray (at 0.3 MPa): 9 1/
- easy cleanable glass spray disc
- material spray disc: safety glass
- spray disc removable for cleaning
- overhead shower for cleaning removable
- brass ceilling connector
- ceiling connection length: 100 mm
- installation: ceiling connection thread G ½
- connection dimension: DN15

### Required parts:

Rainmaker Select Basic set for overhead shower with ceiling connector

White /Chrome

24012400

4,865.00









24010180

### **Overhead showers RRP**

26233007

26233707

### finish code no (inc GST) Rainfinity



### Overhead shower 250 3jet with wall connector

consists of: overhead shower, wall outlet projection 273 mm

spray type: PowderRain, Intense PowderRain, RainStream

middle spray disc: 151 mm

shower head size: 250 mm

shower arm vertically inclinable by 10-30°

maximum flow rate at 3 bar: 9 l/min

flow rate RainStream spray (at 3 bar): 9 l/min

flow rate Intense PowderRain (at 3bar): 9 1/min

flow rate PowderRain spray (at 0.3 MPa): 9 I/min

the 3 spray zones must be controlled via 3 valves or a diverter valve with 3 outlets

Select button on thermostat

spray disc surface: graphite material spray disc: aluminium

overhead shower removable for cleaning

frame: metal

connection dimension: DN15

### Required parts:

Basic set iBox universal

Matt white

Chrome








3,327.00

4,325.00



01800180

197.00



### Overhead shower 250 1jet with wall connector

consists of: overhead shower, wall outlet

projection 273 mm

spray type: PowderRain

middle spray disc: 151 mm

shower head size: 250 mm

shower arm vertically inclinable by 10-30°

maximum flow rate at 3 bar: 9 l/min

spray disc surface: graphite

material spray disc: aluminium

overhead shower removable for cleaning

installation: wall

connection thread G ½ male

wall connection to be plumbed with 1/2" female thread in the wall and a 13mm - 28mm clearance from tile face

connection dimension: DN15

Chrome Matt white 26227007 26227707 2,319.00 3,016.00














### Overhead shower 250 ljet

spray type: PowderRain shower head size: 250 mm

ball-joint: overhead shower angle

(2 x 5°) adjustable

maximum flow rate at 3 bar: 9 l/min

spray disc surface: graphite

material spray disc: aluminium

overhead shower removable for cleaning

installation: ceiling or wall, Tool-free assembly and disassembly

connection thread G 1/2

connection dimension: DN15

Chrome Matt white

26229007 26229707






1,951.00

2,534.00



### Raindance Select S





## Overhead shower 240 2jet 2.5

- shower head size: 240 mm
- spray type: RainAir, Rain
- maximum flow rate at 0.3 MPa: 9.5 l/min
- Select button on overhead shower
- fully chrome-plated spray disc
- spray disc removeable for cleaning installation: ceiling or wall
- connection thread G ½

finish Chrome

26469001

code no







1,291.00


**RRP** 

(inc GST)



### Raindance 260 x 260 mm





### Overhead shower 260/260 ljet EcoSmart 9 I/min

- shower head size: 240 mm
- spray type: RainAir
- flow rate RainAir spray (at 0.3 MPa): 9 |/ min
- fully chrome-plated spray disc
- material spray disc: metal spray disc removeable for cleaning installation: flush with the ceiling
- connection thread G 1/2
- connection dimension: DN15
- scope of supply: overhead shower, mounting material, assembly instruction
- not included: basic set

Basic set for overhead shower 260/260

Chrome

26481000

1,368.00














### Required parts:

26471180

314.00






Basic set for overhead shower 260/260 ljet

26471180

### code no (inc GST)

### Raindance E



### Overhead shower 400/400 1jet **EcoSmart 9 I/min**

- shower head size: 400 x 400 mm
- spray type: RainAir
- maximum flow rate at 0.3 MPa: 9 I/min
- flow rate RainAir spray (at 0.3 MPa): 8 I/min
- material spray disc: metal
- installation: flush with the ceiling connection thread G ½connection
- dimension: DN15

### **Required parts:**

Basic set for overhead shower 400/400

Chrome 26253000



finish








2,621.00




26254180 389.00



### Basic set for overhead shower 400/400 ljet

26254180

389.00



## Overhead shower 360 1jet 2.5

- shower head size: 360 x 190 mm
- spray type: RainAir
- maximum flow rate at 0.3 MPa: 9.5 l/min
- fully chrome-plated spray disc
- material spray disc: metal
- installation: ceiling or wall connection thread G ½
- suitable for continuous flow water heaters with an output of 18 kW

Chrome Brushed Nickel 27381001 27381821 1,517.00 2,224.00









### Raindance S



### Overhead shower 240 1jet **PowderRain**

- shower head size: 240 mm
- ball-joint: overhead shower
- angle adjustable
- spray type: PowderRain maximum flow rate at 0.3 MPa: 9 I/min
- fully chrome-plated spray disc
- material spray disc: metal installation: ceiling or wall
- connection thread G 1/2

Chrome 27624001

Brushed Black Chrome 27624341

1,154.00 1,747.00

**RRP** 

(inc GST)






code no









### Overhead shower 180 1jet **PowderRain**

- shower head size: 180 mm ball-joint: overhead shower
- angle adjustable
- spray type: PowderRain maximum flow rate at 0.3 MPa: 9 I/min
- fully chrome-plated spray disc
- material spray disc: metal installation: ceiling or wall connection thread G ½

Chrome

finish

27629019

853.00










While stocks last. Phased out

### Raindance





### Overhead shower 240 ljet

- shower head size: 240 mm
- spray type: RainAir XL
- flow rate RainAir spray (at 0.3 MPa):
- installation: wall
- connection dimension: DN15

Chrome

27461003

1,185.00














### **Overhead showers**

### RRP Croma Overhead shower 280 1jet EcoSmart 9 I/min



-			.,		
	shower	r head	size	: 280	mm
		_			

- spray type: RainAir flow rate RainAir spray (at 0.3 MPa):
- 9 1/ min
- fully chrome-plated spray disc
- material spray disc: metal
- spray disc removeable for cleaning installation: ceiling or wall
- connection thread G 1/2
- connection dimension: DN15
- scope of supply: overhead shower, filter seal, assembly instruction

finish	code no	(inc GST)
Chrome	26221000	844.00
Brushed Bronze	26221140	1,601.00
Brushed Black Chrome	26221340	1,601.00
Matt Black	26221670	1,182.00
Matt White	26221700	1,182.00
Brushed Nickel	26221820	1,281.00
Polished Gold Optic*	26221990	1,601.00












### **Croma Select E**





### Overhead shower 180 2jet EcoSmart 9 I/min

- shower head size: 180 x 180 mm
- overhead shower angle adjustable
- spray type: Rain, IntenseRain
- flow rate Rain spray (at 0.3 MPa): 9 1/
- flow rate IntenseRain spray (at 0.3 MPa): 9 l/min
- Select button on overhead shower
- spray disc
- connection thread G  $\frac{1}{2}$
- connection dimension: DN15

Chrome White/Chrome\* 26528000 26528400 778.00 778.00










### **Croma Select S**





### Overhead shower 180 2jet EcoSmart 9 I/min

- shower head size: 180 mm
- spray type: Rain, IntenseRain
- flow rate Rain spray (at 0.3 MPa): 9 1/
- flow rate IntenseRain spray (at 0.3 MPa): 9 I/min
- Select button on overhead shower
- material spray disc: plastic
- installation: ceiling or wall connection thread G ½connection
- dimension: DN15

Chrome


26523000











### code no

(inc GST) 28462000 188.00








### **Overhead shower Vario EcoSmart** 9 I/min

shower head size: 100 mm

- spray type: Massage spray, Shampoo spray, normal spray, Rain ball-joint: overhead shower angle
- adjustable
- maximum flow rate at 3 bar: 9 l/min adjustment with shift on overhead shower
- grey spray disc
- material spray disc: plastic
- installation: ceiling or wall connection thread G ½
- connection dimension: DN15
- suitable for continuous flow water heaters with an output of 18 kW

### **Crometta S**

Croma 100



IMPORTANT NOTE: MALE CONNECTION

THREAD ON PRODUCT

-Ø 100 →

### Overhead shower 240 ljet EcoSmart 9 I/min

- shower head size: 240 mm
- spray type: Rain
- flow rate Rain spray (at 0.3 MPa): 9 1/ min
- fully chrome-plated spray disc
- material spray disc: plastic installation: ceiling or wall
- connection thread G ½
- scope of supply: overhead shower, filter seal, assembly instruction

Chrome

finish

Chrome

Matt Black


26724000 26724670 665.00 865.00







### **Crometta E**



### Overhead shower 240 ljet EcoSmart 9 I/min

- shower head size: 240 x 240 mm
- spray type: Rain
- flow rate Rain spray (at 0.3 MPa): 9 1/ min
- fully chrome-plated spray disc
- material spray disc: plastic installation: ceiling or wall
- connection thread G ½
- scope of supply: overhead shower, filter seal, assembly instruction

Chrome

Matt Black

26727670

26727000

665.00







### Shower arms for overhead showers





### Shower arm DN15 241mm projection

- escutcheon, wall connector plate
- wall-mounted
- version: 90° angle connection thread G ½

code no

27409003

While stocks last. Phased out

finish

Chrome

**RRP** 

(inc GST)

201.00





### Shower arm 38.9 cm

- escutcheon, wall connector plate

wall-mounled				
version: 90° angle				
connection thread G 1/2				

Chrome	27413003	217.00
Brushed Black Chrome	27413343	511.00
Brushed Nickel	27413823	322.00



### Shower arm 38.9 ci


- length: 389 mm
- wall-mounted
- installation type: exposed installation version: 90° angle connection thread G ½ **male**

- connection dimension DN15

:m	Matt Black	27413670	306.00
	Matt White	27413700	306.00

### Ceiling connectors for overhead showers






### Ceiling connector 10 cm

- escutcheon
- length 100 mm
- purpose of use: also usable as an extension
- installation type: exposed installation
- material: brass
- shaft Ø 27 mm
- connection thread G 1/2
- connection dimension G 1/2

27479000 188.00 Chrome

Marked for phase out 30/06/2023






# Ceiling connector \$ 10 cm length: 100 mm shaft Ø: 27 mm

- purpose of use: also usable as an
- extension
- installation type: exposed installation
- connection thread G 1/2
- connection dimension DN15

Chrome	27393000	187.00
Brushed Bronze	27393140	279.00
Brushed Black Chrome	27393340	279.00
Matt Black	27393670	261.00
Matt White	27393700	261.00
Polished Gold Optic	27393990	279.00

### **Overhead showers** RRP






# Ceiling connector \$ 30 cm length 300 mm material: brass

- connection thread G  $\frac{1}{2}$
- connection dimension DN15

finish	code no	(inc GST)
Chrome	27389000	214.00
Brushed Black Chrome	27389340	335.00
Matt Black	27389670	300.00
Matt White	27389700	351.00
Brushed Nickel	27389820	479.00






# Ceiling connector E 30 cm length 300 mm

- material: brass
- connection thread G  $\frac{1}{2}$
- connection dimension DN15

### **Body showers**





### **Body shower 1jet**

- side shower angle adjustable
- spray type: normal spray flow rate normal spray (at 0.3 MPa): 6 1/ min
- grey spray disc
- connection thread: G ½ male
- scope of supply: body shower, escutcheon, assembly instruction

### **Alternative products:**

Body shower 1 jet stop

Chrome

Chrome

28466000

27388000

326.00

251.00



Chrome 28467000 376.00

### **RRP** finish (inc GST) code no **Basic sets** Basic set iBox universal 197.00 01800180 adjustable clamping collar seal connection thread Rp 3/4 suitable for all shower, bath tub and thermostat finish sets for concealed installation rotationally-symmetric installation sound-decoupled installation connection dimension: DN15/DN20 - 80 **→** Basic set iBox universal with shut-01850180 393.00 off unit seal adjustable clamping collar connection thread Rp 3/4 suitable for all shower, bath tub and thermostat finish sets for concealed installation sound-decoupled installation connection dimension: DN15/DN20 **Extension iBox universal Basic Set** 13595000 160.00 25 |◄-2.5cm Extension for Basic Set Extension length: 25mm Fastening rail set for iBox universal 113.00 96615000 Extension for Basic Set Extension length: 25mm **4**−Ø 101 → Basic set for bath mixer floor-10452180 1,108.00 -Ø 94 standing for mounting on unfinished floor suitable for all finish sets for free-standing bath faucets connection dimension: DN15 Basic set for single lever shower 13620180 197.00 mixer for concealed installation ceramic cartridge connection dimension: DN15

13622180

130 Rp 1/2- 6 & 2
111 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1

# Basic set for single lever basin mixer for concealed installation wall-mounted

- · scope of supply: with flush valve
- variable positioning of the mixer system, can be left or right of the spout

finish

connection dimension: DN15

15930180

15981180

15984180

812.00

516.00

507.00

184.00

283.00

443.00






# Basic set for Quattro four-way diverter valve for concealed installation

- requires volume control
- scope of supply: ceramic cartridge, seal
- · 3 outlets
- · simultaneous utilization by 2 outlets
- · suitable for all Quattro finish sets
- · flow rate: 65 l/min
- connection dimension: DN20






## Basic set for Trio shut-off/ diverter valve for concealed installation

- · scope of supply: ceramic cartridge, seal
- 2 outlets
- simultaneous utilization by 2 outlets
- suitable for all Trio finish sets
- · flow rate: 65 l/min
- connection dimension: DN20





# Basic set for Duo diverter valve for concealed installation

- · scope of supply: basic set, seal
- 2 outlets
- suitable for all Trio finish sets
- · flow rate: 65 l/min
- connection dimension: DN20





# Waste set push-open for basin mixers


- operation with pressure plug
- for basins with overflow hole
- · brass
- drain plug material brass
- connection dimension G 11/4
- scope of supply: waste and overflow system, assembly instruction

 Chrome
 50100000

 Brushed Black Chrome
 50100340

 Matt Black
 50100670

Matt Black 50100670 260.00
Matt White 50100700 260.00




## Waste set Pop-up for basin and bidet mixers

operation via pull-rod

- for basins with overflow hole
- · brass
- · drain plug material brass
- connection dimension G 11/4

Chrome 94139000 201.00



Bathtub filler and push-open waste set
suitable for standard bath tubs
supply hose water connection left DN20

Chrome

finish

code no 58129003

(inc GST) 418.00

RRP

- with integrated overflow adjustable direction of water with waterfall spray
- push waste complies with AS3718 & WMTS 040

- Consisting of:
  Finish set bath filler (# 58112000
  Waste set push-open for bath tubs (# 50107000)

# Rainfinity

**Accessories RRP** finish code no (inc GST)

26844000

26844700


828.00

1,079.00

Chrome

Matt white

Shelf 500



- surface of the shelf at colour variant
  -000 = mirror glass, at colour variant
  -700 = graphite colour, satined
  shelf made of safety glass
  material

- wall-mounted length 500 mm

# Accessories

8	Towel hook material: brass	Chrome	40511000	66.00
442▶	· material holder: metal · wall-mounted	Brushed Nickel	40511820	91.00
0 120 - 120	Soap dish  · material: brass, crystal glass  · material holder: metal  · wall-mounted	Chrome Brushed Nickel	40515000 40515820	240.00 351.00
128	Liquid soap dispenser  material: brass, crystal glass material holder: metal filling capacity 125 ml dosage 1.5 ml wall-mounted	Chrome Brushed Nickel	40514000 40514820	376.00 564.00
102	Toothbrush tumbler  material: brass, crystal glass material holder: metal wall-mounted	Chrome Brushed Nickel	40518000 40518820	240.00 351.00
P	Toilet brush with tumbler wall-mounted  scope of supply: brush material: brass, crystal glass material holder: metal wall-mounted  Optional parts:	Chrome Brushed Nickel	40522000 40522820	428.00 639.00
12 - 4 - 5 83 - 120 - 12	Replacement toilet brush without stick	White	40088000	57.00
	128 128 128 128 125 ml 125 ml 102 102 102 103 104 104 105 105 105 105 105 105 105 105	Soap dish  material: brass, crystal glass material holder: metal wall-mounted  Liquid soap dispenser material: brass, crystal glass material holder: metal filling capacity 125 ml dosage 1.5 ml wall-mounted  Toothbrush tumbler material: brass, crystal glass material holder: metal wall-mounted  Toilet brush with tumbler wall-mounted scope of supply: brush material: brass, crystal glass material: brass,	Soap dish material: brass, crystal glass material holder: metal wall-mounted  Liquid soap dispenser material holder: metal filling capacity 125 ml dosage 1.5 ml wall-mounted  Toothbrush tumbler material holder: metal wall-mounted  Toothbrush tumbler material holder: metal wall-mounted  Toothbrush tumbler material holder: metal wall-mounted  Toilet brush with tumbler wall-mounted  Toilet brush with tumbler wall-mounted  Toilet brush with tumbler wall-mounted scope of supply: brush material: brass, crystal glass material holder: metal wall-mounted  Scope of supply: brush material: brass, crystal glass material holder: metal wall-mounted Wall-mounted Robert Brushed Nickel  Chrome Brushed Nickel  White	Soap dish material: brass, crystal glass moterial holder: metal vall-mounted    Chrome   A0515000

188.00


282.00

251.00 260.00

354.00

#### finish code no (inc GST) Soap dispensers





A41	Soap	/ lotion	dispenser
-----	------	----------	-----------

- suitable for matched design to selected kichen mixers
- projection 91 mm material: durable metal construction
- non-corroding outlet pipe

- filling capacity 500 ml dosage 2 ml easy to fill up from the top
- for installation in worktops up to 55 mm
- easy installation without tools needed mounting hole with 28 35 mm diameter

Chrome	40448000	263.00
Stainless Steel Optic	40448800	338.00


40438670

40438000

40438340

40438670





# A51 Soap/ lotion dispenser

- suitable for matched design to selected kichen mixers projection 91 mm
- material: durable metal construction
- non-corroding outlet pipe filling capacity 500 ml
- dosage 2 ml
- easy to fill up from the top for installation in worktops up to 55 mm
- easy installation without tools needed
- mounting hole with 28 35 mm diameter needed





Chrome Brushed Black


Stainless Steel Optic 40438800

Chrome


Matt Black


Matt Black







# **Accessories RRP** finish code no (inc GST) **Logis Universal Towel hook** Chrome 41711000 26.00 scope of supply: mounting material material: brass material holder: metal wall-mounted Double towel hook 52.00 Chrome 41725000 scope of supply: mounting material material: brass material holder: metal wall-mounted **Towel ring** 91.00 Chrome 41724000 scope of supply: mounting material material: brass material holder: metal wall-mounted **Corner basket** 41710000 91.00 Chrome








		finish	code no	Accessorie: RRP (inc GST)
3.44	Double bath towel rail  scope of supply: mounting material material: brass material holder: metal length 600 mm wall-mounted	Chrome	41712000	176.00
100 SH 10	Towel rack with towel holder scope of supply: mounting material material: brass material holder: metal length 600 mm wall-mounted	Chrome	41720000	240.00
346	Grab rail  scope of supply: mounting material material: brass material holder: metal length 345 mm drilling distance 300 mm wall-mounted TÜV certified	Chrome	41713000	141.00
227 204 W 9.5 W 9.	Shaving mirror  scope of supply: mounting material inclinable material: metal wall-mounted enlargement: 3 x magnification swivelling	Chrome	73561000	213.00
	Bath-accessory set 3 in 1  consists of: double bath towel rail, roll holder, toilet brush  Consisting of:  Double bath towel rail (# 41712000) Roll holder with cover (# 41723000) Toilet brush with tumbler wall-mounted (# 41722000)	Chrome	41727000	376.00







		finish	code no	Accessories RRP (inc GST)
	Grab bar	Chrome	41744000	152.00
	drilling distance 327 mm wall-mounted	Brushed Bronze	41744140	228.00
	length 348 mm TÜV certified	Brushed Black Chrome	41744340	244.00
	10 v Cerimed	Matt Black	41744670	213.00
348		Matt White	41744700	213.00
25 4 48 48 48 48 48 48 48 48 48 48 48 48 4		Polished Gold Optic	41744990	228.00
↓↓ ↓ ↓ ★ 40▶	Roll holder without cover	Chrome	41771000	107.00
	wall-mounted	Brushed Bronze	41771140	161.00
26 8 26 8		Brushed Black Chrome	41771340	170.00
53(+)		Matt Black	41771670	149.00
141		Matt White	41771700	149.00
		Polished Gold Optic	41771990	161.00
<b>←</b> 80 <b>→</b>	Roll holder with shelf	Chrome	41772000	149.00
	· wall-mounted	Brushed Bronze	41772140	223.00
20 48		Brushed Black Chrome	41772340	240.00
141		Matt Black	41772670	209.00
		Matt White	41772700	209.00
		Polished Gold Optic	41772990	223.00
le 172 N ← 116 →	Roll holder with cover	Chrome	41753000	149.00
153 440	· wall-mounted	Brushed Bronze	41753140	223.00
109 48		Brushed Black Chrome	41753340	240.00
141		Matt Black	41753670	209.00
9		Matt White	41753700	209.00
		Polished Gold Optic	41753990	223.00
	Double roll holder	Chrome	41748000	96.00
	wall-mounted for 2 paper rolls	Brushed Bronze	41748140	143.00
		Brushed Black Chrome	41748340	151.00
		Matt Black	41748670	133.00
300		Matt White	41748700	133.00
26 48 78 78		Polished Gold Optic	41748990	143.00

				finish	code no	RRP (inc GST
	NIZIA	Nizla	Spare roll holder · wall-mounted	Chrome	41756000	96.00
	<b>A</b>		wall-mounted	Brushed Bronze	41756140	143.00
				Brushed Black Chrome	41756340	151.00
	115			Matt Black	41756670	133.00
	<b>↓</b>			Matt White	41756700	133.00
					41756990	143.00
	26 48	33 —		Tolished Gold Opine	41730770	140.00
1			Toilet brush holder wall-mounted	Chrome	41752000	135.00
			material: metal, glass wall-mounted	Brushed Bronze	41752140	201.00
			Wall moonled	Brushed Black Chrome	41752340	214.00
		- 218		Matt Black	41752670	187.00
	Ø 15 →	4.00		Matt White	41752700	187.00
	<sup>★</sup>			Polished Gold Optic	41752990	201.00
	26 - 105 -	120				
		64-1	Liquid soap dispenser	Chrome	41745000	135.00
	<b>†</b>	<b>◆</b> 54	wall-mounted filling capacity 200 ml	Brushed Bronze	41745140	201.0
#	J. H.	二	· dosage 2 ml	Brushed Black Chrome	41745340	214.0
	4 8 9 Ø <b>→</b>	20 m		Matt Black	41745670	187.0
	<u>↓</u>	1/V		Matt White	41745700	187.0
	26 - 81	91 →		Polished Gold Optic	41745990	201.00
			Soap dish	Chrome	41746000	96.00
	Ø 107	109	material: metal, glass wall-mounted	Brushed Bronze	41746140	143.00
	<b>₹</b>		waii-iiooniea	Brushed Black Chrome	41746340	151.00
	26 ← ↑ →	91		Matt Black	41746670	133.00
				Matt White	41746700	133.00
					41746990	143.0
	<b>4</b> Ø 68 <b>▶</b>	- 54 <b>-▶</b>	Toothbrush tumbler	Chrome	41749000	96.0
	<b>†</b>		· wall-mounted	Brushed Bronze	41749140	143.0
	0,000	<u> </u>		Brushed Black Chrome	41749340	151.0
	S To The State of	33		Matt Black	41749670	133.0
	26 - 99	91 →		Matt White	41749700	133.0

# **Accessories RRP** (inc GST)






# Sanitary bag dispenser

- suitable for: customary sanitary bag boxes
- wall mounting: adhesive attachement, screw fastening
- horizontal or vertical installation
- drilling distance: 90 mm
- easy removal of the lid for easy filling

finish	code no	(inc GST)
Chrome	41773000	68.00
Brushed Bronze	41773140	101.00
Brushed Black Chrome	41773340	107.00
Matt Black	41773670	94.00
Matt White	41773700	94.00
Polished Gold Optic	41773990	101.00






# Tissue box

- suitable for customary tissue boxes
- wall mounting: adhesive attachement, screw fastening
- drilling distance 200 mm
- horizontal or vertical installation


Chrome	41774000	147.00
Brushed Bronze	41774140	218.00
Brushed Black Chrome	41774340	233.00
Matt Black	41774670	204.00
Matt White	41774700	204.00
Polished Gold Optic	41774990	218.00






# **Pedal Bin**

- capacity: 3 l
- shape: round
- deck mounted
- softclose function guarantees
- a quiet closing of the lid
- removable synthetic bucket with handle








# **Shaving mirror with LED light**

- inclinable
- material: metal
- illuminant: max. 2 W  $(21 \times 0.08 \text{ W / LED})$
- input voltage: 100 240 V AC / 50 / 60 Hz
- output voltage: 12 V DC wall-mounted
- cavity socket required for installation
- enlargement: 3 x magnification
- swivelling
- illuminated enlargement mirror
- TÜV certified

Chrome	41790000	464.00
Brushed Bronze	41790140	696.00
Brushed Black Chrome	41790340	742.00
Matt Black	41790670	649.00
Matt White	41790700	649.00
Polished Gold Optic	41790990	696.00






# Shaving mirror inclinable

- material: metal
- wall-mounted
- enlargement:  $3 \times magnification$
- swivelling TÜV certified

Chrome	41791000	228.00
Brushed Bronze	41791140	476.00
Brushed Black Chrome	41791340	506.00
Matt Black	41791670	320.00
Matt White	41791700	320.00
Polished Gold Optic	41791990	476.00

# Aquno Select M81



# M81 Single lever kitchen mixer 170, pull-out spout, 3 jet, sBox

finish

Chrome

Matt Black

Stainless Steel

- consists of: single lever kitchen mixer, hose box, multifunctional strainer
- ComfortZone 170
- swivel range adjustable in 3 steps 60°, 110° or 150°
- laminar spray and shower spray, SatinFlow
- change between SatinFlow and pull-out spray at the touch of a button
- lockable shower spray, spray returns through pressing spray diverter
- MagFit magnetic shower support
- connection dimension: DN15
- ceramic cartridge
- connection type: G 3% connections (G 1/2adaptors provided in the box)
- integrated non-return valve
- sBox for quiet, smooth and protected hose guidance in the cabinet, under the countertop
- tap hole with Ø 35 mm required, recommendation: the middle of tap hole drilling should be max. 45 mm from the back side of of the bowl
- diverter function will not work where water pressure exceeds 5 Bars (500kpa)
- Important Note: Per Australian Standard 3500, operating water pressure must not exceed 500 kpa. The diverter function is designed to operate only within these water pressure standards.

# **Included products:**

· F14 Multifunctional strainer

#### 70.00 Matt Black 40963000 70.00 Matt Black 40963000





# F14 Multifunctional strainer

- ideal to clean fruits and vegetables or to pour out noodles
- suitable for kitchen sinks with a depth of 400~mm and 406~mm
- material: plastic

Chrome Stainless Steel

1,794.00 73816003 73816803 2,689.00











**RRP** 

(inc GST)

2,117.00

2,904.00

2,723.00

code no


73831003

73831673

73831803



# **Metris Select**




# M71 Single lever kitchen mixer **320, pull-out spray, 2jet, sBox** consists of: single lever kitchen mixer,

- hose box
- ComfortZone 320
- swivel range adjustable in 2 steps to 110° or 150° laminar spray and shower
- lockable shower spray, spray returns through pressing spray diverter and spray returns automatically through
- handle closing Select button for a comfortable start/stop of the water flow
- MagFit magnetic shower support
- quick connect hose
- connection dimension: DN15
- ceramic cartridge
- connection type: G 1/2 connections
- integrated non-return valve
- suitable for continuous flow water
- sBox for quiet, smooth and protected hose guidance in the cabinet, under the countertop, with extension length up to 76 cm
- tap hole with Ø 35 mm required

Measurements at scale drawings are in mm.

finish

# Talis Select S



# M51 Single lever kitchen mixer 300 Chrome with pull-out spout

ComfortZone 300

- swivel range 110° / 150°
- vertical handle position
- normal spray
  Select button for a comfortable start/stop of the water flow
- MagFit magnetic shower support
- connection dimension: DN15 flow rate 7 l/min
- ceramic cartridge
- connection type: G ½ connections
- integrated non-return valve
- suitable for continuous flow water heaters

72821003

1,455.00
















# M51 Single lever kitchen mixer 300 Chrome

ComfortZone 300

- swivel range adjustable in 3 steps 110°, 150° or 360°
- vertical handle position
- normal spray
  Select button for a comfortable start/stop of the water flow
- connection dimension: DN15
- flow rate 7 l/min ceramic cartridge
- connection type: G 1/2 connections
- integrated non-return valve
- suitable for continuous flow water heaters

72820003


1,392.00







Talis S -



# M51 Single lever kitchen mixer 200 Chrome with pull-out spray ComfortZone 200

- swivel range 110° / 150°
- vertical handle position
- normal and spray jet
- lockable shower spray, spray returns through pressing spray diverter
- MagFit magnetic shower support quick connect shower hose
- connection dimension: DN15
- flow rate  $7 \, l/min$
- ceramic cartridge
- connection type: G 1/2 connections
- integrated non-return valve
- suitable for continuous flow water heaters

Stainless Steel

72813003

1,154.00 1,500.00

72813803















- vertical handle position
- normal spray
- connection dimension: DN15 flow rate 7 l/min
- ceramic cartridge
- connection type: G ½ connections
- suitable for continuous flow water heaters

















# **Talis** NEW COLOUR M54 Single lever kitchen mixer 210, pull out spout, 2 jet ComfortZone 210

swivel range adjustable in 4 steps 60°, 110°, 150° or 360° laminar spray and shower spray

lockable shower spray, spray returns through pressing spray diverter and spray returns automatically through handle closing

quick connect hose

connection dimension: DN15

maximum flow rate at 3 bar: 6 l/min

ceramic cartridge

connection type: G 3/8 connections

integrated non-return valve

suitable for continuous flow water

tap hole with Ø 35 mm required

code no	(inc GST)
72800003	992.00
72800673	1,291.00
72800803	1,291.00
	72800003 72800673








**RRP** 





M54 Single lever kitchen mixer 210, pull out spout, 1 jet

ComfortZone 210 swivel range adjustable in 4 steps 60°, 110°, 150° or 360°

laminar spray

quick connect hose

connection dimension: DN15

maximum flow rate at 3 bar: 6 l/min

ceramic cartridge

integrated non-return valve

suitable for continuous flow water

connection type: G 3/8 connections

tap hole with Ø 35 mm required

Chrome Matt Black 72802003 72802673


853.00 1,103.00











M54 Single lever kitchen mixer 220, ljet

ComfortZone 220

swivel range adjustable in 4 steps 60°, 110°, 150° or 360°

laminar spray

connection dimension: DN15

maximum flow rate at 3 bar: 4.5 l/min

ceramic cartridge

connection type: G 3/8 connection

suitable for continuous flow water

tap hole with Ø 35 mm required

Chrome Matt Black

72804003 72804673 Stainless Steel 72804803







678.00

891.00



finish

### Focus •

# M41 Single lever kitchen mixer 320 Chrome

swivel range adjustable in 2 steps to 110° or 150°

- normal spray
- connection dimension: DN15
- flow rate 6.8 l/min
- ceramic cartridge
- connection type: G 1/2 connections

14881003


1,179.00







# While stocks last. Phased out



# M41 Single lever kitchen mixer 240 Chrome

- with pull-out spray swivel range 150°
- verticle handle position
- laminar spray and shower spray
- lockable shower spray, spray returns through pressing spray diverter
- MagFit magnetic shower support
- quick connect shower hose
- connection dimension: DN15
- flow rate 7 l/min
- ceramic cartridge
- connection type: G ½ connections
- integrated non-return valve
- suitable for continuous flow water heaters

31815003


Brushed Black Chrome 31815343 1,337.00

Stainless Steel 31815803 1,158.00



891.00





## M41 Single lever kitchen mixer 280 Chrome\*

L-spout

swivel range adjustable in 3 steps 110°, Brushed Black Chrome 31817343 150° or 360°

handle can be positioned on the right or left

laminar spray

connection dimension: DN15 flow rate 7 l/min

- ceramic cartridge connection type: G ½ connections
- suitable for continuous flow water heaters

31817003


702.00 1,053.00





# \*While stocks last. Phased out

31820003



# M41 Single lever kitchen mixer 260 Chrome

ComfortZone 260

swivel range adjustable in 3 steps 110°, Brushed Black Chrome 31820343 150° or 360°

handle can be positioned on the right or left

normal spray

connection dimension: DN15

flow rate 7 l/min

ceramic cartridge

connection type: G ½ connections

suitable for continuous flow water heaters









653.00



# Zesis

# M33 Single lever kitchen mixer 150, pull-out spray, 2jet ComfortZone 150

- swivel range 150°
- laminar spray, shower spray
- lockable shower spray, spray returns through pressing spray diverter and spray returns automatically through handle closing quick connect hose
- connection dimension: DN15
- ceramic cartridge
- connection type: G 3/8 connections
- temperature limitation adjustable
- integrated non-return valve
- suitable for continuous flow water heaters
- extension length up to 50 cm

**RRP** finish (inc GST) code no Chrome 74800003 575.00

74800673





797.00



## M33 Single lever kitchen mixer 150, ljet

- ComfortZone 150
- swivel range adjustable in 3 steps 60°,  $110^{\circ}$  or  $360^{\circ}$
- normal spray connection dimension: DN15
- ceramic cartridge
- connection type: G 3% connections temperature limitation adjustable
- suitable for continuous flow water

Chrome Matt Black

Matt Black


74802003 74802673 415.00 575.00







# Logis



# M31 Single lever kitchen mixer 260 Chrome

- ComfortZone 260
- swivel range adjustable in 3 steps 110°, 150° or 360°
- handle can be positioned on the right or left
- normal spray connection dimension: DN15
- flow rate 7 l/min
- ceramic cartridge
- connection type: G ½ connections
- suitable for continuous flow water

71835003








finish

code no (inc GST)





# M31 Single lever kitchen mixer 160 Chrome ComfortZone 160 swivel range 360°

- normal spray connection dimension: DN15 flow rate 7 l/min ceramic cartridge

- connection type: G  $\frac{1}{2}$  connections
- suitable for continuous flow water heaters

71832003


376.00











# M31 Single lever kitchen mixer 120 Chrome ComfortZone 120

- swivel range 360°
- normal spray connection dimension: DN15 flow rate 7 I/min

- ceramic cartridge connection type: G ½ connections
- suitable for continuous flow water heaters










# Soap dispensers






# A41 Soap/ lotion dispenser

- suitable for matched design to selected kichen mixers
- projection 91 mm
- material: durable metal construction
- non-corroding outlet pipe filling capacity 500 ml dosage 2 ml easy to fill up from the top

- for installation in worktops up to 55 mm
- easy installation without tools needed
- mounting hole with 28 35 mm diameter

finish	code no	RRP (inc GST)
Chrome	40438000	188.00
Brushed Black Chrome	40438340	282.00
Stainless Steel Optic	40438800	251.00
Matt Black	40438670	260.00






# A51 Soap/ lotion dispenser

- suitable for matched design to selected kichen mixers
- projection 91 mm material: durable metal construction
- non-corroding outlet pipe
- filling capacity 500 ml
- dosage 2 ml
- easy to fill up from the top for installation in worktops up to 55 mm
- easy installation without tools needed
- mounting hole with 28 35 mm diameter needed

Chrome	40448000	263.00
Stainless Steel Optic	40448800	338.00
Matt Black	40438670	354 00





# A71 Soap/ lotion dispenser

- suitable for matched design to selected kichen mixers
- projection 91 mm
- material: durable metal construction
- non-corroding outlet pipe
- filling capacity 500 ml dosage 2 ml
- easy to fill up from the top
- for installation in worktops up to 55 mm
- easy installation without tools needed
- mounting hole with 28 35 mm diameter needed

Chrome	40468000	263.00
Stainless Steel Optic	40468800	338.00
Matt Black	40468670	354.00

# General Terms and Conditions of Business of Hansgrohe Pty Ltd

As of: June 2021

I. Applicability

- Unless expressly agreed in writing otherwise, these General Terms and Conditions of Business ("GTC") of Hansgrohe Pty Ltd ("Seller") shall apply to all contracts for the supply of goods by the seller to a customer (the Buyer). The Buyer warrants and represents that it is purchasing goods from the Seller in the course of Buyer's business for resupply to its customers.

  The GTC together with the specific terms contained in an accepted order constitute a contract between the Seller and the Buyer. In the event of any
- conflict between a term of the GTC and the terms of an accepted order, the terms of the accepted order shall prevail

#### II. Formation of contract

- Any quotation prepared by the Seller is not an offer and it may be withdrawn or altered without notice. Submission of an order by the Buyer constitutes an offer that may be accepted by the Seller unless the order is revoked in writing prior to acceptance. The Seller is under no obligation to accept any orders from the Buyer and the Seller may do so in its absolute discretion.
- In the event of any dispute as to the terms of an order, the documents provided by the Seller during the order process, such as images and drawings, as well as technical details and specifications, shall be decisive.

- III. Scope of delivery, transportation and passing of risk
  Delivery of the goods will be to the agreed point of shipment. The risk in the goods shall pass to the Buyer on shipment of the goods. If the shipment is delayed by the conduct of the Buyer or due to circumstances for which the Seller is not culpable, then the risk shall pass to the Buyer upon notification
- by the Seller of readiness for delivery.

  To the extent not otherwise stipulated, the Buyer shall take out transportation insurance at its own expense on the basis of customary terms and conditions therefore, which insurance shall cover transportation risk of the goods encompassed by the order from the place of shipment to the stipulated destination location. The expenses of transportation shall be borne by the Buyer.

3. In the event that an agreement is reached on trade terms, the latest version of Incoterms shall apply.

The Seller, acting reasonably, shall have the right to make partial deliveries and issue partial invoices prior to the expiration of the delivery deadline. If the shipment or the delivery of the goods is delayed at the wish of the Buyer or due to circumstances which originate in the Buyer's sphere of risk and responsibility, then the Buyer will be liable on demand to reimburse the Seller for any loss arising from the delay in delivery. This may include without limitation any warehousing expenses that have arisen, as well as the costs of interest on the capital invested in the goods. Notwithstanding the foregoing, the Seller shall have the right, after setting a reasonable deadline to dispose of the goods and to deliver substitute goods to the Buyer within a reasonably extended deadline or to cancel the contract.

Seller will procure that the products shipped by Seller to the Buyer comply with the laws and regulations of the country / countries designated by the Buyer. In case the Buyer - after receipt of the products - exports the products to third countries it is the obligation of the Buyer to make sure that the próducts comply with the applicable local laws and regulations of such countries with regard to the products. If, however, the Buyer chooses to export products to third countries, the Buyer is solely responsible for any and all liability resulting from any non-compliance of the products.

IV. Delivery deadlines and operational disruptions

- A delivery deadline shall not commence until after the Seller has received all information required to effect the delivery and until after any applicable down payment has been made. A delivery deadline is complied with if the delivery is brought to dispatch within the deadline or if notification has been made of the readiness for delivery.
- Delivery deadlines shall be extended upon the occurrence of any circumstances for which the Seller or its suppliers are not culpable (including, without limitation industrial unrest, force majeure, and other operational disruptions for which the Seller or its suppliers are not responsible or over which the Seller or its suppliers have no reasonable control) for the duration of the operational disruption. The Seller shall inform the Buyer about the prospective operational disruption and set a new delivery date. If the goods are undeliverable even by the new delivery deadline, then both parties shall have the right to cancel the contract, in whole or in part; any consideration of the Buyer's already rendered shall be reimbursed without undue delay.

- V. Prices and ancillary expenses

  1. Deliveries shall be effected at the prices current upon entering into the contract, in accordance with the Seller's confirmation of the order. All prices shall be valid ex works/place of delivery. For Buyers resident in Australia, all prices shall be understood to be in Australian Dollars, insofar as not otherwise marked, as well as any statutory import value-added tax and any other taxes as provided by law (e.g., customs duties, fees) in the respectively valid amount. For Buyers resident in New Zealand and Fiji, all prices shall be understood to be in New Zealand Dollars, insofar as not otherwise marked, but excludes any statutory value-added tax and any other taxes (e.g., customs duties, fees). Unless otherwise stated, all prices stated by the Seller are exclusive of GST. In addition to any amounts payable by the Buyer to the Seller, the Buyer must pay to the Seller an additional amount on account of GST.

- The Seller will issue the Buyer a tax invoice in the form required by the GST Law where applicable.

  The Buyer must pay GST, without deduction or set off of any other amounts, at the same time and on the same basis as the Buyer pays the
- The Buyer indemnifies the Seller for any loss that the Seller may incur as a result of the incorrect payment or non-payment of any GST and associated fees or penalties. 5
- a failure of the Buyer to comply with its obligations under the GTC, the Buyer must pay to the Seller an additional amount on demand equal to the amount of those penalties and interest.
- The Seller reserves the right to reasonably raise the stipulated prices for a time period of more than four (4) months if, after entering into the contract, increased costs occur, including, but not limited to, those due to collective bargaining agreements, market-based acquisition prices, or increases in the price of materials. These shall be substantiated upon demand to the person or party placing the order.
- Unless agreed otherwise, for Buyers resident in Australia, delivery terms are FIS (Free into Store) subject to minimum order values as stated in the agreed Terms and Conditions with the Seller, below which, a delivery surcharge shall be added to the invoice which the Buyer is liable to pay the Seller. Any costs and fees for express delivery of goods requested by the Buyer, shall always be borne by the Buyer. For Buyers resident in New Zealand and Fiji, the Buyer is liable to pay a freight surcharge according to the mode of delivery.

VI. Payment and default

Payments are to be rendered to the Seller without any deduction, as specified in the invoice (unless otherwise pre-agreed by the Seller in the Terms and Conditions with the Buyer), immediately after receipt of the invoice and delivery of the goods to the Buyer, unless credit terms are granted in the terms and conditions agreed with the Buyer. The Seller shall, however, at all times (for example for large project orders or credit limits being exceeded or account overdues), have the right to require pre-payment before any obligation to deliver the goods arises. The Seller, acting reasonably, may determine the method of payment. If the Seller in its discretion decides to accept payment by cheque, payment shall only be deemed to have occurred after the cheque has been redeemed. The Buyer may not deduct, and must bear, any expenses (including bank charges) that may apply in respect of a particular method of payment. The Seller may offset any payment received by the Buyer against any debt owned to the Seller by the Buyer.

In the event of a payment default, the Buyer shall be liable for statutory default interest charged.

The Buyer shall be entitled to rights of setoff vis-à-vis the Seller's claims only if the counterclaim is undisputed or has been judicially determined. This provision shall not apply to the extent that the counterclaim directly concerns the Seller's primary performance duty arisina from the same Payments are to be rendered to the Seller without any deduction, as specified in the invoice (unless otherwise pre-agreed by the Seller in the

This provision shall not apply to the extent that the counterclaim directly concerns the Seller's primary performance duty arising from the same contract.

> Price Book 2023 163

# **General Terms and Conditions**

Any assignment of claims shall require the consent of the Seller.

If, after entering into the agreement or after delivery of the goods, the Seller forms the view that the Buyer is not or is no longer creditworthy, for example if any invoices despite reminders have not been paid; or the Buyer is subject to an Insolvency Event, then the Seller shall be able to immediately assert claims even for receivables not yet mature and for such receivables for which a cheque was given. In these instances, for still-undelivered goods the Seller shall be able to demand pre-payment, the rendering of a security, or delivery based solely upon cashon-delivery. If the Buyer does not comply with this demand within the reasonable deadline established for it, then the Seller shall have the right to cancel the contract.

# VII. Retention of title

The Seller shall retain title to the delivered goods until full payment in respect of the goods has been received by the Seller. To secure payment of the monies due to the Seller under the GTC, the Buyer grants a Security Interest in the purchased goods and the proceeds of sale of those goods to the Seller. Any proceeds of sale of the goods must be held on trust for the Seller and kept separate from the Buyer's own funds until full payment of the goods has been received by the Seller.

While any amount or obligation of the Buyer under the GTC remains unsatisfied, the Buyer:

- authorises the Seller (at the sole cost of the Buyer) to do anything which the Seller considers reasonably necessary or desirable to effect the registration of its Security Interest on the Personal Property Securities Register to ensure that it is enforceable, perfected and otherwise effective and the Buyer agrees to provide all assistance required by the Seller to facilitate this;
- for Buyers resident in Australia, must not assign or grant a security interest over any accounts or other proceeds relating to the sale of the goods and must immediately provide the Seller with a copy of any notice the Buyer receives under section 64 of the Personal Property Securities Act 2009 (Cth) (PPSA AU);

irrevocably authorises the Seller to repossess any or all of the goods, to enter upon any premises where the Seller reasonably believes any of the goods are located and remove them and obtain any necessary consent from any other person to enable this to occur; and acknowledges that the Seller may immediately upon the Buyer breaching these Terms (or any other agreement between the Seller and Buyer relating to payment for any goods that are subject to a Security Interest granted to the Seller under these terms) take any action to

enforce its Security Interest without demand or notice (to the extent permitted by law).

To the extent the law permits, the Buyer agrees to waive its rights to receive from the Seller any notice required to be provided under the PPSA AU and agrees that sections 142 and 143 of the PPSA AU do not apply to these Terms and that the Seller need not comply with sections 95, 125, 130, 132(3)(d), 132(4) of the PPSA AU.

# VIII. Limitation of liability

Subject to clause VIII 5 and any other applicable legislation:
a. Under no circumstances will the Seller be liable to the customer for any indirect and consequential loss, loss of revenue, profits, anticipated savings, goodwill or business opportunity, injury to the Buyer's reputation

Subject to clause VIII 2. the Buyer acknowledges and agrees that the Seller, its employees, contractors and/or agents will not be liable to the Buyer for any loss howsoever arising including from breach of contract, under tort, under statue or otherwise.

Clause VIII 1 b. does not apply to any liability for death or personal injury to the extent caused by the Seller's negligence or willful misconduct. The Seller's liability to the Buyer for loss or damage of any kind is reduced to the extent (if any) that the Buyer causes or contributes to the loss or damage. This reduction applies whether the Seller's liability is in contract, tort (including negligence), under any statute or otherwise.

The Seller excludes to the fullest extent possible under law, all implied terms and warranties whether statutory or otherwise.

For Buyers resident in Australia, in circumstances where the Consumer Guarantees are applicable, to the maximum extent permitted by law the Seller limits its liability for a breach of a Consumer Guarantee to replacing the relevant goods or refunding the price of the relevant goods (at the Seller's election) in accordance with section 64A of the ACL.

For Buyers resident in New Zealand, the Consumer Guarantees apply where the Buyer acquires the goods as a Consumer. In circumstances where the Consumer Guarantees are applicable, and the Buyer is buying for a business purpose then to the maximum extent permitted by law the Seller limits its liability for a breach of a Consumer Guarantee to replacing the relevant goods or refunding the price of the relevant goods (at the Seller's election) in accordance with section 43 of the CGA.

# IX. Returns

Goods delivered by the Seller that are not defective shall not be taken back, unless there exists an appropriate claim of the Buyer.

If, by way of exception in the individual case, the Seller in its absolute discretion decides to accept a return of goods that are not defective, then, to the extent permitted by law, appropriate recompense (30% of the purchase price paid by the Buyer for the Goods) shall be levied for this purpose within the framework of a corresponding agreement. Further recompense shall be applicable as determined by the Seller, if the returned Goods are received not in original condition but with damage or missing parts. The risk of transportation and the costs of transportation shall be borne by the Buyer.

# X. Rescission of the purchase contract

In the event of rescission of the contract (e.g., due to cancellation of one of the contracting parties), the Buyer shall be obligated, irrespective of the remaining process as contemplated under the following paragraphs, to surrender the goods to the Seller in advance. The Seller shall

have the right to have the deliverable picked up from the Buyer's premises.

Furthermore, the Seller shall be able to demand reasonable compensatory payment from the Buyer for any deterioration or destruction of the goods, or anything occurring or having occurred that renders surrender of the goods impossible for another reason, which is caused by any wrongful act or omission of the Buyer. In addition, the Seller shall be able to demand compensatory payment for the use or the usage of the goods if the value of the goods has declined between the completion of its installation and its completed, immediate repossession by the Seller. This decline in value shall be computed from the difference of the total price in accordance with the order and the current fair value as it is determined by the sales proceeds or, if a sale is not possible, through the estimate of a sworn expert.

## XI. Assignment

No assignment of rights and/or transfer of the obligations of the Buyer arising from this contract shall be permissible without the written consent of the Seller

# XII. Export control provisions

- The goods may be subject to the export control provisions of the Federal Republic of Germany, of the European Union, of the United States of America, or of other countries.
- In the event the goods are subject to export control provisions as referred to in clause XIII 1, the Buyer shall be responsible for compliance (including all costs of compliance) with the provisions of any applicable law relating to the export of the goods.

# **General Terms and Conditions**

## XIII. Place of jurisdiction and applicable law

- The law of Victoria, Australia shall apply to these GTC and the contractual relationship between the parties, to the exclusion of uniform international law, including, but not limited to, United Nations Sales of Goods law. The law of Victoria, Australia shall also apply to extra-contractual debt relationships standing in close connection with the contract.
- The exclusive place of jurisdiction for any and all disputes, claims and controversies arising from or relating to this contract shall be Victoria Australia.

#### XIV.General

- Any provision of the GTC which is unenforceable or partly unenforceable is, where possible, to be severed to the extent necessary to make the GTC enforceable.
- A provision of the GTC must not be construed to the disadvantage of a party merely because that party was responsible for the preparation of this agreement or the inclusion of the provision in this agreement.
- 3. The meaning of any general language used in the GTC is not restricted by any accompanying example, and the words 'includes', 'including', 'such as', 'for example' or similar words are not words of limitation.

For the purposes of the GTC:

ACL means schedule 2 of the Competition and Consumer Act 2010 (Cth).

CGA means the Consumer Guarantees Act 1993 (NZ) h.

Consumer has the meaning given in the ACL or the CGA as applicable

- d.
- Consumer Guarantees means the statutory guarantees in Division 1 of Part 3-2 of the ACL, or as set out in the CGA, as applicable GST means a tax, levy, duty, charge or deduction, together with any related additional tax, interest, penalty, fine or other charge, imposed by or under the relevant GST Law.
- f. GST Law means A New Tax System (Goods and Services Tax) Act 1999 (Cth) for sales in Australia Goods and Services Tax Act 1985 for sales in New Zealand.
- Insolvency Event includes the winding up, dissolution or cessation of business, the appointment of an administrator, liquidator, receiver or an official manager, an assignment for the benefit of creditors, scheme or arrangement with creditors, insolvency and bankruptcy of a person or any similar procedure. PPSA means the Personal Property Securities Act 1999 (NZ)

h.

- PPSA AU means the Personal Property Securities Act 2009 (Cth)
  Security Interest has the meaning attributed to that term in the PPSA or the PPSA AU as applicable.

[Hansgrohe Pty Ltd, Level 10, 530 Collins Street, Melbourne VIC 3000, Australia]

165 Price Book 2023

# Warranty

Effective from 1 July 2021

1. Warranty terms & conditions

We thank you for your purchase of Hansgrohe products. Offering our customers the highest quality at all times is a fundamental part of the Hansgrohe company philosophy. Hansgrohe therefore offers consumers a voluntary warranty on Hansgrohe products in Australia, New Zealand & Fiji according to the details in these warranty terms and conditions. Please refer to Clause 6 herein on how to submit a warranty claim.

 Glossary & Definitions
 a. "Authorized Dealer" shall mean the authorized dealers / distributors of Hansgrohe Australia, New Zealand & Fiji, listed on its website www.hansgrohe.com.au and www.axor-design.com/au;

shall mean the original end customer or first customer who purchased the product from the Authorized Sales Channel of Hansgrohe Australia, New Zealand & Fiji;

"Hansgrohe" shall mean Hansgrohe Australia Pty Ltd having its registered office at Office Unit 4/71 Victoria Crescent Abbotsford, Victoria, 3067; Australia.

"Products" shall mean products manufactured by or on behalf of Hansgrohe that bear a trademark owned by Hansgrohe; "Invoice" shall mean the invoice issued by the Authorized Dealer for a product purchased by the customer;

3. Warranty Conditions

- 3.1. Hansgrohe provides the following warranty terms and conditions for all Hansgrohe products purchased in Australia, New Zealand & Fiji from an authorized dealer for use in domestic or commercial installations. Any product purchased through unauthorized dealer or from other sour-
- ces or imports are not covered by this warranty terms and conditions as products purchased otherwise may not meet local regulations 3.2. Hansgrohe guarantees customers that its products are free from material, manufacturing and design faults. The defect giving rise to the damage must already have been present in the product at time of manufacture. These warranty terms and conditions shall be void for the following
  - Non-compliance with the installation, maintenance and usage instructions;

Damage caused by debris and sediment from water supply pipes. Installation, maintenance, repair or servicing by non-qualified persons;

Product damage caused by the seller, plumber, customer or third persons;

Damage that can be attributed to normal wear and tear or intentional damage - in the event of negligent damage, contributory neglie. gence shall be offset on agreement;

f. Improper installation or commissioning;

Insufficient or improper maintenance;

Products that have not been or are not used in line with their intended purpose;

Damage caused by force majeure or natural disasters, especially but not limited to floods, fires or frost damage; i.

Product is purchased from unauthorized dealer;

- Product was not purchased by the Customer as a brand new product;
  Products not installed to relevant National Standards and State Regulations. ١.

m.

Product has been exposed to harsh or abnormal environmental elements;
Product has been serviced or repaired with non-standard or non-Hansgrohe replacement parts n.

In accordance with AS3500 clause 3.3.4, operating water pressure in a building shall not exceed 500kPa. Water supply pressures that exceed 500kpa will cause damage to installations and fittings. In this situation pressure-limiting valves should be installed. Where the water pressure is greater than 500kpa, Hansgrohe and its agent / dealers reserve the right not to accept warranty claims. Modifications to the products.

p.

Failure to regularly clean or replace dirty or blocked outlet aerator inserts in tapware and/or shower heads etc. Product's surface has been damaged as a result of adhesives, sealants or abrasive cleaners.

Failure to observe manufacturers maintenance and care instructions.

3.3. These warranty terms & conditions remain applicable only if the customer has ensured the product

has been used in accordance with the terms of this warranty terms; has not been improperly or negligently handled;

- has not been damaged prior to installation;
- has been installed according to the instruction manual;

the Product has all of its components installed;

- has received required maintenance and cleaning. Please see care and cleanings tips under chapter 7.
- 3.4. This warranty terms & conditions commences on the earlier of:

the date of purchase for domestic customers;

the project handover for commercial customers;

It will continue for the relevant periods set out in the warranty period tables below.

3.5. Hansgrohe is not responsible for other incidental or consequential costs. Hansgrohe is not responsible or liable for any special or consequential damages due to the defective product, or due to defects of any component or part thereof and in no event shall the liability of Hansgrohe exceeds the purchase price of the product.

3.6. This warranty terms and conditions are only valid if the original sales / purchase tax Invoice is provided with the claim. This warranty is not transferable and confined to original purchaser / first purchaser of the product only. Customers are therefore required to keep the original invoice and of product safely.

3.7. In the event of non-availability of components or parts due to any reason, neither Hansgrohe nor its Authorized Dealer will be responsible or liable for any delay that may be caused to service / repair of the product. In case of product obsolescence, a suitable replacement will be chosen based upon the features, the intended use and the retail price of the original product. In the event of product obsolescence Hansgrohe cannot guarantee the same color or aesthetic attributes as the original product.

3.8. For Hansgrohe products sold in Australia, New Zealand and Fiji, only this warranty document is applicable. Any reference to any other

warranty document will not be considered. The warranty does not cover any accessories external to the product. Warranty is valid and applicable to the products which are licensed for sale and purchased in these markets through an authorized Dealer only.

3.9. Our goods come with guarantees that cannot exclude the Australian or New Zealand Consumer Law or other respective national legislation. Nothing in this warranty has the effect of excluding, restricting or modifying those rights

**4. Warranty Periods**4.1. Domestic / Residential applications

Product Category	Parts	Labour
Tapware	15 years	5 years
Catridges & Thermostatic elements	10 years	5 years
Showers	15 years	5 years
Shower hoses	5 years	NIL
Kitchen mixer hoses	5 years	2 years

# Warranty

Product Category	Parts	Labour
Hand showers	5 years	NIL
iBox Universal	20 years	5 years
Accessories	5 years	2 years
Electronic taps & mixers	5 years	2 years
All surfaces- electroplate, PVD, lacqured	5 years	2 years
Spare Parts	2 years	2 years

### 4.2. Commercial Applications

A commercial premises is deemed to be any business, motel, hotel, airport, hospital or place that is not by its nature a domestic residential building.

Product category	Parts	Labour
Tapware	5 years	2 years
Catridges & Thermostatic elements	5 years	2 years
Showers	5 years	2years
Shower hoses	5 years	NIL
Kitchen mixer hoses	5 years	2 years
Hand showers	5 years	NIL
iBox Universal	20 years	5 years
Accessories	3 years	2 years
Electronic taps & mixers	5 years	2 years
All surfaces- electroplate, PVD, lacqured	5 years	2 years
Spare Parts	2 years	2 years

- 4.3 Exclusions from the warranty include
  - Jumper Valves
  - O-rings and washers b.
  - Aerator Inserts
  - Normal wear & tear
- 4.4. In regards to ceramic cartridges, the warranty is void should the cartridge be faulty as a result of the following in the water supply:
  - Copper and plastic tube pieces a.
  - Dirt, sand or grit b.
  - Plumbing tape

# 5. Authorised Service Agent

- 5.1. Hansgrohe warranty service can only be conducted by our authorized service agent or authorized Dealer.
- 5.2. Warranty Services is conducted only during normal business hours on business days. Hansgrohe or its agents / dealers is not bound by any obligation to carry out service / replacement in specified time period, while every effort will be made to carry out service / replacement at the earliest possibility.
- 5.3. In the event that the product may be required for offsite inspection. Hansgrohe, its service agent or dealer is not be liable to provide any alternative product for temporary use in such case and shall not be liable for any cost or consequences incurred by the customer due to offsite inspection.
- 5.4 When a product is found to be defective, Hansgrohe or its agent may decide to:
  - replace it with the same model
  - replace it with a model of similar value, in case if same model is discontinued or not available

## 6. How to make a warranty claim?

Should any of our Products not perform to the warranty terms provided herein, please contact:

## In Australia:

Tel: 1800 001 901

Email: hansgrohe@t2services.com.au

# In New Zealand and Fiji:

Contact the Authorised Dealer where you purchased the product from.

Warranty related labour, if required, is provided by the authorized dealer from whom the purchase was made.

Hansgrohe reserves the right to determine any issue or uncertainty in connection with the warranty.

# 7. Product care and cleaning

- 7.1. Always test your cleaning solution on an inconspicuous area on the product before applying to entire surface.
  7.2. Do not allow harsh cleaners to sit or soak on the product.
  7.3. Wipe surfaces clean and rinse completely with water immediately after applying cleaners
  7.4. Clean the fitting with just a mild detergent (such as dish-washing soap) and a damp cloth, then simply rinse off and wipe dry; you can prevent lime scale by drying the fitting after each use. We strictly do not advise the use of solvents or acidic cleaners, lime scale removers, household vinegar and cleaning agents containing acetic acid they will attack the surface and leave your fitting looking dull and scratched.
  7.5. Use a soft dampened expense or cleak to clean prover use abstative metarial like a briefly brush or securing and

- 7.5. Use a soft, dampened sponge or cloth to clean, never use abrasive material like a bristle brush or scouring pad
  7.6. Wherever gold or platinum metal is used on products, use only warm water to clean and then dry the surface with a soft cloth
  7.7. Never use cleaners containing abrasive cleansers, ammonia, bleach, acids, waxes alcohol, solvents or other products not recommended for chrome.

167 Price Book 2023

# hansgrohe

# Hansgrohe

pro.hansgrohe-int.com

# Hansgrohe ComfortZone test

pro.hansgrohe-int.com/comfortzone-test

# Spare parts shop

spares.hansgrohe.com

# Planning-Data

pro.hansgrohe-int.com/planning-data

MIX Paper from responsible sources

FSC\* C020290