

#### Price Book 2024

hansgrohe Australia assortment bath and kitchen

Effective 1st January 2024

The prices quoted are recommended retail prices and include 10% GST. Errors and omissions excepted.

This Price List renders all preceding ones void.

Measurements within scale drawings are in mm.

#### Price Book 2024

hansgrohe Australia assortment bath and kitchen

hansgrohe



#### **Contents**

Price List	26
Metris   Metris S	67
Finoris	69
Vivenis	72
<b>Talis</b> Talis S   Talis E	<b>7</b> 5
Focus / Decor	80
Rebris S	82
<b>Logis</b> Logis Fine   Logis	84
<b>Electronic mixers</b> Focus   Vernis Blend	87
Thermostatic mixers / valves  ShowerSelect   ShowerSelect S   Valves   Thermostats	89
Showerpipes	96
Hand showers  Rainfinity   Raindance Select   Pulsify   Croma Select   Crometta   Furly   Porter	98
Shower hoses and accessories  Sensoflex   Designflex   Isiflex   Comfortflex    Fixfit wall outlets	106
Shower sets / Shower bars Shower bars   Soap dishes   Shower sets	109
Overhead showers  Rainmaker Select   Rainfinity   Raindance Select   Raindance   Croma   Pulsify S   Crometta   Shower arms   Ceiling connectors   Body showers	122
Basic sets and wastes	134
Accessories Rainfinity   Logis   Logis Universal   AddStoris	137
Kitchen mixers  Aquno Select   Metris Select   Talis S   Talis   Focus   Zesis  Logis   MySport   Soap dispensers	149

# Meet the beauty of water

#### The new meaning of 'home'

Over the past year, many of us have come to realise the importance of home providing a place of relaxation and retreat. As a company, we know we are providing something truly fundamental to our customers: a home filled with beauty and quality, a place of escape from the outside world. Whatever happens, we are – and always will – be by your side.


#### Innovations to bring your business to life

This year, we're introducing a range of exciting new products that deliver on our guiding principles: **innovation**, **design**, **quality** and **responsibility**. We offer solutions to every need, by developing cutting-edge products to suit every lifestyle. Meet Pulsify, the shower that offers a completely new experience in any sized bathroom, thanks to the innovative PowderRain spray. Or Finoris, the tap that gives a new freedom of movement in the bathroom.

#### **Designed for people**

hansgrohe is a brand for life. Whether you are looking for a moment of calm or refreshment, every product we make is designed to make life easier. Our products are not one-off ideas but comprehensive solutions, destined to become integral to everyday life. It's this that defines our brand: our focus on people.





## hansgrohe – our past informs our future

hansgrohe is a company steeped in tradition. It was founded by Hans Grohe in 1901, with a small metalwork shop in Schiltach, the Black Forest. Today, you will still find our Innovation Centre and corporate headquarters there. The hansgrohe brand has an international reputation for excellence, thanks largely to the commitment of its people. Each employee is passionate about water, but it's our expertise which really set us apart as a company. These qualities have resulted in revolutionary bathroom innovations and pioneering watersaving technologies, yesterday, today and tomorrow.



In 1901, Hans Grohe founded his metalwork business. He was a visionary, recognising the changing role of the bathroom in the home (despite it being a fairly new concept to most at the time).



Hand shower

The first shower with a white porcelain handle. This hansgrohe innovation made showering affordable for many households for the first time.



**Shower bar Unica** 

Thanks to this revolutionary idea, hand showers could be mounted at a required height



Tribel

First design award winning hand shower in many colours and with three spray types.



**ALLEGRO** 

New milestones

in bathroom

innovation

The first mixer with the new lever handle, swivel spout and innovative ball mix technique.



#### iBox universal

First and only basic set for all standard and thermostat solutions – a revolution in concealed installation.



#### Raindanc

The first hand shower with an XXL shower head, flat silhouette and short handle. The all-rounder becomes a trendsetter.



FinishPlus

High-quality finishes provide a variety of design options.



#### PowderRain

 $\boldsymbol{\mathsf{A}}$  unique shower experience thanks to the soft caress of micro droplets.




#### RainTunes\*

We combine water with sound, light, imagery and fragrance into one holistic wellness experience.

## Innovation — driving our business and yours

Whether in a new build or renovation, clever products and state-of-the-art technologies will keep you ahead of the competition. Hansgrohe SE registers hundreds of new designs, patents and brands every year, holding 15,000 patents to date. It's the reason we're considered pioneers in the industry. We combine top technical performance with a focus on the needs and enjoyment of the customer. With hansgrohe, you can have confidence that you have technological innovation on your side.



### Our own research and development laboratory

We believe every part of a product is important. From the look, functionality and material of a shower, to the sound it makes as water flows. In our in-house spray laboratory, acoustic experts tirelessly research the perfect water sound. This attention to detail is reflected in over 15,000 active patents. The result is that customers around the world can enjoy more comfort and relaxation in the bathroom.



## Technologies that inspire

The best products enrich people's lives, bringing more comfort and enjoyment. And sometimes, it's the smallest technologies that make the difference. hansgrohe's Select is just one button that brings a new ease of use to the bathroom. Or QuickClean, the clever antilimescale solution. hansgrohe technologies make taps and showers enjoyable to use and easy to clean.

## Design – collaborating for excellence

Elegant functionality appeals to both the heart and mind, and it's something we specialise in. Our products are consistently awardwinning, outlasting fads and instead providing long-lasting value, whether they are found in the home or in a world famous hotel. With over 30 years of collaboration with Phoenix Design, hansgrohe is a leader within the industry, with more than 600 awards collected for our design achievements.











### More than 600 awards







Developers, investors, architects and planners around the world spearhead the most ambitious of projects, ensuring that intelligent and elegant water solutions are always in demand. Our shower and bathroom collections are well known as the very embodiment of design excellence. That's why you'll find them in world class hotels, exclusive sports clubs, royal castles and luxury yachts.

You can find more inspiring examples at

pro.hansgrohe.com/your-selling-points/references

At home all over the world


### Quality – the highest standards for the longest product life

Install a hansgrohe product, and you know it will be enjoyed for years to come. Offering customers the highest quality at all times is a fundamental part of our philosophy. We have been manufacturing bathroom and kitchen products for over 120 years, and we are proud of our intensive quality control processes, practiced around the world.

Our reliability goes one step further: we offer our end users a fififteen year\* manufacturer's guarantee on shower products.

This manufacturer's guarantee goes far beyond statutory requirements. With this, we provide our sales partners with yet another advantage of using hansgrohe over other brands. We also ensure that we provide assistance to our specialist partners when applying this manufacturer's guarantee.

Your customer will also benefit from the fifteen year parts availability guarantee, which ensures the security of their investment even after a product is phased out.





hansgrohe produces incredibly advanced technology, but the measurement of quality is a very human endeavour. That's why every single product is carefully checked by human hands before it leaves our factory.

<sup>\*</sup> For full warranty Terms and Conditions please see:
www.hansarohe.com.au/service/augrantee

## Taking responsibility — acting sustainably

We focus on three areas of accountability: **responsible management, social action** and **ecological awareness**. We believe this is the only way to be successful, both now and in the future. This is something we put into practice worldwide, and have been doing so for many years. This includes ensuring we have an environmentally conscious production process, and mindfully employing people and other resources.

Klaus Grohe, the founder's son, was an ardent campaigner for sustainability from an early age. He ensured that environmentally-conscious thinking was a core principle at Hansgrohe. As early as 1987, Hansgrohe was one of the first to bring a water-saving shower to the market. From this point on, many projects were undertaken to ensure environmentally and resource-friendly production in our factories.

At Hansgrohe, we are in the process of taking giant steps forward to help minimise climate change. By 2030, our aim is to make the entire company, including our products, climate neutral. To implement this, we carefully choose our raw materials, packaging and logistics based on their climate impact.




## Sports sponsorship — teaming premium athletes with premium products

hansgrohe has been the official title sponsor of the world class cycling team BORA-hansgrohe since 2017. We share the same values and have a similarly global reach: with this international dream team of 29 athletes from ten nations, hansgrohe has helped them to compete in 140 countries around the world. As brand ambassadors, the athletes are on the road for almost 300 days a year.

In 2019, BORA-hansgrohe was the second ranked team in the UCI WorldTour. A highlight of 2021 was the top German team winning the points classification at the Giro d'Italia – largely thanks to superstar Peter Sagan, who won the famous "Maglia Ciclamino" jersey. Find out where, when and who is in the starting position on the website and via social media from hansgrohe and the BORA-hansgrohe team.

borahansgroheofficial hansgrohe







#### FinishPlus — new surfaces bring new individuality to the bathroom

Today's bathroom increasingly reflects our own personal style. FinishPlus has been developed to provide five new surface designs in

matte and metallic tones, expanding your style options far beyond classic chrome. The highquality surfaces offer a wide range of design options, giving you brand new ways of expressing yourself.



670 Matte Black: Getting back to basics with black and white contrasts.



700 Matte White: Cheeky, unconventional freshness.



340 Brushed Black Chrome: A dark, partially reflective surface creates asophisticated aesthetic.



140 Brushed Bronze: Soft natural tones and subtle nuances.



990 Polished Gold Optic: Glamorous look for aesthetic extravagance.



**000 Chrome:** Timeless classic paired with dainty elegance.

#### **Finishes**

When specifying the surface, each order number (#) has 8 digits, for example 28500, - 000 = chrome



-000 Chrome



Chrom Gold Optic



-140 Brushed Bronze



-340 Brushed Black



-400 White Chrome



-450 White



Sky Blue



Pink



Black Chrome



-610 Black



-670 Matt Black



Matt White

-800

Stainless Steel



-820 Brushed Nickel



Polished Gold Optic

## Spray types – relax or energise with every shower

Different people require different things from the shower. Some look for a relaxing timeout from the world, while others want an energising, refreshing shower experience. Whatever your customers are looking for, with hansgrohe you will find the right hand and overhead shower, with the right spray type. Products featuring our Select technology provide particular convenience for your customers.




#### PowderRain

Revolutionise your daily shower experience with Powder- Rain and transform your bathroom into an oasis of relaxation. Instead of only one jet outlet per nozzle, PowderRain has up to five openings that create thousands of fine and silky micro-droplets that envelope your body.



#### Intense PowderRain

Intense jets of fine micro-droplets for sensational showering. Intense PowderRain is extraordinarily effective as the number of droplets has been substantially increased to produce an intense, yet velvety soft spray.





#### Rain

Despite the smaller nozzles on the hand shower and overhead shower, the performance of both are consistently excellent. The Rain spray invigorates and refreshes, making rinsing out shampoo quick and easy.



#### RainAir and RainAir XL

Relaxing shower rain, which is enriched with air inside the shower head. This makes the water feel exceptionally soft and plump, covering your body with soft beads of water and enveloping you to create a sense of well-being. It's a spray most loved by pleasure seekers.



#### IntenseRain

It's not just shampoo you can rinse away with ease thanks to IntenseRain water spray. It's perfect for setting yourself up for the day too: wash morning tiredness down the drain – for a refreshing start to the day.



#### TurboRain

The all-purpose tool for quick, straightforward results: TurboRain is the most powerful of our Rain spray modes and lives up to its name every time.



#### SoftRain

The gentle SoftRain spray is a treat for soul and skin, whether it's a quick daily shower or a pampering evening indulgence.



#### Mix

Simultaneously gentle and dynamic. The mix spray combines the rich, soft RainAir spray with the strong, revitalising CaresseAir spray. Soft drops envelop your body, while a warm jet massages the skin. It's a dream combination for daily showering pleasure.



#### Whirl

A swirling massage spray, which showers away the stresses of the day. This relieves tension, primarily in the neck area and shoulders. The rotating helix jet wanders over the skin, just like a masseur's fingers. The ideal choice for relieving stress or giving yourself a spa-like treatment after playing sport.




#### CaresseAi

Five strong single sprays combine in a pleasantly revitalising and powerful massage. It's just the thing for post-exercise or after a hard day at work - good as new in minutes



#### Massage

A concentrated spray that relieves the stress of everyday life, easing areas of tension. The innovative ring-shaped spray creates an at-home wellness experience like no other.



#### Mono

A targeted, soothing spray from the centre of the showerhead. The Mono jet's lightness helps you to unwind, making it a perfect spray for relaxing.



#### RainFlow

An overhead shower with RainFlow creates a waterfall in the bathroom. The effect is a cascade of water on the neck and shoulders, easing tension and bringing total relaxation.



#### RainStream

The new single sparkling RainStream spray is a crowning achievement for the hansgrohe R&D team. These special overhead shower sprays remain revitalising and intense from head to toe, giving a consistent experience however tall you are.

## Spray types — for a streamlined workflow in every kitchen



#### Laminar spray

Crystal clear waterspray without added air, which prevents splashing and is ideal for filling large containers, like vases, quickly.



#### Normal spray

Fuller, lighter and softer droplets from an aerated spray, thanks to AirPower technology.



#### Shower spray

A gently water-saving cleaning spray, suitable for rinsing the sink.



#### SatinFlow spray

The soft, flat spray is splash-free, making it highly efficient at saving water.

## Technology — providing the ultimate ease of use for your customers



#### **Select**

Because sometimes pressing is easier than turning. With our innovative Select technology, a simple touch of a button on the shower or shower control is all it takes to change the spray mode or turn the water on/off for even more comfort while showering, no matter your age.

- Intuitive control at the touch of a button
- Suitable for all age groups
- Mechanical construction for permanent functional safety
- Temperature can be pre-set
- Can even be operated with your elbow or arm



The idea: a button instead of a lever at the sink. The mechanical Select button simplifies everyday routines, and is robust enough to stand the rigours of everyday life, as our longterm testing proves.

These small changes can have a large impact on how convenient a product is to use, and make them ideal for a multi-generational household.









#### **EcoSmart**

Thanks to EcoSmart technology, hansgrohe showers consume up to 60 % less water than conventional products thanks to the addition of air to the spray. This also saves valuable energy.

- Up to 60% less water consumption (shower)
- Water consumption of only 5 l/min (tap)
- Lower consumption means lower energy requirements, and thefore fewer CO<sub>2</sub> emissions
- Lower water and energy consumption for double efficiency

The savings calculator computes how much water and energy can be saved at: pro.hansgrohe.com/consultation/water-savings-calculator




Thanks to EcoSmart technology's aeration, our basin taps consume just 5 l/min of water. This saves warm water and energy. All of our basin taps have achieved level A in the home sector: EcoSmart tech- the best possible result.



#### **QuickClean**

QuickClean means flexible silicone inserts on the aerators. Dirt and limescale deposits can be simply rubbed off with your finger with no need to use cleaning products, helping to extend your shower's lifespan.

- Fast and easy cleaning
- Ultra high quality and tear resistant silicone
- For a long lifetime and functionality







#### **AirPower**

Comfort and efficiency don't have to be mutually exclusive and our AirPower showers prove it. An ample supply of air is sucked in via the spray disc of your shower, making the droplets fuller, lighter and softer, increasing water efficiency at the same time.

- Fuller, lighter and softer drops pure shower pleasure
- Fewer splashes, so less cleaning
- Higher water efficiency thanks to a larger water volume



#### **XXL Performance**

Large-format showers have to be experienced to be truly appreciated. The luxurious hansgrohe design envelops the individual in water, bringing XXL performance to the bathroom.

- Large-format showering sensation
- Higher water efficiency evenly distributed spray nozzles, for an incomparable shower experience



#### **Tiltable**

You can adjust t his overhead s hower a t an angle to suit the shower area, so that the whole body is soothingly enveloped in water.

- Adjustable shower head to suit the individual
- Angle of adjustments provides flexibility
- Modern installation for contemporary enjoyment



#### FastDrain minimises drips

This clever technology significantly reduces dripping from the overhead shower.

- Reduces annoying dripping
- Smarter waterflow inside the shower
- Easier cleaning



#### **Water regulation**

The amount of water can be precisely regulated using the thermostat. Not only does this conserve water, it's great for children, who often find a gentler waterflow more pleasant.

- Precisely regulate the amount of water
- Actively regulate water consumption with the volume control
- Easy operation suitable for all ages



#### Height-adjustable PushSlider

With just one hand, the shower holder can be freely adjusted in height at the touch of a button. For a safe and comfortable shower experience.

- Easy to use with one hand
- More comfort for every generation
- Easily adjustable shower heights



#### **Pull-out function**

Thanks to the pull-out tap, the working area at the sink becomes much larger. It also offers fantastic ease of use, thanks to the magnetic recoil function

- The pull-out tap extends your workspace
- Easy handling
- Minimalist design for maximum flexibility and freedom of movement



#### **ComfortZone**

Whether you want more elbow room when washing your hands, a comfortable way to wash your hair or just fill containers, the higher the tap, the more flexible your options become. We call the space between the tap and the ceramics the ComfortZone because you can use it however you like.

- The optimal height for every requirement
- The perfect combination of tap and basin
- Reduce unnecessary water spraying through a reliable test:

pro.hansgrohe.com/ consultation/comfortzone



#### **Contactless taps**

Like many motion detectors, the sensor on our non-contact products reacts to changes in infrared radiation. As soon as it detects the warmth of the hand, water flows, making it economical and hygienic.

- Contactless
- Savings in water and energy
- Maximum hand hygiene ideal in public spaces



#### **CoolStart**

On standard taps the continuous flow heater or circulation pump starts up immediately when the handle is in the middle position, but with Cool-Start taps the hot water is only added when the lever is moved to the left. This cuts down on energy needs, CO2 emissions and costs.

- Basic setting enables only cold water to flow
- Large energy, and therefore money, saving potential – ideal in business premises
- Special user ergonomics (the lever only needs to be moved to the left for hot water)

### Technologies to make your kitchen chores easier



#### Select

Select technology makes using the kitchen tap easier than ever before, because the water can be turned on and off with just one click. You can do that with your elbow or even the back of your hand, keeping your taps clean when you're cooking or washing up.

- Convenient use and optimal water flow
- Stop and start the water flow at the touch of a button during operation
- Can also be operated with an arm or elbow



#### QuickClean

QuickClean means flexible silicone discs. Dirt and limescale deposits can be simply rubbed off with your finger – low effort with no need to use cleaning products, extending you shower's lifespan.

- Fast and easy cleaning
- Ultra high quality and tear resistant silicone
- For a long lifetime and functionality



#### **EcoSmart**

Thanks to EcoSmart technology with added air, certain hansgrohe kitchen taps consume only 6 l/min. This reduced water volume means less water needs to be heated up, which also saves valuable energy for your customer.

- Air enriched water for a full, sparkling spray
- Lower energy consumption means fewer CO<sub>2</sub> emissions
- Lower water and energy consumption for double efficiency



#### **AirPower**

AirPower works by drawing in air via the jet outlet. This addition of air enriches the inc ming water, making the jet fuller, lighter and softer. AirPower cleverly delivers a high jet volume with less water.

- Fuller, lighter and softer droplets, for an enhanced water jet
- Less risk of splashing
- High efficiency helps to reduce water consumption



#### **ComfortZone**

Kitchen taps with an extra high spout offer additional space, making them ideal for filling large pots and tall vases. For those that swivel, the rotation can be set incrementally up to  $360^{\circ}$ .

- The optimum height for all needs
- A flexible swivel area prevents over-rotation
- Ultimate freedom to move



#### **Pull-out function**


More flexibility, thanks to the pull-out function. This pull-out tap extends your working area at the sink, making it easier to fill containers or water plants.

- Standard extension max. 50 cm
- The sBox extends the working space to 76 cm



#### sBox kitchen

With extendible kitchen taps and sink combi units, the sBox ensures that the hose can be pulled out and stowed away safely and easily. The 52 cm-tall box fits into all standard base units from 74 cm upwards. Alternatively, products can also be purchased without the sBox.



- Smooth and safe retrieval of the hose, without getting in the way of the drawer or waste separation system
- Multiple installation options in the base unit thanks to flexible mounting elements
- For a more organised sink cabinet
- The hose weight in the sBox ensures smooth and quiet use
- Optional accessories:
   An additional spacer rail that allows for installation lower in the cabinet body

#### **Installation options**



#### Best placement – vertically below kitchen tap:

The lower brackets are firmly screwed to the base. The upper brackets can be either screwed to or suspended on the rear panel. The mounting elements can be moved and rotated 360°. This makes installation fast and easy.



#### Vertically below kitchen tap, tilted backwards or forwards:

The tilted back assembly is recommended if the rear wall is offset to the front or if there are obstacles on the floor. The brackets are all aligned to the front. This way, the sBox can simply be tilted forward and clicked out of all brackets. This enables quick and easy cleaning. The sBox can be tilted backwards or forwards. Maximum recommended tilt angle:  $\pm\,20\,^{\circ}$ .



#### At the back of the rear wall, tilted sideways:

Laterally tilted installation is an option where there are obstacles on the ground such as waste pull-out or drainage systems, or when angle valves are difficult to access. The brackets can be screwed to the base, sides or rear panel.

Maximum recommended tilt angle:  $\pm 20^{\circ}$ .



#### Tilted and offset on the side wall:

The installation on the side panel is ideal for corner sinks, sinks with draining boards or sinks with tap holes that are positioned to the side. All the brackets are screwed to the side. You should avoid parallel displacement of the sBox. If displacement is required for the installation, there must not be more than 30mm between the tap and outlet axis of the sBox.



Code No.	Description	Colour	(ex GST)	RRP (inc GST) Notes	Pg. Num
01800180	HG iBox Universal concealed part only		181.82	200.00	134
01850180	HG iBox Universal conc.part only w.s/off		362.73	399.00	134
10					
	HG Basic set bath mixer floor standing		1,022.73	1,125.00	134
13					
13414000	HG Bath spout	Chrome	279.09	307.00	81
13414340	HG Bath spout	Brushed Black Chrome	437.27	481.00	81
	HG extension set 2,5cm for iBox universal		148.18	163.00	134
13620180	HG Shower basic set DN15		181.82	200.00	134
13622180	HG 2-hole basin mix.basic set conc.	Chrome	409.09	450.00	134
13914000	HG Aerator to convert to bath filler		34.55	38.00	78
14			5/0.01	(1700	0.1
	HG Metris S Bath spout	Brushed Nickel	560.91	617.00	81
14803003 1 <b>5</b>	HG Cento Single lever kitchen mixer XL, pull out, 2 jet	Chrome	682.73	<b>751.00</b> NEW	153
15310180	HG Basic set Select 2 functions		1,794.55	1,974.00	92
15310180	HG Basic set Select 3 functions		2,100.91	2,311.00	93
15311180	HG Basic set Select 4 functions		2,396.36	2,636.00	94
5312180	HG Basic set Select 5 functions		2,690.91	2,960.00	95
	HG RainSelect fs conc.2 funct.shower supp.	Chrome	3,541.82	3,896.00	91
	HG RainSelect is conc.2 funct.shower supp.	White/Chrome	3,541.82	3,896.00	91
	HG RainSelect is conc.2 funct.shower supp.	Black/Chrome	3,541.82	3,896.00	91
	HG RainSelect is conc.3 funct.shower supp.	Chrome	4,178.18	4,596.00	92
	HG RainSelect is conc.3 funct.shower supp.	White/Chrome	4,178.18	4,596.00	92
	HG RainSelect is conc.3 funct.shower supp.	Black/Chrome	4,178.18	4,596.00	92
	HG RainSelect is conc.4 funct.shower supp.	Chrome	4,826.36	5,309.00	93
	HG RainSelect is conc.4 funct.shower supp.	White/Chrome	4,826.36	5,309.00	93
	HG RainSelect is conc.4 funct.shower supp.	Black/Chrome	4,826.36	5,309.00	93
	HG RainSelect is conc.5 funct.shower supp.	Chrome	5,462.73	6,009.00	94
	HG RainSelect is conc.5 funct.shower supp.	White/Chrome	5,462.73	6,009.00	94
	HG RainSelect is conc.5 funct.shower supp.	Black/Chrome		6,009.00	94
	HG RainSelect is conc.2 funct.	Chrome	3,251.82	3,577.00	92
	HG RainSelect is conc.2 funct.	Brushed Black Chrome	4,786.36	5,265.00	92
	HG RainSelect is conc.2 funct.	Matt Black	4,224.55	4,647.00	92
	HG RainSelect is conc.2 funct.	Matt White	4,224.55	4,647.00	92
	HG RainSelect fs conc.3 funct.	Chrome	3,866.36	4,253.00	93
	HG RainSelect fs conc.3 funct.	Matt White	5,010.91	5,512.00	93
	HG RainSelect fs conc.4 funct.	Chrome	4,468.18	4,915.00	94
	HG RainSelect fs conc.4 funct.	Brushed Black Chrome	6,574.55	7,232.00	94
	HG RainSelect fs conc.4 funct.	Matt Black	5,809.09	6,390.00	94
	HG RainSelect fs conc.4 funct.	Matt White	5,809.09	6,390.00	94
5384000	HG RainSelect fs conc.5 funct.	Chrome	5,080.91	5,589.00	95
	HG RainSelect fs conc.5 funct.	Matt White	6,597.27	7,257.00	95
15741003	HG ShowerSelect S therm.Highflow	Chrome	1,342.73	1,477.00	90
15743003	HG ShowerSelect S therm.conc.2 outl	Chrome	2,025.45	2,228.00	90
5744003	HG ShowerSelect S therm.conc 1 outl.	Chrome	1,864.55	2,051.00	90
15745003	HG ShowerSelect S valve 3	Chrome	1,342.73	1,477.00	90
15760003	HG ShowerSelect therm.Highflow conc.	Chrome	1,250.00	1,375.00	89
15762003	HG ShowerSelect therm.conc.1 outlet	Chrome	1,725.45	1,898.00	89
<i>57</i> 63003	HG ShowerSelect therm.conc. 2outlets	Chrome	1,852.73	2,038.00	89
5764003	HG ShowerSelect valve 3	Chrome	1,250.00	1,375.00	89
5930180	HG Quattro basic set		750.00	825.00	135
15932000	HG Quattro/Trio f-set cylindrical handle	Chrome	370.91	408.00	91
15970180	HG Basic set for shut-off valve		240.00	264.00	91
	HG Valve conc.f-set cylindrical handle	Chrome	279.09	307.00	91

Code No.	Description	Colour	RRP (ex GST)	RRP (inc GST)	Notes	Price List Pg. Num
15973180	HG Basic set for conc.valve spindle		222.73	245.00		91
15974180	HG Basic set for conc.valve ceramic		260.91	287.00		91
15981180	HG Trio shut off valve basic set		476.36	524.00		135
15984180	HG Trio valve basic set w/o stop		468.18	515.00		135
24						
24010180	HG Rainmaker Select Basic Set for OHS w/ ceiling con.		694.55	764.00		122
24011400	HG Rainmaker Select 580 3jet OHS with arm	White/Chrome	<i>7</i> ,580.91	8,339.00		122
24012400	HG Rainmaker Select 460 1 jet OHS with ceiling con.	White/Chrome	4,489.09	4,938.00		123
24013400	HG Rainmaker Select 460 1 jet OHS with arm	White/Chrome	4,826.36	5,309.00		123
24014400	HG Rainmaker Select 460 2jet OHS with ceiling con.	White/Chrome	5,867.27	6,454.00		123
24015400	HG Rainmaker Select 460 2jet OHS with arm	White/Chrome	6,203.64	6,824.00		122
24016400	HG Rainmaker Select 460 3jet OHS wwith ceiling con.	White/Chrome	6,550.91	7,206.00		122
24017400	HG Rainmaker Select460 3jet OHS with arm	White/Chrome	6,898.18	7,588.00		122
24101000	HG Pulsify S HS 105 3 jet Active	Chrome	206.36	227.00		100
24101670	HG Pulsify S HS 105 3 jet Active	Matt Black	267.27	294.00		100
24101700	HG Pulsify S HS 105 3 jet Active	Matt White	267.27	294.00		100
24111000	HG Pulsify S HS 105 3jet Relax	Chrome	206.36	227.00		100
24111140	HG Pulsify S HS 105 3 jet Relax	Brushed Bronze	307.27	338.00	NEW	100
24111670	HG Pulsify S HS 105 3 jet Relax	Matt Black	267.27	294.00		100
24111700	HG Pulsify S HS 105 3 jet Relax	Matt White	267.27	294.00		100
24121000	HG Pulsify S HS 105 1 jet Green	Chrome	156.36	172.00		100
24121670	HG Pulsify S HS 105 1 jet Green	Matt Black	202.73	223.00		100
24121700	HG Pulsify S HS 105 1 jet Green	Matt White	202.73	223.00		100
24125000	HG Pulsify S Baton HS 100 1 jet	Chrome	152.73	168.00	NEW	100
24125140	HG Pulsify S Baton HS 100 1 jet	Brushed Bronze	229.09	252.00		100
24125670	HG Pulsify S Baton HS 100 1 jet	Matt Black	213.64	235.00		100
24125700	HG Pulsify S Baton HS 100 1 jet	Matt White	213.64	235.00		100
24132000	HG Pulsify S OHS 105 1 jet Green w/o wall con.	Chrome	260.00	286.00		130
	HG Pulsify S OHS 105 1 jet Green w/o wall con.	Matt Black	338.18	372.00		130
24132700	, , , ,	Matt White	338.18	372.00		130
24139000	HG Pulsify wall connect OHS 105	Chrome	151.82	167.00		130
24139670	HG Pulsify wall connect OHS 105	Matt Black	196.36	216.00		130
24139700	HG Pulsify wall connect OHS 105	Matt White	196.36	216.00		130
24141000	HG Pulsify S Overhead shower 260 1 jet	Chrome	710.91	782.00		129
24141140	HG Pulsify S Overhead shower 260 1 jet	Brushed Bronze	1,140.91	1,255.00	NFW	129
24141670	HG Pulsify S Overhead shower 260 1 jet	Matt White	990.00	1,089.00	14244	129
24141700	HG Pulsify S Overhead shower 260 1 jet	Matt Black	990.00	1,089.00		129
24149000	HG Pulsify wall connector OHS 260	Chrome	235.45	259.00		129
24147000	HG Pulsify wall connector OHS 260	Brushed Bronze	365.45	402.00	NEW	129
24147140	HG Pulsify wall connector OHS 260	Matt Black	306.36	337.00	14544	129
24149700	HG Pulsify wall connector OHS 260	Matt White	306.36	337.00		129
24147700	HG Pulsify S Overhead 260 2jet with wall con.	Chrome	1,382.73	1,521.00	NIEW/	129
24151670	HG Pulsify S Overhead 260 2jet with wall con.	Matt Black	1,797.27	1,977.00		129
24151700	HG Pulsify S Overhead 260 2jet with wall con.	Matt White	1,797.27	1,977.00		129
24161003	HG Pulsify 105 3j Relax U'S 650 set	Chrome	432.73	476.00	INLAA	117
24161673	HG Pulsify 105 3j Relax U'S 650 set	Matt Black	604.55	665.00		117
24161703	HG Pulsify 105 3j Relax U'S 650 set	Matt White Chrome	604.55	665.00		117
24311003	HG Pulsify \$ 105 1; U'S 650 set		396.36	436.00		117
24311673	HG Pulsify S 105 1; U'S 650 set	Matt Black	569.09	626.00		117
24311703	HG Pulsify S 105 1; U'S 650 set	Matt White	569.09	626.00	NIEW	117
	HG Pulsify E Baton HS 100 1 jet	Chrome	152.73	168.00		101
24320140	HG Pulsify E Baton HS 100 1 jet	Brushed Bronze	229.09	252.00		101
24320670	HG Pulsify E Baton HS 100 1 jet	Matt Black	213.64	235.00		101
24320700	HG Pulsify E Baton HS 100 1 jet	Matt White	213.64	235.00		101
24331000	HG Pulsify E Overhead shower 260 1 jet	Chrome	735.45	809.00	NEW	130

Code No.	Description	Colour	(ex GST)	RRP (inc GST) I	Notes	Pg. Num
24331140	HG Pulsify E Overhead shower 260 1 jet	Brushed Bronze	1,103.64	1,214.00	NEW	130
24331670	HG Pulsify E Overhead shower 260 1 jet	Matt Black	956.36	1,052.00	NEW	130
24331700	HG Pulsify E Overhead shower 260 1 jet	Matt White	956.36	1,052.00	NEW	130
24371003	HG Pulsify E 100 1 jet set 65cm	Chrome	730.91	804.00	NEW	118
24371673	HG Pulsify E 100 1 jet set 65cm	Matt Black	1,022.73	1,125.00	NEW	118
24371823	HG Pulsify E 100 1 jet set 65cm	Brushed Nickel	1,095.45	1,205.00	NEW	118
24373003	HG Pulsify S 100 1 jet set 65cm	Chrome	823.64	906.00	NEW	117
24373673	HG Pulsify S 100 1 jet set 65cm	Matt Black	1,153.64	1,269.00	NEW	117
24373704	HG Pulsify S 100 1 jet set 65cm	Matt White	1,153.64	1,269.00	NEW	117
24400000	HG Pulsify S shower bar with push slider 160cm	Chrome	206.36	227.00	NEW	112
24400670	HG Pulsify S shower bar with push slider 160cm	Matt Black	288.18	317.00	NEW	112
24400700	HG Pulsify S shower bar with push slider 160cm	Matt White	288.18	317.00	NEW	112
24401000	HG Pulsify S shower bar with push slider 190cm	Chrome	227.27	250.00	NEW	112
24401670	HG Pulsify S shower bar with push slider 190cm	Matt Black	317.27	349.00	NEW	112
24401700	HG Pulsify S shower bar with push slider 190cm	Matt White	317.27	349.00	NEW	112
26	,					
26221000	HG Croma 280 Air OHS EcoSmart	Chrome	779.09	857.00		128
26221140	HG Croma 280 Air OHS EcoSmart	Brushed Bronze	1,478.18	1,626.00		128
26221340	HG Croma 280 Air OHS EcoSmart	Brushed Black Chrome	1,478.18	1,626.00		128
26221670	HG Croma 280 Air OHS EcoSmart	Matt Black	1,090.91	1,200.00		128
26221700	HG Croma 280 Air OHS EcoSmart	Matt White	1,090.91	1,200.00		128
26221820	HG Croma 280 Air OHS EcoSmart	Brushed Nickel	1,182.73	1,301.00		128
	HG Croma 280 Air OHS EcoSmart	Polished Gold Optic	1,478.18	1,626.00		128
	HG Rainfinity 250 1 jet OHS with wall connector	Chrome	2,140.00	2,354.00		124
	HG Rainfinity 250 1 jet OHS with wall connector	Matt White	2,783.64	3,062.00		124
	HG Rainfinity 250 1 jet OHS with ceiling con.	Chrome	1,800.91	1,981.00		124
	HG Rainfinity 250 1 jet OHS with ceiling con.	Matt White	2,339.09	2,573.00		124
	HG Rainfinity 250 3jet OHS with wall connector	Chrome	3,070.00	3,377.00		124
	HG Rainfinity 250 3jet OHS with wall connector	Matt White	3,990.91	4,390.00		124
	HG Raindance E 400/400 1 jet OHS	Chrome	2,419.09	2,661.00		124
	HG Basic set for OHS 400/400 1 jet	Chrome	359.09			126
	•					
	HG Unica Comfort grab bar w/ shelf and shower holder	Chrome	434.55	478.00		110
	HG Unica Comfort foot rest	Chrome	440.91	485.00		111
	HG Crometta 1 jet Green HS 6 I/min	White/Chrome	64.55	71.00		103
	HG Crometta Vario Green HS 6 I/min	White/Chrome	70.00	77.00		103
	HG Unica Comfort wall bar 650mm	Chrome	532.73	586.00		110
	HG Unica Comfort wall bar 900mm	Chrome	569.09	626.00		110
	HG Unica Comfort wall bar 1100mm L	Chrome	902.73	993.00		111
	HG Unica Comfort wall bar 1100mm R	Chrome	902.73	993.00		111
	HG Vernis Blend Shower arm 30 cm	Chrome	127.27	140.00		132
	HG Vernis Blend Shower arm 30 cm	Matt Black	177.27	195.00		132
	HG Vernis Blend Shower arm 30 cm	Brushed Nickel	190.00		NEW	132
	HG Wall outlet S	Brushed Bronze	120.91	133.00	NEW	107
	HG Wall outlet S	Brushed Black Chrome	120.91	133.00		107
	HG Wall outlet S	Matt Black	111.82	123.00		107
26453700	HG Wall outlet S	Matt White	111.82	123.00		107
26455003	HG FixFit Square wall outlet	Chrome	80.91	89.00		107
26455143	HG FixFit Square wall outlet	Brushed Bronze	116.36	128.00		107
26455343	HG FixFit Square wall outlet	Brushed Black Chrome	116.36	128.00		107
26455673	HG FixFit Square wall outlet	Matt Black	109.09	120.00		107
26455703	HG FixFit Square wall outlet	Matt White	109.09	120.00		107
26455823	HG FixFit Square wall outlet	Brushed Nickel	116.36	128.00		107
26455993	HG FixFit Square wall outlet	Polished Gold Optic	116.36	128.00		107
	HG Raindance S 240 2jet OHS	Chrome	1,191.82	1,311.00		125
26471180	HG Raindance 260x260 1 jet OHS basic set		290.00	319.00		125

Code No.	Description	Colour	RRP (ex GST)	RRP (inc GST)		rice List Pg. Num
26481000	HG Raindance 260x260 OHS	Chrome	1,262.73	1,389.00		125
26511000	HG Cassetta Unica E soap dish	Chrome	197.27	217.00		113
26515000	HG Raindance Select S HS 120 3jet PowderRain	Chrome	286.36	315.00		99
26519000	HG Cassetta E soap dish	Chrome	60.91	67.00		113
26521003	HG Raindance Select E120 EcoSmart HS	Chrome	279.09	307.00		98
26521400	HG Raindance Select E 120 EcoSmart HS	White/Chrome	266.36	293.00		98
26523000	HG Croma Select S 180 2jet OHS EcoSmart	Chrome	718.18	790.00		128
26528000	HG Croma Select E 180 2jet OHS EcoSmart	Chrome	718.18	790.00		128
26528400	HG Croma Select E 180 2jet OHS EcoSmart	White/Chrome	718.18	790.00		128
26531003	HG Raindance Select S 120 EcoSmart HS	Chrome	279.09	307.00		99
26531340	HG Raindance Select S 120 EcoSmart HS	Brushed Black Chrome	409.09	450.00		99
26531400	HG Raindance Select S 120 EcoSmart HS	White/Chrome	266.36	293.00		99
26531670	HG Raindance Select S 120 EcoSmart HS	Matt Black	376.36	414.00		99
26531823	HG Raindance Select S 120 EcoSmart HS	Brushed Nickel	445.45	490.00		99
26551003	HG Raindance Select E 150 EcoSmart HS	Chrome	359.09	395.00		98
26554400	HG Crometta 1 jet Green 6 l/min Set 65cm	White/Chrome	150.91	166.00		121
26555400	HG Crometta Vario Green 6 I/min Set 65cm	White/Chrome	162.73	179.00		121
26563400	HG Croma Select S Vario 91 Unica Set 65cm	White/Chrome	324.55	357.00		120
26565400	HG Croma Select S 1 jet 9 l Unica Set 65cm	White/Chrome	290.00	319.00		120
26581403	HG Croma Select E Multi Unica Set 65cm	White/Chrome	434.55	478.00		119
26583400	HG Croma Select E Vario 91 Unica Set 65cm	White/Chrome	324.55	357.00		119
26585400	HG Croma Select E 1 jet 91 Unica Set 65cm	White/Chrome	290.00	319.00		119
	HG Raindance Select E120 U'S Puro Set 65cm	Chrome	543.64	598.00		115
26622403	HG Raindance Select E120 U'S Puro Set 65cm	White/Chrome	569.09	626.00	While stocks last. Phased out.	115
26622823	HG Raindance Select E120 U'S Puro Set 65cm	Brushed Nickel	1,110.91	1,222.00		115
	HG Raindance Select \$120 U'S Puro Set 65cm	Chrome	543.64	598.00		116
	HG Raindance Select \$120 U'S Puro Set 65cm	Brushed Black Chrome	858.18	944.00		116
	HG Raindance Select \$120 U'S Puro Set 65cm	White/Chrome	569.09	626.00		116
	HG Raindance Select \$120 U'S Puro Set 65cm	Brushed Nickel	1,110.91	1,222.00		116
	HG Raindance Select E150 U'S Puro Set 65cm	Chrome	684.55		While stocks last. Phased out.	
	HG DogShower 150 3jet	Petrol	254.55	280.00	Trime diedika ladii Triadda edii	104
	HG DogShower 150 3jet	Pink	254.55	280.00		104
	HG DogShower 150 3jet	Matt Black	254.55	280.00		104
	HG DogShower 150 3jet	Matt White	254.55	280.00		104
	HG Crometta S 240 1 jet OHS	Chrome	613.64	675.00		131
26724670	HG Crometta S 240 1 jet OHS	Matt Black	798.18	878.00		131
	HG Crometta E 240 1 jet OHS	Chrome	613.64	675.00		131
26727670	HG Crometta E 240 1 jet OHS	Matt Black	798.18	878.00		131
	HG Crometta S 240 Showerpipe Reno Select	Chrome				97
	· · ·	Chrome	1,250.00	1,375.00		
26743003	HG Crown Solvet E Showerpipe Reno EcoSmart	Brushed Nickel	1,411.82	1,553.00		96 96
	1 1	Chrome	2,258.18	2,484.00		96
26744003	HG Croma Select S Showerpipe Reno EcoSmart		1,411.82	1,553.00		
26801400	HG Croma Select S Multi HS EcoSmart	Chrome	197.27	217.00		102
	HG Croma Select S Vario HS EcoSmart	White/Chrome	150.91	166.00		102
	HG Croma Select S 1 jet HS EcoSmart	White/Chrome	116.36	128.00		103
26811400	HG Croma Select E Multi HS EcoSmart	White/Chrome	197.27	217.00		102
26813400	HG Croma Select E Vario HS EcoSmart	White/Chrome	150.91	166.00		102
26815400	HG Croma Select E 1 jet HS EcoSmart	White/Chrome	116.36	128.00		102
	HG Rainfinity FixFit 500 w/ shower holder, shelf L	Chrome	1,007.27	1,108.00	NEW	108
26843140	HG Rainfinity FixFit 500 w/ shower holder, shelf L	Brushed Bronze	1,555.45	1,711.00		108
	HG Rainfinity FixFit 500 w/ shower holder, shelf L	Brushed Black Chrome	1,555.45	1,711.00		108
26843670	HG Rainfinity FixFit 500 w/ shower holder, shelf L	Matt Black	1,309.09	1,440.00	NEW	108
	HG Rainfinity FixFit 500 w/ shower holder, shelf L	Matt White	1,309.09	1,440.00		108
	HG Rainfinity Shelf 500	Chrome	764.55	841.00		138
26844700	HG Rainfinity Shelf 500	Matt White	996.36	1,096.00		138

ode No.	Description	Colour	RRP (ex GST)	RRP (inc GST)	Notes	Pg. Num
26858000	HG Rainfinity FixFit 500 w/ shower holder, shelf R	Chrome	1,007.27	1,108.00		108
	HG Rainfinity FixFit 500 w/ shower holder, shelf R	Brushed Bronze	1,555.45	1,711.00	NFW	108
	HG Rainfinity FixFit 500 w/ shower holder, shelf R	Brushed Black Chrome	1,555.45	1,711.00		108
	HG Rainfinity FixFit 500 w/ shower holder, shelf R	Matt Black	1,309.09	1,440.00		108
	HG Rainfinity FixFit 500 w/ shower holder, shelf R	Matt White	1,309.09	1,440.00	INLAA	108
	HG Rainfinity 130 3jet HS EcoSmart	Chrome	300.91	331.00		98
26865140	HG Rainfinity 130 Sjet HS EcoSmart	Brushed Bronze	454.55	500.00	NEW	98
	HG Rainfinity 130 Sjet HS EcoSmart	Brushed Black Chrome	454.55	500.00		98
	HG Rainfinity 130 Sjet HS EcoSmart	Matt Black	381.82	420.00		98
	HG Rainfinity 130 Sjet HS EcoSmart	Matt White	381.82	420.00	INLYY	98
	HG Rainfinity Baton HS 100 1 jet EcoSmart	Chrome	255.45	281.00		98
		Brushed Bronze	382.73	421.00	NEW	98
	HG Rainfinity Baton HS 100 1 jet EcoSmart	Brushed Black Chrome		421.00		98
	HG Rainfinity Baton HS 100 1 jet EcoSmart		382.73			
	HG Rainfinity Baton HS 100 1 jet EcoSmart	Matt Black	324.55	357.00	INEVV	98
	HG Rainfinity Baton HS 100 1jet EcoSmart	Matt White	324.55	357.00		98
	HG FixFit Q porter with shower holder	Chrome	243.64	268.00		105
	HG FixFit Q porter with shower holder	Brushed Bronze	365.45	402.00		105
	HG FixFit Q porter with shower holder	Brushed Black Chrome	365.45	402.00		105
	HG FixFit Q porter with shower holder	Matt Black	341.82	376.00		105
	HG FixFit Q porter with shower holder	Matt White	341.82	376.00		105
	HG FixFit S porter with shower holder	Chrome	243.64	268.00		105
26888140	HG FixFit S porter with shower holder	Brushed Bronze	365.45	402.00		105
	HG FixFit S porter with shower holder	Brushed Black Chrome	365.45	402.00		105
26888670	HG FixFit S porter with shower holder	Matt Black	341.82	376.00		105
26888700	HG FixFit S porter with shower holder	Matt White	341.82	376.00		105
26889000	HG FixFit E porter with shower holder	Chrome	243.64	268.00		105
26889140	HG FixFit E porter with shower holder	Brushed Bronze	365.45	402.00		105
26889340	HG FixFit E porter with shower holder	Brushed Black Chrome	365.45	402.00		105
26889670	HG FixFit E porter with shower holder	Matt Black	341.82	376.00		105
26889700	HG FixFit E porter with shower holder	Matt White	341.82	376.00		105
27						
27388000	HG Ceiling connector E 300mm	Chrome	231.82	255.00		133
27389000	HG Ceiling connector \$ 300mm	Chrome	198.18	218.00		133
27389140	HG Ceiling connector \$ 300mm	Brushed Bronze	310.00	341.00	NEW	133
27389340	HG Ceiling connector \$ 300mm	Brushed Black Chrome	310.00	341.00		133
27389670	HG Ceiling connector \$ 300mm	Matt Black	277.27	305.00		133
27389700	HG Ceiling connector \$ 300mm	Matt White	324.55	357.00		133
27389820	HG Ceiling connector S 300mm	Brushed Nickel	442.73	487.00		133
27393000	HG Ceiling Connector S 100mm	Chrome	172.73	190.00		133
27393140	HG Ceiling Connector S 100mm	Brushed Bronze	258.18	284.00		133
27393340	HG Ceiling Connector S 100mm	Brushed Black Chrome	258.18	284.00		133
27393670	HG Ceiling Connector S 100mm	Matt Black	240.91	265.00		133
27393700	HG Ceiling Connector S 100mm	Matt White	240.91	265.00		133
	HG Ceiling Connector S 100mm	Polished Gold Optic	258.18	284.00		133
27409003	HG Shower arm 241mm	Chrome	186.36	205.00	While stocks last. Phased out.	132
27413003	HG Shower arm 389mm	Chrome	200.91	221.00		132
27413140	HG Shower arm 389mm	Brushed Bronze	297.27	327.00	NEW	132
27413343	HG Shower arm 389mm	Brushed Black Chrome	471.82	519.00		132
27413670	HG Shower arm 389mm	Matt Black	282.73	311.00		132
27413700	HG Shower arm 389mm	Matt White	282.73	311.00		132
27413823	HG Shower arm 389mm	Brushed Nickel	297.27	327.00		132
27413823	HG PuraVida FixFit	Chrome	130.91	144.00	While stocks last. Phased out.	107
	TIO FUIDVIOU FIXEII				vville slocks last, rhased out.	
	AV Staral, Einfit wall and a	Deugla - al NI: al I	10 F 4 F			
27451820	AX Starck Fixfit wall outlet  HG Fixfit S wall outlet	Brushed Nickel Chrome	125.45 104.55	138.00 115.00		107 107

Code No.	Description	Colour	RRP (ex GST)	RRP (inc GST)	Notes	Price List Pg. Num
27461003	HG Raindance Air 240 1 jet OHS	Chrome	1,093.64	1,203.00		127
27624001	HG Raindance S 240 1 jet PowderRain OHS	Chrome	1,065.45	1,172.00		127
27624141	HG Raindance S 240 1 jet PowderRain OHS	Brushed Bronze	1,612.73	1,774.00	NEW	127
27624341	HG Raindance S 240 1 jet PowderRain OHS	Brushed Black Chrome	1,612.73	1,774.00		127
27624671	HG Raindance S 240 1 jet PowderRain OHS	Matt Black	1,612.73	1,774.00	NEW	127
	HG Raindance S 240 1 jet PowderRain OHS	Matt White	1,612.73	1,774.00	NEW	127
27624821	HG Raindance S 240 1jet PowderRain OHS	Brushed Nickel	1,612.73	1,774.00		127
27636000	HG Raindance Wall bar Unica'S 900mm	Chrome	822.73	905.00		112
27640000	HG Unica Shower bar E 90 cm with hose	Chrome	902.73	993.00		109
27640400	HG Unica Shower bar E 90 cm with hose	White/Chrome	902.73	993.00		109
27645000	HG Unica E Shower bar E 150 with hose	Chrome	902.73	993.00		109
27645400	HG Unica E Shower bar E 150 with hose	White/Chrome	1,226.36	1,349.00		109
	HG Raindance Sel S120 3j 9l/Unica E Set 90cm	Chrome	1,094.55	1,204.00		115
	HG Raindance Select S 120 3jet PowderRain set 65cm	Chrome	579.09	637.00		116
	HG Raindance Select S 120 3jet PowderRain set 90cm	Chrome	602.73	663.00		116
	HG Unica Reno Wall bar 720mm	Chrome	208.18	229.00		113
	HG Showerpipe Reno without shower components	Chrome	1,147.27	1,262.00		97
	HG Vernis Blend Ceiling connector 10 cm	Chrome	103.64	114.00	NFW	133
	HG Vernis Blend Ceiling connector 10 cm	Matt Black	145.45	160.00		133
	HG Vernis Blend Ceiling connector 30 cm	Chrome	138.18	152.00		133
	HG Vernis Blend Ceiling connector 30 cm	Matt Black	193.64	213.00		133
28	The verilla blend coming connector of the	Wall Black	170.04	210.00	14244	100
	HG Sensoflex shower hose 1600mm	Chrome	116.36	128.00		106
	HG Comfortflex shower hose 1250mm	Chrome	58.18	64.00		107
	HG Comfortflex shower hose 1600mm	Chrome	64.55	71.00		107
	HG Comfortflex shower hose 2000mm	Chrome	70.00	77.00		107
		Chrome			NIE/A/	
	HG Designflex Textile shower hose 12500mm	Brushed Bronze	92.73	102.00		106
	HG Designflex Textile shower hose 12500mm	Brushed Black Chrome	139.09 139.09	153.00 153.00		106
	HG Designflex Textile shower hose 12500mm					
	HG Designflex Textile shower hose 12500mm	Matt Black Matt White	130.00	143.00		106
	HG Designflex Textile shower hose 12500mm		130.00	143.00	INEVV	106
	HG Isiflex 1600mm volume control	Chrome	143.64	158.00		106
	HG Isiflex 1250mm volume control	Chrome	139.09	153.00	<b>NIENA</b>	107
	HG Designflex Textile shower hose 1600mm	Chrome	99.09	109.00		106
	HG Designflex Textile shower hose 1600mm	Brushed Bronze	149.09	164.00		106
	HG Designflex Textile shower hose 1600mm	Brushed Black Chrome	149.09	164.00		106
	HG Designflex Textile shower hose 1600mm	Matt Black	139.09	153.00		106
	HG Designflex Textile shower hose 1600mm	Matt White	139.09	153.00		106
	HG Designflex Textile shower hose 1600mm	Brushed Nickel	149.09	164.00	NEW	106
	HG Isiflex B Shower hose 1250mm	Chrome	81.82	90.00		106
28272140	HG Isiflex B Shower hose 1250mm	Brushed Bronze	110.91	122.00	NEW	106
	HG Isiflex B Shower hose 1250mm	Brushed Black Chrome	110.91	122.00		106
	HG Isiflex B Shower hose 1250mm	Matt Black	91.82	101.00		106
	HG Isiflex B Shower hose 1250mm	Matt White	91.82	101.00		106
28272820	HG Isiflex B Shower hose 1250mm	Brushed Nickel	109.09	120.00		106
28276000	HG Isiflex B Shower hose 1600mm	Chrome	84.55	93.00		106
28276140	HG Isiflex B Shower hose 1600mm	Brushed Bronze	120.00	132.00	NEW	106
28276340	HG Isiflex B Shower hose 1600mm	Brushed Black Chrome	120.00	132.00		106
28276670	HG Isiflex B Shower hose 1600mm	Matt Black	116.36	128.00		106
28276700	HG Isiflex B Shower hose 1600mm	Matt White	116.36	128.00		106
28276820	HG Isiflex B Shower hose 1600mm	Brushed Nickel	119.09	131.00		106
28307000	HG Shower support rim mounted with hose	Chrome	312.73	344.00		105
28331000	HG Porter'S Shower support	Chrome	72.73	80.00		105
28331140	HG Porter'S Shower support	Brushed Bronze	113.64	125.00	NEW	105
	HG Porter'S shower support	Brushed Black Chrome	113.64	125.00		105

Code No.	Description	Colour	(ex GST)	RRP (inc GST)	Notes	Pg. Num
28331670	HG Porter'S Shower support	Matt Black	104.55	115.00		105
	HG Porter'S Shower support	Matt White	104.55	115.00		105
	HG Porter'S Shower support	Brushed Nickel	113.64	125.00		105
	HG Coupling set DN15 HS	Brosnod Filekor	38.18	42.00		104
	HG Rainfinity Shower holder Porter E	Chrome	139.09	153.00		105
	HG Rainfinity Shower holder Porter E	Brushed Bronze	217.27	239.00	NEW	105
	HG Rainfinity Shower holder Porter E	Brushed Black Chrome	217.27	239.00	INLAA	105
	HG Rainfinity Shower holder Porter E	Matt Black	197.27	217.00		105
	,	Matt White	197.27	217.00		105
	HG Rainfinity Shower holder Porter E					
	HG Croma 100 Vario EcoSmart OHS	Chrome	173.64	191.00		131
	HG Bodyvette Body shower with rubit	Chrome	300.91	331.00		131
	HG Bodyvette Body shower with stop	Chrome	347.27	382.00	Pl + 20 /0 / /000 /	131
	HG Raindance Select 150 HS EcoSmart	Chrome	359.09	395.00	Phase out 30/06/2024	99
	HG Raindance Select 150 HS EcoSmart	White/Chrome	337.27	371.00		99
	HG Unica'S Puro shower bar 900mm	Chrome	375.45	413.00		112
	HG Unica'S Puro shower bar 900mm	Brushed Bronze	563.64	620.00		112
	HG Unica'S Puro shower bar 900mm	Brushed Black Chrome	563.64	620.00	NEW	112
	HG Unica'S Puro shower bar 900mm	Matt Black	524.55	577.00		112
28631700	HG Unica'S Puro shower bar 900mm	Matt White	524.55	577.00		112
28631820	HG Unica'S Puro shower bar 900mm	Brushed Nickel	563.64	620.00		112
28632000	HG Unica'S Puro shower bar 650mm	Chrome	347.27	382.00		112
28632140	HG Unica'S Puro shower bar 650mm	Brushed Bronze	531.82	585.00	NEW	112
28632340	HG Unica'S Puro shower bar 650mm	Brushed Black Chrome	531.82	585.00	NEW	112
28632670	HG Unica'S Puro shower bar 650mm	Matt Black	489.09	538.00		112
28632700	HG Unica'S Puro shower bar 650mm	Matt White	489.09	538.00		112
28678000	HG Cassetta Soap dish for Unica'C	Chrome	48.18	53.00		113
28679000	HG Cassetta'S Puro Soap dish	Chrome	116.36	128.00		113
31						
	HG Metris S Basin mixer 90 w/o waste	Chrome	543.64	598.00		68
31084003	HG Metris Basin mixer 110 w/o waste	Chrome	787.27		While stocks last. Phased out.	67
31174000	HG Focus Basin mixer electronic	Chrome	1,447.27	1,592.00		87
31185003	HG Metris Highriser 200 w/o waste	Chrome	972.73	1,070.00	While stocks last. Phased out.	67
31517003	HG Focus Basin mixer 100 w/o waste	Chrome	359.09	395.00		80
31517343	HG Decor Single lever basin mixer 100 w/o waste set	Brushed Black Chrome	563.64	620.00		80
31517823	HG Focus Basin mixer 100 w/o waste	Brushed Nickel	541.82	596.00		80
31518003	HG Focus Basin mixer 190 w/o waste	Chrome	474.55	522.00		80
31518343	HG Decor Single lever basin mixer 190 w/o waste set	Brushed Black Chrome	745.45	820.00		80
31518823	HG Focus Basin mixer 190 w/o waste	Brushed Nickel	703.64	774.00		80
31685003	HG Metris Shower mixer conc.fs	Chrome	694.55	764.00	While stocks last. Phased out.	67
31733343	HG Decor Single lever basin mixer 70 w/o waste set	Brushed Black Chrome	381.82	420.00		80
31815003	HG Focus M41 kitchen mixer 240 with pull-out spray	Chrome	822.73	905.00		152
31815343	HG Decor Single lever KM 240,pull-out spray, 2jet	Brushed Black Chrome	1,234.55	1,358.00		152
31815803	HG Focus M41 kitchen mixer 240, pull-out spray	Stainless Steel	1,069.09	1,176.00		152
31817003	HG Focus M41kitchen mixer 280	Chrome	648.18	713.00	While stocks last. Phased out.	152
31817343	HG Decor Single lever KM 280, 1 jet	Brushed Black Chrome	971.82	1,069.00		152
	HG Focus M41 kitchen mixer 260	Chrome	602.73	663.00		152
31820343	HG Decor Single lever KM 260, 1 jet	Brushed Black Chrome	903.64	994.00		152
31937000	HG Focus 3-h.basin mixer w waste set	Chrome	752.73	828.00		80
31945003	HG Focus Bath mixer fs	Chrome	440.91	485.00		81
31945343	HG Decor Single lever bath mixer fs	Brushed Black Chrome	690.00	759.00		81
31945823	HG Focus Bath mixer fs	Brushed Nickel				81
			670.00	737.00		
31961000	HG Focus Shower mixer conc.small esc.Export	Chrome	128.18	141.00		81
31961340	HG Focus Shower mixer conc.small esc.Export	Brushed Black Chrome	426.36	469.00		81
31961820 31965343	HG Focus Shower mixer conc.small esc.Export  HG Decor Single lever shower mixer fs	Brushed Nickel Brushed Black Chrome	202.73	223.00 759.00		81

				Price List
Code No. Description	Colour	RRP (ex GST)	RRP (inc GST) Notes	Pg. Num

40						
40088000	HG Replacement brush for toilet brush	White	52.73	58.00		143
40089000	HG Replacement toilet brush with handle	Chrome	161.82	178.00		143
40438000	HG A41 Soap dispenser	Chrome	173.64	191.00		137
40438340	HG A41 Soap dispenser	Brushed Black Chrome	260.91	287.00		137
40438670	HG A41 Soap dispenser	Matt Black	240.00	264.00		137
40438800	HG A41 Soap dispenser stainless steel	Stainless Steel	231.82	255.00		137
40448000	HG A51 Soap dispenser	Chrome	242.73	267.00		137
40448670	HG A51 Soap dispenser	Matt Black	327.27	360.00		137
40448800	HG A51 Soap dispenser stainless steel	Stainless Steel	312.73	344.00		137
40468000	HG A71 Soap dispenser	Chrome	242.73	267.00		155
40468670	HG A71 Soap dispenser	Matt Black	327.27	360.00		155
40468800	HG A71 Soap dispenser stainless steel	Stainless Steel	312.73	344.00		155
40511000	HG Logis Single hook	Chrome	60.91	67.00	Phase out 30/06/2024	138
40511820	HG Logis Single hook	Brushed Nickel	84.55	93.00	Phase out 30/06/2024	138
40512000	HG Logis Twin bar towel holder	Chrome	266.36	293.00	Phase out 30/06/2024	139
40512820	HG Logis Twin bar towel holder	Brushed Nickel	395.45	435.00	Phase out 30/06/2024	139
40513000	HG Logis Grab Bar 300mm	Chrome	266.36	293.00	Phase out 30/06/2024	139
40513820	HG Logis Grab bar 300mm	Brushed Nickel	395.45	435.00	Phase out 30/06/2024	139
40514000	HG Logis Lotion dispenser	Chrome	347.27	382.00	Phase out 30/06/2024	138
40514820	HG Logis Lotion dispenser	Brushed Nickel	520.91	573.00	Phase out 30/06/2024	138
40515000	HG Logis Soap dish	Chrome	221.82	244.00	Phase out 30/06/2024	138
40515820	HG Logis Soap dish	Brushed Nickel	324.55	357.00	Phase out 30/06/2024	138
40516000	HG Logis Bath towel holder 600mm	Chrome	312.73	344.00	Phase out 30/06/2024	139
40516820	HG Logis Bath towel holder 600mm	Brushed Nickel	463.64	510.00	Phase out 30/06/2024	139
40517000	HG Logis Holder for Spare Roll	Chrome	173.64	191.00	Phase out 30/06/2024	139
40517820	HG Logis Holder for Spare Roll	Brushed Nickel	266.36	293.00	Phase out 30/06/2024	139
40518000	HG Logis Toothbrush tumbler	Chrome	221.82	244.00	Phase out 30/06/2024	138
40518820	HG Logis Toothbrush tumbler	Brushed Nickel	324.55	357.00	Phase out 30/06/2024	138
40522000	HG Logis Toilet brush w.holder	Chrome	395.45	435.00	Phase out 30/06/2024	138
40522820	HG Logis Toilet brush w.holder	Brushed Nickel	590.00	649.00	Phase out 30/06/2024	138
40523000	HG Logis Paper roll holder	Chrome	221.82	244.00	Phase out 30/06/2024	138
40523820	HG Logis Paper roll holder	Brushed Nickel	324.55	357.00	Phase out 30/06/2024	138
40526000	HG Logis Paper roll holder w/o lid	Chrome	173.64	191.00	Phase out 30/06/2024	139
40526820	HG Logis Paper roll holder w/o lid	Brushed Nickel	266.36	293.00	Phase out 30/06/2024	139
40963000	HG F14 Multifunctional strainer	Matt Black	65.45	72.00		149
41						
41710000	HG Logis Universal Corner basket	Chrome	84.55	93.00		140
41711000	HG Logis Universal Single hook	Chrome	24.55	27.00		140
41712000	HG Logis Universal Double towel holder	Chrome	162.73	179.00		142
41713000	HG Logis Universal Grab bar	Chrome	130.91	144.00		142
41714000	HG Logis Universal Soap dispenser	Chrome	116.36	128.00		140
41715000	HG Logis Universal Soap dish	Chrome	84.55	93.00		140
41716000	HG Logis Universal Bath towel holder	Chrome	130.91	144.00		141
41717000	HG Logis Universal Double spare roll holder	Chrome	84.55	93.00		141
41718000	HG Logis Universal Toothbrush tumbler	Chrome	84.55	93.00		141
41720000	HG Logis Universal Towel rack w/ bath tow.h.	Chrome	221.82	244.00		142
41722000	HG Logis Universal Toilet brush holder wall	Chrome	116.36	128.00		141
41723000	HG Logis Universal Roll holder w/ cover	Chrome	116.36	128.00		141
41724000	HG Logis Universal Towel ring	Chrome	84.55	93.00		140
41725000	HG Logis Universal Double hook	Chrome	48.18	53.00		140
41726000	HG Logis Universal Roll holder w/o cover	Chrome	84.55	93.00		141
41727000	HG Logis Universal Basic set 3-in-1	Chrome	347.27	382.00		142
41728000	HG Logis Universal Extended set 5-in-1	Chrome	569.09	626.00		143
41741000	HG Addstoris Corner basket	Chrome	100.91	111.00		144
		·				

Code No.	Description	Colour	(ex GST)	RRP (inc GST) N	Notes	Pg. Num
41741140	HG Addstoris Corner basket	Brushed Bronze	152.73	168.00		144
41741340	HG Addstoris Corner basket	Brushed Black Chrome	162.73	179.00		144
41741670	HG Addstoris Corner basket	Matt Black	142.73	157.00		144
41741700	HG Addstoris Corner basket	Matt White	142.73	157.00		144
41741820	HG Addstoris Corner basket	Brushed Nickel	162.73	179.00	NEW	144
41741990	HG Addstoris Corner basket	Polished Gold Optic	152.73	168.00		144
41742000	HG Addstoris Single hook	Chrome	26.36	29.00		144
41742140	HG Addstoris Single hook	Brushed Bronze	39.09	43.00		144
41742340	HG Addstoris Single hook	Brushed Black Chrome	41.82	46.00		144
41742670	HG Addstoris Single hook	Matt Black	37.27	41.00		144
41742700	HG Addstoris Single hook	Matt White	37.27	41.00		144
41742820	HG Addstoris Single hook	Brushed Nickel	41.82	46.00	NEW	144
41742990	HG Addstoris Single hook	Polished Gold Optic	39.09	43.00		144
41743000	HG AddStoris Double bath towel rail	Chrome	189.09	208.00		144
41743140	HG AddStoris Double bath towel rail	Brushed Bronze	282.73	311.00		144
41743340	HG AddStoris Double bath towel rail	Brushed Black Chrome	300.00	330.00		144
41743670	HG AddStoris Double bath towel rail	Matt Black	263.64	290.00		144
41743700	HG AddStoris Double bath towel rail	Matt White	263.64	290.00		144
41743820	HG AddStoris Double bath towel rail	Brushed Nickel	300.00		NEW	144
41743990	HG AddStoris Double bath towel rail	Polished Gold Optic	282.73	311.00	IALAA	144
41744000	HG Addstoris Grab bar	Chrome	140.91	155.00		146
41744140	HG Addstoris Grab bar	Brushed Bronze	210.91	232.00		146
41744140	HG Addstoris Grab bar	Brushed Black Chrome	225.45	248.00		146
41744540	HG Addstoris Grab bar	Matt Black	197.27	217.00		146
	HG Addstoris Grab bar					
41744700		Matt White	197.27	217.00	NIEVA/	146
41744820	HG Addstoris Grab bar	Brushed Nickel	225.45		NEW	146
41744990	HG Addstoris Grab bar	Polished Gold Optic	210.91	232.00		146
41745000	HG Addstoris Liquid soap dispenser	Chrome	125.45	138.00		147
41745140	HG Addstoris Liquid soap dispenser	Brushed Bronze	186.36	205.00		147
41745340	HG Addstoris Liquid soap dispenser	Brushed Black Chrome	198.18	218.00		147
	HG Addstoris Liquid soap dispenser	Matt Black	172.73	190.00		147
41745700	HG Addstoris Liquid soap dispenser	Matt White	172.73	190.00		147
41745820	HG Addstoris Liquid soap dispenser	Brushed Nickel	198.18	218.00	NEW	147
41745990	HG Addstoris Liquid soap dispenser	Polished Gold Optic	186.36	205.00		147
41746000	HG Addstoris Soap dish	Chrome	89.09	98.00		147
41746140	HG Addstoris Soap dish	Brushed Bronze	132.73	146.00		147
41746340	HG Addstoris Soap dish	Brushed Black Chrome	140.00	154.00		147
41746670	HG Addstoris Soap dish	Matt Black	122.73	135.00		147
41746700	HG Addstoris Soap dish	Matt White	122.73	135.00		147
41746820	HG Addstoris Soap dish	Brushed Nickel	140.00	154.00	NEW	147
41746990	HG Addstoris Soap dish	Polished Gold Optic	132.73	146.00		147
41747000	HG AddStoris Bath towel rail	Chrome	140.91	155.00		144
41747140	HG AddStoris Bath towel rail	Brushed Bronze	210.91	232.00		144
41747340	HG AddStoris Bath towel rail	Brushed Black Chrome	225.45	248.00		144
41747670	HG AddStoris Bath towel rail	Matt Black	197.27	217.00		144
41747700	HG AddStoris Bath towel rail	Matt White	197.27	217.00		144
41747820	HG AddStoris Bath towel rail	Brushed Nickel	225.45	248.00	NEW	144
41747990	HG AddStoris Bath towel rail	Polished Gold Optic	210.91	232.00		144
41748000	HG Addstoris Double roll holder	Chrome	89.09	98.00		146
41748140	HG Addstoris Double roll holder	Brushed Bronze	132.73	146.00		146
41748340	HG Addstoris Double roll holder	Brushed Black Chrome	140.00	154.00		146
41748670	HG Addstoris Double roll holder	Matt Black	122.73	135.00		146
41748700	HG Addstoris Double roll holder	Matt White	122.73	135.00		146
41748820	HG Addstoris Double roll holder	Brushed Nickel	140.00	154.00	NEW	146
41748990	HG Addstoris Double roll holder	Polished Gold Optic	132.73	146.00		146

Code No.	Description	Colour	RRP (ex GST)	RRP (inc GST)	Notes	Price List Pg. Num
41749000	HG Addstoris Toothbrush tumbler	Chrome	89.09	98.00		147
41749140	HG Addstoris Toothbrush tumbler	Brushed Bronze	132.73	146.00		147
41749340	HG Addstoris Toothbrush tumbler	Brushed Black Chrome	140.00	154.00		147
41749670	HG Addstoris Toothbrush tumbler	Matt Black	122.73	135.00		147
41749700	HG Addstoris Toothbrush tumbler	Matt White	122.73	135.00		147
41749820	HG Addstoris Toothbrush tumbler	Brushed Nickel	140.00	154.00	NEW	147
41749990	HG Addstoris Toothbrush tumbler	Polished Gold Optic	132.73	146.00		147
41751000	HG AddStoris Towel rack with towel holder	Chrome	409.09	450.00		145
41751140	HG AddStoris Towel rack with towel holder	Brushed Bronze	611.82	673.00		145
41751340	HG AddStoris Towel rack with towel holder	Brushed Black Chrome	653.64	719.00		145
41751670	HG AddStoris Towel rack with towel holder	Matt Black	571.82	629.00		145
41751700	HG AddStoris Towel rack with towel holder	Matt White	571.82	629.00		145
41751820	HG AddStoris Towel rack with towel holder	Brushed Nickel	653.64	719.00	NEW	145
41751990	HG AddStoris Towel rack with towel holder	Polished Gold Optic	611.82	673.00		145
41752000	HG Addstoris Toilet brush holder wall mounted	Chrome	125.45	138.00		147
41752140	HG Addstoris Toilet brush holder wall mounted	Brushed Bronze	186.36	205.00		147
41752340	HG Addstoris Toilet brush holder wall mounted	Brushed Black Chrome	198.18	218.00		147
41752670	HG Addstoris Toilet brush holder wall mounted	Matt Black	172.73	190.00		147
41752700	HG Addstoris Toilet brush holder wall mounted	Matt White	172.73	190.00		147
41752990	HG Addstoris Toilet brush holder wall mounted	Polished Gold Optic	186.36	205.00		147
41753000	HG AddStoris Roll Holder with cover	Chrome	138.18	152.00		146
41753140	HG AddStoris Roll Holder with cover	Brushed Bronze	206.36	227.00		146
41753340	HG AddStoris Roll Holder with cover	Brushed Black Chrome	221.82	244.00		146
41753670	HG AddStoris Roll Holder with cover	Matt Black	193.64	213.00		146
41753700	HG AddStoris Roll Holder with cover	Matt White	193.64	213.00		146
41753820	HG AddStoris Roll Holder with cover	Brushed Nickel	221.82	244.00	NEW	146
41753990	HG AddStoris Roll Holder with cover	Polished Gold Optic	206.36	227.00		146
41754000	HG Addstoris Towel ring	Chrome	89.09	98.00		145
41754140	HG Addstoris Towel ring	Brushed Bronze	132.73	146.00		145
	HG Addstoris Towel ring	Brushed Black Chrome	140.00	154.00		145
	HG Addstoris Towel ring	Matt Black	122.73	135.00		145
41754700	HG Addstoris Towel ring	Matt White	122.73	135.00		145
	HG Addstoris Towel ring	Brushed Nickel	140.00	154.00	NFW	145
	HG Addstoris Towel ring	Polished Gold Optic	132.73	146.00	TYETT	145
41755000	HG Addstoris Double hook	Chrome	53.64	59.00		144
41755140	HG Addstoris Double hook	Brushed Bronze	81.82	90.00		144
41755340	HG Addstoris Double hook	Brushed Black Chrome	86.36	95.00		144
	HG Addstoris Double hook	Matt Black	77.27	85.00		144
41755700	HG Addstoris Double hook	Matt White	77.27	85.00		144
41755820	HG Addstoris Double hook	Brushed Nickel	86.36	95.00	NIE\A/	144
	HG Addstoris Double hook			90.00	INEVV	144
		Polished Gold Optic Chrome	81.82 89.09	98.00		147
	HG Addstoris Spare roll holder	Brushed Bronze				
41756140	HG Addstoris Spare roll holder		132.73	146.00		147
41756340	HG Addstoris Spare roll holder	Brushed Black Chrome	140.00	154.00		147
41756670	HG Addstoris Spare roll holder	Matt Black	122.73	135.00		147
41756700	HG Addstoris Spare roll holder	Matt White	122.73	135.00		147
41756820	HG Addstoris Spare roll holder	Brushed Nickel	140.00	154.00	NEW	147
41756990	HG Addstoris Spare roll holder	Polished Gold Optic	132.73	146.00		147
	HG Addstoris Shower door handle	Chrome	189.09	208.00		145
41759140	HG Addstoris Shower door handle	Brushed Bronze	282.73	311.00		145
41759340	HG Addstoris Shower door handle	Brushed Black Chrome	300.00	330.00		145
41759670	HG Addstoris Shower door handle	Matt Black	263.64	290.00		145
41759700	HG Addstoris Shower door handle	Matt White	263.64	290.00		145
41759820	HG Addstoris Shower door handle	Brushed Nickel	300.00	330.00	NEW	145
41759990	HG Addstoris Shower door handle	Polished Gold Optic	282.73	311.00		145

## **Price List**

Code No.	Description	Colour	(ex GST)	(inc GST)	Notes	Pg. Num
41770000	HG AddStoris Twin handle bath towel holder	Chrome	140.91	155.00		145
41770140	HG AddStoris Twin handle bath towel holder	Brushed Bronze	210.91	232.00		145
41770340	HG AddStoris Twin handle bath towel holder	Brushed Black Chrome	225.45	248.00		145
41770670	HG AddStoris Twin handle bath towel holder	Matt Black	197.27	217.00		145
41770700	HG AddStoris Twin handle bath towel holder	Matt White	197.27	217.00		145
	HG AddStoris Twin handle bath towel holder	Brushed Nickel	225.45	248.00	NFW	145
41770990	HG AddStoris Twin handle bath towel holder	Polished Gold Optic	210.91	232.00		145
41771000	HG Addstoris Roll holder without cover	Chrome	99.09	109.00		146
41771140	HG Addstoris Roll holder without cover	Brushed Bronze	149.09	164.00		146
41771340	HG Addstoris Roll holder without cover	Brushed Black Chrome	157.27	173.00		146
41771670	HG Addstoris Roll holder without cover	Matt Black	138.18	152.00		146
41771700	HG Addstoris Roll holder without cover	Matt White	138.18	152.00		146
41771820	HG Addstoris Roll holder without cover	Brushed Nickel	157.27	173.00	NEW	146
41771990	HG Addstoris Roll holder without cover	Polished Gold Optic	149.09	164.00	14544	146
41772000	HG Addstoris Roll holder with shelf	Chrome	138.18	152.00		146
41772140	HG Addstoris Roll holder with shelf	Brushed Bronze	206.36	227.00		146
41772140	HG Addstoris Roll holder with shelf	Brushed Black Chrome	200.30	244.00		146
	HG Addstoris Roll holder with shelf	Matt Black	193.64	213.00		146
	HG Addstoris Roll holder with shelf	Matt White				146
41772700			193.64	213.00	NIE/A/	
	HG Addstoris Roll holder with shelf	Brushed Nickel	190.00	209.00	NEW	146
41772990	HG Addstoris Roll holder with shelf	Polished Gold Optic	206.36	227.00		146
	HG Addstoris Sanitary bag dispenser	Chrome	63.64	70.00		148
41773140	HG Addstoris Sanitary bag dispenser	Brushed Bronze	93.64	103.00		148
	HG Addstoris Sanitary bag dispenser	Brushed Black Chrome	99.09	109.00		148
41773670	HG Addstoris Sanitary bag dispenser	Matt Black	87.27	96.00		148
	HG Addstoris Sanitary bag dispenser	Matt White	87.27	96.00		148
41773990	HG Addstoris Sanitary bag dispenser	Polished Gold Optic	93.64	103.00		148
	HG Addstoris Tissue box	Chrome	136.36	150.00		148
41774140	HG Addstoris Tissue box	Brushed Bronze	201.82	222.00		148
	HG Addstoris Tissue box	Brushed Black Chrome	215.45	237.00		148
41774670	HG Addstoris Tissue box	Matt Black	189.09	208.00		148
41774700	HG Addstoris Tissue box	Matt White	189.09	208.00		148
41774990	HG Addstoris Tissue box	Polished Gold Optic	201.82	222.00		148
41775000	HG Addstoris Pedal bin	Chrome	136.36	150.00		148
41775670	HG Addstoris Pedal bin	Matt Black	189.09	208.00		148
41775700	HG Addstoris Pedal bin	Matt White	189.09	208.00		148
41790000	HG AddStoris Shaving mirror with LED light	Chrome	428.18	471.00		148
41790140	HG AddStoris Shaving mirror with LED light	Brushed Bronze	642.73	707.00		148
41790340	HG AddStoris Shaving mirror with LED light	Brushed Black Chrome	685.45	754.00		148
41790670	HG AddStoris Shaving mirror with LED light	Matt Black	599.09	659.00		148
41790700	HG AddStoris Shaving mirror with LED light	Matt White	599.09	659.00		148
41790990	HG AddStoris Shaving mirror with LED light	Polished Gold Optic	642.73	707.00		148
41791000	HG AddStoris Shaving mirror	Chrome	210.91	232.00		148
41791140	HG AddStoris Shaving mirror	Brushed Bronze	440.00	484.00		148
41791340	HG AddStoris Shaving mirror	Brushed Black Chrome	467.27	514.00		148
41791670	HG AddStoris Shaving mirror	Matt Black	295.45	325.00		148
41791700	HG AddStoris Shaving mirror	Matt White	295.45	325.00		148
41791990	HG AddStoris Shaving mirror	Polished Gold Optic	440.00	484.00		148
50						
	HG Basin waste push open	Chrome	170.00	187.00		135
50100140	HG Basin waste push open	Brushed Bronze	256.36	282.00		135
	HG Basin waste push open	Brushed Black Chrome	261.82	288.00		135
50100670	HG Basin waste push open	Matt Black	240.00	264.00		135
	HG Basin waste push open	Matt White	240.00	264.00		135

58						
	HG Exa-Bathtub Filler Set	Chrome	386.36	425.00		<i>7</i> 6
71	2.4.2.4		000.00	12000		
	HG Logis 70 Basin mixer w/o waste	Chrome	231.82	255.00		85
71091003	HG Logis 190 Basin mixer w/o waste	Chrome	428.18	471.00		85
	HG Logis 100 Basin mixer w/o waste	Chrome	312.73	344.00		85
	HG Logis 2-h.basin mix.conc.fs	Chrome	440.91	485.00		85
	HG Logis bas.m.110 Fine w/o waste	Chrome	325.45	358.00		84
71256000	HG Logis 2h bas.mx.con.Fine	Chrome	475.45	523.00		84
71258003	HG Logis bas.m.240 Fine w/o waste	Chrome	475.45	523.00		84
71405003	HG Logis Bath mixer conc	Chrome	395.45	435.00		86
71410000	HG Logis Bath spout	Chrome	266.36	293.00		78
71410670	HG Logis Bath spout	Matt Black	339.09	373.00	NEW	78
71410820	HG Logis Bath spout	Brushed Nickel	398.18	438.00		78
71420670	HG Vernis Blend Bath Spout	Matt Black	321.82	354.00		
71460670	HG Vernis Shape Bath Spout	Matt Black	321.82	354.00		
71501009	HG Vernis Blend Electr. mixer temp pre adjust. mains con.	Chrome	588.18	647.00	NEW	88
71504009	HG Vernis Blend Electr. mixer cold water/pre adjust. mains con.	Chrome	480.91	529.00	NEW	88
71604000	HG Logis Shower mixer conc.small esc.Export	Chrome	104.55	115.00		86
71605003	HG Logis Shower mixer conc.chrome	Chrome	337.27	371.00		86
71702003	HG Talis E 80 Basin mixer w/o waste	Chrome	324.55	357.00		77
71712003	HG Talis E 110 Basin mixer w/o waste	Chrome	405.45	446.00		77
71712673	HG Talis E 110 Basin mixer w/o waste	Matt Black	568.18	625.00		77
71712823	HG Talis E 110 Basin mixer w/o waste	Brushed Nickel	621.82	684.00		77
71717003	HG Talis E 240 Basin mixer w/o waste	Chrome	752.73	828.00		77
71717673	HG Talis E 240 Basin mixer w/o waste	Matt Black	1,053.64	1,159.00		77
71717823	HG Talis E 240 Basin mixer w/o waste	Brushed Nickel	1,146.36	1,261.00		77
71732003	HG Talis E Basin mixer set conc.fs short	Chrome	579.09	637.00		78
71733000	HG Talis E 3-h.basin mixer	Chrome	729.09	802.00		77
71734003	HG Talis E Basin mixer.set conc.fs long	Chrome	504.55	555.00		78
71734673	HG Talis E Basin mixer.set conc.fs long	Matt Black	976.36	1,074.00		78
71734823	HG Talis E Basin mixer.set conc.fs long	Brushed Nickel	764.55	841.00		78
71745003	HG Talis E Bath mixer conc.fs	Chrome	463.64	510.00		78
71745673	HG Talis E Bath mixer conc.fs	Matt Black	648.18	713.00		78
71745823	HG Talis E Bath mixer conc.fs	Brushed Nickel	688.18	757.00		78
71764000	HG Talis E Shower mixer conc.small esc.Export	Chrome	144.55	159.00		79
71764670	HG Talis E Shower mixer conc.small esc.Export	Matt Black	214.55	236.00		79
71764820	HG Talis E Shower mixer conc.small esc.Export	Brushed Nickel	237.27	261.00		79
71765003	HG Talis E Shower mixer conc.fs	Chrome	405.45	446.00		79
71765673	HG Talis E Shower mixer conc.fs	Matt Black	568.18	625.00		79
71830003	HG Logis M31 Single lever kitchen mixer 120	Chrome	312.73	344.00	Phase out 30/06/2024	154
71832003	HG Logis M31 Single lever kitchen mixer 160	Chrome	347.27	382.00	Phase out 30/06/2024	154
71835003	HG Logis M31 Single lever kitchen mixer 260	Chrome	452.73	498.00	Phase out 30/06/2024	154
71870003	HG Vernis Blend Kitchen mixer with swivel spout	Chrome	381.82	420.00	NEW	153
71870673	HG Vernis Blend Kitchen mixer with swivel spout	Matt Black	533.64	587.00	NEW	153
72						
72012003	HG Talis S 80 Basin mixer w/o waste	Chrome	405.45	446.00	Phase out 30/06/2024	75
72021003	HG Talis S 100 Basin mixer w/o waste	Chrome	485.45	534.00	Phase out 30/06/2024	75
72032003	HG Talis S 190 Basin mixer w/o waste	Chrome	742.73	817.00	Phase out 30/06/2024	75
72405003	HG Talis S Bath mixer concealed	Chrome	569.09	626.00	Phase out 30/06/2024	75
72410000	HG Talis S Bath spout chrome	Chrome	312.73	344.00	Phase out 30/06/2024	75
72430000	HG Rebris S Bath spout	Chrome	268.18	295.00	Phase out 30/06/2024	83
72430670	HG Rebris S Bath spout	Matt Black	335.45	369.00		83
72466003	HG Rebris S Single lever bath mixer	Chrome	400.00	440.00		83
72466673	HG Rebris S Single lever bath mixer	Matt Black	500.91	551.00		83

Code No.	Description	Colour	RRP (ex GST)	RRP (inc GST) No	tes	Pg. Num
72512003	HG Rebris S 80 Basin mixer w/o waste	Chrome	240.00	264.00		82
	HG Rebris S 80 Basin mixer w/o waste	Matt Black	300.00	330.00		82
72518003	HG Rebris S 110 Basin mixer w/o waste	Chrome	315.45	347.00		82
	HG Rebris S 110 Basin mixer w/o waste	Matt Black	394.55	434.00		82
	HG Rebris S 240 Basin mixer w/o waste	Chrome	480.91	529.00		82
	HG Rebris S 240 Basin mixer w/o waste	Matt Black	601.82	662.00		82
	HG Rebris S 2h Wall-mounted basin mixer 20.5cm	Chrome	453.64	499.00		82
	HG Rebris S 2h Wall-mounted basin mixer 20.5cm	Matt Black	567.27	624.00		82
	HG Talis S Shower mixer concealed	Chrome	510.91		hase out 30/06/2024	76
	HG Talis S Shower mixer concealed Export	Chrome	150.91		hase out 30/06/2024	76
	HG Rebris S Shower mixer small esc.Export	Chrome	106.36	117.00		83
	HG Rebris S Shower mixer small esc.Export	Matt Black	133.64	147.00		83
	HG Rebris S Shower mixer (ibox)	Chrome	342.73	377.00		83
	HG Rebris S Shower mixer (ibox)	Matt Black	428.18	471.00		83
	HG Talis M54 kitchen mixer 210, pull-out spout, 2jet	Chrome	915.45	1,007.00		151
	HG Talis M54 kitchen mixer 210, pull-out spout, 2jet	Matt Black	1,191.82	1,311.00		151
	HG Talis M54 kitchen mixer 210, pull-out spout, 2jet	Stainless Steel	1,191.82	1,311.00		151
	, i i , i	Chrome	·	866.00		151
	HG Talis M54 kitchen mixer 210, pull-out spout, 1 jet HG Talis M54 kitchen mixer 210, pull-out spout, 1 jet	Matt Black	787.27			
			1,018.18	1,120.00		151
	HG Talis M54 kitchen mixer 220 1 jet	Chrome	626.36	689.00		151
	HG Talis M54 kitchen mixer 220 1 jet	Matt Black	822.73	905.00		151
	HG Talis M54 kitchen mixer 220 1 jet	Stainless Steel	822.73	905.00		151
	HG Talis S M51 kitchen mixer 260	Chrome	891.82	981.00		150
	HG Talis S M51 kitchen mixer 200 with pull-out spray	Chrome	1,065.45	1,172.00		150
	HG Talis S M51 kitchen mixer 200, pull-out spray	Stainless Steel	1,384.55	1,523.00		150
72820003	HG Talis Select S M51 kitchen mixer 300	Chrome	1,284.55	1,413.00		150
72821003 <b>73</b>	HG Talis Select S M51 kitchen mixer 300 with pull-out spout	Chrome	1,342.73	1,477.00		150
	HG Logis Universal shaving mirror w/o light	Chrome	197.27	217.00		142
73816003	HG Metris Select M71 KM 320, pull-out spray, 2jet, sBox	Chrome	1,655.45	1,821.00		149
	HG Metris Select M71 KM 320, pull-out spray, 2jet, sBox	Stainless Steel	2,481.82	2,730.00		149
	HG Aguno Select M81 KM 170 pull-out spout, 3 jet, sBox	Chrome	1,953.64			149
73831673	HG Aguno Select M81 KM 170 pull-out spout, 3 jet, sBox	Matt Black	2,680.00			149
73831803	HG Aquno Select M81 KM 170 pull-out spout, 3 jet, sBox	Stainless Steel	2,512.73	2,764.00		149
74			·			
	HG Zesis M33 KM 150 2j pull-out	Chrome	530.91	584.00		153
	HG Zesis M33 KM 150 2j pull-out	Matt Black	735.45	809.00		153
	HG Zesis M33 KM 150 1j	Chrome	383.64	422.00		153
74802673	· ·	Matt Black	530.91	584.00		153
<b>75</b>	110 2033 MOO KM 150 1	Wall Black	300.71	30-1.00		150
	HG Vivenis basin mixer 80 w/o waste	Chrome	407.27	448.00		72
75012673	HG Vivenis basin mixer 80 w/o waste	Matt Black	570.00	627.00		72
75012073 75012703	HG Vivenis basin mixer 80 w/o waste	Matt White	570.00	627.00		72
	HG Vivenis basin mixer 110 w/o waste	Chrome	466.36	513.00		72
	· ·	Cnrome Matt Black				
	HG Vivenis basin mixer 110 w/o waste		651.82	717.00		72
	HG Vivenis basin mixer 110 w/o waste	Matt White	651.82	717.00		72
	HG Vivenis basin mixer 250 w/o waste	Chrome	727.27	800.00		72
	HG Vivenis basin mixer 250 w/o waste	Matt Black	1,017.27	1,119.00		72
	HG Vivenis basin mixer 250 w/o waste	Matt White	1,017.27	1,119.00		72
/5050000	HG Vivenis 2-h basin mix conc. 195	Chrome	669.09	736.00		72
	HG Vivenis 2-h basin mix conc. 195	Matt Black	936.36	1,030.00		72
75050670						72
		Matt White	936.36	1,030.00		12
75050700	HG Vivenis 2-h basin mix conc. 195 HG Vivenis bath spout	Matt White Chrome	936.36 354.55	1,030.00 390.00		73
75050670 75050700 75410000 75410670	HG Vivenis 2-h basin mix conc. 195					

Code No.	Description	Colour	RRP (ex GST)	RRP (inc GST) Notes	Price List Pg. Num
75415003	HG Vivenis bath mixer	Chrome	530.91	584.00	73
75415673	HG Vivenis bath mixer	Matt Black	742.73	817.00	73
75415703	HG Vivenis bath mixer	Matt White	742.73	817.00	73
75445009	HG Vivenis bath mixer freestanding	Chrome	3,971.82	4,369.00	73
75445679	HG Vivenis bath mixer freestanding	Matt Black	5,559.09	6,115.00	73
75445709	HG Vivenis bath mixer freestanding	Matt White	5,559.09	6,115.00	73
75615003	HG Vivenis shower mixer	Chrome	471.82	519.00	74
75615673	HG Vivenis shower mixer	Matt Black	660.00	726.00	74
75615703	HG Vivenis shower mixer	Matt White	660.00	726.00	74
76					
76010003	HG Finoris basin mixer 100 w/o waste	Chrome	470.00	517.00	69
76010673	HG Finoris basin mixer 100 w/o waste	Matt Black	656.36	722.00	69
76010703	HG Finoris basin mixer 100 w/o waste	Matt White	656.36	722.00	69
76020003	HG Finoris basin mixer 110 w/o waste	Chrome	540.00	594.00	69
76020673	HG Finoris basin mixer 110 w/o waste	Matt Black	755.45	831.00	69
76020703	HG Finoris basin mixer 110 w/o waste	Matt White	755.45	831.00	69
76050000	HG Finoris 2-h basin mixer conc.225	Chrome	744.55	819.00	70
76050670	HG Finoris 2-h basin mixer conc.225	Matt Black	1,040.00	1,144.00	70
76050700	HG Finoris 2-h basin mixer conc.225	Matt White	1,040.00	1,144.00	70
76051000	HG Finoris 2-h basin mixer conc.165	Chrome	670.00	737.00	70
76051670	HG Finoris 2-h basin mixer conc.165	Matt Black	936.36	1,030.00	70
76051700	HG Finoris 2-h basin mixer conc.165	Matt White	936.36	1,030.00	70
76063003	HG Finoris basin mixer 230 2j pull out w/o waste	Chrome	892.73	982.00	69
76063673	HG Finoris basin mixer 230 2j pull out w/o waste	Matt Black	1,250.00	1,375.00	69
76063703	HG Finoris basin mixer 230 2j pull out w/o waste	Matt White	1,250.00	1,375.00	69
76070003	HG Finoris basin mixer 260 w/o waste	Chrome	790.00	869.00	69
76070673	HG Finoris basin mixer 260 w/o waste	Matt Black	1,105.45	1,216.00	69
76070703	HG Finoris basin mixer 260 w/o waste	Matt White	1,105.45	1,216.00	69
76410000	HG Finoris bath spout	Chrome	471.82	519.00	71
76410670	HG Finoris bath spout	Matt Black	660.00	726.00	71
76410700	HG Finoris bath spout	White	660.00	726.00	71
76415003	HG Finoris bath mixer f.s.	Chrome	545.45	600.00	70
76415673	HG Finoris bath mixer f.s.	Matt Black	763.64	840.00	70
76415703	HG Finoris bath mixer f.s.	Matt White	763.64	840.00	70
76445009	HG Finoris bath mixer floor-standing	Chrome	4,411.82	4,853.00	71
76445679	HG Finoris bath mixer floor-standing	Matt Black	6,176.36	6,794.00	71
76445709	HG Finoris bath mixer floor-standing	Matt White	6,176.36	6,794.00	71
76615003	HG Finoris shower mixer f.s	Chrome	486.36	535.00	71
76615673	HG Finoris shower mixer f.s.	Matt Black	680.91	749.00	71
76615703	HG Finoris shower mixer f.s.	Matt White	680.91	749.00	71
93					
93276000	HG Hose connection elbow		39.09	43.00	107
93395000	HG Adaptor G 3/8 to G1/2		52.73	58.00	87
94					
94139000	HG Waste set pop-up for basin and bidet mixers	Chrome	186.36	205.00	135
<b>96</b> 96615000	HG Fastening rails for iBox universal		104.55	115.00	134

# **Discontinued Articles**

Article	Description	Colour	Comment
	-		
14881003	HG Focus Variarc M41 single lever kitchen mixer 320	Chrome	Phased out 30/06/2023
26634003	HG Raindance Select \$150 U'S Puro Set 65cm	Chrome	Phased out 30/06/2023
26635403	HG Raindance Select E150 U'S Puro Set 65cm	White/Chrome	Phased out 30/06/2023
27381001	HG Raindance E2 360 Air 1 jet OHS	Chrome	Phased out 30/06/2023
27381821	HG Raindance E2 OSH 360 Air 1 jet	Brushed Nickel	Phased out 30/06/2023
27479000	HG Ceiling connector 100mm	Chrome	Phased out 30/06/2023
27629019	HG Raindance S 180 1 jet PowderRain OHS	Chrome	Phased out 30/06/2023
28266000	HG Metaflex C shower hose 1600mm	Chrome	Phased out 30/06/2023
26828400	HG Crometta 100 1 jet HS EcoSmart	White/Chrome	Phased out 30/06/2023
31082003	HG Metris Basin mixer highriser 260 w/o waste	Chrome	Phased out 30/06/2023
31085003	HG Metris 2-h.basin mixer .conc.fs short	Chrome	Phased out 30/06/2023
31103000	HG Metris S Basin mixer electronic	Chrome	Phased out 30/06/2023
31162000	HG Metris S Basin mixer set conc.fs short	Chrome	Phased out 30/06/2023
31171000	HG Focus Basin mixer electronic battery	Chrome	Not available
31172000	HG Focus Basin mixer electronic pre adjust, battery	Chrome	Not available
31454003	HG Metris Bath mixer conc square	Chrome	Phased out 30/06/2023
31456003	HG Metris Shower mixer conc.fs square	Chrome	Phased out 30/06/2023
31493003	HG Metris Bath mixer conc.fs	Chrome	Phased out 30/06/2023
31494000	HG Metris Bath spout	Chrome	Phased out 30/06/2023
31652000	HG Metris Shower mix. Conc.fs high flow	Chrome	Phased out 30/06/2023
31730003	HG Focus Basin mixer 70 w/o waste	Chrome	Phased out 30/06/2023
32500003	HG Metropol Basin mixer 100 short w/o waste	Chrome	Phased out 30/06/2023
32507003	HG Metropol Basin mixer 110 w/o waste	Chrome	Phased out 30/06/2023
32513003	HG Metropol Basin mixer 260 w/o waste	Chrome	Phased out 30/06/2023
32525000	HG Metropol 2-h.basin mixer 165 wall	Chrome	Phased out 30/06/2023
32526000	HG Metropol 2-h.basin mixer 225 wall	Chrome	Phased out 30/06/2023
32545003	HG Metropol Bath mixer conceal.	Chrome	Phased out 30/06/2023
32565003	HG Metropol Shower mixer conceal.	Chrome	Phased out 30/06/2023
71110003	HG MySport M Basin mixer	Chrome	Phased out 30/06/2023
71111003	HG MySport L Basin mixer	Chrome	Phased out 30/06/2023
71112003	HG MySport XL Basin mixer	Chrome	Phased out 30/06/2023
71246000	HG MySport bath mixer conc.set	Chrome	Phased out 30/06/2023
71266000	HG MySport shower mixer conc.set	Chrome	Phased out 30/06/2023
71617000	HG MySport Shower mixer sm.escutch.Exp Set	Chrome	Phased out 30/06/2023
72110003	HG Talis S 2-h Basin mixer.set conc.fs short	Chrome	Phased out 30/06/2023
72431000	HG Rebris E Bath spout	Chrome	Not available
72431670	HG Rebris E Bath spout	Matt Black	Not available
72468003	HG Rebris E Single lever bath mixer	Chrome	Not available
72468673	HG Rebris E Single lever bath mixer	Matt Black	Not available
72552003	HG Rebris E 80 Basin mixer w/o waste	Chrome	Not available
72552673	HG Rebris E 80 Basin mixer w/o waste	Matt Black	Not available
72558003	HG Rebris E 110 Basin mixer w/o waste	Chrome	Not available
72558673	HG Rebris E 110 Basin mixer w/o waste	Matt Black	Not available
72564003	HG Rebris E 240 Basin mixer w/o waste	Chrome	Not available
72564673	HG Rebris E 240 Basin mixer w/o waste	Matt Black	Not available
72568000	HG Rebris E 2h Wall-mounted basin mixer 20.5cm	Chrome	Not available
72568670	HG Rebris E 2h Wall-mounted basin mixer 20.5cm	Matt Black	Not available
72659000	HG Rebris E Shower mixer small esc.Export	Chrome	Not available
72659670	HG Rebris E Shower mixer small esc.Export	Matt Black	Not available
72668003	HG Rebris E Shower mixer (ibox)	Chrome	Not available
72668673	HG Rebris E Shower mixer (ibox)	Matt Black	Not available
, 20000/0	110 Kepiis E ollowei illivei (ibox)	MIGH BIGCK	i toi utuliubie


40

# **Index Brackets for Spare Parts**

For individual spare parts, please see **spares.hansgrohe.com** and search an article code/spare part number/product name to find the appropriate spare part and associated Price Group (PG) number.

Material Description	RRP (AUD) (ex GST)	RRP (inc GST)
Spare part - Price group 1	7.64	8.40
Spare part - Price group 2	12.64	13.90
Spare part - Price group 3	20.18	22.20
Spare part - Price group 4	27.18	29.90
Spare part - Price group 5	33.27	36.60
Spare part - Price group 6	44.00	48.40
Spare part - Price group 7	53.64	59.00
Spare part - Price group 8	67.36	74.10
Spare part - Price group 9	85.91	94.50
Spare part - Price group 10	106.64	117.30
Spare part - Price group 11	136.73	150.40
Spare part - Price group 12	168.73	185.60
Spare part - Price group 13	206.09	226.70
Spare part - Price group 14	240.18	264.20
Spare part - Price group 15	298.64	328.50
Spare part - Price group 16	387.36	426.10
Spare part - Price group 17	487.45	536.20
Spare part - Price group 18	597.36	657.10
Spare part - Price group 19	788.36	867.20
Spare part - Price group 20	958.64	1,054.50
Spare part - Price group 21	1,289.00	1,417.90
Spare part - Price group 22	1,822.00	2,004.20
Spare part - Price group 23	2,608.91	2,869.80
Spare part - Price group 24	5,158.64	5,674.50

Material Description	RRP (ex GST)	RRP (AUD) (inc GST)
Spare part - Price group 51	11.36	12.50
Spare part - Price group 52	19.09	21.00
Spare part - Price group 53	30.18	33.20
Spare part - Price group 54	40.91	45.00
Spare part - Price group 55	50.09	55.10
Spare part - Price group 56	65.82	72.40
Spare part - Price group 57	80.45	88.50
Spare part - Price group 58	101.09	111.20
Spare part - Price group 59	128.73	141.60
Spare part - Price group 60	159.82	175.80
Spare part - Price group 61	205.18	225.70
Spare part - Price group 62	253.00	278.30
Spare part - Price group 63	309.27	340.20
Spare part - Price group 64	360.27	396.30
Spare part - Price group 65	447.91	492.70
Spare part - Price group 66	581.18	639.30
Spare part - Price group 67	731.09	804.20
Spare part - Price group 68	896.00	985.60
Spare part - Price group 69	1,182.55	1,300.80
Spare part - Price group 70	1,438.00	1,581.80
Spare part - Price group 71	1,933.55	2,126.90
Spare part - Price group 72	2,733.00	3,006.30
Spare part - Price group 73	3,913.27	4,304.60
Spare part - Price group 74	7,737.82	8,511.60



# Focus / Talis E Brushed Nickel



Focus
Single lever basin mixer 100 without waste set # 31517823
WELS 5 Stars, 5 I/min T16579



Focus Single lever basin mixer 190 without waste set # 31518823 WELS 5 Stars, 5 l/min T16580



Focus Single lever shower mixer # 31961820 Basic Set (not shown) # 13620180



Focus Single lever bath mixer # 31945823 Basic Set iBox Universal (not shown) # 01800180



Focus Bath spout # 14420820



**Talis E**Single lever basin mixer 110 without waste set # 71712823
WELS 5 Stars, 5 I/min T26633



Talis E
Single lever basin mixer 240 without waste set # 71717823
WELS 5 Stars, 5 I/min T26634



Talis E
Single lever basin mixer wall-mounted with spout 22.5
# 71734823
Basic set (not shown) # 13622180
WELS 5 Stars, 5 I/min T27472



Talis E
Single lever shower mixer
# 71764820
Basic set (not shown) # 13620180



Talis E
Single lever bath mixer
# 71745823
Basic set iBox universal (not shown)
# 01800180



Talis E Bath spout # 71410820

# Brushed Nickel



**Croma**Overhead shower 280 1 jet # 26221820
WELS 3 Stars, 9 I/min S14754



**Raindance S**Overhead shower 240 1 jet # 27624821
WELS 3 Stars, 9 I/min S13483





**Hansgrohe** Ceiling connector \$ 30cm # 273898200



**Hansgrohe** Shower arm 38.9cm # 27413823



Raindance Select S
Hand shower 120 3 jet
# 26531823
WELS 3 Stars, 9 I/min S12430



Isiflex Shower hose 160 cm # 28276820 Shower hose 125 cm # 28272820



DesignFlex
Textile shower hose
160 cm
# 28260820



**Hansgrohe** Shower holder Porter S # 28331820



Hansgrohe FixFit Starck # 27451820

# Brushed Nickel



Raindance Select E

Shower set 120 3jet EcoSmart 9 l/ min with shower bar 65cm and soap dish # 26622823 WELS 3 Stars, 9 I/min S06992









Raindance Select S

Shower set 120 3jet EcoSmart 9 l/ min with shower bar 65cm and soap dish # 26632823 WELS 3 Stars, 9 I/min S06993









Pulsify E

Shower set 100 1 jet set 65cm # 24371823 WELS 3 Stars, 9 I/min S17561





Croma Select E

Showerpipe Reno EcoSmart # 26743823 WELS 3 Stars, 9 I/min S12813









Brushed nickel accessories

See the accessories section of the price book.



AddStoris

Brushed nickel accessories

See the accessories section of the price book

# Brushed Black Chrome



**Decor**Single lever basin mixer 70 without waste set # 31733343
WELS 5 Stars, 5 I/min T39488



Decor Single lever basin mixer 100 without waste set # 31517343 WELS 5 Stars, 5 I/min T39483



**Decor**Single lever basin mixer 190 without waste set # 31518343
WELS 5 Stars, 5 I/min T39485



**Decor**Single lever shower mixer
# 31965343
Basic set iBox universal (not shown)
# 01800180



Decor Single lever bath mixer # 31961340 Basic set (not shown) # 13620180



Decor Single lever bath mixer # 31945343 Basic set iBox universal (not shown) # 01800180



Hansgrohe Bath spout # 13414340



**Croma**Overhead shower 280 1 jet # 26221340
WELS 3 Stars, 9 l/min S14754





Raindance S Overhead shower 240 1 jet PowderRain # 27624341 WELS 3 Stars, 9 I/min S13483





**Hansgrohe** Shower arm 38.9cm # 27413343




**Hansgrohe** Ceiling connector \$ 30cm # 27389340



**Hansgrohe** Ceiling Connector S 10cm # 27393340

# Brushed Black Chrome




Raindance Select S

Shower set 120 3jet EcoSmart 9 I/ min with shower bar 65 cm and soap dish # 26632343 WELS 3 Stars, 9 l/min S06993









Shower bar 65cm with shower hose # 28632340 Shower bar 90cm with shower hose # 28631340



Rainfinity

Hand shower 130 3jet # 26865340 WELS 3 stars, 9 I/min S13481





Rainfinity

Hand shower baton 100 1 jet # 26867340 WELS 3 stars, 9 I/min \$14428





Raindance Select S

Hand shower 120 3jet # 26531340 WELS 3 stars, 9 I/min S07195



Isiflex

Shower hose 160 cm # 28276340 Shower hose 125 cm # 28272340




DesignFlex

Shower hose 160 cm # 28260340 Shower hose 125 cm # 28220340



Hansgrohe

FixFit S with non return valve # 26453340 Required part # 93276000 Hose connection elbow



Shower holder Porter S

# 28331340



Shower holder Porter E

# 28387340

# Brushed Black Chrome



**Wall Outlet Q** with shower holder # 26887340



Wall Outlet S with shower holder # 26888340



Wall Outlet E with shower holder # 26889340



Rainfinity
Wall outlet Porter 500 with shower holder and shower shelf left
# 26843340

Wall outlet Porter 500 with shower holder and shower shelf right # 26858340



AddStoris
Brushed black chrome accessories
See the accessories section of the price book

# Brushed Bronze




**Croma**Overhead shower 280 1 jet # 26221140
WELS 3 Stars, 9 I/min S14754





Raindance S Overhead shower 240 1 jet PowderRain # 27624141 WELS 3 Stars, 9 I/min S13483





**Pulsify S** Overhead shower 260 1jet EcoSmart # 24141140

Optional part: # 24149670 Wall connector WELS 3 Stars, 9 I/min S16953





Pulsify Wall connector for overhead shower 260 # 24149140

(male connection)



**Pulsify E** Overhead shower 260 1jet EcoSmart # 24331140

WELS 3 Stars, 9 I/min S17560





**Hansgrohe**Shower arm 38.9cm
# 27413140 (male connection)



Hansgrohe
Ceiling connector S 30cm
# 27389140
Ceiling Connector S 10cm
# 27393140

# Brushed Bronze



Rainfinity Hand shower 130 3 jet # 26865140 WELS 3 stars, 9 I/min S13481





Pulsify S Baton Hand shower 100 1jet # 24125140 WELS No Stars, 6 l/min S17577



Rainfinity Hand shower baton 100 1 jet # 26867140 WELS 3 stars, 9 l/min \$14428






Pulsify E Baton Hand shower 100 1jet # 24320140 WELS No Stars, 6 l/min \$17559



Pulsify Select S Hand shower 105 3jet Relaxation EcoSmart # 24111140 WELS 3 Stars, 9 I/min S16504





S Puro Shower bar 65cm with shower hose # 28632140 Shower bar 90cm with shower hose # 28631140



Hansgrohe
FixFit S with non return valve
# 26453140
Required part
# 93276000 Hose connection elbow



**Wall Outlet Q** with shower holder # 26887140



Wall Outlet S with shower holder # 26888140



Wall Outlet E with shower holder # 26889140

# Brushed Bronze



Shower holder Porter E # 28387140



**Hansgrohe** Shower holder Porter S # 28331140



**Rainfinity**Wall outlet Porter 500 with shower holder and shower shelf left

# 26843140

Wall outlet Porter 500 with shower holder and shower shelf right # 26858140



Isiflex

Shower hose 160 cm # 28276140 Shower hose 125 cm # 28272140



DesignFlex

Shower hose 160 cm # 28260140 Shower hose 125 cm # 28220140



AddStoris

Brushed bronze accessories See the accessories section of the price book

# Talis E Matt Black



Talis E
Single lever basin mixer 110 without waste set # 71712673
WELS 5 Stars, 5 l/min T26633



Talis E
Single lever basin mixer 240 without waste set # 71717673
WELS 5 Stars, 5 l/min T26634



**Talis E**Single lever basin mixer wall-mounted 22.5cm # 71734673
Basic set (not shown) # 13622180
WELS 5 Stars, 5 I/min T27472



Talis E
Single lever bath mixer
# 71745673
Basic set iBox universal (not shown)
# 01800180



hansgrohe Bath spout # 71410670 (male connection)



Talis E
Single lever shower mixer
# 71764670
Basic set (not shown) # 13620180



Talis E
Single lever shower mixer
# 71765673
Basic set (not shown) # 01800180

# Finoris Matt Black



Finoris Single lever basin mixer 100 without waste set # 76010673 WELS 5 Stars, 5 I/min T39806



Finoris
Single lever basin mixer 110 without waste set #76020673
WELS 5 Stars, 5 I/min T39806



Finoris Single lever basin mixer 260 without waste set # 76070673 WELS 5 Stars, 5 l/min T39806



Finoris
Single lever basin mixer 230 with pull-out spray, 2jet without waste set # 76063673
WELS 5 Stars, 5 I/min T39800



Finoris
Single lever basin mixer wall-mount with spout 22.8 cm # 76050670
Basic set (not shown) # 13622180
Alternate size16.8cm spout # 76051670
WELS 5 Stars, 6 I/min T39850



FINOTIS Single lever bath mixer floor-standing # 76445679 Basic Set (not shown) # 10452180 WELS No Stars, 7 I/min S16461



Finoris Single lever bath spout # 76410670 (male connection)



Finoris Single lever bath mixer # 76415673 Basic set iBox universal (not shown) # 01800180



Finoris
Single lever shower mixer
# 76615673
Basic set iBox universal (not shown)
# 01800180

53

# Vivenis Matt Black



**Vivenis**Single lever basin mixer 80 without waste set # 75012673
WELS 6 Stars, 4.5 I/min T40004



Vivenis Single lever basin mixer 110 without waste set # 75022673 WELS 6 Stars, 4.5 I/min T40004



Vivenis Single lever basin mixer 250 without waste set # 75042673 WELS 6 Stars, 4.5 I/min T40004



Vivenis
Single lever basin mixer wall-mounted with spout 19.2 cm
# 75050670
Basic set (not shown) # 13622180
WELS 6 Stars, 4.5 I/min T40003



Single lever bath mixer floor-standing # 75445679

Basic Set (not shown) # 10452180

WELS No Stars, 7 I/min S16462



Vivenis Single lever bath spout # 75410670 (male connection)



Vivenis Single lever bath mixer # 75415673 Basic set iBox universal (not shown) # 01800180



Vivenis Single lever shower mixer # 75615673 Basic set iBox universal (not shown) # 01800180

# Rebris S Matt Black



Rebris S Single lever basin mixer 80 without waste set # 72512673 WELS 5 Stars, 5 I/min T41146



Rebris 5 Single lever basin mixer 110 without waste set # 72518673 WELS 5 Stars, 5 I/min T41147



Rebris S
Single lever basin mixer 240 without waste set #72524673
WELS 5 Stars, 5 I/min T41148



Rebris S
Single lever basin mixer wall-mount with spout 20.5cm # 72528670
Basic set (not shown) # 13622180
WELS 5 Stars, 6 I/min T41197



Rebris S Single lever bath mixer # 72466673 Basic set iBox universal (not shown) # 01800180



Rebris S Single lever bath spout # 72430670 (male connection)



Rebris S
Single lever shower mixer
# 72667673
Basic set iBox universal (not shown)
# 01800180



Rebris S
Single lever shower mixer
# 72649670
Basic set (not shown) # 13620180

# Matt Black



**Croma**Overhead shower 280 1 jet # 26221670
WELS 3 Stars, 9 I/min S14754





Crometta S Overhead shower 240 1 jet # 26724670 WELS 3 Stars, 9 I/min S10744





Crometta E Overhead shower 240 1 jet # 26727670 WELS 3 Stars, 9 I/min S10743





**Pulsify S** Overhead shower 260 1jet EcoSmart # 24141670

Optional part: # 24149670 Wall connector WELS 3 Stars, 9 I/min S16953





**Pulsify S**Overhead shower 260 2jet EcoSmart with wall connector #24151670

WELS Not Star Rated, 7.5 I/min S17554







Pulsify
Wall connector for overhead shower 260
# 24149670

(male connection)



**Pulsify E** Overhead shower 260 1jet EcoSmart # 24331670

WELS 3 Stars, 9 I/min S17560





**Pulsify S**Overhead shower 105 1jet Green # 24132670

Required part: # 24139670 Wall connector WELS 5 Stars, 5 l/min S16506





Pulsify
Wall connector for overhead shower 105
# 24139670
(male connection)



Overhead shower 240 1 jet PowderRain # 27624671 WELS 3 Stars, 9 I/min S13483



Hansgrohe Shower arm 38.9cm # 27413670 (male connection)



Hansgrohe
Ceiling connector S 30cm
# 27389670
Ceiling Connector S 10cm
# 27393670

# Matt Black



Raindance Select S Hand shower 120 3 jet # 26531670 WELS 3 Stars, 9 I/min S07195







Rainfinity Hand shower 130 3jet # 26865670 WELS 3 stars, 9 I/min S13481









Rainfinity Hand shower baton 100 1 jet # 26867670 WELS 3 stars, 9 I/min S14428





Hand shower 105 3 jet Activation EcoSmart # 24101670 WELS 3 Stars, 9 I/min S16503











Hand shower 105 3jet Relaxation EcoSmart #24111670 WELS 3 Stars, 9 I/min S16504











**Pulsify Select S** Hand shower 105 1jet Green # 24121670 WELS No Stars, 6 I/min \$16671





Pulsify S Baton Hand shower 100 1jet # 24125670 WELS No Stars, 6 I/min S17577




Pulsify E Baton Hand shower 100 1jet # 24320670 WELS No Stars, 6 I/min S17559





Shower hose 160 cm # 28276670 Shower hose 125 cm # 28272670



DesignFlex Shower hose 160 cm # 28260670 Shower hose 125 cm # 28220670

# Matt Black



**Wall Outlet Q** with shower holder # 26887670



Wall Outlet S with shower holder # 26888670



Wall Outlet E with shower holder # 26889670



Rainfinity
Wall outlet Porter 500 with shower holder and shower shelf left
# 26843670

Wall outlet Porter 500 with shower holder and shower shelf right # 26858670



**Rainfinity** Shower holder Porter E # 28387670



**Hansgrohe** Shower holder Porter S # 28331670



Hansgrohe
FixFit S with non return valve
# 26453670
Required part
# 93276000 Hose connection elbow



**Rainfinity** FixFit square #26455673



AddStoris
Matt black accessories
See the accessories section of the price book



RainSelect Thermostat 2 functions # 15380670 Basic set (not shown) # 15310180



### Raindance Select S

Shower set 120 3jet EcoSmart 9 l/ min with shower bar  $65~\mathrm{cm}$ 

Required Parts

- # 28632670 Unica S Puro shower bar 65cm with hose
- # 26531670 Raindance Select S hand shower 120 3 jet
- # 26453670 FixFit S with non return valve
- # 93276000 Hose connection elbow (not shown)

WELS 3 Stars, 9 I/min S07195









Pulsify S

Shower set 105 3jet Relaxation with shower bar 65 cm # 24161673 WELS 3 Stars, 9 I/min S16505





Pulsify S

Shower set 105 1jet with shower bar 65 cm # 24311673

WELS No Stars, 7.5 I/min \$16657





**Pulsify E**Shower set 100 1jet set 65cm
# 24371673
WELS 3 Stars, 9 I/min S17561





S Puro

Shower bar 65cm with shower hose # 28632670

Shower bar 90cm with shower hose # 28631670



### S Pulsify

Shower bar 65cm with push slider and shower hose # 24400670

Shower bar 90cm with shower hose # 24401670

# Finoris Matt White



Finoris
Single lever basin mixer 100 without waste set # 76010703
WELS 5 Stars, 5 I/min T39806



Finoris
Single lever basin mixer 110 without waste set
# 76020703
WELS 5 Stars, 5 I/min T39806



Finoris
Single lever basin mixer 260 for washbowls without waste set
# 76070703
WELS 5 Stars, 5 I/min T39806



Finoris
Single lever basin mixer 230 with pull-out spray, 2jet without waste set # 76063703
WELS 5 Stars, 5 l/min T39800



Finoris
Single lever basin mixer wall-mounted with spout
22.8 cm
# 76050700
Basic set (not shown) # 13622180
Alternate size16.8cm spout #76051700
WELS 5 Stars, 6 I/min T39851



Finoris
Single lever bath mixer floor-standing
# 76445709
Basic Set (not shown) # 10452180
WELS No Stars, 7 I/min S16461



Finoris Single lever bath spout # 76410700 (male connection)



Finoris Single lever bath mixer # 76415703 Basic set iBox universal (not shown) # 01800180



Finoris
Single lever shower mixer
# 76615703
Basic set iBox universal (not shown)
# 01800180

# Vivenis Matt White



Vivenis Single lever basin mixer 80 without waste set # 75012703 WELS 6 Stars, 4.5 l/min T40004



Vivenis Single lever basin mixer 110 without waste set # 75022703 WELS 6 Stars, 4.5 I/min T40004



Vivenis Single lever basin mixer 250 without waste set # 75042703 WELS 6 Stars, 4.5 I/min T40004



Vivenis
Single lever basin mixer wall-mounted with spout 19.2 cm
# 75050700
Basic set (not shown) # 13622180
WELS 6 Stars, 4.5 I/min T40003



Vivenis Single lever bath mixer floor-standing # 75445709 Basic Set (not shown) # 10452180 WELS No Stars, 7 I/min S16462



Vivenis Single lever bath spout # 75410700 (male connection)



Vivenis Single lever bath mixer # 75415703 Basic set iBox universal (not shown) # 01800180



Vivenis
Single lever shower mixer
# 75615703
Basic set iBox universal (not shown)
# 01800180

# Matt White



Rainfinity

Overhead shower 250 3jet with wall connector # 26233707

WELS 3 Stars, 9 I/min S14559

Basic set iBox universal (not shown) # 01800180









Rainfinity

Overhead shower 250 1jet with wall connector # 26227707 WELS 3 Stars, 9 I/min S14544





Rainfinity

Overhead shower 250 1jet EcoSmart # 26229707 WELS 3 Stars, 9 I/min S14545





Overhead shower 280 1 jet # 26221700 WELS 3 Stars, 9 I/min S14754





Overhead shower 260 1jet EcoSmart # 24141700 Optional part: # 24149700 Wall connector WELS 3 Stars, 9 I/min S16953





Wall connector for overhead shower 260 # 24149700 (male connection)



Pulsify S
Overhead shower 105 1jet Green # 24132700 Required part: # 24139700 Wall connector WELS 5 Stars, 5 l/min \$16506





**Pulsify**Wall connector for overhead shower 105 # 24139700 (male connection)



**Pulsify S**Overhead shower 260 2jet EcoSmart with wall connector #24151700

WELS Not Star Rated, 7.5 I/min S17554







Pulsify E

Overhead shower 260 1jet EcoSmart # 24331700

WELS 3 Stars, 9 I/min S17560





Raindance S

Overhead shower 240 1 jet PowderRain # 27624701 WELS 3 Stars, 9 I/min S13483



Hansgrohe

Shower arm 38.9cm # 27413700 (male connection)

# Matt White



Hansgrohe

Ceiling connector \$ 30cm # 27389700

Ceiling Connector S 10cm # 27393700



**Rainfinity** Hand shower 130 3jet # 26865700 WELS 3 Stars, 9 1/min S13481







**Rainfinity** Baton hand shower 100 1jet # 26867700 WELS 3 Stars, 9 I/min S14428



**Pulsify Select S** 

Hand shower 105 3jet Activation EcoSmart # 24101700 WELS 3 Stars, 9 I/min S16503









**Pulsify Select S** 

Hand shower 105 3jet Relaxation EcoSmart #24111700 WELS 3 Stars, 9 I/min S16504











**Pulsify Select S** Hand shower 105 1 jet Green # 24121700 WELS No Stars, 6 l/min \$16671





Pulsify S Baton Hand shower 100 1jet

# 24125700 WELS No Stars, 6 l/min \$17577





Pulsify E Baton Hand shower 100 1 jet # 24320700 WELS No Stars, 6 I/min \$17559





DesignFlex

Shower hose 160 cm # 28260700 Shower hose 125 cm # 28220700



Isiflex

Shower hose 160 cm # 28276700

Shower hose 125 cm # 28272700



Hansgrohe

FixFit S with non return valve # 26453700

Required part # 93276000 Hose connection elbow



Rainfinity

FixFit square #26455703

# Matt White



**Wall Outlet Q** with shower holder # 26887700



Wall Outlet S with shower holder # 26888700



Wall Outlet E with shower holder # 26889700



**Rainfinity** Shower holder Porter E # 28387700



**Hansgrohe** Shower holder Porter S # 28331700



Rainfinity
Wall outlet Porter 500 with shower holder and shower shelf left
# 26843700
Wall outlet Porter 500 with shower holder and shower shelf right
# 26858700



RainSelect
Thermostat for concealed Installation - 2 functions # 15380700
Basic set #15310180



RainSelect
Thermostat for concealed Installation - 3 functions # 15381700
Basic set #15311180



RainSelect
Thermostat for concealed Installation - 4 functions # 15382700
Basic set #15312180



RainSelect
Thermostat for concealed Installation - 5 functions # 15384700
Basic set #15313180



AddStoris
Matt white accessories
See the accessories section of the price book



**Rainfinity** Shower set 130 3jet with shower bar 65 cm

### Required Parts:

- # 28632700 S Puro shower bar with hose
- # 26865700 Rainfinity Hand shower EcoSmart
- # 26453700 FixFit S
- # 93276000 Hose connection elbow (not shown)

WELS 3 Stars, 9 I/min S13481





### Pulsify S

Shower set 105 3jet Relaxation with shower bar  $65\ cm$ # 24161703

WELS 3 Stars, 9 I/min S16505






Pulsify S

Shower set 105 1 jet with shower bar 65 cm # 24311703

WELS No Stars, 7.5 I/min S16657





Shower bar 65cm with shower hose # 28632700

Shower bar 90cm with shower hose # 28631700



### S Pulsify

Shower bar 65cm with push slider and shower hose


# 24400700

Shower bar 90cm with shower hose

# 24401700



### Basin



### Single lever basin mixer 110 without waste set

- ComfortZone 110
- flow rate: 5 l/min
- ceramic cartridge
- connection dimension: DN15
- not included: waste set

Chrome

31084003

866.00












While stocks last. Phased out.



### Single lever basin mixer 200 without waste set

- ComfortZone 200
- normal spray flow rate at 3 bar: 5 l/min
- ceramic cartridge
- temperature limitation adjustable
- suitable for continuous flow water heaters
- connection dimension: DN15
- not included: waste set

Chrome

31185003

1,070.00












While stocks last. Phased out.

### Shower





### Single lever shower mixer for concealed installation

- connection type: basic set
- ceramic cartridge
- connection dimension: DN15
- scope of supply: finish set with installation unit included

### **Required parts:**

Basic set iBox universal

Chrome

31685003

764.00


While stocks last. Phased out.

01800180

200.00

Basin -





# Single lever basin mixer 90 without waste set ComfortZone 90 flow rate: 5 l/ min ceramic cartridge

- connection dimension: DN15

finish Chrome

code no 31060003

(inc GST) 598.00

RRP












While stock lasts. Phased out

RRP finish (inc GST) code no **Basin** 



### Single lever basin mixer 100 without waste set

- ComfortZone 100
- projection 126 mm
- spray type: laminar spray
- ceramic cartridge
- temperature limitation adjustable
- suitable for continuous flow water heaters
- connection type: G  $^{1}\!/_{2}$  connections
- connection dimension: DN15


Chrome 76010003 517.00 Matt Black 76010673 722.00 76010703 Matt White 722.00





**Finoris** 





### Single lever basin mixer 110 without waste set

- ComfortZone 110
- projection 139 mm
- spray type: laminar spray
- ceramic cartridge
- temperature limitation adjustable
- suitable for continuous flow water heaters
- connection type: G  $\frac{1}{2}$  connections
- connection dimension: DN15

Chrome 76020003 594.00 Matt Black 76020673 831.00

76020703

Matt White

Matt White






831.00



869.00



### Single lever basin mixer 260 for washbowls without waste set

- ComfortZone 260
- projection 208 mm spray type: laminar spray
- ceramic cartridge
- temperature limitation adjustable
- suitable for continuous flow water heaters
- material waste set: metal connection type: G  $\frac{1}{2}$  connections
- connection dimension: DN15


76070003 Chrome Matt Black 76070673

1,216.00 76070703 1,216.00









### Single lever basin mixer 230 with pull-out spray, 2jet without waste set

- ComfortZone 230
- projection 191 mm
- spray type: laminar spray, PowderRain
- spray returns through pressing spray diverter and spray returns automatically through handle closing
- extension length: 50 cm
- spray disc surface: graphite
- ceramic cartridge

76063003 982.00 Chrome Matt Black 1,375.00 76063673 Matt White 76063703 1,375.00














### Single lever basin mixer for concealed installation wallmounted with spout 22,8 cm

consists of: single lever basin mixer for concealed installation wall-mounted, waste set

finish

Chrome

Matt Black

Matt White

- projection 228 mm
- spray type: laminar spray maximum flow rate at 3 bar: 5 l/min
- ceramic cartridge
- suitable for continuous flow water heaters
- non-closing waste set
- material waste set: metal
- connection type: basic set
- connection dimension: DN15
- handle can be positioned on the right or left, depends on the basic set installation

### **Alternative sizes:**

Single lever basin mixer for concealed installation wall-mounted with spout 16,8 cm

Chrome	76051000	737.00
Matt Black	76051670	1,030.00
Matt White	76051700	1,030.00


13622180

### Required parts:

Basic set for single lever basin mixer for concealed installation wall-mounted

### Bath





### Single lever bath mixer for concealed Installation

- 2 functions
- connection type: basic set flow rate upper outlet: 21 l/min
- flow rate lower outlet: 29 l/min
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar

- ceramic cartridge temperature limitation adjustable
- diverter with automatic resetting
- with silencer

### Required parts:

Basic set iBox universal

Chrome 76415003 600.00 Matt Black 76415673 840.00 Matt White 76415703 840.00

01800180

200.00

**RRP** 

(inc GST)

819.00

1,144.00

1,144.00

450.00

code no

76050000

76050670


76050700

	276  245  245  245  245  245  245  245  24	Single lever bath mixer floor- standing  consists of: single lever bath mixer floor standing, baton hand shower, shower hose, shower holder  2 functions projection 210 mm connection type: basic set spray type mixer: normal spray spray type hand shower: Rain, Mono flow rate for bath spout at 3 bar: 20,7 l/min flow rate of hand shower at 3 bar: 6 l/ min min. operating pressure: 1 bar max. operating pressure: 10 bar ceramic cartridge diverter with automatic resetting non-return valve connection dimension: DN15  Required parts: Basic set for bath mixer floor-standing	finish  Chrome  Matt Black  Matt White	code no 76445009 76445679 76445709	Finoris RRP (inc GST)  4,853.00 6,794.00 6,794.00  Example 1  1,125.00
	30-35 20 174 189	Bath spout 1 function connection type: G ½ male with escutcheon projection 174 mm wall-mounted maximum flow rate at 3 bar: 20,3 l/min spray type: normal spray	Chrome Matt Black Matt White	76410000 76410670 76410700	519.00 726.00 726.00
Shower	\$5.4 \$5.4 \$5.4 \$7.4 \$7.4 \$7.4 \$7.4 \$7.4 \$7.4 \$7.4 \$7	Single lever shower mixer for concealed installation 1 function connection type: basic set maximum flow rate at 3 bar: 23 l/min ceramic cartridge	Chrome Matt Black Matt White	76615003 76615673 76615703	535.00 749.00 749.00

# Single lever shower mixer for concealed installation 1 function connection type: basic set maximum flow rate at 3 bar: 23 l/min ceramic cartridge min. operating pressure: 10 bar max. operating pressure: 10 bar temperature limitation adjustable with silencer connection dimension: DN15 Required parts: Basic set iBox universal Chrome 76615003 535.00 Matt Black 76615673 749.00 Matt White 76615703 749.00 749.00 749.00

#### Basin





#### Single lever basin mixer 80 without waste set

- ComfortZone 80
- projection 133 mm
- spray type: WaterfallStream
- maximum flow rate at 3 bar: 5 l/min
- ceramic cartridge
  - temperature limitation adjustable
- suitable for continuous flow water heaters
- connection type: G ½ connections
- connection dimension: DN15

finish code no (inc GST) Chrome 75012003 448.00 Matt Black 75012673 627.00 Matt White 75012703 627.00








**RRP** 





#### Single lever basin mixer 110 without waste set

- ComfortZone 110
- projection 146 mm
- spray type: WaterfallStream
- maximum flow rate at 3 bar: 5 l/min
- ceramic cartridge
- temperature limitation adjustable
- suitable for continuous flow water
- connection type: G ½ connections
- connection dimension: DN15


Chrome 75022003 513.00 Matt Black 75022673 717.00 Matt White 75022703 717.00











#### Single lever basin mixer 250 without waste set

- ComfortZone 250
- projection 191 mm
- spray type: WaterfallStream
- ceramic cartridge
- temperature limitation adjustable
- suitable for continuous flow water
- connection type: G ½ connections
- connection dimension: DN15

Chrome Matt Black Matt White 75042003 75042673 75042703

800.00 1,119.00 1,119.00










736.00



#### Single lever basin mixer for concealed installation wallmounted with spout 19,2 cm

- consists of: single lever basin mixer for concealed installation wall-mounted, waste set
- projection 192 mm
- spray type: WaterfallStream
- maximum flow rate at 3 bar: 5 l/min
- ceramic cartridge
- temperature limitation adjustable
- suitable for continuous flow water heaters
- non-closing waste set
- material waste set: metal
- connection type: basic set
- connection dimension: DN15
- handle can be positioned on the right or left, depends on the basic set installation

#### Required parts:

Basic set for single lever basin mixer for concealed installation wall-mounted


Chrome Matt Black Matt White 75050000 75050670 1,030.00 75050700 1,030.00








**Vivenis RRP** finish (inc GST) code no Bath -Single lever bath mixer for Chrome 75415003 584.00 Matt Black 75415673 817.00



concealed	Installation
2 functions	S
connection	n type: basic set
flow rate u	pper outlet: 21 l/min
flow rate la	ower outlet: 29 1/min

- min. operating pressure: 1 bar max. operating pressure: 10 bar ceramic cartridge
- temperature limitation adjustable

#### Required parts:



Chrome

Matt Black

Matt White

Matt White

75415703

75445009

75445679

75445709

817.00

4,369.00

6,115.00

6,115.00

1,125.00



#### Single lever bath mixer floorstanding

consists of: single lever bath mixer floor consists of: single lever bath mixer floor standing, baton hand shower, shower hose, shower holder

2 functions

connection type: basic set

- spray type mixer: WaterfallStream spray type hand shower: Rain, Mono
- maximum flow rate at 3 bar: 22,2 l/min
- flow rate for bath spout at 3 bar: 22,2 l/min
- flow rate of hand shower at 3 bar: 6,2 I/min
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar
- ceramic cartridge
- temperature limitation adjustable
- diverter with automatic resetting
- non-return valve
- connection dimension: DN15

### Required parts:

Basic set for bath mixer floor-standing

10452180



## **Bath spout**

- 1 function
- connection type: G 1/2 male


#### connection

- with escutcheon
- projection 202 mm
- wall-mounted
- maximum flow rate at 3 bar: 24,3 l/min
- spray type: WaterfallStream

Chrome	75410000	390.00
Matt Black	75410670	546.00
Matt White	75410700	546.00

## Shower





	finish	code no	RRP (inc GST)
Single lever shower mixer for concealed Installation	Chrome Matt Black	75615003 75615673	519.00 726.00
1 function connection type: basic set maximum flow rate at 3 bar: 23 l/min ceramic cartridge min. operating pressure: 1 bar max. operating pressure: 10 bar temperature limitation adjustable with silencer	Matt White	75615703	726.00

01800180


200.00

Required	parts:
----------	--------

Basic set iBox universal

446.00





## Single lever basin mixer 80 without waste set

- ComfortZone 80
- projection 108 mm
- · normal spray
- flow rate: 5 1/min
- ceramic cartridge
- temperature limitation adjustable
- · suitable for continuous flow water heaters
- · connection dimension: DN15
- not included: waste set

Chrome

finish












Marked for phase out 30/06/2024





## Single lever basin mixer 100 without waste set

- · ComfortZone 100
- projection 108 mm
- normal spray
- flow rate: 5 1/min
- ceramic cartridge
- temperature limitation adjustable
- suitable for continuous flow water heaters
- · connection dimension: DN15
- not included: waste set

Chrome

72021003

534.00












Marked for phase out 30/06/2024





# Single lever basin mixer 190 without waste set

- · ComfortZone 190
- projection 131 mm
- · normal spray
- flow rate : 5 1/min
- ceramic cartridge
- · temperature limitation adjustable
- suitable for continuous flow water heaters
- connection dimension: DN15
- · not included: waste set

Chrome

72032003

817.00












Marked for phase out 30/06/2024

#### **Bath**





#### Bath spout

- with silencer
- with escutcheon
- projection 175 mm
- · wall-mounted
- connection dimension: DN20
- spray type: normal spray
- non-return valve
- connection thread G ½


Chrome

72410000

344.00

Marked for phase out 30/06/2024





## Single lever bath mixer for concealed installation

- connection type: basic set
- ceramic cartridge
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar
- temperature limitation adjustable
- scope of supply: escutcheon, handle, sleeve, mixing unit

#### Required parts:

Basic set iBox universal


Chrome

72405003

626.00

Marked for phase out 30/06/2024


01800180



357.00

#### Talis E Basin





## Single lever basin mixer 80 without waste set

- · ComfortZone 80
- projection 107 mm
- normal spray
- flow rate: 5 1/min
- ceramic cartridge
- temperature limitation adjustable
- suitable for continuous flow water heaters
- connection dimension: DN15
- not included: waste set

Chrome 71702003

finish
















## Single lever basin mixer 110 without waste set

- ComfortZone 110
- projection 108 mm
- flow rate: 5 1/min
- ceramic cartridge temperature limitation adjustable
- suitable for continuous flow water
- · connection dimension: DN15
- · not included: waste set

 Chrome
 71712003
 446.00

 Matt Black
 71712673
 625.00

 Brushed Nickel
 71712823
 684.00














## Single lever basin mixer 240 without waste set

- · ComfortZone 190
- projection 166 mm
- normal spray
- flow rate: 5 ĺ/min
- ceramic cartridge
- temperature limitation adjustable
- suitable for continuous flow water heaters
- · connection dimension: DN15
- not included: waste set

Matt Black 71717673

Brushed Nickel 71717823







71717003




828.00

1,159.00

1,261.00





## 3-hole basin mixer with pop-up waste set

- consists of: 3-hole basin mixer, waste set
- ComfortZone 150
- projection 112 mm
- flow rate: 5 l/min
- ceramic valves hot/cold 90°
- suitable for continuous flow water heaters
- pop-up waste set G 11/4
- material waste set: metal
- · connection dimension: DN15
- · scope of supply: basic and finish set

Chrome

Chrome

71733000

0 802.00



















#### Single lever shower mixer for concealed installation

connection type: s-shaped connections

Chrome

Matt Black

- spray type mixer: normal spray
- flow rate: 22 l/min
- ceramic cartridge temperature limitation adjustable
- with automatic resetting
- non-return valve with silencer
- suitable for continous flow water heaters
- connection dimension: DN15

#### **Required parts:**

· Basic set iBox universal



71765003

71765673

01800180



446.00


625.00

200.00

Talis E







Single	lever showe	er mixer for
concea	led installat	tion

· 1 outlet
connection type: basic set
min. operating pressure: 1 bar
max. operating pressure: 10 bar
scope of supply: handle, sleeve,
escutcheon Ø 117 mm

#### **Required parts:**


Basic set for single lever shower mixer for concealed installation

Chrome	71764000	159.00
Matt Black	71764670	236.00
Brushed Nickel	71764820	261.00

Basin -

**RRP** finish (inc GST) code no





#### Single lever basin mixer 70 without waste set

- ComfortZone 70
- normal spray flow rate: 5 l/min
- ceramic cartridge
- temperature limitation adjustable
- suitable for continuous flow water heaters

connection dimension: DN15

not included: waste set

Brushed Black Chrome 31733343










420.00







#### Single lever basin mixer 100 without waste set

- ComfortZone 100
- flow rate: 5 l/min
- ceramic cartridge
- temperature limitation adjustable suitable for continuous flow water
- connection dimension: DN15
- not included: waste set

31517003 Chrome

Brushed Black Chrome 31517343 620.00

Brushed Nickel 31517823 596.00












395.00





#### Single lever basin mixer 190 without waste set

- ComfortZone 190
- normal spray
- flow rate: 5 1/min
- ceramic cartridge
- temperature limitation adjustable
- suitable for continuous flow water heaters
- connection dimension: DN15
- not included: waste set

Chrome 31518003 Brushed Black Chrome 31518343

820.00 **Brushed Nickel** 31518823 774.00








522.00







#### 3-hole basin mixer 100 with popup waste set

- consists of: 3-hole basin mixer, waste set
- ComfortZone 100
- flow rate: 5 l/min
- ceramic valves hot/cold 90° suitable for continuous flow water
- pop-up waste set G 11/4
- material waste set: metal
- connection dimension: DN15
- scope of supply: basic and finish set

Chrome






31937000





**RRP** finish (inc GST) code no **Bath** 





#### **Bath spout**

- with silencer
- with escutcheon
- projection 147 mm
- flow rate: 32 l/min
- connection dimension: DN20
- connection thread G  $\frac{1}{2}$


Chrome 13414000

Brushed Black Chrome 13414340


481.00

307.00

Focus/Decor








### **Bath spout**

- projection 161 mm
- wall-mounted
- flow rate: 20 l/min
- spray type: normal spray

connection thread  $G^{1/2}$ 














#### Single lever bath mixer for concealed installation

- connection type: basic set
- ceramic cartridge
- with automatic resetting
- connection dimension: DN15
- material; dezincification brass
- scope of supply: finish set with installation unit included

#### Required parts:


Basic set iBox universal

Cnrome	31945003	485.00
Brushed Black Chrome	31945343	759.00
Brushed Nickel	31945823	737.00

01800180

#### Shower





#### Single lever shower mixer for concealed installation

- 1 outlet
- connection type: basic set
- flow rate: 22 1/min
- ceramic cartridge
- material; dezincification brass
- connection dimension: DN15

#### Required parts:

Basic set iBox universal


Brushed Black Chrome 31965343

759.00

200.00

01800180





#### Single lever shower mixer for concealed installation 110mm

- 1 outlet
- connection type: basic set
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar scope of supply: handle, sleeve, escutcheon Ø 110 mm

#### Required parts:

Basic set for single lever shower mixer for concealed installation

Chrome 31961000 141.00 Brushed Nickel 31961820 223.00

Brushed Black Chrome 31961340

469.00

# Basin waste set ComfortZone 80 ceramic cartridge

Single lever basin mixer 80 without

projection: 121 mm

spray type: normal spray

temperature limitation adjustable

suitable for continuous flow water heaters

connection type: G  $\frac{1}{2}$  connections

connection dimension: DN15

finish code no. (inc GST) Chrome 72512003 264.00 Matt Black 72512673 330.00








RRP







Single lever basin mixer 110 without Chrome waste set

ComfortZone 110 projection: 133 mm spray type: normal spray

ceramic cartridge

temperature limitation adjustable

suitable for continuous flow water heaters

connection type: G 1/2 connections

connection dimension: DN15

72518003 72518673 347.00 434.00














#### Single lever basin mixer 240 without waste set

ComfortZone 240

projection: 169 mm

spray type: normal spray

ceramic cartridge

temperature limitation adjustable

suitable for continuous flow water heaters

connection type: G  $\frac{1}{2}$  connections

connection dimension: DN15

Chrome Matt Black

Matt Black


72524003 72524673 529.00 662.00











#### Single lever basin mixer for concealed installation wall-mounted with spout 20,5 cm

onsists of: single lever basin mixer for concealed installation wall-mounted, waste set

projection: 205 mm

spray type: normal spray

maximum flow rate at 3 bar: 5 l/min

ceramic cartridge

temperature limitation adjustable

suitable for continuous flow water heaters

non-closing waste set

material waste set: metal

connection type: basic set

connection dimension: DN15

handle can be positioned on the right or left, depends on the basic set installation

Required parts:

Basic set for single lever basin mixer for concealed installation wall-mounted

Chrome

Matt Black

72528000 72528670 499.00 624.00










#### **Bath spout** Chrome connection type: G $\frac{1}{2}$ male connection Matt Black

with escutcheon


projection 200 mm . wall-mounted

maximum flow rate at 3 bar: 22,2 l/min

spray type: normal spray



## **Shower**



#### Single lever shower mixer for concealed installation for iBox universal

1 function

connection type: basic set

ceramic cartridge

min. operating pressure: 1 bar

max. operating pressure: 10 bar temperature limitation adjustable

with silencer

#### Required parts:

Basic set iBox universal

Chrome 72667003 377.00 Matt Black 72667673 471.00

72430000


72430670

295.00

369.00

01800180 200.00





#### Single lever shower mixer for concealed installation

1 function

maximum flow rate at 3 bar: 28,7 l/min

connection type: basic set

min. operating pressure: 1 bar


max. operating pressure: 10 ba

Required parts:

Basic set for single lever shower Mixer for concealed instalation

Chrome	72649000	117.00
Matt Black	72649670	147.00

#### **Logis Fine RRP** finish (inc GST) code no Basin Single lever basin mixer 110 Fine Chrome 71253003 358.00 without waste set ComfortZone 110 projection 121 mm ceramic cartridge temperature limitation adjustable suitable for continuous flow water € 50/50 Ø 3 2 connection type: G 1/2 connections connection dimension: DN15 - G1/2 Single lever basin mixer 240 Fine Chrome 71258003 523.00 without waste set ComfortZone 240 projection 172 mm spray type: normal spray ceramic cartridge temperature limitation adjustable suitable for continuous flow water heaters connection type: G ½ connections connection dimension: DN15



#### Single lever basin mixer Fine for concealed installation wallmounted with spout 20.5 cm

- consists of: single lever basin mixer for concealed installation wall-mounted,
- projection 206 mm
- spray type: normal spray maximum flow rate at 3 bar: 5 l/min
- ceramic cartridge
- temperature limitation adjustable
- suitable for continuous flow water
- material waste set: metal
- connection type: basic set
- connection dimension: DN15
- handle can be positioned on the right or left, depends on the basic set installation
- non-closing waste set

#### Required parts:

Basic set for single lever basin mixer for concealed installation wall-mounted

Chrome

71256000

523.00








finish code no (inc GST) Basin





#### Single lever basin mixer 70 without waste set

- ComfortZone 70
- projection 107 mm
- normal spray
- flow rate: 5 1/min
- ceramic cartridge
- temperature limitation adjustable
- suitable for continuous flow water heaters
- connection dimension: DN15
- material: dezincification brass
- not included: waste set

Chrome

71071003

255.00
















#### Single lever basin mixer 100 without waste set

- ComfortZone 100
- projection 108 mm
- normal spray flow rate: 5 l/min
- ceramic cartridge
- temperature limitation adjustable
- suitable for continuous flow water heaters
- connection dimension: DN15
- material: dezincification brass
- not included: waste set

Chrome

71101003

344.00














#### Single lever basin mixer 190 without waste set

- ComfortZone 190
- projection 166 mm
- normal spray flow rate: 5 1/min
- ceramic cartridge
- temperature limitation adjustable
- suitable for continuous flow water heaters
- connection dimension: DN15
- material: dezincification brass
- not included: waste set

Chrome

71091003

471.00














#### Single lever basin mixer for concealed installation wallmounted with spout 19.5 cm

- consists of: Single lever basin mixer for concealed installation wall-mounted, waste set
- projection 195 mm
- normal spray flow rate: 5 l/min
- ceramic cartridge
- temperature limitation adjustable
- suitable for continuous flow water heaters
- non-closing flush grated valve
- material waste set: metal
- connection dimension: DN15
- handle can be positioned on the right or left, depends on the basic set installation
- not included: basic set

#### Required parts:

Basic set for single lever basin mixer for concealed installation wall-mounted

#### **Optional parts:**

Aerator to convert to bath filler

Chrome

71220003

485.00







13914000

13622180

38.00

#### **RRP** finish (inc GST) code no Bath 71410000 Chrome 293.00 **Bath spout** with escutcheon projection 195 mm Quick Clean wall-mounted connection dimension: DN20 spray type: normal spray connection thread G 1/2 Single lever bath mixer for Chrome 71405003 435.00 concealed installation connection type: basic set ceramic cartridge temperature limitation adjustable with automatic resetting scope of supply: handle, sleeve, escutcheon, diverter, mixing unit Required parts: 01800180 200.00 Basic set iBox universal **4**−93-121**→** Bathtub filler and push-open Chrome 58129003 425.00 waste set suitable for standard bath tubs supply hose water connection left DN20 with integrated overflow adjustable direction of water with waterfall spray push waste complies with AS3718 & WMTS 040 Shower Single lever shower mixer for 71605003 Chrome 371.00 concealed installation connection type: basic set 155 / 155 Ø44 • ceramic cartridge temperature limitation adjustable scope of supply: escutcheon, handle, sleeve, mixing unit Required parts: **4**70-98**▶ 4**-93-121 01800180 200.00 Basic set iBox universal -93-121<del>--</del> Chrome 71604000 Single lever shower mixer for 115.00 concealed installation 100mm **4**-56-84**-**▶ 1 outlet 117/117 connection type: basic set min. operating pressure: 1 bar max. operating pressure: 10 bar scope of supply: handle, sleeve, escutcheon Ø 117 mm Required parts: 13620180 200.00 Basic set for single lever shower mixer for concealed installation

Focus

IMPORTANT NOTE: **EUROPEAN CONNECTION PLUG**  Electronic basin mixer with temperature pre-adjustment mains connection 230 V

- ComfortZone 130
- projection 127 mm flow rate: 5 l/min
- theft-proof aerator
- temperature limitation adjustable
- temperature pre-adjustable suitable for continous flow water heaters
- infrared sensor technology automatic environmental adjustment of infrared sensor
- adjustable optical range of infrared sensor (2 settings)
- European connection 230 V / 50 Hz mains connection
- hygiene rinse activatable (automatic water flow for 10 seconds every 24 hours following the last operation)
- permanent rinse activatable (single water flow for 180 seconds, suitable for thermal disinfection)
- manual water stop for washbasin cleaning
- functional restriction due to too large distance
- performance may be impaired if the sensor is obscured by the design of the wash basin, or when the wash basin is oversized and the distance between sensor and the wash basin edge is larger than 75 mm
- connection dimension: DN15
- TÜV certified
- scope of supply: with two filter units with fine filter to protect from incoming dirt, for assembly on existing angle valves. Filter element can be removed and cleaned, non-return valve
- dirt filters in the connection hoses

#### Required parts:

Adaptor G 3/8 to G 1/2

31174000

finish

Chrome



93395000


58.00





1,592.00





Adaptor G 3/8 to G 1/2

93395000

# Thermostatic mixers / valves

ShowerSelect —			finish	code no	RRP (inc GST)
SnowerSelect	20 - 111 - 44 - 82 - 54 - 82 - 54 - 82 - 54 - 82	Thermostat for concealed installation for 1 function  1 outlet Select push-button on/off control for 1 outlet thermostat cartridge, Select valve min. operating pressure: 1 bar max. operating pressure: 10 bar safety lock at 40° C flow rate: 26 l/min temperature limitation adjustable scope of supply: handle, sleeve, escutcheon, mixing unit, buttons	Chrome	15762003	1,898.00
		Required parts:  Basic set iBox universal		01800180	200.00
		Optional parts: Basic set iBox universal with shut off unit		01850180	399.00
(Septe)	20 4 4 25 4 82 54-82 54-82	Thermostat for concealed installation for 2 functions  2 outlets simultaneous use of several outlets Select push-button on/off control for 2 outlets thermostat cartridge, Select valve min. operating pressure: 1 bar max. operating pressure: 10 bar safety lock at 40° C flow rate: 26 I/min temperature limitation adjustable scope of supply: handle, sleeve, escutcheon, mixing unit, buttons	Chrome	15763003	2,038.00 Select
		Required parts:  Basic set iBox universal		01800180	200.00
		Optional parts:			
		· Basic set iBox universal with shut off unit		01850180	399.00
Santi-	20 48 48 48 4 48 4 4 4 4 4 4 4 4 4 4 4 4	Thermostat highflow for concealed installation  thermostat cartridge safety lock at 40° C flow rate: 59 l/min temperature limitation adjustable scope of supply: handle, sleeve, escutcheon, mixing unit	Chrome	1 <i>57</i> 60003	1,375.00
	469 -97 ▶	Basic set iBox universal		01800180	200.00
		Optional parts:  · Basic set iBox universal with shut off unit		01850180	399.00
(mage)	155	Valve for concealed installation for 3 functions 3 outlets simultaneous use of several outlets Select valve flow rate: 43 l/min scope of supply: escutcheon, mixing unit, buttons  Required parts:	Chrome	15764003	1,375.00
	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	· Basic set iBox universal		01800180	200.00

ShowerSelect S —			finish	code no	RRP (inc GST)
Shower Select 3	20 021 021 0444	Thermostat for concealed installation for 1 function  1 outlet Select push-button on/off control for 1 outlet thermostat cartridge, Select valve min. operating pressure: 1 bar max. operating pressure: 10 bar safety lock at 40° C flow rate: 26 l/min temperature limitation adjustable scope of supply: handle, sleeve, escutcheon, mixing unit, button  Required parts: Basic set iBox universal	Chrome	01800180	2,051.00  Select Select 200.00
		Optional parts:  Basic set iBox universal with shut off unit		01850180	399.00
	051 0 10 0 10 0 10 0 10 0 10 0 10 0 10	Thermostat for concealed installation for 2 functions  2 outlets  Select push-button on/off control for 2 outlets  thermostat cartridge, Select valve min. operating pressure: 1 bar max. operating pressure: 10 bar safety lock at 40° C  flow rate: 26 l/min temperature limitation adjustable scope of supply: handle, sleeve, mixing unit, escutcheon, buttons	Chrome	15743003	2,228.00 Select
		Basic set iBox universal		01800180	200.00
		Optional parts:  · Basic set iBox universal with shut off unit		01850180	399.00
Company of the Compan	20 150 4 8 4 8 4 8 4 4 5 4 5 4 5 6 6 6 6 6 6 6 6 6 6 6 6 6	Thermostat highflow for concealed installation  thermostat cartridge safety lock at 40° C flow rate: 59 l/min material: dezincification brass temperature limitation adjustable scope of supply: handle, sleeve, escutcheon, mixing unit	Chrome	15741003	1,477.00
	<b>4</b> 68-96 <b>▶</b>	Basic set iBox universal		01800180	200.00
		Optional parts:  Basic set iBox universal with shut off unit		01850180	399.00
		Valve for concealed installation for 3 functions 3 outlets simultaneous use of several outlets Select valve min. operating pressure: 1 bar max. operating pressure: 10 bar flow rate: 43 l/min scope of supply: escutcheon, mixing unit, buttons	Chrome	15745003	1,477.00 select
		Required parts:  Basic set iBox universal		01800180	200.00
			M	ents at scale draw	ingo are in r

#### Thermostatic mixers / valves RRP finish code no (inc GST) Quattro Shut-off/ diverter valve S Trio/ Chrome 15932000 408.00 **Quattro for concealed installation** scope of supply: handle, sleeve, escutcheon Ø 110-Required parts: Basic set for Duo diverter valve valve for 15984180 515.00 concealed installation for 1 users Basic set for Trio shut-off/ diverter valve 15981180 524.00 for concealed installation for 2 users 15930180 825.00 Basic set for Quattro four-way diverter valve for concealed installation for 3 users **4**−63→ Shut-off valve S for concealed Chrome 15972000 307.00 installation scope of supply: handle, sleeve, escutcheon -89 Required parts: Basic set 52 I/min for shut-off valve for 15973180 245.00 concealed installation spindle 287.00 Basic set 40 I/min for shut-off valve for 15974180 concealed installation ceramic → 0 - 45 🗸 Basic set 130 I/min for shut-off valve for 15970180 264.00 concealed installation spindle **RainSelect RainSelect Thermostat for** Chrome 15355000 3,896.00 concealed installation for 2 White/Chrome 15355400 3,896.00 functions with shower support Thermostat is delivered with buttons Rain Black/Chrome 15355600 3,896.00 large and hand shower consists of: Thermostat, shower holder depending on volume flow and installation situation approx. 50% flow

- rate reduction and integrated shut off function
- 2 outlets
- simultaneous use of several outlets
- Select push-button on/off control for 2 outlets
- thermostat cartridge, Select valve
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar safety lock at 40° C
- temperature limitation adjustable
- non-return valve
- hose nut: for shower hoses with conical nut on both sides

#### Required parts:

Basic set for 2 functions 15310180 1,974.00

Thermostatic mixe	rs / valves				RRP
(1000) A II	228 238 238 238 238 238 238 238 238 238	RainSelect Thermostat for concealed installation for 2 functions  Depending on volume flow and installation situation approx. 50% flow rate reduction and integrated shut off function  I functions  simultaneous use of several outlets  Select push-button on/off control for 2 outlets  maximum flow rate at 3 bar: 26 l/min thermostat cartridge, Select valve  min. operating pressure: 1 bar  max. operating pressure: 10 bar  safety lock at 40° C  temperature limitation adjustable  non-return valve  connection type: basic set  Thermostat is delivered with buttons handshower and PowderRain	Chrome Brushed Black Chrome Matt White Matt Black	15380000 15380340 15380700 15380670	(inc GST)  3,577.00  5,265.00  4,647.00  4,647.00  Solect
		· Basic set for 2 functions		15310180	1,974,00
No. No. of the Control of the Contro		Basic set for 2 functions  2 outlets  connection thread Rp ¾ installation depth: 87 - 122 mm horizontal installation sound-decoupled installation connection dimension: DN15/DN20		15310180	1,974.00
T T T		RainSelect Thermostat for concealed installation for 3 functions with shower support  Thermostat is delivered with buttons hand shower, Waterfall, Rain large consists of: Thermostat, shower holder depending on volume flow and installation situation approx. 50% flow rate reduction and integrated shut off function 3 outlets simultaneous use of several outlets Select push-button on/off control for 3 outlets thermostat cartridge, Select valve min. operating pressure: 1 bar max. operating pressure: 10 bar safety lock at 40° C temperature limitation adjustable non-return valve hose nut: for shower hoses with conical or cylindrical nut on both sides  Required parts: Basic set for 3 functions	Chrome White/Chrome Black/Chrome	15356000 15356400 15356600	4,596.00 4,596.00 4,596.00 Select

## Thermostatic mixers / valves

			11101111	osidiic iiiixc	RRP
			finish	code no	(inc GST)
	23.2 23.2 23.2 23.2 23.2 23.2 23.2 23.2	RainSelect Thermostat for concealed installation for 3 functions  depending on volume flow and installation situation approx. 50% flow rate reduction and integrated shut off function  function  functions  simultaneous use of several outlets  Select push-button on/off control for 3 outlets  thermostat cartridge, Select valve  min. operating pressure: 1 bar  max. operating pressure: 10 bar  safety lock at 40° C  temperature limitation adjustable  non-return valve  connection type: basic set  Thermostat is delivered with buttons handshower, PowderRain, shoulder shower	Chrome Matt White	15381000 15381700	4,253.00 5,512.00 Select SELECT
		· Basic set for 3 functions		15311180	2,311.00
Target 1		Basic set for 3 functions 3 outlets connection thread Rp 3/4 installation depth: 87 - 122 mm horizontal installation sound-decoupled installation connection dimension: DN15/DN20		15311180	2,311.00
		RainSelect Thermostat for concealed installation for 4 functions with shower support  Thermostat is delivered with buttons hand shower, Waterfall, Rain large, Mono  consists of: Thermostat, shower holder depending on volume flow and installation situation approx. 50% flow rate reduction and integrated shut off function  4 outlets  simultaneous use of several outlets  Select push-button on/off control for 4 outlets  thermostat cartridge, Select valve min. operating pressure: 1 bar max. operating pressure: 10 bar safety lock at 40° C temperature limitation adjustable non-return valve hose nut: for shower hoses with conical nut on both sides  Required parts:  Basic set for 4 functions	Chrome White/Chrome Black/Chrome	15357000 15357400 15357600 15312180	5,309.00 5,309.00 5,309.00 Select


	 	finish	code no	RRP (inc GST)
	RainSelect Thermostat for concealed installation for 4 functions  depending on volume flow and installation situation approx. 50% flow rate reduction and integrated shut off function  4 functions simultaneous use of several outlets Select push-button on/off control for 4 outlets thermostat cartridge, Select valve min. operating pressure: 1 bar max. operating pressure: 10 bar safety lock at 40° C temperature limitation adjustable non-return valve connection type: basic set Thermostat is delivered with buttons handshower, PowderRain, Waterfall, Rain large	Chrome Brushed Black Chrome Matt White Matt Black	15382700 15382670	4,915.00 7,232.00 6,390.00 6,390.00
	· Basic set for 4 functions		15312180	2,636.00
Personal	Basic set for 4 functions 4 outlets connection thread Rp ¾ installation depth: 87 - 122 mm horizontal installation sound-decoupled installation connection dimension: DN15/DN20		15312180	2,636.00
	RainSelect Thermostat for concealed installation for 5 functions with shower support  Thermostat is delivered with buttons hand shower, Waterfall, Rain large, Mono, body shower  consists of: Thermostat, shower holder depending on volume flow and installation situation approx. 50% flow rate reduction and integrated shut off function 5 outlets simultaneous use of several outlets Select push-button on/off control for 5 outlets thermostat cartridge, Select valve min. operating pressure: 1 bar max. operating pressure: 10 bar safety lock at 40° C temperature limitation adjustable non-return valve hose nut: for shower hoses with conical nut on both sides	Chrome White/Chrome Black/Chrome	15358000 15358400 15358600	6,009.00 6,009.00 6,009.00
	Required parts:  Basic set for 5 functions		15313180	2,960.00

## Thermostatic mixers / valves

	finish	code no	(inc GST)
RainSelect Thermostat for concealed installation for 5 functions  depending on volume flow and installation situation approx. 50% flow rate reduction and integrated shut off function  5 functions simultaneous use of several outlets Select push-button on/off control for 5 outlets thermostat cartridge, Select valve min. operating pressure: 1 bar max. operating pressure: 10 bar safety lock at 40° C temperature limitation adjustable non-return valve connection type: basic set Thermostat is delivered with buttons handshower, PowderRain, Waterfall, Rain large, shoulder shower  Required parts: Basic set for 5 functions	Chrome Matt White	15384000 15384700 15313180	5,589.00 7,257.00 Select (select)
Basic set for 5 functions 5 outlets connection thread Rp 3/4		15313180	2,960.00
installation depth: 87 - 122 mm horizontal installation sound-decoupled installation connection dimension: DN15/DN20			

#### Croma Select E





#### Croma Select E Showerpipe Reno EcoSmart

- · consists of: overhead shower, hand shower, shower hose, slider
- water inlet via top wall connection
- maximium flow rate at 0.3 MPa: 9 l/min convenient diversion between showers by the Select button
- shower arm length: 390 mm
- slide inclination angle can be adjusted by 45°
- · chrome-plated wall supports of metal
- type: exposed installation
- overhead Shower: Croma Select E 180 2 jet
- shower head size 180 x 180mm
- overhead shower angle adjustable
- Select button on overhead shower
- spray type: Rain, IntenseRain
- hand shower Croma Select E Vario
  EcoSmart
- · shower head size: 110mm
- convenient diversion via Select button to change hand shower spray
- spray type: Rain, TurboRain, IntenseRain
- Isiflex hose 160cm

 finish
 code no
 (inc GST)

 Chrome
 26743003
 1,553.00

 Brushed Nickel
 26743823
 2,484.00










**RRP** 



#### **Croma Select S**





#### **Showerpipe Reno EcoSmart**

- consists of: overhead shower, hand shower, shower hose, slider
- water inlet via top wall connection
- maximum flow rate: 9 l/min
- convenient diversion between showers by the Select button
- · shower arm length: 390 mm
- chrome-plated wall supports of metal
- type: exposed installation
- slide inclination angle can be adjusted by 45°
- overhead Shower: Croma Select S 180 2 jet
- shower head size 180 mm
- overhead shower angle adjustable
- · Select button on overhead shower
- spray type: Rain, IntenseRain
- hand shower Croma Select S Vario
  EcoSmart
- shower head size: 110mm
- convenient diversion via Select button to change hand shower spray
- spray type: Rain, TurboRain, IntenseRain
- Isiflex hose 160cm

Chrome

26744003

1,553.00












code no

26742003 1,375.00

#### **Crometta S**



#### Showerpipe 240 EcoSmart 9 I/min Chrome Reno

- consists of: overhead shower, hand shower, shower hose, slider
- water inlet via top wall connection
- maximum flow rate: 9 1/ min
- installation type: exposed installation
- convenient diversion between showers by the Select button
- shower arm length: 390 mm
- slide inclination angle can be adjusted by 45°
- overhead Shower: Crometta S 240 1 jet
- shower head size 240 mm
- overhead shower angle adjustable
- spray type: Rain hand shower Crometta Vario EcoSmart
- shower head size: 100 mm
- spray type adjustment by turning spray
- spray type: Rain, IntenseRain
- Isiflex hose 160cm




finish











## **Showerpipe Reno EcoSmart**

- without shower components
  maximum flow rate at 0.3 MPa: 9 I/min installation type: exposed installation
- water inlet via top wall connection convenient diversion between showers by the Select button
- shower arm length: 390 mm
- slide inclination angle can be adjusted by 45°
- Isiflex hose 160cm


Chrome

27732003

1,262.00







## Hand shower 130 3jet EcoSmart

- shower head size: 130 mm
- convenient diversion via Select button
- spray type: PowderRain, Intense PowderRain, MonoRain
- maximum flow rate at 3 bar: 9 l/min
- with internal water conduction
- rinseable dirt filter
- connection thread G 1/2 connection
- suitable for continous flow water heaters

finish	code no	(inc GST)
Chrome	26865000	331.00
Brushed Bronze	26865140	500.00
Brushed Black Chrome	26865340	500.00
Matt Black	26865670	420.00
Matt White	26865700	420.00










RRP







#### Baton hand shower 1jet EcoSmart

- shower head size: 100 mm
- spray type: PowderRain
- maximum flow rate at 3 bar: 9 l/min
- with internal water conduction
- rinseable dirt filter
- connection thread G  $\frac{1}{2}$  connection suitable for continous flow water heaters

Chrome	26867000	281.00
Brushed Bronze	26867140	421.00
Brushed Black Chrome	26867340	421.00
Matt Black	26867670	357.00
Matt White	26867700	357.00








#### Raindance Select E





#### Hand shower 150 3jet EcoSmart 9 l/min

- hand shower with 2-shell construction
- shower head size: 150 mm
- convenient diversion via Select button
- spray type: RainAir, CaresseAir, Mix
- fflow rate at 3 bar:9 l/min
- with internal water conduction
- rinseable dirt filter
- connection thread G ½
- suitable for continous flow water heaters
- scope of supply: hand shower, filter seal, assembly instruction

#### Chrome



395.00
















## Hand shower 120 3jet EcoSmart

- shower head size: 120 mm
- convenient diversion via Select button
- spray type: Rain, RainAir, WhirlAir
- flow rate at 3 bar: 9 1/min
- with internal water conduction
- rinseable dirt filter
- connection thread G 1/2
- suitable for continous flow water heaters
- scope of supply: hand shower, filter seal, assembly instruction

Chrome White/Chrome 26521003 26521400 307.00 293.00














## **RRP**

#### finish code no (inc GST) **Raindance Select S**



#### Hand shower 150 3jet EcoSmart 9 I/min

- hand shower with 2-shell construction
- shower head size: 150 mm
- convenient diversion via Select button
- spray type: RainAir, CaresseAir, Mix flow rate at 3 bar: 9 |/ min
- with internal water conduction
- rinseable dirt filter
- connection thread G  $^{1}\!\!/_{2}$
- suitable for continous flow water heaters
  - scope of supply: hand shower, filter seal, assembly instruction

Chrome\* 28588003 395.00 28588400 White/Chrome 371.00














#### \*Marked for phase out 30/06/2024



#### Hand shower 120 3jet EcoSmart 9 I/min

- shower head size: 125 mm
- convenient diversion via Select button
- spray type: Rain, RainAir, WhirlAir
- flow rate at 3 bar: 9 1/min
- with internal water conduction
- rinseable dirt filter
- connection thread G  $\frac{1}{2}$
- suitable for continous flow water heaters
- scope of supply: hand shower, filter seal, assembly instruction

Chrome	26531003	307.00
Brushed Black Chrome	26531340	450.00
White/Chrome	26531400	293.00
Matt Black	26531670	414.00
Brushed Nickel	26531823	490.00
















#### Hand shower 120 3jet EcoSmart 9 l/min PowderRain

- shower head size: 125 mm
- convenient diversion via Select button
- spray type: PowderRain, Rain, Whirl
- maximum flow rate at 3 bar: TBA
- with internal water conduction
- rinseable dirt filter
- connection thread G  $^{1}\!/_{2}$
- connection dimension: DN15
- suitable for continous flow water heaters

Chrome

26515000












#### **Pulsify Select S**





#### Hand shower 105 3jet Activation **EcoSmart**

- spray type: PowderRain, IntenseRain,
- convenient diversion via Select button
- spray disc surface: graphite
- maximum flow rate at 3 bar: 8,5 l/min

- with internal water conduction
- rinseable screen insert
- connection thread G 1/2

- shower head size: 105 mm
- MonoRain



- flow rate Mono spray (at 3 bar): 8 l/min flow rate Rain spray (at 3 bar): 8,2 l/min
- minimum flow pressure: 1,5 bar

- connection dimension: DN15

finish	code no	(inc GST)
Chrome	24101000	227.00
Matt Black	24101670	294.00
Matt White	24101700	294.00








**RRP** 







#### Hand shower 105 3jet Relaxation **EcoSmart**

- shower head size: 105 mm
- spray type: PowderRain, IntenseRain, Massage spray
- convenient diversion via Select button
- spray disc surface: graphite
- maximum flow rate at 3 bar: 8,2 l/min
- minimum flow pressure: 1,2 bar
- with internal water conduction
- rinseable screen insert
- connection thread G 1/2
- connection dimension: DN15

Chrome	24111000	227.00
Brushed Bronze	24111140	338.00
Matt Black	24111670	294.00
Matt White	24111700	204.00










## **Pulsify S**





#### Hand shower 105 ljet Green

- shower head size: 105 mm
- spray type: PowderRain

- connection thread G 1/2

- spray disc surface: graphite
- maximum flow rate at 3 bar: 5,7 l/min
- minimum flow pressure: 1 bar
- with internal water conduction
- rinseable screen insert
- connection dimension: DN15

Chrome	24121000	172.00
A.A. ii Dll	0.4101.470	


Matt Black 24121670 223.00 Matt White 24121700 223.00











#### Baton hand shower 100 1jet

- shower head size: 98 x 24 mm
- spray type: PowderRain
- maximum flow rate at 3 bar: 8,5 l/min
- minimum flow pressure: 0,5 bar
- with internal water conduction
- rinseable sieve insert
- connection thread G 1/2
- suitable for continous flow water heaters

Chrome	24125000	168.00
Brushed Bronze	24125140	252.00
Matt Black	24125670	235.00



24125700



235.00



Available Q1 2024

Matt White

# Hand showers

Pulsify E			finish	code no	RRP (inc GST)
	<u>↑ ∏                                   </u>	Baton hand shower 100 1jet shower head size: 98 x 24 mm	Chrome	24320000	168.00
NEW	1001	<ul> <li>spray type: PowderRain</li> <li>maximum flow rate at 3 bar: 8 l/min</li> </ul>	Brushed Bronze	24320140	252.00
<b>Milli</b>	- N - S - S - S - S - S - S - S - S - S	minimum flow pressure: 0,5 bar with internal water conduction	Matt Black	24320670	235.00
		· rinseable sieve insert · connection thread G ½	Matt White	24320700	235.00
	ŢЩ	suitable for continous flow water heaters			








Available Q1 2024

#### **Croma Select E**



#### Hand shower Multi EcoSmart 9 I/min

- shower head size: 110 mm
- convenient diversion via Select button
- spray type: SoftRain, IntenseRain, Massage
- spray flow rate at 3 bar: 9 l/min
- with internal water conduction
- rinseable dirt filter
- connection thread G ½
- connection dimension: DN15
- suitable for continous flow water heaters

White/Chrome

finish

26811400

code no



**RRP** 

(inc GST)

217.00



#### Hand shower Vario EcoSmart 9 I/min

- shower head size: 110 mm
- convenient diversion via Select button
- spray type: Rain, TurboRain, IntenseRain
- flow rate at 3 bar: 9 l/min
- with internal water conduction
- rinseable dirt filter
- connection thread G 1/2
- suitable for continous flow water heaters
- scope of supply: hand shower, filter seal, assembly instruction

White/Chrome

26813400

166.00
















# Hand shower 1 jet EcoSmart 9 I/min White/Chrome

- shower head size: 110 mm
- convenient diversion via Select button
- spray type: Rain
- flow rate at 3 bar: 9 l/min
- with internal water conduction
- rinseable dirt filter
- connection thread G 1/2
- suitable for continous flow water heaters
- scope of supply: hand shower, filter seal, assembly instruction

26815400

128.00










#### Croma Select S





#### Hand shower Multi EcoSmart 9 I/min

- shower head size: 110 mm
- convenient diversion via Select button
- spray type: SoftRain, IntenseRain, Massage
- spray flow rate at 3 bar: 9 l/min with internal water conduction
- rinseable dirt filter
- connection thread G 1/2
- connection dimension: DN15
- suitable for continous flow water heaters

White/Chrome

26801400

217.00
















#### **Hand shower Vario EcoSmart** 9 l/min

- shower head size: 110 mm
- convenient diversion via Select button
- spray type: Rain, TurboRain, IntenseRain
- flow rate at 3 bar: 9 l/min
- with internal water conduction
- rinseable dirt filter
- connection thread G 1/2
- suitable for continous flow water heaters
- scope of supply: hand shower, filter seal, assembly instruction

White/Chrome

26803400












finish

code no

(inc GST)





# Hand shower 1 jet EcoSmart 9 I/min White/Chrome

- shower head size: 110 mm
- spray type: Rain
- flow rate at 3 bar: 9 1/min
- with internal water conduction
- rinseable dirt filter
- connection thread G  $\frac{1}{2}$
- suitable for continous flow water heaters
- scope of supply: hand shower, filter seal, assembly instruction

26805400








128.00



#### Crometta



#### Hand shower Vario Green 6 l/min

- shower head size: 100 mm
- spray type adjustment by turning spray disc
- spray type: Rain, IntenseRain
- maximum flow rate at 3 bar: 6 l/min
- with internal water conduction
- rinseable dirt filter
- connection thread G  $\frac{1}{2}$
- connection dimension: DN15
- suitable for continous flow water heaters

White/Chrome

26336400

77.00














#### Hand shower 1jet Green 6 l/min

- shower head size: 100 mm
- spray type: Rain
- maximum flow rate at 3 bar: 6 l/min
  - with internal water conduction
- rinseable dirt filter
- connection thread G ½connection
- dimension: DN15
- suitable for continous flow water heaters

White/Chrome

26334400









Hand showers					
Furly —			finish	code no	RRP (inc GST)
	280	Dogs hand shower 150 3jet Select shower head size: 150 x 63 mm spray type: fur spray, leg spray, paw spray convenient diversion via Select button maximum flow rate at 3 bar: 7,6 l/min	Sky Blue	26640540	280.00
			Pink	26640560	280.00
			Matt Black	26640670	280.00
		minimum function point for proper function in I/min: 5,7 I/min	Matt White	26640700	280.00
		operating pressure: min. 0.2 MPa/max. 0.6 MPa minimum flow pressure: 1 bar elongated, brush-like nozzles (1,5 cm) for thorough cleaning with massage effect ergonomic design Water Boost: boost function to increase waterflow when needed suitable for continous flow water heaters connection dimension: DN15 rinseable screen seal non-return valve		Eco Smart	Select  Select  Select  VATER RATING  VATER RATING  WATER RATING  Homograph 18  Homograph 18
		Optional parts:			
		· Quick coupling Set		28346000	42.00
	21 C 1/2 C 1	Quick coupling Set  · enables quick and easy changing of hand showers · material: plastic · connection dimension DN15		28346000	42.00

28387700

28387670

Matt White

Matt Black

217.00

#### **RRP** finish code no (inc GST) Sensoflex shower hoses Metal shower hose 160 cm Chrome 28136000 128.00 G 1/2-1 metal shower hose with plastic coating, easy to clean shower hose length: 1.60 m pivot connector prevent hose from tangling kink-protected Designflex textile shower hoses Shower hose 160 cm Chrome 28260000 109.00 G1/2→ high-quality textile hose with braiding **Brushed Bronze** 28260140 164.00 shower hose length: 1.60 m Brushed Black Chrome 28260340 164.00 pivot connector prevents hose from Matt Black 28260670 153.00 kink-protected Matt White 28260700 153.00 water-resistant and water-repellant Brushed Nickel 28260820 164.00 material yarns are made of recycled PET unique design with multi-colored braided yarns warm, cotton-like material feels great to G1/2the skin dishwasher proof up to 60°C nuts shower hose: 1x conical nut, 1x cylindrical nut connection thread: G 1/2 Alternative sizes: Shower hose 125cm Chrome 28220000 102.00 **Brushed Bronze** 28220140 153.00 Brushed Black Chrome 28220340 153.00 Matt Black 28220670 143.00 Matt White 28220700 143.00 Isiflex shower hoses Shower hose 125 cm with volume Chrome 28220000 102.00 G ½-Brushed Bronze 28220140 153.00 high-quality shower hose with metal effect with plastic coating, easy to clean Brushed Black Chrome 28220340 153.00 shower hose length: 1.25 m 143.00 pivot connectors prevent hose from Matt Black 28220670 tangling Matt White 28220700 143.00 kink-protected adjustable flow rate between 6 1/min and 16 l/min scope of supply: shower hose, seals, assembly instruction G ½→ Alternative sizes: Shower hose 160 cm with volume control Chrome 28248000 158.00 Shower hose 160 cm Chrome 28276000 93.00 G ½→ high-quality shower hose with metal effect **Brushed Bronze** 28276140 132.00 Brushed Black Chrome 28276340 132.00 with plastic coating, easy to clean shower hose length: 1.60 m Matt Black 28276670 128.00 pivot connectors prevent hose from Matt White 28276700 128.00 tangling Brushed Nickel 28276820 131.00 kink-protected scope of supply: shower hose, seals Alternative sizes: Shower hose 125cm Chrome 28272000 90.00 **Brushed Bronze** 28272140 122.00 Brushed Black Chrome 28272340 122.00 Matt Black 101.00 28272670 Matt White 101.00 28272700 **Brushed Nickel** 28272820 120.00

## Shower hoses and accessories

Comfortflex show			finish	code no	RRP (inc GST)
Comformer show	G 1/2-1-0091	Shower hose 200 cm  high-quality shower hose with metal effect with plastic coating, easy to clean shower hose length: 2.00 m pivot connector prevent hose from tangling kink-protected  Alternative sizes:	Chrome	28169000	77.00
	G ½-▶ <b>◄</b>	· Shower hose 160 cm · Shower hose 125 cm	Chrome Chrome	28168000 28167000	71.00 64.00
FixFit wall outlets		FixFit PuraVida			
	411	• 1/2" male/female elbow • with non return valve • connection dimension DN15	While sto	27414003 ock lasts. P	hased out
	9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	FixFit Starck · non-return valve · male connection  Required parts:	Brushed Nickel	27451820	138.00
		· Hose connection elbow		93276000	43.00
	▼	FixFit S  1/2" male/female elbow  with non return valve  connection dimension DN15	Chrome	27453003	115.00
NEW	<b>*</b>	FixFit S synthetic connection angle plastic connection angle	Brushed Bronze	26453140	133.00
COLOUR	¥	non-return valve	Brushed Black Chrome	26453340	133.00
	<b>→</b>	male connection	Matt Black	26453670	123.00
	0 438 + G 1/2		Matt White	26453700	123.00
		Required parts:	-		
		Hose connection elbow		93276000	
	\$\frac{1}{2}	FixFit E 1/2" male/female elbow with non return valve material: brass	Chrome	27459000	93.00
	<b>4</b> 41 <b>N</b>	FixFit Square	Chrome	26455003	89.00
	411	1/2" male/female elbow with non return valve	Brushed Bronze	26455143	128.00
	4	connection dimension DN15	Brushed Black Chrome	26455343	128.00
		· connection thread G 1/2	Matt Black	26455673	120.00
Tr.	S G ½ ← 64 →		Matt White	26455703	120.00
(CTT)			Brushed Nickel	26455823	128.00
			Polished Gold Optic	26455993	128.00

		finish	code no	RRP (inc GST
502	Rainfinity FixFit wall outlet	Chrome	26858000	1,108.00
	and shelf R	Brushed Bronze	26858140	1,711.00
400		Brushed Black Chrome	26858340	1,711.00
5	surface of the shelf at colour variant -000	Matt Black	26858670	1,440.00
IMPORTANT NOTE:  MALE CONNECTION THREAD ON PRODUCT	<ul> <li>= mirror glass, at colour variant -700 = graphite colour, satined</li> <li>500 mm storage shelf</li> <li>integrated support function</li> <li>plastic connection angle with metal ball joint</li> <li>non-return valve</li> </ul>	Matt White	26858700	1,440.00
	nut on both side connection thread G ½ male wall connection to be plumbed with female thread			
	Required parts:			
	· Hose connection elbow		93276000	43.00
IMPORTANT NOTE: MALE CONNECTION THREAD ON PRODUCT	Rainfinity FixFit wall outlet porter 500 with shower holder and shelf L  metal connection angle shelf made of safety glass surface of the shelf at colour variant -000 = mirror glass, at colour variant -700 = graphite colour, satined 500 mm storage shelf integrated support function plastic connection angle with metal ball joint non-return valve hose nut: for shower hoses with conical nut on both side connection thread G ½ male wall connection to be plumbed with female thread	Chrome Brushed Bronze Brushed Black Chrome Matt Black Matt White	26843000 26843140 26843340 26843670 26843700	1,108.00 1,711.00 1,711.00 1,440.00
			02074000	43.00
	MALE CONNECTION THREAD ON PRODUCT  IMPORTANT NOTE: MALE CONNECTION	porter 500 with shower holder and shelf R  metal connection angle shelf made of safety glass surface of the shelf at colour variant -000 = mirror glass, at colour variant -700 = graphite colour, satined into non-return valve hose nut: for shower hoses with conical nut on both side connection thread G ½ male wall connection to be plumbed with female thread  Required parts:  Hose connection elbow  Rainfinity FixFit wall outlet porter 500 with shower holder and shelf L metal connection angle shelf made of safety glass surface of the shelf at colour variant -000 = mirror glass, at colour variant -700 = graphite colour, satined 500 mm storage shelf integrated support function plastic connection angle with metal ball joint non-return valve hose nut: for shower hoses with conical nut on both side connection thread G ½ male wall connection to be plumbed	Rainfinity FixFit wall outlet porter 500 with shower holder and shelf R metal connection angle shelf made of safety glass surface of the shelf at colour variant -000 mirror glass, at colour variant -700 = graphite colour, satined 500 mm storage shelf integrated support function plastic connection angle with metal ball joint non-return valve hose nut: for shower hoses with conical nut on both side connection frhead G ½ male wall connection to be plumbed with female thread  Required parts:  Hose connection elbow  Rainfinity FixFit wall outlet porter 500 with shower holder and shelf L metal connection to be plumbed with female thread  Required parts:  Hose connection elbow  Rainfinity FixFit wall outlet porter shelf made of safety glass surface of the shelf at colour variant -000 mirror glass, at colour variant -000	Rainfinity FixFit wall outlet porter 500 with shower holder and shelf R metal connection angle shelf made of safety glass surface of the shelf at colour variant -000 mirror glass, at colour variant -700 = graphite colour, satinad joint non-return valve hose nut: for shower hoses with conical nut on both side connection elbow  Required parts:  Rainfinity FixFit wall outlet porter 500 with shower holder and shelf L metal connection elbow  Required parts:  Rainfinity FixFit wall outlet porter 500 with shower holder and shelf L metal connection angle shelf made of safety glass surface of the shelf at colour variant -700 = graphite colour, satinad Solom m storage shelf integrated support function plastic connection angle shelf made of safety glass surface of the shelf at colour variant -700 = graphite colour, satinad Solom m storage shelf integrated support function plastic connection angle with metal ball joint non-return valve hose nut: for shower hoses with conical nut on both side connection to be plumbed with female thread  Required parts:

(inc GST)

1,349.00

1,349.00

993.00

217.00

993.00

993.00

code no

27645000

27645400

27640000


26511000

27640000

27640400

\*While stock lasts. Phased out

## Unica E shower bar



# Shower bar E 150 cm with shower

pivot connectors prevent hose from tangling

90° position adjustable slider, pivots left and right, up and down shelf: shelf made of safety glass

wall bar type: flat aluminium profile with safety glass finish

41 mm

fully chrome-plated shower slide

self-locking slide

slide inclination angle steplessly adjustable

Shower bar E 90 cm with shower hose

wall supports of plastic

2x Casetta' E soap dish

finish: chrome, white or black

#### **Alternative sizes:**

Soap dish E

	White/Chrome	27640400	993.00
Optional parts:	-		

Chrome

Chrome


White/Chrome

Chrome

finish

Chrome

White/Chrome\*



# Shower bar E 90 cm with shower

pivot connectors prevent hose from tangling

90° position adjustable slider, pivots left and right, up and down shelf: shelf made of safety glass

wall bar type: flat aluminium profile with safety glass finish

41 mm

fully chrome-plated shower slide

self-locking slide

slide inclination angle steplessly adjustable

chrome-plated wall supports of plastic

1x Casetta' E soap dish

finish: chrome, white or black

## Consisting of:

Shower hose 160 cm (# 28276000)

Soap dish E (# 2651 1000)

## **Alternative sizes:**


Ontional parts:			
	White/Chrome*	27645400	1,349.00
Shower bar E 150 cm with shower hose	Chrome	27645000	1,349.00

## Optional parts:

Soap dish E Chrome 26511000 217.00


				finish	code no	RRP (inc GST)
Unica E Comfort s	35	25	Shower bar Comfort 90 cm  consists of: shower bar, slider  TÜV certifiedwallbar could be also used as grab bar  90° position adjustable slider, pivots left and right, up and down  Fully chrome-plated metal shower slide bar width: 25 mm  material: solid brass chrome-plated wall supports of metal	Chrome	26402000	626.00
			Alternative sizes: Shower bar Comfort 65 cm Optional parts:	Chrome	26401000	586.00
	7	<b>1</b> 93▶	· Grab handle Comfort with shelf and shower holder	White/Chrome	26328400	478.00
6			· Foot support Comfort	Chrome	26329000	485.00
	007	25	Shower bar Comfort 65 cm  consists of: shower bar, slider  TÜV certified  wallbar could be also used as grap bar  90° position adjustable slider, pivots left and right, up and down fully chrome-plated metal shower slide bar width: 25 mm material: solid brass chrome-plated wall supports of metal	Chrome	26401000	586.00
			Alternative sizes: Shower bar Comfort 65 cm Optional parts:	Chrome	26402000	626.00
-	<del>* \</del>	49 3▶	Grab handle Comfort with shelf and shower holder	White/Chrome	26328400	478.00
			· Foot support Comfort	Chrome	26329000	485.00
	235 300 295 395 395 395 395 395 395 395 395 395 3	4.53 # 4.55 # 4.	Grab handle Comfort with shelf and shower holder  consists of: grab bar, shelf, shower holder  TÜV certified  shower holder can be installed on both sides  shower holder can be removed  shelf made of plastic, finish white  shelf can be removed for cleaning fixed holding position for hoses with conical nut bar width: 25 mm brass  scope of supply: grab bar, escutcheons, mounting material, assembly instruction	White/Chrome	26328400	478.00
			Optional parts:  Foot support Comfort	Chrome	26329000	485.00

		finish	code no	(inc GST)
227 192 192 284 107 93	Foot support Comfort  TÜV certified  antislip foot rest  metal  scope of supply: foot support, escutcheons, mounting material, assembly instruction	Chrome	26329000	485.00
35 - 10 - 17 - 17 - 17 - 17 - 17 - 17 - 17	Shower bar Comfort 110 cm left  consists of: shower bar, shelf, slider  TÜV certified  shower holder can be removed  wallbar could be also used as grap bar  shelf made of plastic, finish white  shelf can be removed for cleaning  90° position adjustable slider, pivots left and right, up and down  fully chrome-plated metal shower slide  bar width: 25 mm  material: solid brass  chrome-plated wall supports of metal  scope of supply: shower bar, mounting material, assembly instruction	Chrome	26403400	993.00
	Shower bar Comfort 110 cm right	White/Chrome	26404400	993.00
	Optional parts: Foot support Comfort	Chrome	26329000	485.00
335 - 17 - 18 - 17 - 18 - 17 - 18 - 18 - 18	Shower bar Comfort 110 cm right consists of: shower bar, shelf, slider TÜV certified shower holder can be removed wallbar could be also used as grap bar shelf made of plastic, finish white shelf can be removed for cleaning 90° position adjustable slider, pivots left and right, up and down fully chrome-plated metal shower slide bar width: 25 mm material: solid brass chrome-plated wall supports of metal scope of supply: shower bar, mounting material, assembly instruction  Alternative products:	White/Chrome	26404400	993.00
	Shower bar Comfort 110 cm left  Optional parts:	White/Chrome	26403400	993.00
	· Foot support Comfort	Chrome	26329000	485.00



			finish	code no	(inc GST)
	7	Shower bar Reno 72 cm  consists of: shower bar, slider  wall bar type: chrome-plated brass pipe  bar width: 22 mm  variable drilling hole distance: 400 - 670 mm  slide inclination angle adjustable in 2 steps  silent inclination angle adjustment chrome-plated shower slide of plastic chrome-plated wall supports of plastic chrome-plated wall supports variable wall support scope of supply: shower bar, mounting material, assembly instruction	Chrome	27704000	229.00
Soap dishes	200	Cassetta Soap dish E Unica E length 200 mm material: flat aluminium profile with safety glass finish shelf finish: chrome, white or black	Chrome	26511000	217.00
	Ø 130 ↓ Ø 25 ↓ Ø 25 ↑	Cassetta Soap dish S Puro  purpose of use: for shower bars with Ø 22 mm  material: plastic removable self-draining soap dish for Unica S and C wallbars	Chrome	28679000	128.00
	140 © 0 127	Cassetta Soap dish E  · purpose of use: for shower bars with Ø 22 mm  · material: plastic  · removable	Chrome	26519000	67.00
	140	Cassetta Soap dish C  · purpose of use: for shower bars with Ø 22 mm  · removable	Chrome	28678000	53.00

**RRP** finish (inc GST) code no **Rainfinity** 



## Shower set 130 3jet with shower bar 65cm

- consists of: hand shower, shower bar, shower hose, slider
- shower head size: 130 mm
- spray type: Mono, PowderRain, IntensePowderRain
- convenient diversion via Select button pivot connector prevent hose from tangling
- 90° position adjustable hand shower
- holder, pivots left and right, up and down maximum flow rate at 3 bar: 9 l/min
- wall bar type: chrome-plated brass pipe bar width: 22 mm
- fully chrome-plated shower slide
- slide inclination angle steplessly adjustable

- S Puro shower bar 65 with hose
- FixFit S












- Rainfinity Hand shower 130 3jet

28632000	
26865000	

27453003

331.00 115.00

382.00



### Shower set 130 3jet with shower bar 65cm

- consists of: hand shower, shower bar, shower hose, slider
- shower head size: 130 mm
- spray type: Mono, PowderRain, IntensePowderRain
- convenient diversion via Select button
- pivot connector prevent hose from tangling
- 90° position adjustable hand shower holder, pivots left and right, up and down maximum flow rate at 3 bar: 9 l/min
- wall bar type: chrome-plated brass pipe
- bar width: 22 mm
  - fully chrome-plated shower slide
  - slide inclination angle steplessly adjustable

## Required parts:

FixFit S

- S Puro shower bar 65 with hose
- Rainfinity Hand shower 130 3jet
- Hose connection elbow














28632700 538.00 26865700 420.00 26453700 123.00

93276000

#### RRP finish (inc GST) code no

## **Raindance Select E shower sets**



#### Shower set 150 3jet with shower bar 65 cm and soap dish

- Raindance E150 Handshower
- hand shower with 2-shell construction
- shower head size: 150 mm
- convenient diversion via Select button
- spray type: RainAir, CaresseAir, Mix
- with internal water conduction
- connection thread G 1/2
- Unica S Puro wallbar 65cm
- Isiflex hose 1600mm
- Cassetta E soap dish
- includes FixFit S

Chrome

26635003


753.00







While stocks last. Phased out



### Shower set 120 3jet EcoSmart 9 I/min with shower bar 65 cm and soap dish

- Raindance E120 Handshower
- hand shower with 2-shell construction
- shower head size: 120 mm
- convenient diversion via Select button
- spray type: RainAir, Rain, Massage
- with internal water conduction connection thread G  $\frac{1}{2}$
- Unica S Puro wallbar 65cm
- Isiflex hose 1600mm
- Cassetta E soap dish
- includes FixFit S

Chrome White/Chrome\* 26622003 26622403 598.00 626.00

Brushed Nickel 26622823
















\*While stocks last. Phased out



## Shower set 120 3jet with shower bar 90cm and Soap dish

- consists of: hand shower, shower bar, shower hose, hand shower holder, soap dish
- shower head size: 125 mm
- spray type: Rain, RainAir, Whirl
- shelf made of safety glass
- convenient diversion via Select button
- pivot connector prevent hose from
- tangling 90° position adjustable hand shower holder, pivots left and right, up and down
- maximum flow rate at 3 bar: 9 l/min
- bar width: 41 mm
- profile stand pipe: square
- wall supports of plastic wall bar type: flat aluminium profile with safety glass finish
- FixFit not included

## Required parts:

FixFit S

Chrome

27649000

1,204.00












27453003



## Shower set 120 3jet PowderRain with shower bar 90cm

- spray type: PowderRain, Rain, Whirl
- convenient diversion via Select button
- shower head size: 125 mm
- wall bar length 90 cm
- pivot connectors prevent hose from
- tangling
- 90° position adjustable slider, pivots left and right, up and down
- maximum flow rate at 0.3 MPa: 9 l/min
- bar width: 22 mm
- wall supports of plastic
- wall mounting: screw fastening
  FixFit not included

## Required parts:

FixFit S

finish Chrome

27667007

code no

663.00

**RRP** (inc GST)











115.00

27453003

max. 310**→** 

## Shower set 120 3jet PowderRain with shower bar 65cm

- spray type: PowderRain, Rain, Whirl
- convenient diversion via Select button
- shower head size: 125 mm
- wall bar length 65 cm
- pivot connectors prevent hose from
- tangling 90° position adjustable slider, pivots left and right, up and down
- maximum flow rate at 0.3 MPa: 9 l/min
- bar width: 22 mm
- wall supports of plastic
- wall mounting: screw fastening
  FixFit not included

## Required parts:

FixFit S

Chrome

27654007

637.00












27453003 115.00



## Shower set 120 3jet EcoSmart 9 l/min with shower bar 65 cm and soap dish

Raindance S120 Handshower

- hand shower with 2-shell construction
- shower head size: 120 mm
- convenient diversion via Select button
- spray type: RainAir, Rain, Massage
- with internal water conduction
- connection thread G 1/2 Unica S Puro wallbar 65cm
- Isiflex hose 1600mm
- Cassetta E soap dish
- includes FixFit S

Chrome Brushed Black Chrome 26632343

White/Chrome

26632003

944.00 26632403 626.00

**Brushed Nickel** 26632823





1,222.00






## Shower sets / Shower bars

cada na

## **Pulsify Select S**



#### **Shower set 105 3jet Relaxation** with shower bar 65 cm

- consists of: hand shower, slider, shower bar, shower hose
- shower head size: 105 mm
- spray type: PowderRain, IntenseRain, Massage spray
- convenient diversion via Select button wall supports of plastic stand pipe length: 669 mm
- shower bar diameter: 22 mm
- profile stand pipe: round
- drilling distance 625 mm
- height-adjustable slider with locking push-button slider
- includes Fixfit S

11111311	code no	(IIIC GSI)
Chrome	24161003	476.00
Matt Black	24161673	665.00
Matt White	24161703	665.00



finich








**RRP** 





NEW

## Shower set 105 1jet with shower bar 65 cm

- consists of: hand shower, slider, shower bar, shower hose
- shower head size: 105 mm
- spray type: PowderRain wall supports of plastic
- stand pipe length: 669 mm shower bar diameter: 22 mm
- profile stand pipe: round
- drilling distance 625 mm
- height-adjustable slider with locking push-button slider
- includes Fixfit S

Chrome	24311003	436.00
Matt Black	24311673	626.00

Matt White 24311703 626.00









- consists of: baton hand shower, shower bar, shower hose, slider
- shower head size: 98 x 24 mm
- spray type: PowderRain
- height-adjustable slider with locking
- push-button slider hand shower holder made of
- plastic/metal hand shower holder with locking
- mechanism
- wall mounting: screw fastening
- wall supports made of plastic
- pipe length: 663 mm
- shower hose with conical nut on both ends
- pivot connector prevents hose from tangling
  includes Fixfit S

Chrome	24373003	906.00
Matt Black	24373673	1,269.00
Matt White	24373703	1.269.00







**Pulsify E** 

## Shower set 100 1jet EcoSmart+ with shower bar 65 cm

- consists of: hand shower, slider, shower bar, shower hose
- shower head size: 100 x25mm
- spray type: PowderRain hand shower holder for right- and lefthand installation
- metal hand shower holder wall mounting: screw fastening wall supports made of plastic

- wall supports made or plastic
  wall bar type: swiveling shower bar
  profile pipe: cubic
  pipe length: 663 mm
  drilling distance 627 mm
  shower hose with conical nut on both ends
  pivot connector prevents hose from
- tangling
  includes Fixfit square

finish	code no	(inc GST)
Chrome	24371003	804.00
Matt Black	24371673	1,125.00
Brushed Nickel	24371823	1,205.00








RRP



finish (inc GST) code no

## Croma Select E shower sets



## Shower set Multi EcoSmart 9 l/min with shower bar 65 cm

- spray type: IntenseRain, Massage spray, SoftRain
- convenient diversion via Select button
- pivot connectors prevent hose from tangling
- 90° position adjustable slider, pivots left and right, up and down maximum flow rate at 0.3 MPa: 9 I/min
- chrome-plated wall supports of plastic
- Unica Croma wallbar 65cm
- Isiflex hose  $1600 \mathrm{mm}$
- includes FixFit S


Chrome

26581403









#### Shower set Vario EcoSmart 9 I/min Chrome with shower bar 65 cm

- Croma Select E Vario Handshower
- spray type: Rain, TurboRain, IntenseRain
- convenient diversion via Select button
- pivot connectors prevent hose from tangling
- slide inclination angle can be adjusted by 45°
- maximum flow rate (at 0.3 MPa): 9 l/min
- chrome-plated wall supports of plastic
- Unica Croma wallbar 65cm
- Isiflex hose 1600mm
- FixFit not included

## Required parts:

FixFit S



357.00










27453003

115.00



## Shower set 1jet EcoSmart 9 l/min with shower bar 65 cm

- Croma Select E 1Jet Handshower
- spray type: Rain
- convenient diversion via Select button
- pivot connectors prevent hose from tangling
- slide inclination angle can be adjusted by 45°
- maximum flow rate (at 0.3 MPa): 9 l/min
- chrome-plated wall supports of plastic
- Unica Croma wallbar 65cm
- Isiflex hose 1600mm
- FixFit not included

## Required parts:

FixFit S

White/Chrome

26585400

319.00














## **Croma Select S shower sets**



finish code no Shower set Vario EcoSmart 9 I/min White/Chrome

## with shower bar 65 cm

- Croma Select S Vario Handshower
- spray type: Rain, TurboRain, IntenseRain
- convenient diversion via Select button
- shower head size: 110 mm
- pivot connectors prevent hose from
- tangling
- slide inclination angle can be adjusted by 45
- maximum flow rate (at 0.3 MPa): 9 1/min
- chrome-plated wall supports of plastic
- Unica Croma wallbar 65cm Isiflex hose 1600mm
- FixFit not included

## Required parts:

FixFit S

26563400








357.00

**RRP** 

(inc GST)



27453003 115.00



## Shower set 1jet EcoSmart 9 l/min with shower bar 65 cm

- Croma Select S 1Jet Handshower
- spray type: Rain
- shower head size: 110 mm
- pivot connectors prevent hose from tangling
- slide inclination angle can be adjusted
- maximum flow rate (at 0.3 MPa): 9 l/min
- chrome-plated wall supports of plastic
- Unica Croma wallbar 65cm
- Isiflex hose 1600mm FixFit not included

## Required parts:

FixFit S

White/Chrome

26565400

319.00










27453003

finish code no (inc GST) Crometta



Shower set Vario Green 6 l/min with shower bar 65 cm

consists of: hand shower, shower bar, shower hose, slider

shower head size: 100 mm

spray type: Rain, IntenseRain

spray type adjustment by turning spray

pivot connector prevents hose from tangling

slide inclination angle can be adjusted by 45°

maximum flow rate at 3 bar: 6 l/min bar width: 22 mm

FixFit not included

## Required parts:

FixFit S

White/Chrome







179.00


**RRP** 





27453003

115.00



Shower set 1jet Green 6 I/min with White/Chrome shower bar 65 cm

consists of: hand shower, shower bar, shower hose, slider

shower head size: 100 mm

spray type: Rain

pivot connector prevents hose from tangling

slide inclination angle can be adjusted by  $45^{\circ}$ 

maximum flow rate at 3 bar: 6 l/min

bar width: 22 mm

wall supports of plastic
FixFit not included

## **Required parts:**

FixFit S

26554400

166.00













27453003



RRP code no (inc GST)

finish code no (inc

24014400



#### Overhead shower 460 2jet EcoSmart 9 I/min with ceiling connector

- · shower head size: 460 x 300 mm
- spray type: Rain, RainStream
- flow rate Rain spray (at 0.3 MPa): 9 l/min
- flow rate RainStream spray (at 0.3 MPa):
   9 I/min
- material spray disc: safety glass
- spray disc removable for cleaning
- overhead shower for cleaning removable
- brass ceilling connector
- · ceiling connection length: 100 mm
- connection dimension: DN15

#### Required parts:

Rainmaker Select Basic set for overhead shower with ceiling connector

White /Chrome








6,454.00



24010180 764.00



# Overhead shower 460 ljet EcoSmart 9 l/min with shower arm

- · shower head size: 460 x 270 mm
- · shower arm length: 460 mm
- spray type: Rain
- flow rate Rain spray (at 0.3 MPa): 9 l/min
- easy cleanable glass spray disc
- material spray disc: safety glass
- spray disc removable for cleaning overhead shower for cleaning removable
- · installation: wall
- · connection dimension: DN15
- · connection thread G ½ male
- wall connection to be plumbed with female thread

White /Chrome

24013400


5,309.00











### Overhead shower 460 1jet EcoSmart 9 I/min with ceiling connector

- · shower head size: 460 x 270 mm
- · spray type: Rain
- flow rate Rain spray (at 0.3 MPa): 9 l/min
- easy cleanable glass spray disc material spray disc: safety glass
- spray disc removable for cleaning
- overhead shower for cleaning removable
- brass ceilling connector
- ceiling connection length: 100 mm
- installation: ceiling
- connection thread G ½
- · connection dimension: DN15

## Required parts:

Rainmaker Select Basic set for overhead shower with ceiling connector

White /Chrome

24012400

,







4,938.00



24010180 764.00

## Rainfinity



### Overhead shower 250 3jet with wall connector

- consists of: overhead shower, wall outlet
- projection 273 mm
- spray type: PowderRain, Intense
- PowderRain, RainStream middle spray disc: 151 mm
- shower head size: 250 mm
- shower arm vertically inclinable by 10-30°
- maximum flow rate at 3 bar: 9 l/min
- flow rate RainStream spray (at 3 bar): 9 I/min
- flow rate Intense PowderRain (at 3bar): 9 I/min
- flow rate PowderRain spray (at 0.3
- MPa): 9 l/min the 3 spray zones must be controlled via
- 3 valves or a diverter valve with 3 outlets
- Select button on thermostat spray disc surface: graphite
- material spray disc: aluminium
- overhead shower removable for cleaning
- frame: metal
- connection dimension: DN15

## Required parts:

Basic set iBox universal

Chrome Matt white

finish

26233007 26233707

code no

3,377.00 4,390.00

**RRP** 


(inc GST)











# Overhead shower 250 1jet with

- consists of: overhead shower, wall outlet
- projection 273 mm
- spray type: PowderRain
- middle spray disc: 151 mm shower head size: 250 mm
- shower arm vertically inclinable by
- 10-30°
- maximum flow rate at 3 bar: 9 l/min
- spray disc surface: graphite
- material spray disc: aluminium
- overhead shower removable for cleaning
- installation: wall
- connection thread G  $\frac{1}{2}$  male
- wall connection to be plumbed with 1/2" female thread in the wall and a 13mm - 28mm clearance from tile face
- connection dimension: DN15

Chrome Matt white

26227007 26227707

01800180

2,354.00 3,062.00


200.00











## Overhead shower 250 ljet

- spray type: PowderRain
- shower head size: 250 mm
- ball-joint: overhead shower angle (2 x 5°) adjustable
- maximum flow rate at 3 bar: 9 l/min
- spray disc surface: graphite
- material spray disc: aluminium
- overhead shower removable for cleaning
- installation: ceiling or wall, Tool-free
- assembly and disassembly connection thread G 1/2
- connection dimension: DN15

Chrome Matt white

26229007 26229707

1,981.00 2,573.00










## **Raindance Select S**





# Overhead shower 240 2jet 2.5

- shower head size: 240 mm
- spray type: RainAir, Rain
- maximum flow rate at 0.3 MPa: 9.5 I/min
- Select button on overhead shower
- fully chrome-plated spray disc
- spray disc removeable for cleaning installation: ceiling or wall
- connection thread G ½

Chrome 26469001








1,311.00



## Raindance 260 x 260 mm





### Overhead shower 260/260 1jet EcoSmart 9 I/min

- shower head size: 240 mm
- spray type: RainAir
- flow rate RainAir spray (at 0.3 MPa): 9 1/ min
- fully chrome-plated spray disc
- material spray disc: metal
- spray disc removeable for cleaning
- installation: flush with the ceiling
- connection thread G  $^{1}\!\!/_{2}$
- connection dimension: DN15
- scope of supply: overhead shower, mounting material, assembly instruction
- not included: basic set

1 jet

Chrome

finish

26481000

1,389.00














## **Required parts:**

Basic set for overhead shower 260/260

26471180

319.00





## Basic set for overhead shower 260/260 ljet

26471180

**Overhead showers RRP** finish code no (inc GST) Raindance E Overhead shower 400/400 1jet Chrome 26253000 2,661.00 EcoSmart 9 I/min shower head size: 400 x 400 mm spray type: RainAir maximum flow rate at 0.3 MPa: 9 I/min flow rate RainAir spray (at 0.3 MPa): 8 l/min material spray disc: metal installation: flush with the ceiling connection thread G ½connection dimension: DN15 Required parts: Basic set for overhead shower 400/400 26254180 395.00 Basic set for overhead shower 26254180 395.00 400/400 ljet

## **Overhead showers**

## Raindance S NEW COLOUR Overhead shower 240 1jet **PowderRain**

shower head size: 240 mm ball-joint: overhead shower

angle adjustable spray type: PowderRain maximum flow rate at 0.3 MPa: 9 l/min fully chrome-plated spray disc

material spray disc: metal installation: ceiling or wall connection thread G ½

	finish	code no	(inc GST)
	Chrome	27624001	1,172.00
	Brushed Bronze	27624141	1,774.00
	Brushed Black Chrome	27624341	1,774.00
	Matt Black	27624671	1,774.00
1	Matt White	27624701	1,774.00
	Brushed Nickel	27624821	1,774.00










## **Raindance**





## Overhead shower 240 1jet

shower head size: 240 mm

spray type: RainAir XL flow rate RainAir spray (at 0.3 MPa): 9 1/min

installation: wall

connection dimension: DN15

Chrome

27461003

1,203.00











## Croma



## Overhead shower 280 1jet EcoSmart 9 I/min

- shower head size: 280 mm
- spray type: RainAir
- flow rate RainAir spray (at 0.3 MPa): 9 1/ min
- fully chrome-plated spray disc
- material spray disc: metal
- spray disc removeable for cleaning installation: ceiling or wall
- connection thread G 1/2
- connection dimension: DN15
- scope of supply: overhead shower, filter seal, assembly instruction

finish	code no	(inc GST)
Chrome	26221000	857.00
Brushed Bronze	26221140	1,626.00
Brushed Black Chrome	26221340	1,626.00
Matt Black	26221670	1,200.00
Matt White	26221700	1,200.00
Brushed Nickel	26221820	1,301.00
Polished Gold Optic	26221990	1,626.00












## **Croma Select E**





## Overhead shower 180 2jet **EcoSmart 9 I/min**

- shower head size: 180 x 180 mm
- overhead shower angle adjustable
- spray type: Rain, IntenseRain
- flow rate Rain spray (at 0.3 MPa): 9 1/
- flow rate IntenseRain spray (at 0.3 MPa): 9 |/min
- Select button on overhead shower
- spray disc
- connection thread G 1/2
- connection dimension: DN15

Chrome White/Chrome\* 26528000 26528400 790.00 790.00










## **Croma Select S**





## Overhead shower 180 2jet **EcoSmart 9 I/min**

- shower head size: 180 mm
- spray type: Rain, IntenseRain
- flow rate Rain spray (at 0.3 MPa): 9 1/
- flow rate IntenseRain spray (at 0.3 MPa): 9 |/min
- Select button on overhead shower
- material spray disc: plastic
- installation: ceiling or wall connection thread G ½connection
- dimension: DN15

Chrome

26523000








finish **Pulsify S** 





#### Overhead shower 260 ljet **EcoSmart**

- shower head size: 260 mm spray type: PowderRain
- Fast Drain empties the overhead shower from an angle of 10°
- ball-joint: overhead shower angle adjustable
- material spray disc: plastic
- spray disc surface: graphite
- maximum flow rate at 3 bar: 7,5 l/min
- flow rate PowderRain spray (at 3 bar): 7,5 l/min
- minimum flow pressure: 1,2 bar
- installation: ceiling or wall
- connection thread G 1/2
- connection dimension: DN15

misn	code no	(inc GSI)
Chrome	24141000	782.00
Brushed Bronze	24141140	1,255.00
Matt Black	24141670	1,089.00
Matt White	24141700	1,089.00














## Required parts:

Wall connector for overhead shower 260

Chrome	24149000	259.00
Brusehd Bronze	24149140	402.00
Matt Black	24149670	337.00
Matt White	24149700	337.00



## Wall connector for overhead shower 260

- material: plastic
- connection type: G  $\frac{1}{2}$  male

Chrome	24149000	259.00
Brushed Bronze	24149140	402.00
Matt Black	24149670	337.00
Matt White	24149700	337.00

#### Overhead shower 260 2jet with wall connector consists of: overhead shower, wall

- connector
- shower head size: 260 mm
- spray type: PowderRain, Intense PowderRain
- Fast Drain empties the overhead shower from an angle of  $10^{\circ}$
- ball-joint: ball-joint for easy angle adjustment, variable from 15 - 36°
- material spray disc: plastic
- spray disc surface: graphite
- maximum flow rate at 3 bar: 7,4 l/min
- flow rate PowderRain spray (at 3 bar): 7,4 I/min
- flow rate Intense PowderRain (at 3 bar): 6,5 l/min
- function from: 6 l/min
- minimum flow pressure: 1,6 bar
- overhead shower removable for cleaning
- installation: wall-mounted based on iBox
- connection type: basic set not suitable for continuous flow water heaters
- connection dimension: DN15

24151000 Chrome 24151670 Matt Black Matt White 24151700









1,521.00

1,977.00


1,977.00



IMPORTANT NOTE:

MALE CONNECTION

THREAD ON PRODUCT



## Overhead shower 105 1jet Green

- shower head size: 105 mm
- spray type: PowderRain
- ball-joint: overhead shower angle adjustable
- material spray disc: plastic
- spray disc surface: graphite
- maximum flow rate at 3 bar: 6 l/min
- connection thread G 1/2
- connection dimension: DN15



code no

24132000

24132670

24132700



**RRP** 

(inc GST)

286.00

372.00

372.00



## Required parts:

167.00 Wall connector for overhead shower 105 Chrome 24139000 24139670 Matt Black 216.00


finish

Chrome

Matt Black

Matt White


Matt White 24139700 216.00



## Wall connector for overhead shower 105


material: plastic connection type: G 1/2 male Chrome 24139000 167.00 Matt Black 24139670 216.00 Matt White 24139700 216.00

## **Pulsify E**



#### Overhead shower 260 1jet **EcoSmart**

- shower head size: 260 mm spray type: PowderRain
- Fast Drain empties the overhead shower from an angle of 10°
- material spray disc: plastic
- spray disc surface: graphite
- maximum flow rate at 3 bar: 8.4 l/min
- flow rate PowderRain spray (at 3 bar):
- 8.4 I/min
- minimum flow pressure: 0,8 bar
- installation: ceiling or wall
- connection thread G 1/2
- connection dimension: DN15














code no (inc GST) finish Croma 100





#### **Overhead shower Vario EcoSmart** 9 I/min

Chrome

shower head size: 100 mm spray type: Massage spray, Shampoo spray, normal spray, Rain

- ball-joint: overhead shower angle adjustable
- maximum flow rate at 3 bar: 9 l/min
- adjustment with shift on overhead shower
- grey spray disc
- material spray disc: plastic
- installation: ceiling or wall connection thread G ½
- connection dimension: DN15
- suitable for continuous flow water heaters with an output of 18 kW

191.00




28462000





## Crometta S



## Overhead shower 240 ljet EcoSmart 9 I/min

shower head size: 240 mm

spray type: Rain

- flow rate Rain spray (at 0.3 MPa): 9 1/ min
- fully chrome-plated spray disc
- material spray disc: plastic
- installation: ceiling or wall
- connection thread G 1/2
- scope of supply: overhead shower, filter seal, assembly instruction

Chrome

Matt Black


26724000 26724670 675.00 878.00







## Crometta E



## Overhead shower 240 ljet EcoSmart 9 I/min

shower head size: 240 x 240 mm

spray type: Rain

flow rate Rain spray (at 0.3 MPa): 9 1/ min

fully chrome-plated spray disc

material spray disc: plastic

installation: ceiling or wall

connection thread G ½

scope of supply: overhead shower, filter seal, assembly instruction

Chrome

Matt Black

26727000 26727670 675.00 878.00








## **Body showers**





## **Body shower ljet**

side shower angle adjustable

spray type: normal spray

flow rate normal spray (at 0.3 MPa): 6 |/ min

grey spray disc

connection thread: G ½ male

scope of supply: body shower, escutcheon, assembly instruction

## **Alternative products:**

Chrome

28466000

331.00



Body shower 1 jet stop

Chrome

28467000

## Shower arms for overhead showers





## Shower arm DN15 241mm projection

escutcheon, wall connector plate

wall-mounted

version: 90° angle connection thread G ½

#### Chrome 27409003 205.00

finish

## While stocks last. Phased out

code no

**RRP** 

(inc GST)





#### Shower arm 38.9 cm

- escutcheon, wall connector plate
- wall-mounted
- version: 90° angle connection thread G ½

Chrome	27413003	221.00
Brushed Nickel	27413823	327.00
Brushed Black Chrome	27413343	519.00




## Shower arm 38.9 cm

- length: 389 mm
- wall-mounted
- installation type: exposed installation version: 90° angle connection thread G ½ male

- connection dimension DN15

Matt Black	27413670	311.00
Brushed Bronze	27413140	327.00
Matt White	27413700	311.00




## Shower arm Vernis Blend 30 cm

- length: 300 mm
- shaft Ø: 26 mm installation type: exposed installation material: brass

- version: 90° angle connection thread G ½

Chrome	26408003	140.00
Brushed Nickel	26408673	195.00
Brushed Black Chrome	26408823	209.00

## Overhead showers



## **RRP** finish (inc GST) code no **Basic sets** Basic set iBox universal 01800180 200.00 adjustable clamping collar seal connection thread Rp 3/4 suitable for all shower, bath tub and thermostat finish sets for concealed installation rotationally-symmetric installation sound-decoupled installation connection dimension: DN15/DN20 Basic set iBox universal with shut-01850180 399.00 off unit seal adjustable clamping collar connection thread Rp 3/4 suitable for all shower, bath tub and thermostat finish sets for concealed installation sound-decoupled installation connection dimension: DN15/DN20 **Extension iBox universal Basic Set** 13595000 163.00 **→**| 25 **|** 2.5cm Extension for Basic Set Extension length: 25mm **4**39**→** 86 Fastening rail set for iBox universal 96615000 115.00 Extension for Basic Set Extension length: 25mm Basic set for bath mixer floor-**4**−Ø 101 → 10452180 1,125.00 -Ø 94standing for mounting on unfinished floor suitable for all finish sets for free-standing bath faucets connection dimension: DN15 Basic set for single lever shower 13620180 200.00 mixer for concealed installation ceramic cartridge connection dimension: DN15

## **Basic sets and wastes RRP**


450.00

524.00

515.00

finish code no (inc GST)

13622180



### Basic set for single lever basin mixer for concealed installation wall-mounted

- scope of supply: with flush valve
- variable positioning of the mixer system, can be left or right of the spout
- connection dimension: DN15

15930180 825.00

15981180

15984180






### **Basic set for Quattro four-way** diverter valve for concealed installation

- requires volume control
- scope of supply: ceramic cartridge, seal
- 3 outlets
- simultaneous utilization by 2 outlets
- suitable for all Quattro finish sets
- flow rate: 65 l/min
- connection dimension: DN20





## Basic set for Trio shut-off/ diverter valve for concealed installation

scope of supply: ceramic cartridge, seal


- simultaneous utilization by 2 outlets
- suitable for all Trio finish sets
- flow rate: 65 l/min
- connection dimension: DN20



#### Basic set for Duo diverter valve for concealed installation

scope of supply: basic set, seal

- 2 outlets
- suitable for all Trio finish sets
- flow rate: 65 l/min
- connection dimension: DN20








# Waste set push-open for basin

- operation with pressure plug
- for basins with overflow hole
- brass
- drain plug material brass
- connection dimension G 11/4
- scope of supply: waste and overflow system, assembly instruction

Chrome	50100000	187.00
Brushed Bronze	50100140	282.00
Brushed Black Chrome	50100340	288.00
Matt Black	50100670	264.00
Matt White	50100700	264.00



#### Waste set Pop-up for basin and bidet mixers

- operation via pull-rod
- for basins with overflow hole
- brass
- drain plug material brass
- connection dimension G 11/4

94139000 205.00 Chrome



Bathtub filler and push-open waste set
suitable for standard bath tubs
supply hose water connection left DN20

Chrome

finish

code no 58129003

(inc GST) 425.00


RRP

- with integrated overflow adjustable direction of water with waterfall spray
- push waste complies with AS3718 & WMTS 040

- Consisting of:
  Finish set bath filler (# 58112000
  Waste set push-open for bath tubs (# 50107000)

## Soap dispensers





## A41 Soap/ lotion dispenser

- suitable for matched design to selected kichen mixers
- projection 91 mm material: durable metal construction
- non-corroding outlet pipe

- filling capacity 500 ml dosage 2 ml easy to fill up from the top
- for installation in worktops up to 55 mm
- easy installation without tools needed mounting hole with 28 35 mm diameter

Chrome	40438000	191.00
Brushed Black Chrome	40438340	287.00
Stainless Steel Optic	40438800	255.00
Matt Black	40438670	264.00


code no

finish

**Accessories** RRP

(inc GST)






## A51 Soap/ lotion dispenser

- suitable for matched design to selected kichen mixers projection 91 mm
- material: durable metal construction
- non-corroding outlet pipe filling capacity 500 ml
- dosage 2 ml
- easy to fill up from the top for installation in worktops up to 55 mm easy installation without tools needed
- mounting hole with 28 35 mm diameter needed

Chrome	40448000	267.00
Stainless Steel Optic	40448800	344.00
Matt Black	40438670	360.00








## Accessories

Dain Colo			finish	code no	RRP (inc GST)
Rainfinity —		Shelf 500	Chrome	26844000	841.00
	10 10 10 10 10 10 10 10 10 10 10 10 10 1	surface of the shelf at colour variant -000 = mirror glass, at colour variant -700 = graphite colour, satined shelf made of safety glass material: metal wall-mounted length 500 mm	Matt white	26844700	1,096.00
Logis —	8 ©	Towel hook  · material: brass  · material holder: metal	Chrome Brushed Nickel	40511000 40511820	67.00 93.00
	442	· wall-mounted	Marked for phase out 30/06/2024		
	<b>←</b> ∅ 120 <b>→</b>	Soap dish · material: brass, crystal glass	Chrome	40515000	244.00
	12	· material holder: metal · wall-mounted	Brushed Nickel	40515820	357.00
	128 — <b>1</b> 28 • <b>1</b> 4 59 <b>1</b>	Liquid soap dispenser · material: brass, crystal glass	Chrome	40514000	382.00
A H	W-12	material holder: metal filling capacity 125 ml	Brushed Nickel	40514820	573.00
	125 ml 225 ml 22	· dosage 1.5 ml · wall-mounted		phase out 30	, , , , , ,
	<b>←</b> 102 <b>→</b>	Toothbrush tumbler material: brass, crystal glass	Chrome	40518000	244.00
	Ø 66 ► ■ Ø 48 ■	· material holder: metal · wall-mounted	Brushed Nickel	40518820	357.00
	20 50 50 50 50 50 50 50 50 50 50 50 50 50	· waii-mouniea	Marked for	phase out 30	0/06/2024
	- <b>&gt;</b> 16	Toilet brush with tumbler wall-mounted	Chrome	40522000	435.00
		scope of supply: brush material: brass, crystal glass	Brushed Nickel	40522820	649.00
		material holder: metal wall-mounted	Markea for	phase out 30	)/06/2024
	388	Optional parts:	_		
	12- 12- 12- 120-	Replacement toilet brush without stick	White	40088000	58.00
	<b> </b>	Roll holder with cover · material: brass	Chrome	40523000	244.00
	12	· material holder: metal · wall-mounted	Brushed Nickel	40523820	357.00
9	20 50 80 80 80 80 80 80 80 80 80 80 80 80 80	wairinoonied	Marked for	phase out 30	0/06/2024
			Measuren	nents at scale dray	vinas are in mr





**◄** Ø 20

5

80

## Roll holder without cover

- material: brass
- material holder: metal
- wall-mounted

Chrome 40526000 191.00 **Brushed Nickel** 40526820 293.00


Marked for phase out 30/06/2024

## Spare roll holder

- for spare rolls material: brass
- wall-mounted

Chrome 40517000 191.00 **Brushed Nickel** 40517820 293.00

Marked for phase out 30/06/2024




# Bath towel rail material: brass

- material holder: metal
- length 763 mm
- drilling distance 600 mm
- wall-mounted

Chrome 40516000 344.00

**Brushed Nickel** 40516820 510.00

Marked for phase out 30/06/2024



## Towel holder twin-handle

- material: brass
- material holder: metal
- length 445 mm
- wall-mounted
- swivelling

Chrome 40512000 293.00

**Brushed Nickel** 

**Brushed Nickel** 

40512820 Marked for phase out 30/06/2024





## **Grab** rail

- material: brass
- material holder: metal
- length 466 mm
- drilling distance 300 mm
- wall-mounted
- TÜV certified

Chrome 40513000

> 40513820 435.00

435.00

293.00

Marked for phase out 30/06/2024


## **Accessories**

l a mia llmissausul			finish	code no	RRP (inc GST)
Logis Universal —	Ø 19-	Towel hook  · scope of supply: mounting material · material: brass · material holder: metal · wall-mounted	Chrome	41711000	27.00
	106 77 -	Double towel hook  · scope of supply: mounting material · material: brass · material holder: metal · wall-mounted	Chrome	41725000	53.00
	115 74 74 75 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	Towel ring  · scope of supply: mounting material · material: brass · material holder: metal · wall-mounted	Chrome	41724000	93.00
	226	Corner basket  scope of supply: mounting material material: brass material holder: metal wall-mounted can be used additional as a shelf	Chrome	41710000	93.00
	264-	Soap dish  scope of supply: mounting material material: brass, glass material holder: metal wall-mounted	Chrome	41715000	93.00
	200ml -200ml -200ml -200ml	Liquid soap dispenser  scope of supply: mounting material material: brass, glass material holder: metal filling capacity 200 ml dosage 2 ml wall-mounted	Chrome	41714000	128.00


			finish	code no	Accessories RRP (inc GST)
	26 - 67 - 100 - 10	Toothbrush tumbler  · scope of supply: mounting material  · material: brass, glass  · material holder: metal  · wall-mounted	Chrome	41718000	93.00
	92 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Toilet brush with tumbler wall-mounted  scope of supply: mounting material material: brass, glass material holder: metal wall-mounted	Chrome	41722000	128.00
	112 138	Roll holder with cover  · scope of supply: mounting material · material: brass · material holder: metal · wall-mounted	Chrome	41723000	128.00
	148	Roll holder without cover  · scope of supply: mounting material · material: brass · material holder: metal · wall-mounted	Chrome	41726000	93.00
296	\$\frac{1}{3}\frac{1}{	Spare roll holder  · scope of supply: mounting material · for 2 paper rolls · material: brass · wall-mounted	Chrome	41717000	93.00
644		Bath towel rail  scope of supply: mounting material material: brass material holder: metal length 600 mm wall-mounted	Chrome	41716000	144.00

		finish	code no	RRP (inc GST)
	Double bath towel rail  scope of supply: mounting material material: brass material holder: metal length 600 mm wall-mounted	Chrome	41712000	179.00
100 H	Towel rack with towel holder  scope of supply: mounting material material: brass material holder: metal length 600 mm wall-mounted	Chrome	41720000	244.00
346	Grab rail  scope of supply: mounting material material: brass material holder: metal length 345 mm drilling distance 300 mm wall-mounted TÜV certified	Chrome	41713000	144.00
227 206 207 207 207 207 207 207 207 207 207 207	Shaving mirror  scope of supply: mounting material inclinable material: metal wall-mounted enlargement: 3 x magnification swivelling	Chrome	73561000	217.00
	Bath-accessory set 3 in 1  consists of: double bath towel rail, roll holder, toilet brush  Consisting of: Double bath towel rail (# 41712000) Roll holder with cover (# 41723000) Toilet brush with tumbler wall-mounted (# 41722000)	Chrome	41727000	382.00

				Accessories RRP
	Bath-accessory set 5 in 1  consists of: towel rack with towel holder, roll holder, toilet brush, double towel hook  Consisting of: Towel rack with towel holder (# 41720000) Bath towel rail (# 41716000) Double towel hook (# 41725000) Toilet brush with tumbler wall-mounted (# 41722000) Roll holder with cover (# 41723000)	<b>Chrome</b>	<b>code no</b> 41728000	(inc GST) 626.00
14	Replacement toilet brush without stick	White	40088000	58.00
© 16	Replacement toilet brush with handle	Chrome	40089000	178.00




## **Accessories** RRP



#### Towel rack with towel holder

- drilling distance 630 mm wall-mounted
- length 648 mm


finish	code no	(inc GST)
Chrome	41751000	450.00
Brushed Bronze	41751140	673.00
Brushed Black Chrome	41751340	719.00
Matt Black	41751670	629.00
Matt White	41751700	629.00
Brushed Nickel	41751820	719.00
Polished Gold Optic	41751990	673.00



#### Towel holder twin-handle

- wall-mounted length 445 mm


Chrome	41770000	155.00
Brushed Bronze	41770140	232.00
Brushed Black Chrome	41770340	248.00
Matt Black	41770670	217.00
Matt White	41770700	217.00
Brushed Nickel	41770820	248.00
Polished Gold Optic	41770990	232.00



## **Towel ring**

wall-mounted


Chrome	41754000	98.00
Brushed Bronze	41754140	146.00
Brushed Black Chrome	41754340	154.00
Matt Black	41754670	135.00
Matt White	41754700	135.00
Brushed Nickel	41754820	154.00
Polished Gold Optic	41754990	146.00




### Shower door handle

- thickness of glass: 6 12 mm diameter drill hole: 6 mm drilling distance 350 mm can be used simultaneously as a bath towel holder

Chrome	41759000	208.00
Brushed Bronze	41759140	311.00
Brushed Black Chrome	41759340	330.00
Matt Black	41759670	290.00
Matt White	41759700	290.00
Brushed Nickel	41759820	330.00
Polished Gold Optic	41759990	311.00





(inc GST)

2,149.00

2,948.00

2,764.00


code no

73831003

73831673

73831803

#### **Aquno Select M81**



## M81 Single lever kitchen mixer 170, pull-out spout, 3 jet, sBox

finish

Chrome

Matt Black

Stainless Steel


- consists of: single lever kitchen mixer, hose box, multifunctional strainer
- ComfortZone 170
- swivel range adjustable in 3 steps 60°, 110° or 150°
- laminar spray and shower spray, SatinFlow
- · change between SatinFlow and pull-out spray at the touch of a button
- lockable shower spray, spray returns through pressing spray diverter
- MagFit magnetic shower support
- connection dimension: DN15
- · ceramic cartridge
- connection type: G 3/8 connections (G 1/2 adaptors provided in the box)
- integrated non-return valve
- sBox for quiet, smooth and protected hose guidance in the cabinet, under the countertop
- tap hole with Ø 35 mm required, recommendation: the middle of tap hole drilling should be max. 45 mm from the back side of of the bowl
- diverter function will not work where water pressure exceeds 5 Bars (500kpa)
- Important Note: Per Australian Standard 3500, operating water pressure must not exceed 500 kpa. The diverter function is designed to operate only within these water pressure standards.



F14 Multifunctional strainer

Matt Black	40963000	72.00
Matt Black	40963000	72.00






#### F14 Multifunctional strainer

- ideal to clean fruits and vegetables or to pour out noodles
- suitable for kitchen sinks with a depth of 400 mm and 406 mm
- · material: plastic

#### **Metris Select**



## M71 Single lever kitchen mixer 320, pull-out spray, 2jet, sBox

- consists of: single lever kitchen mixer, hose box
- · ComfortZone 320
- swivel range adjustable in 2 steps to 110° or 150° laminar spray and shower
- lockable shower spray, spray returns through pressing spray diverter and spray returns automatically through handle closing
- Select button for a comfortable start/stop of the water flow
- · MagFit magnetic shower support
- · quick connect hose
- connection dimension: DN15
- · ceramic cartridge
- connection type: G ½ connections
- · integrated non-return valve
- suitable for continuous flow water heaters
- sBox for quiet, smooth and protected hose guidance in the cabinet, under the countertop, with extension length up to 76 cm
- tap hole with Ø 35 mm required

Chrome Stainless Steel 73816003 73816803 1,821.00 2,730.00












#### Talis Select S



M51 Single lever kitchen mixer 300 Chrome

finish

with pull-out spout ComfortZone 300

- swivel range 110° / 150°
- vertical handle position
- normal spray
  Select button for a comfortable start/stop
- of the water flow
- MagFit magnetic shower support
- connection dimension: DN15 flow rate 7 l/min
- ceramic cartridge
- connection type: G ½ connections
- integrated non-return valve
- suitable for continuous flow water heaters

72821003

code no






**RRP** 

(inc GST)

1,477.00







#### M51 Single lever kitchen mixer 300 Chrome

- ComfortZone 300
- swivel range adjustable in 3 steps 110°, 150° or 360°
- vertical handle position
- normal spray
- Select button for a comfortable start/stop
- of the water flow
- connection dimension: DN15 flow rate 7 l/min
- ceramic cartridge
- connection type: G 1/2 connections
- integrated non-return valve
- suitable for continuous flow water

72820003


1,413.00







#### Talis S



#### M51 Single lever kitchen mixer 200 Chrome with pull-out spray

- ComfortZone 200
- swivel range 110° / 150°
- vertical handle position
- normal and spray jet
- lockable shower spray, spray returns through pressing spray diverter
- MagFit magnetic shower support
- quick connect shower hose
- connection dimension: DN15
- flow rate 7 l/min
- ceramic cartridge
- connection type: G 1/2 connections
- integrated non-return valve
- suitable for continuous flow water heaters

Stainless Steel

72813803

72813003

1,172.00 1,523.00







## M51 Single lever kitchen mixer 260 Chrome

- ComfortZone 260
- swivel range adjustable in 3 steps 110°, 150° or 360°
- vertical handle position
- normal spray
- connection dimension: DN15
- flow rate 7 l/min
- ceramic cartridge
- connection type: G 1/2 connections suitable for continuous flow water heaters








72810003




981.00





## **RRP**

#### finish (inc GST) **Talis**



M54 Single lever kitchen mixer 210, pull out spout, 2 jet

ComfortZone 210

swivel range adjustable in 4 steps 60°, 110°, 150° or 360° laminar spray and shower spray

lockable shower spray, spray returns through pressing spray diverter and spray returns automatically through handle closing

quick connect hose

connection dimension: DN15

maximum flow rate at 3 bar: 6 l/min

ceramic cartridge

connection type: G 1/2 connections

integrated non-return valve

suitable for continuous flow water

tap hole with Ø 35 mm required


	tout no	(1110 001)
Chrome	72800003	1,007.00
Matt Black	72800673	1,311.00
Stainless Steel	72800803	1,311.00











M54 Single lever kitchen mixer 210, pull out spout, 1 jet

ComfortZone 210

swivel range adjustable in 4 steps 60°, 110°, 150° or 360°

laminar spray

quick connect hose

connection dimension: DN15

maximum flow rate at 3 bar: 6 l/min

ceramic cartridge

connection type: G ½ connections

integrated non-return valve

suitable for continuous flow water tap hole with Ø 35 mm required

Chrome Matt Black 72802003 72802673


866.00 1,120.00











M54 Single lever kitchen mixer **220, 1jet**ComfortZone 220

swivel range adjustable in 4 steps 60°, 110°, 150° or 360°

laminar spray

connection dimension: DN15

maximum flow rate at 3 bar: 4.5 l/min

ceramic cartridge

connection type: G ½ connection

suitable for continuous flow water heaters

tap hole with Ø 35 mm required

Chrome Matt Black

Stainless Steel

72804003 72804673 72804803

905.00 905.00







689.00



#### **RRP** finish (inc GST) code no Focus -M41 Single lever kitchen mixer 240 Chrome 31815003 905.00 with pull-out spray swivel range 150° Brushed Black Chrome 31815343 1,358.00



laminar spray and shower spray lockable shower spray, spray returns through pressing spray diverter

MagFit magnetic shower support

quick connect shower hose connection dimension: DN15

flow rate 7 l/min

ceramic cartridge

connection type: G ½ connections


integrated non-return valve

suitable for continuous flow water heaters

suitable for in front of windows where access is needed. Can be laid flat for window access



1,176.00



#### M41 Single lever kitchen mixer 280 Chrome\*

swivel range adjustable in 3 steps 110°, Brushed Black Chrome 31817343 150° or 360°

Stainless Steel

handle can be positioned on the right or left

laminar spray connection dimension: DN15

flow rate 7 l/min

ceramic cartridge

connection type: G ½ connections

suitable for continuous flow water heaters



713.00

1,069.00




#### \*While stocks last. Phased out

31820003

31817003

31815803



#### M41 Single lever kitchen mixer 260 Chrome

swivel range adjustable in 3 steps 110°, Brushed Black Chrome 31820343 150° or 360°

handle can be positioned on the right or left

normal spray

connection dimension: DN15

flow rate 7 l/min

ceramic cartridge

connection type: G ½ connections

suitable for continuous flow water heaters







663.00

994.00



#### code no (inc GST)

**Cento Variac** NEW

Single lever kitchen mixer XL, pullout spray, 2jet ComfortZone 230 Swivel range 150°

2 spray pull-out spout: normal spray, shower spray

Convenient spray selection with toggle

Extension hose length up to 50 cm

High clearance goose neck tap (230mm) ideal forfilling large containers

Ceramic cartridge with Eco handle position for areduced flowrate by up to 50%

Connection type: G ½ connections

Temperature limitation adjustable

Suitable for continuous flow water heaters


14803003 751.00







#### Zesis



M33 Single lever kitchen mixer 150, pull-out spray, 2jet

ComfortZone 150

swivel range 150°

laminar spray, shower spray

lockable shower spray, spray returns through pressing spray diverter and spray returns automatically through handle closing

quick connect hose

connection dimension: DN15

ceramic cartridge

connection type: G  $\frac{1}{2}$  connections

temperature limitation adjustable

integrated non-return valve

suitable for continuous flow water heaters

extension length up to 50 cm

74800003 Chrome Matt Black 74800673


584.00 809.00











#### M33 Single lever kitchen mixer 150, ljet

ComfortZone 150

swivel range adjustable in 3 steps 60°, 110° or 360°

normal spray

connection dimension: DN15

ceramic cartridge

connection type:  $G^{1/2}$  connections

temperature limitation adjustable

suitable for continuous flow water heaters

Chrome Matt Black

Matt Black

finish

Chrome

74802003 74802673 422.00 584.00








#### **Vernis Blend**





#### Single leve kitchen mixer 260 with Chrome swivel spout

ComfortZone 210

Swivel range adjustable in 2 steps 120° or 360°

Laminar spray with AirPower

Aerated jet through AirPower technology. More voluminous, lighter, softer droplets for a pleasant water jet

Ceramic cartridge for long lasting

durability Boltic lock handle, prevents wobble

Connection type: G ½ connections

Suitable for continuous flow water heaters

71870003


71870673

420.00 587.00





**RRP** finish code no (inc GST) Logis



M31 Single lever kitchen mixer 260 Chrome

ComfortZone 260

- swivel range adjustable in 3 steps 110°, 150° or 360°
- handle can be positioned on the right or left
- normal spray connection dimension: DN15
- flow rate 7 l/min
- ceramic cartridge
- connection type: G ½ connections
- suitable for continuous flow water

Marked for phase out 30/06/2024




71835003



498.00







M31 Single lever kitchen mixer 160 Chrome

- ComfortZone 160
- swivel range 360°
- normal spray
- connection dimension: DN15
- flow rate 7 l/min
- ceramic cartridge
- connection type: G ½ connections
- suitable for continuous flow water heaters

71832003

382.00








Marked for phase out 30/06/2024





M31 Single lever kitchen mixer 120 Chrome

- ComfortZone 120
- swivel range 360°
- normal spray
- connection dimension: DN15
- flow rate 7 l/min
- ceramic cartridge
- connection type: G ½ connections
- suitable for continuous flow water heaters

71830003

344.00







Marked for phase out 30/06/2024


#### Kitchen mixers **RRP**

267.00

344.00

#### **Soap dispensers**






#### A41 Soap/ lotion dispenser

- suitable for matched design to selected kichen mixers
- projection 91 mm
- material: durable metal construction

- non-corroding outlet pipe filling capacity 500 ml dosage 2 ml easy to fill up from the top
- for installation in worktops up to  $55\ \mathrm{mm}$
- easy installation without tools needed
- mounting hole with 28 35 mm diameter

finish	code no	(inc GST)
Chrome	40438000	191.00
Brushed Black Chrome	40438340	287.00
Stainless Steel Optic	40438800	255.00
Matt Black	40438670	264.00





#### A51 Soap/ lotion dispenser

- suitable for matched design to selected kichen mixers
- projection 91 mm
- material: durable metal construction
- non-corroding outlet pipe

- filling capacity 500 ml dosage 2 ml easy to fill up from the top
- for installation in worktops up to 55 mm
- easy installation without tools needed
- mounting hole with 28 35 mm diameter needed


Matt Black	40438670	360.00

Stainless Steel Optic 40448800

40448000

Chrome





#### A71 Soap/ lotion dispenser

- suitable for matched design to selected kichen mixers
- projection 91 mm
- material: durable metal construction
- non-corroding outlet pipe
- filling capacity 500 ml

- dosage 2 ml
  easy to fill up from the top
  for installation in worktops up to 55 mm
- easy installation without tools needed
- mounting hole with 28 35 mm diameter needed

Chrome	40468000	267.00
Stainless Steel Optic	40468800	344.00
Matt Black	40468670	360.00

#### General Terms and Conditions of Business of Hansgrohe Pty Ltd

As of: June 2021

I. Applicability

- Unless expressly agreed in writing otherwise, these General Terms and Conditions of Business ("GTC") of Hansgrohe Pty Ltd ("Seller") shall apply to all contracts for the supply of goods by the seller to a customer (the Buyer). The Buyer warrants and represents that it is purchasing goods from the Seller in the course of Buyer's business for resupply to its customers.

  The GTC together with the specific terms contained in an accepted order constitute a contract between the Seller and the Buyer. In the event of any
- conflict between a term of the GTC and the terms of an accepted order, the terms of the accepted order shall prevail

#### II. Formation of contract

- Any quotation prepared by the Seller is not an offer and it may be withdrawn or altered without notice. Submission of an order by the Buyer constitutes an offer that may be accepted by the Seller unless the order is revoked in writing prior to acceptance. The Seller is under no obligation to accept any orders from the Buyer and the Seller may do so in its absolute discretion.
- In the event of any dispute as to the terms of an order, the documents provided by the Seller during the order process, such as images and drawings, as well as technical details and specifications, shall be decisive.

- III. Scope of delivery, transportation and passing of risk
  Delivery of the goods will be to the agreed point of shipment. The risk in the goods shall pass to the Buyer on shipment of the goods. If the shipment is delayed by the conduct of the Buyer or due to circumstances for which the Seller is not culpable, then the risk shall pass to the Buyer upon notification
- by the Seller of readiness for delivery.

  To the extent not otherwise stipulated, the Buyer shall take out transportation insurance at its own expense on the basis of customary terms and conditions therefore, which insurance shall cover transportation risk of the goods encompassed by the order from the place of shipment to the stipulated destination location. The expenses of transportation shall be borne by the Buyer.

- In the event that an agreement is reached on trade terms, the latest version of Incoterms shall apply.
  The Seller, acting reasonably, shall have the right to make partial deliveries and issue partial invoices prior to the expiration of the delivery deadline. f the shipment or the delivery of the goods is delayed at the wish of the Buyer or due to circumstances which originate in the Buyer's sphere of risk and responsibility, then the Buyer will be liable on demand to reimburse the Seller for any loss arising from the delay in delivery. This may include without limitation any warehousing expenses that have arisen, as well as the costs of interest on the capital invested in the goods. Notwithstanding the foregoing, the Seller shall have the right, after setting a reasonable deadline to dispose of the goods and to deliver substitute goods to the Buyer within a reasonably extended deadline or to cancel the contract.
- Seller will procure that the products shipped by Seller to the Buyer comply with the laws and regulations of the country / countries designated by the Buyer. In case the Buyer - after receipt of the products - exports the products to third countries it is the obligation of the Buyer to make sure that the próducts comply with the applicable local laws and regulations of such countries with regard to the products. If, however, the Buyer chooses to export products to third countries, the Buyer is solely responsible for any and all liability resulting from any non-compliance of the products.

IV. Delivery deadlines and operational disruptions

- A delivery deadline shall not commence until after the Seller has received all information required to effect the delivery and until after any applicable down payment has been made. A delivery deadline is complied with if the delivery is brought to dispatch within the deadline or if notification has been made of the readiness for delivery.
- Delivery deadlines shall be extended upon the occurrence of any circumstances for which the Seller or its suppliers are not culpable (including, without limitation industrial unrest, force majeure, and other operational disruptions for which the Seller or its suppliers are not responsible or over which the Seller or its suppliers have no reasonable control) for the duration of the operational disruption. The Seller shall inform the Buyer about the prospective operational disruption and set a new delivery date. If the goods are undeliverable even by the new delivery deadline, then both parties shall have the right to cancel the contract, in whole or in part; any consideration of the Buyer's already rendered shall be reimbursed without undue delay.

- V. Prices and ancillary expenses

  1. Deliveries shall be effected at the prices current upon entering into the contract, in accordance with the Seller's confirmation of the order. All prices shall be valid ex works/place of delivery. For Buyers resident in Australia, all prices shall be understood to be in Australian Dollars, insofar as not otherwise marked, as well as any statutory import value-added tax and any other taxes as provided by law (e.g., customs duties, fees) in the respectively valid amount. For Buyers resident in New Zealand and Fiji, all prices shall be understood to be in New Zealand Dollars, insofar as not otherwise marked, but excludes any statutory value-added tax and any other taxes (e.g., customs duties, fees). Unless otherwise stated, all prices stated by the Seller are exclusive of GST. In addition to any amounts payable by the Buyer to the Seller, the Buyer must pay to the Seller an additional amount on account of GST.

- The Seller will issue the Buyer a tax invoice in the form required by the GST Law where applicable.

  The Buyer must pay GST, without deduction or set off of any other amounts, at the same time and on the same basis as the Buyer pays the
- price for the goods.

  The Buyer indemnifies the Seller for any loss that the Seller may incur as a result of the incorrect payment or non-payment of any GST and associated fees or penalties.
- If the Seller becomes liable for any penalties or interest as a result of a late payment of GST, where that late payment is as a direct result of a failure of the Buyer to comply with its obligations under the GTC, the Buyer must pay to the Seller an additional amount on demand equal to the amount of those penalties and interest.
- The Seller reserves the right to reasonably raise the stipulated prices for a time period of more than four (4) months if, after entering into the contract, increased costs occur, including, but not limited to, those due to collective bargaining agreements, market-based acquisition prices, or increases in the price of materials. These shall be substantiated upon demand to the person or party placing the order.
- Unless agreed otherwise, for Buyers resident in Australia, delivery terms are FIS (Free into Store) subject to minimum order values as stated in the agreed Terms and Conditions with the Seller, below which, a delivery surcharge shall be added to the invoice which the Buyer is liable to pay the Seller. Any costs and fees for express delivery of goods requested by the Buyer, shall always be borne by the Buyer. For Buyers resident in New Zealand and Fiji, the Buyer is liable to pay a freight surcharge according to the mode of delivery.

VI. Payment and default

- Payments are to be rendered to the Seller without any deduction, as specified in the invoice (unless otherwise pre-agreed by the Seller in the Payments are to be rendered to the Seller without any deduction, as specified in the invoice (unless otherwise pre-agreed by the Seller in the Terms and Conditions with the Buyer), immediately after receipt of the invoice and delivery of the goods to the Buyer, unless credit terms are granted in the terms and conditions agreed with the Buyer. The Seller shall, however, at all times (for example for large project orders or credit limits being exceeded or account overdues), have the right to require pre-payment before any obligation to deliver the goods arises. The Seller, acting reasonably, may determine the method of payment. If the Seller in its discretion decides to accept payment by cheque, payment shall only be deemed to have occurred after the cheque has been redeemed. The Buyer may not deduct, and must bear, any expenses (including bank charges) that may apply in respect of a particular method of payment. The Seller may offset any payment received by the Buyer against any debt owned to the Seller by the Buyer.

  In the event of a payment default, the Buyer shall be liable for statutory default interest charged.

  The Buyer shall be entitled to rights of setoff vis-à-vis the Seller's claims only if the counterclaim is undisputed or has been judicially determined. This provision shall not apply to the extent that the counterclaim directly concerns the Seller's primary performance duty arising from the same
- This provision shall not apply to the extent that the counterclaim directly concerns the Seller's primary performance duty arising from the same contract.

#### **General Terms and Conditions**

Any assignment of claims shall require the consent of the Seller.

If, after entering into the agreement or after delivery of the goods, the Seller forms the view that the Buyer is not or is no longer creditworthy, for example if any invoices despite reminders have not been paid; or the Buyer is subject to an Insolvency Event, then the Seller shall be able to immediately assert claims even for receivables not yet mature and for such receivables for which a cheque was given. In these instances, for still-undelivered goods the Seller shall be able to demand pre-payment, the rendering of a security, or delivery based solely upon cashon-delivery. If the Buyer does not comply with this demand within the reasonable deadline established for it, then the Seller shall have the right to cancel the contract.

#### VII. Retention of title

The Seller shall retain title to the delivered goods until full payment in respect of the goods has been received by the Seller. To secure payment of the monies due to the Seller under the GTC, the Buyer grants a Security Interest in the purchased goods and the proceeds of sale of those goods to the Seller. Any proceeds of sale of the goods must be held on trust for the Seller and kept separate from the Buyer's own funds until full payment of the goods has been received by the Seller.

While any amount or obligation of the Buyer under the GTC remains unsatisfied, the Buyer:

authorises the Seller (at the sole cost of the Buyer) to do anything which the Seller considers reasonably necessary or desirable to effect the registration of its Security Interest on the Personal Property Securities Register to ensure that it is enforceable, perfected and otherwise

effective and the Buyer agrees to provide all assistance required by the Seller to facilitate this; for Buyers resident in Australia, must not assign or grant a security interest over any accounts or other proceeds relating to the sale of the goods and must immediately provide the Seller with a copy of any notice the Buyer receives under section 64 of the Personal Property Securities Act 2009 (Cth) (PPSA AU);

irrevocably authorises the Seller to repossess any or all of the goods, to enter upon any premises where the Seller reasonably believes any of the goods are located and remove them and obtain any necessary consent from any other person to enable this to occur; and acknowledges that the Seller may immediately upon the Buyer breaching these Terms (or any other agreement between the Seller and Buyer relating to payment for any goods that are subject to a Security Interest granted to the Seller under these terms) take any action to

enforce its Security Interest without demand or notice (to the extent permitted by law).

To the extent the law permits, the Buyer agrees to waive its rights to receive from the Seller any notice required to be provided under the PPSA AU and agrees that sections 142 and 143 of the PPSA AU do not apply to these Terms and that the Seller need not comply with sections 95, 125, 130, 132(3)(d), 132(4) of the PPSA AU.

#### VIII. Limitation of liability

Subject to clause VIII 5 and any other applicable legislation:
a. Under no circumstances will the Seller be liable to the customer for any indirect and consequential loss, loss of revenue, profits, anticipated

savings, goodwill or business opportunity, injury to the Buyer's reputation.
Subject to clause VIII 2. the Buyer acknowledges and agrees that the Seller, its employees, contractors and/or agents will not be liable

to the Buyer for any loss howsoever arising including from breach of contract, under tort, under statue or otherwise.

Clause VIII 1 b. does not apply to any liability for death or personal injury to the extent caused by the Seller's negligence or willful misconduct. The Seller's liability to the Buyer for loss or damage of any kind is reduced to the extent (if any) that the Buyer causes or contributes to the loss or damage. This reduction applies whether the Seller's liability is in contract, tort (including negligence), under any statute or otherwise.

The Seller excludes to the fullest extent possible under law, all implied terms and warranties whether statutory or otherwise.

For Buyers resident in Australia, in circumstances where the Consumer Guarantees are applicable, to the maximum extent permitted by law the Seller limits its liability for a breach of a Consumer Guarantee to replacing the relevant goods or refunding the price of the relevant goods (at the Seller's election) in accordance with section 64A of the ACL

For Buyers resident in New Zealand, the Consumer Guarantees apply where the Buyer acquires the goods as a Consumer. In circumstances where the Consumer Guarantees are applicable, and the Buyer is buying for a business purpose then to the maximum extent permitted by law the Seller limits its liability for a breach of a Consumer Guarantee to replacing the relevant goods or refunding the price of the relevant goods (at the Seller's election) in accordance with section 43 of the CGA.

#### IX. Returns

Goods delivered by the Seller that are not defective shall not be taken back, unless there exists an appropriate claim of the Buyer.

If, by way of exception in the individual case, the Seller in its absolute discretion decides to accept a return of goods that are not defective, then, to the extent permitted by law, appropriate recompense (30% of the purchase price paid by the Buyer for the Goods) shall be levied for this purpose within the framework of a corresponding agreement. Further recompense shall be applicable as determined by the Seller, if the returned Goods are received not in original condition but with damage or missing parts. The risk of transportation and the costs of transportation shall be borne by the Buyer.

#### X. Rescission of the purchase contract

In the event of rescission of the contract (e.g., due to cancellation of one of the contracting parties), the Buyer shall be obligated, irrespective of the remaining process as contemplated under the following paragraphs, to surrender the goods to the Seller in advance. The Seller shall have the right to have the deliverable picked up from the Buyer's premises.

Furthermore, the Seller shall be able to demand reasonable compensatory payment from the Buyer for any deterioration or destruction of the goods, or anything occurring or having occurred that renders surrender of the goods impossible for another reason, which is caused by any wrongful act or omission of the Buyer. In addition, the Seller shall be able to demand compensatory payment for the use or the usage of the goods if the value of the goods has declined between the completion of its installation and its completed, immediate repossession by the Seller. This decline in value shall be computed from the difference of the total price in accordance with the order and the current fair value as it is determined by the sales proceeds or, if a sale is not possible, through the estimate of a sworn expert.

#### XI. Assignment

No assignment of rights and/or transfer of the obligations of the Buyer arising from this contract shall be permissible without the written consent of the Seller

#### XII. Export control provisions

The goods may be subject to the export control provisions of the Federal Republic of Germany, of the European Union, of the United States

In the event the goods are subject to export control provisions as referred to in clause XIII 1, the Buyer shall be responsible for compliance (including all costs of compliance) with the provisions of any applicable law relating to the export of the goods.

> 157 Price Book 2024

#### **General Terms and Conditions**

#### XIII. Place of jurisdiction and applicable law

- The law of Victoria, Australia shall apply to these GTC and the contractual relationship between the parties, to the exclusion of uniform international law, including, but not limited to, United Nations Sales of Goods law. The law of Victoria, Australia shall also apply to extra-contractual debt relationships standing in close connection with the contract.
- The exclusive place of jurisdiction for any and all disputes, claims and controversies arising from or relating to this contract shall be Victoria Australia.

#### XIV.General

- Any provision of the GTC which is unenforceable or partly unenforceable is, where possible, to be severed to the extent necessary to make the GTC enforceable.
- A provision of the GTC must not be construed to the disadvantage of a party merely because that party was responsible for the preparation of this agreement or the inclusion of the provision in this agreement.
- The meaning of any general language used in the GTC is not restricted by any accompanying example, and the words 'includes', 'including', 'such as', 'for example' or similar words are not words of limitation.
- For the purposes of the GTC:
  - ACL means schedule 2 of the Competition and Consumer Act 2010 (Cth).
  - CGA means the Consumer Guarantees Act 1993 (NZ).
  - Consumer has the meaning given in the ACL or the CGA as applicable
  - d.
  - Consumer Guarantees means the statutory guarantees in Division 1 of Part 3-2 of the ACL, or as set out in the CGA, as applicable GST means a tax, levy, duty, charge or deduction, together with any related additional tax, interest, penalty, fine or other charge, imposed by or under the relevant GST Law.
  - GST Law means A New Tax System (Goods and Services Tax) Act 1999 (Cth) for sales in Australia Goods and Services Tax Act 1985 f. for sales in New Zealand.
  - Insolvency Event includes the winding up, dissolution or cessation of business, the appointment of an administrator, liquidator, receiver or an official manager, an assignment for the benefit of creditors, scheme or arrangement with creditors, insolvency and bankruptcy of a person or any similar procedure.
    PPSA means the Personal Property Securities Act 1999 (NZ)

  - PPSA AU means the Personal Property Securities Act 2009 (Cth)
  - Security Interest has the meaning attributed to that term in the PPSA or the PPSA AU as applicable.

[Hansgrohe Pty Ltd, Level 10, 530 Collins Street, Melbourne VIC 3000, Australia]

#### Warranty

Effective from 1 July 2021

1. Warranty terms & conditions

We thank you for your purchase of Hansgrohe products. Offering our customers the highest quality at all times is a fundamental part of the Hansgrohe company philosophy. Hansgrohe therefore offers consumers a voluntary warranty on Hansgrohe products in Australia, New Zealand & Fiji according to the details in these warranty terms and conditions. Please refer to Clause 6 herein on how to submit a warranty claim.

- 2. Glossary & Definitions
  a. "Authorized Dealer" shall mean the authorized dealers / distributors of Hansgrohe Australia, New Zealand & Fiji, listed on its website www.hansgrohe.com.au and www.axor-design.com/au;
  - shall mean the original end customer or first customer who purchased the product from the Authorized Sales Channel of Hansgrohe Australia, New Zealand & Fiji;
  - "Hansgrohe" shall mean Hansgrohe Australia Pty Ltd having its registered office at Office Unit 4/71 Victoria Crescent Abbotsford, Victoria, 3067; Australia.
    "Products" shall mean products manufactured by or on behalf of Hansgrohe that bear a trademark owned by Hansgrohe; "Invoice" shall mean the invoice issued by the Authorized Dealer for a product purchased by the customer;

d.

3. Warranty Conditions

- 3.1. Hansgrohe provides the following warranty terms and conditions for all Hansgrohe products purchased in Australia, New Zealand & Fiji from an authorized dealer for use in domestic or commercial installations. Any product purchased through unauthorized dealer or from other sources or imports are not covered by this warranty terms and conditions as products purchased otherwise may not meet local regulations
- 3.2. Hansgrohe guarantees customers that its products are free from material, manufacturing and design faults. The defect giving rise to the damage must already have been present in the product at time of manufacture. These warranty terms and conditions shall be void for the
  - Non-compliance with the installation, maintenance and usage instructions;

  - Damage caused by debris and sediment from water supply pipes. Installation, maintenance, repair or servicing by non-qualified persons;
  - d. Product damage caused by the seller, plumber, customer or third persons;
  - Damage that can be attributed to normal wear and tear or intentional damage in the event of negligent damage, contributory neglie. gence shall be offset on agreement;
  - f. Improper installation or commissioning;
  - Insufficient or improper maintenance;
  - Products that have not been or are not used in line with their intended purpose;
  - Damage caused by force majeure or natural disasters, especially but not limited to floods, fires or frost damage; i.
  - Product is purchased from unauthorized dealer;

  - Product was not purchased by the Customer as a brand new product;
    Products not installed to relevant National Standards and State Regulations. ١.
  - Product has been exposed to harsh or abnormal environmental elements; m.
  - Product has been serviced or repaired with non-standard or non-Hansgrohe replacement parts n.
  - In accordance with AS3500 clause 3.3.4, operating water pressure in a building shall not exceed 500kPa. Water supply pressures that exceed 500kpa will cause damage to installations and fittings. In this situation pressure-limiting valves should be installed. Where the water pressure is greater than 500kpa, Hansgrohe and its agent / dealers reserve the right not to accept warranty claims.

    Modifications to the products. Ο.
  - p.
  - Failure to regularly clean or replace dirty or blocked outlet aerator inserts in tapware and/or shower heads etc. Product's surface has been damaged as a result of adhesives, sealants or abrasive cleaners.

  - Failure to observe manufacturers maintenance and care instructions.
- 3.3. These warranty terms & conditions remain applicable only if the customer has ensured the product
  a. has been used in accordance with the terms of this warranty terms;
  b. has not been improperly or negligently handled;

  - has not been damaged prior to installation;
  - d. has been installed according to the instruction manual;
  - the Product has all of its components installed;
  - has received required maintenance and cleaning. Please see care and cleanings tips under chapter 7.
- 3.4. This warranty terms & conditions commences on the earlier of:
  - the date of purchase for domestic customers;
  - the project handover for commercial customers;
  - It will continue for the relevant periods set out in the warranty period tables below.
- 3.5. Hansgrohe is not responsible for other incidental or consequential costs. Hansgrohe is not responsible or liable for any special or consequential damages due to the defective product, or due to defects of any component or part thereof and in no event shall the liability of Hansgrohe exceeds the purchase price of the product.
- 3.6. This warranty terms and conditions are only valid if the original sales / purchase tax Invoice is provided with the claim. This warranty is not transferable and confined to original purchaser / first purchaser of the product only. Customers are therefore required to keep the original invoice and of product safely.
- 3.7. In the event of non-availability of components or parts due to any reason, neither Hansgrohe nor its Authorized Dealer will be responsible or liable for any delay that may be caused to service / repair of the product. In case of product obsolescence, a suitable replacement will be chosen based upon the features, the intended use and the retail price of the original product. In the event of product obsolescence Hansgrohe cannot guarantee the same color or aesthetic attributes as the original product.

  3.8. For Hansgrohe products sold in Australia, New Zealand and Fiji, only this warranty document is applicable. Any reference to any other
- warranty document will not be considered. The warranty does not cover any accessories external to the product. Warranty is valid and applicable to the products which are licensed for sale and purchased in these markets through an authorized Dealer only.
- 3.9. Our goods come with guarantees that cannot exclude the Australian or New Zealand Consumer Law or other respective national legislation. Nothing in this warranty has the effect of excluding, restricting or modifying those rights

4. Warranty Periods

4.1. Domestic / Residential applications

Product Category	Parts	Labour
Tapware	15 years	5 years
Catridges & Thermostatic elements	10 years	5 years
Showers	15 years	5 years
Shower hoses	5 years	NIL
Kitchen mixer hoses	5 years	2 years

159 Price Book 2024

#### Warranty

Product Category	Parts	Labour
Hand showers	5 years	NIL
iBox Universal	20 years	5 years
Accessories	5 years	2 years
Electronic taps & mixers	5 years	2 years
All surfaces- electroplate, PVD, lacqured	5 years	2 years
Spare Parts	2 years	2 years

4.2. Commercial Applications

A commercial premises is deemed to be any business, motel, hotel, airport, hospital or place that is not by its nature a domestic residential building.

Product category	Parts	Labour	
Tapware	5 years	2 years	
Catridges & Thermostatic elements	5 years	2 years	
Showers	5 years	2years	
Shower hoses	5 years	NIL	
Kitchen mixer hoses	5 years	2 years	
Hand showers	5 years	NIL	
iBox Universal	20 years	5 years	
Accessories	3 years	2 years	
Electronic taps & mixers	5 years	2 years	
All surfaces- electroplate, PVD, lacqured	5 years	2 years	
Spare Parts	2 years	2 years	

- 4.3 Exclusions from the warranty include
  - a. Jumper Valves
  - O-rings and washers
  - Aerator Inserts
  - Normal wear & tear
- 4.4. In regards to ceramic cartridges, the warranty is void should the cartridge be faulty as a result of the following in the water supply:
  - Copper and plastic tube pieces a.
  - Dirt, sand or grit b.
  - Plumbing tape

#### 5. Authorised Service Agent

- 5.1. Hansgrohe warranty service can only be conducted by our authorized service agent or authorized Dealer.
- 5.2. Warranty Services is conducted only during normal business hours on business days. Hansgrohe or its agents / dealers is not bound by any obligation to carry out service / replacement in specified time period, while every effort will be made to carry out service / replacement at the earliest possibility.
- 5.3. In the event that the product may be required for offsite inspection. Hansgrohe, its service agent or dealer is not be liable to provide any alternative product for temporary use in such case and shall not be liable for any cost or consequences incurred by the customer due to offsite inspection.
- 5.4 When a product is found to be defective, Hansgrohe or its agent may decide to:

  - replace it with the same model replace it with a model of similar value, in case if same model is discontinued or not available

#### 6. How to make a warranty claim?

Should any of our Products not perform to the warranty terms provided herein, please contact:

In Australia: Tel: 1800 001 901

Email: hansgrohe@t2services.com.au

#### In New Zealand and Fiji:

Contact the Authorised Dealer where you purchased the product from.

Warranty related labour, if required, is provided by the authorized dealer from whom the purchase was made.

Hansgrohe reserves the right to determine any issue or uncertainty in connection with the warranty.

#### 7. Product care and cleaning

- 7.1. Always test your cleaning solution on an inconspicuous area on the product before applying to entire surface.
  7.2. Do not allow harsh cleaners to sit or soak on the product.
  7.3. Wipe surfaces clean and rinse completely with water immediately after applying cleaners
  7.4. Clean the fitting with just a mild detergent (such as dish-washing soap) and a damp cloth, then simply rinse off and wipe dry; you can prevent lime scale by drying the fitting after each use. We strictly do not advise the use of solvents or acidic cleaners, lime scale removers, household vinegar and cleaning agents containing acetic acid they will attack the surface and leave your fitting looking dull and scratched.
  7.5. Use a soft demonated enemger or cleat to clean prover use abstative metarial like a briefly brush or securing and
- 7.5. Use a soft, dampened sponge or cloth to clean, never use abrasive material like a bristle brush or scouring pad
- 7.6. Wherever gold or platinum metal is used on products, use only warm water to clean and then dry the surface with a soft cloth
  7.7. Never use cleaners containing abrasive cleansers, ammonia, bleach, acids, waxes alcohol, solvents or other products not recommended for chrome.

# hansgrohe

#### Hansgrohe

pro.hansgrohe-int.com

#### Hansgrohe ComfortZone test

pro.hansgrohe-int.com/comfortzone-test

#### Spare parts shop

spares.hansgrohe.com

#### Planning-Data

pro.hansgrohe-int.com/planning-data

hansgrohe Price Book 2022/2023 assortment bath and kitchen AUS en-EN · Subject to change in the interest of technical advancement

Form No. 30072020