

hansgrohe

A photograph of a man in a shower, smiling and holding a handheld showerhead. The showerhead is spraying water onto his head. The background consists of dark blue and white square tiles with gold-colored grout. The man is shirtless and has water on his skin. The overall scene is bright and clean.

2026/2027 Price Book

Bathroom and Kitchen

Effective 1st May 2026

[hansgrohe.com.au](https://www.hansgrohe.com.au)

Price book 2026/2027

Contact Details

General Enquiries

Monday - Friday: 9:00am - 5:00pm

03 8319 5753

www.hansgrohe.com.au/contact

Purchase Orders

orders@hansgrohe.com.au

Warranties

(via online only)

www.hansgrohe.com.au/contact

Showroom appointments

www.hansgrohe.com.au/appointmentform

The prices quoted are recommended retail prices and include 10% GST. Errors and omissions excepted.

Upon publication of this price list, all previously published price lists are no longer valid.


Measurements within scale drawings are in mm. Please note that the accuracy of color reproduction may vary due to technical limitations in color reproduction, material surfaces and lighting conditions. Although we make every effort to reproduce the colors shown as accurately as possible, we cannot exclude the possibility of color deviations. When installing the products, please follow the instructions in the installation manual.

All products are subject to availability. The availability may be temporarily impacted by material shortages, interruptions in the supply chain or other force majeure events. Please contact us for further details.

Hansgrohe Pty Ltd · Unit 4 / 71 Victoria Crescent, Abbotsford, VIC 3067

Tel. 03 8319 5753

info@hansgrohe.com.au · www.hansgrohe.com.au



Contents

Brand

- 04 Setting the rhythm of water
- 06 Our values your advantages
- 08 What does "premium" actually mean?
- 09 Less water - pure joy

Showerplace

- 16 Overhead showers
- 22 Body showers
- 23 Shower arms and ceiling connectors
- 25 Shower sets and showerpipes
- 33 Shower bars
- 37 Hand showers
- 41 Shower hoses, fixfits and porters

Water control

- 45 Duoturn S mixers
- 46 Shower Select Comfort thermostats
- 51 RainSelect thermostats

Washplace

- 54 Vivenis
- 57 Tecturis S
- 60 Rebris S
- 63 Zesis S
- 66 Electronic basin mixer

Accessories

- 67 AddStoris Q
- 72 AddStoris S
- 76 XtraStoris

Basic sets

- 80 Basic sets and wastes

Kitchen mixers

- 84 Kitchen mixer range



Bubbling with ideas since 1901

Company founder Hans Grohe's pioneering spirit is deeply rooted in our DNA and shapes the work we do.

125

YEAR
ANNIVERSARY

The Hansgrohe Group today

As a company, Hansgrohe employs over 5600 people working at 53 sites on most continents. So it is safe to say we are a global player in the sanitation industry. The products from the AXOR and hansgrohe brands have won over 700 design awards. Visitors can touch and try out our products at international trade fairs and events, our Water Studios and the Aquademie at our headquarters in Germany.



Setting the rhythm of water

Once upon a time in the Black Forest: In 1901, Hans Grohe founded a craft business for spun metal goods and became a shower pioneer. Our passion for water and our aim of setting the style have remained constant ever since. Our innovative strength is down to our dedicated, experienced, and experimental teams. And we are always finding new ways to express our passion with products that stand the test of time. We set the rhythm of every droplet and create water sprays that caress the body and coat it in cosiness. So that people can feel our state-of-the-art engineering and design quality on their skin.

Our values your advantages

Innovation

Life is in constant motion.

hansgrohe has been one of the pioneers and innovation leaders in the sanitation industry since day one. We are constantly pushing the limits of the technically feasible and, in so doing, revolutionising mixers, showers and bathrooms. Not only are we optimising designs and materials, but we are also constantly rethinking functionality by continuously addressing our customers' needs. Sensual spray types such as PowderRain or pioneering installation solutions such as the iBox universal 2 are good examples of this. Our inventions encourage people to enjoy the beauty of water.



Design

Life is beautiful.

From lovingly designed details to a holistic view of a complete bathroom: for us, modern design is more than just an appealing aesthetic. hansgrohe design combines timeless beauty, functional finesse and the highest hand-crafted quality across all product ranges. Over 800 awards for the Hansgrohe Group, including several coveted iF Gold Awards, confirm our pursuit of the extraordinary and highlight our close cooperation with design studio PHOENIX. On top of this, we follow our ECO design principles every time we develop our products.





Quality

Life is a journey.

Our products stay with people for years and years. They create feel good moments and offer sensual experiences tailored to individual needs. The premium quality of our products is not only measured by the material properties, but also by the joy they bring in the long run.

We ensure our customers across the world are satisfied, for example through user-friendliness, a voluntary fifteen-year manufacturer's guarantee. This is why many consumers become lifelong hansgrohe customers.



Responsibility

Life is precious. So is our planet.

Saving water and energy are two matters close to hansgrohe's heart.

And so we develop products for impressive water experiences with reduced resource consumption. Because we don't want to make our customers choose between well-being and sustainability. As the use phase of mixers and shower heads installed in people's homes is the most carbon-intensive, we are converting our entire water-bearing product range to water- and energy-saving technologies by 2030*.

We use recycled material whenever possible, for example in the hansgrohe Planet Edition. What's more, our products are robust, long lasting and easy to repair.

What does “premium” actually mean?

Brand quality – uncompromisingly high-end

Our customers can expect the highest quality in terms of materials, shapes, and functionality. Ultimately, they see and use their bathroom products every day. Everything should always look exceptional, be easy to use, and conserve resources. We therefore always involve our consumers and plumbers in the testing of our concepts, prototypes, and products. Our promise: People who choose hansgrohe get long-lasting brand quality.

Service quality – 5 star service

The hansgrohe offers customers professional information and advice on all questions and issues. hansgrohe offers a voluntary manufacturer's guarantee of 15 years on showers and mixers and 20 years on iBox Universal basic sets, along with a spare parts guarantee 15 years of availability of said parts.



Find out more about the manufacturer's guarantee.

Product quality – safe, reliable, simply the best



Health is a top priority: hansgrohe products comply with the strictest drinking water specifications, have all important accreditations and are easy to install. We prefer to manufacture key components ourselves and have our own spray and sound laboratory. Every product has to pass thousands of test cycles, load tests and quality assurance checks.



Less water - pure joy

The Hansgrohe Group bathroom analysis shows that the usage phase of a hand shower is by far the most CO₂ intensive, with around 1,000 times more CO₂ emitted than during the manufacturing process. We have therefore made it our mission to design sustainable product solutions that combine water and energy-saving technologies with a unique experience of water.



Find out more about our commitment to sustainability.



EcoSmart

Thanks to integrated flow limitation, hansgrohe showers with EcoSmart use up to 40 % less water than our showers without this technology. With EcoSmart+, it's as much as 60 %. Many EcoSmart showers therefore consume only 8 l/min*.

EcoSmart also uses flow limitation to reduce water consumption to around 5 l/min* in hansgrohe bathroom mixers. *at 3 bar



Find out more about EcoSmart.

The life cycle of a hand shower

Most CO₂e emissions in the bathroom are generated in the use phase, i.e. through the provision of hot water for the shower, bath tub, and wash basin. Using the shower therefore emits around 1000 times more CO₂e than it takes to make the shower head. **The bottom line:** hansgrohe helps to conserve resources at home.

Production



Disposal

According to the "hand showers" environmental product declaration (EPD) verified by the IBU Advisory Board in 2023, the "total global warming potential" indicator for an average hand shower in the production phase (A1-A3) is 1.08 kg CO₂e. Water consumption, hot water production and cleaning the shower head during the use phase (B2, B6, B7) together amount to 1008.2 kg CO₂e.

Discontinued Articles

Article	Description	Range	Colour	Switching to
13414000	HG Bath spout	HG Focus	Chrome	
13414340	HG Bath spout	HG Focus	Brushed Black Chrome	
13914000	HG Aerator to convert to bath filler			
14420820	HG Metris S Bath spout	HG Metris	Brushed Nickel	
15355000	HG RainSelect fs conc.2 funct.shower supp.	HG RainSelect	Chrome	15380000
15355400	HG RainSelect fs conc.2 funct.shower supp.	HG RainSelect	White/Chrome	
15355600	HG RainSelect fs conc.2 funct.shower supp.	HG RainSelect	Black/Chrome	
15356000	HG RainSelect fs conc.3 funct.shower supp.	HG RainSelect	Chrome	
15356400	HG RainSelect fs conc.3 funct.shower supp.	HG RainSelect	White/Chrome	15381000
15356600	HG RainSelect fs conc.3 funct.shower supp.	HG RainSelect	Black/Chrome	
15357000	HG RainSelect fs conc.4 funct.shower supp.	HG RainSelect	Chrome	15382000
15357400	HG RainSelect fs conc.4 funct.shower supp.	HG RainSelect	White/Chrome	
15357600	HG RainSelect fs conc.4 funct.shower supp.	HG RainSelect	Black/Chrome	
15358000	HG RainSelect fs conc.5 funct.shower supp.	HG RainSelect	Chrome	15384000
15358400	HG RainSelect fs conc.5 funct.shower supp.	HG RainSelect	White/Chrome	
15358600	HG RainSelect fs conc.5 funct.shower supp.	HG RainSelect	Black/Chrome	
15380700	HG RainSelect fs conc.2 funct.	HG RainSelect	Matt White	
15381700	HG RainSelect fs conc.3 funct.	HG RainSelect	Matt White	
15382700	HG RainSelect fs conc.4 funct.	HG RainSelect	Matt White	
15384700	HG RainSelect fs conc.5 funct.	HG RainSelect	Matt White	
15741003	HG ShowerSelect S therm.Highflow	HG ShowerSelect	Chrome	
15743003	HG ShowerSelect S therm.conc.2 outl	HG ShowerSelect	Chrome	15554003
15744003	HG ShowerSelect S therm.conc 1 outl.	HG ShowerSelect	Chrome	15553003
15745003	HG ShowerSelect S valve 3	HG ShowerSelect	Chrome	15558003
15760003	HG ShowerSelect therm.Highflow conc.	HG ShowerSelect	Chrome	
15762003	HG ShowerSelect therm.conc.1 outlet	HG ShowerSelect	Chrome	15571003
15763003	HG ShowerSelect therm.conc. 2outlets	HG ShowerSelect	Chrome	15572003
15764003	HG ShowerSelect valve 3	HG ShowerSelect	Chrome	15573003
15932000	HG Quattro/Trio f-set cylindrical handle	Basic set		
15970180	HG Basic set for shut-off valve	Basic set		
15972000	HG Valve conc.f-set cylindrical handle	Basic set		
15973180	HG Basic set for conc.valve spindle	Basic set		
15974180	HG Basic set for conc.valve ceramic	Basic set		
15984180	HG Trio valve basic set w/o stop	Basic set		
24010180	HG Rainmaker Select Basic Set for OHS w/ ceiling con.	HG Rainmaker		
24011400	HG Rainmaker Select 580 3jet OHS with arm	HG Rainmaker	White/Chrome	
24012400	HG Rainmaker Select 460 1jet OHS with ceiling con.	HG Rainmaker	White/Chrome	
24013400	HG Rainmaker Select 460 1jet OHS with arm	HG Rainmaker	White/Chrome	
24014400	HG Rainmaker Select 460 2jet OHS with ceiling con.	HG Rainmaker	White/Chrome	
24015400	HG Rainmaker Select 460 2jet OHS with arm	HG Rainmaker	White/Chrome	
24016400	HG Rainmaker Select 460 3jet OHS with ceiling con.	HG Rainmaker	White/Chrome	
24017400	HG Rainmaker Select 460 3jet OHS with arm	HG Rainmaker	White/Chrome	
24101000	HG Pulsify Select S HS 105 3jet Active	HG Pulsify Select S	Chrome	24111001
24101670	HG Pulsify Select S HS 105 3jet Active	HG Pulsify Select S	Matt Black	24111671
24101700	HG Pulsify Select S HS 105 3jet Active	HG Pulsify Select S	Matt White	
24111000	HG Pulsify Select S HS 105 3jet Relax	HG Pulsify Select S	Chrome	24111001
24111670	HG Pulsify Select S HS 105 3jet Relax	HG Pulsify Select S	Matt Black	24111671
24111700	HG Pulsify Select S HS 105 3jet Relax	HG Pulsify Select S	Matt White	
24121000	HG Pulsify S HS 105 1jet Green	HG Pulsify S	Chrome	
24121670	HG Pulsify S HS 105 1jet Green	HG Pulsify S	Matt Black	
24121700	HG Pulsify S HS 105 1jet Green	HG Pulsify S	Matt White	
24125000	HG Pulsify S Baton HS 100 1 jet	HG Pulsify S	Chrome	24125001
24125140	HG Pulsify S Baton HS 100 1 jet	HG Pulsify S	Brushed Bronze	24125141
24132700	HG Pulsify S OHS 105 1jet Green	HG Pulsify S	Matt White	
24139700	HG Pulsify wall connect OHS 105	HG Pulsify	Matt White	
24141000	HG Pulsify S OHS 260 1jet	HG Pulsify S	Chrome	24141001
24141670	HG Pulsify S OHS 260 1jet	HG Pulsify S	Matt Black	24141671
24141700	HG Pulsify S OHS 260 1jet	HG Pulsify S	Matt White	
24149700	HG Pulsify wall connector OHS 260	HG Pulsify	Matt White	
24151000	HG Pulsify S OHS 260 2jet with wall con.	HG Pulsify S	Chrome	
24151670	HG Pulsify S OHS 260 2jet with wall con.	HG Pulsify S	Matt Black	
24151700	HG Pulsify S OHS 260 2jet with wall con.	HG Pulsify S	Matt White	
24161703	HG Pulsify S 105 3j Relax U'S 650 set	HG Pulsify Select S	Matt White	
24311703	HG Pulsify S 105 1j U'S 650 set	HG Pulsify S	Matt White	
24320700	HG Pulsify E Baton HS 100 1 jet	HG Pulsify E	Matt White	
24331000	HG Pulsify E Overhead shower 260 1jet	HG Pulsify E	Chrome	

Measurements at scale drawings are in mm.

Discontinued Articles

24331140	HG Pulsify E Overhead shower 260 1jet	HG Pulsify E	Brushed Bronze	
24331670	HG Pulsify E Overhead shower 260 1jet	HG Pulsify E	Matt Black	
24400700	HG Pulsify S shower bar with push slider 65cm	HG Pulsify S	Matt White	
24401700	HG Pulsify S shower bar with push slider 90cm	HG Pulsify S	Matt White	
26221000	HG Croma 280 OHS 1jet	HG Croma	Chrome	26221007
26221340	HG Croma 280 OHS 1jet	HG Croma	Brushed Black Chrome	26221347
26221670	HG Croma 280 OHS 1jet	HG Croma	Matt Black	26221677
26221700	HG Croma 280 OHS 1jet	HG Croma	Matt White	
26229007	HG Rainfinity 250 OHS 1jet	HG Rainfinity	Chrome	
26229707	HG Rainfinity 250 OHS 1jet	HG Rainfinity	Matt White	
26233007	HG Rainfinity 250 OHS 3jet with wall connector	HG Rainfinity	Chrome	
26233707	HG Rainfinity 250 OHS 3jet with wall connector	HG Rainfinity	Matt White	
26253000	HG Raindance E 400/400 1jet OHS	HG Raindance E	Chrome	
26254180	HG Basic set for OHS 400/400 1jet			
26328400	HG Unica Comfort grab bar w/ shelf and shower holder	HG Wall bar	White/Chrome	
26329000	HG Unica Comfort foot rest	HG Wall bar	Chrome	
26334400	HG Crometta 1jet Green HS 6 l/min	HG Crometta	White/Chrome	
26401000	HG Unica Comfort wall bar 650mm	HG Wall bar	Chrome	
26402000	HG Unica Comfort wall bar 900mm	HG Wall bar	Chrome	
26403400	HG Unica Comfort wall bar 1100mm L	HG Wall bar	White/Chrome	
26404400	HG Unica Comfort wall bar 1100mm R	HG Wall bar	White/Chrome	
26453340	HG Fixfit S wall outlet	HG FixFit	Brushed Black Chrome	27453343
26453670	HG Fixfit S wall outlet	HG FixFit	Matt Black	
26453700	HG Fixfit S wall outlet	HG FixFit	Matt White	
26455143	HG FixFit Square wall outlet	HG FixFit	Brushed Bronze	
26455703	HG FixFit Square wall outlet	HG FixFit	Matt White	
26455823	HG FixFit Square wall outlet	HG FixFit	Brushed Nickel	
26469001	HG Raindance Select S 240 2jet OHS	HG Raindance Select S	Chrome	
26471180	HG Raindance 260x260 1jet OHS basic set	HG Raindance		
26481000	HG Raindance 260x260 OHS	HG Raindance	Chrome	
26511000	HG Cassetta Unica E soap dish	Spare parts	Chrome	
26521003	HG Raindance Select E 120 EcoSmart HS	HG Raindance Select E	Chrome	
26521400	HG Raindance Select E 120 EcoSmart HS	HG Raindance Select E	White/Chrome	
26523000	HG Croma Select S 180 2jet OHS EcoSmart	HG Croma Select S	Chrome	
26528000	HG Croma Select E 180 2jet OHS EcoSmart	HG Croma Select E	Chrome	
26528400	HG Croma Select E 180 2jet OHS EcoSmart	HG Croma Select E	White/Chrome	
26531003	HG Raindance Select S 120 HS EcoSmart	HG Raindance Select S	Chrome	26037001
26531340	HG Raindance Select S 120 HS EcoSmart	HG Raindance Select S	Brushed Black Chrome	26037141
26531400	HG Raindance Select S 120 HS EcoSmart	HG Raindance Select S	White/Chrome	26037341
26531670	HG Raindance Select S 120 HS EcoSmart	HG Raindance Select S	Matt Black	26037671
26551003	HG Raindance Select E 150 EcoSmart HS	HG Raindance Select E	Chrome	
26554400	HG Crometta 1jet Green 6 l/min Set 65cm	HG Crometta	White/Chrome	
26563400	HG Croma Select S Vario 9l Unica Set 65cm	HG Croma Select S	White/Chrome	
26581403	HG Croma Select E Multi Unica Set 65cm	HG Croma Select E	White/Chrome	
26583400	HG Croma Select E Vario 9l Unica Set 65cm	HG Croma Select E	White/Chrome	
26622403	HG Raindance Select E 120 U'S Puro Set 65cm	HG Raindance Select E	White/Chrome	
26632003	HG Raindance Select S 120 U'S Puro Set 65cm	HG Raindance Select S	Chrome	
26632403	HG Raindance Select S 120 U'S Puro Set 65cm	HG Raindance Select S	White/Chrome	
26632823	HG Raindance Select S 120 U'S Puro Set 65cm	HG Raindance Select S	Brushed Nickel	27654823
26724000	HG Crometta S 240 1jet OHS	HG Crometta S	Chrome	
26801400	HG Croma Select S Multi HS EcoSmart	HG Croma Select S	White/Chrome	
26803400	HG Croma Select S Vario HS EcoSmart	HG Croma Select S	White/Chrome	
26805400	HG Croma Select S 1jet HS EcoSmart	HG Croma Select S	White/Chrome	
26811400	HG Croma Select E Multi HS EcoSmart	HG Croma Select E	White/Chrome	
26813400	HG Croma Select E Vario HS EcoSmart	HG Croma Select E	White/Chrome	
26815400	HG Croma Select E 1jet HS EcoSmart	HG Croma Select E	White/Chrome	
26843700	HG Rainfinity FixFit 500 w/ shower holder, shelf L	HG Rainfinity	Matt White	
26844700	HG Rainfinity Shelf 500	HG Rainfinity	Matt White	
26858700	HG Rainfinity FixFit 500 w/ shower holder, shelf R	HG Rainfinity	Matt White	
26865000	HG Rainfinity 130 3jet HS EcoSmart	HG Rainfinity 130 3jet HS EcoSmart	Chrome	26865001
26865700	HG Rainfinity 130 3jet HS EcoSmart	HG Rainfinity 130 3jet HS EcoSmart	Matt White	
26867700	HG Rainfinity Baton HS 100 1jet EcoSmart	HG Rainfinity	Matt White	
26887700	HG FixFit Q porter with shower holder	HG FixFit	Matt White	
26888700	HG FixFit S porter with shower holder	HG FixFit	Matt White	
26889700	HG FixFit E porter with shower holder	HG FixFit	Matt White	
27389700	HG Ceiling connector S 300mm	HG Ceiling connector	Matt White	
27393700	HG Ceiling Connector S 100mm	HG Ceiling Connector	Matt White	

Measurements at scale drawings are in mm.

Technical specifications and units of measurements are subject to change.

Price Book 2026/2027

11

Discontinued Articles

27413700	HG Shower arm 389mm	HG Shower arm	Matt White	
27459000	HG Fixfit E wall outlet	HG Fixfit	Chrome	
27461003	HG Raindance Air 240 1jet OHS	HG Raindance	Chrome	
27624701	HG Raindance S 240 1jet PR OHS	HG Raindance S	Matt White	
27667007	HG Raindance Select S 120 3jet PowderRain set 90cm	HG Raindance Select S	Chrome	27654003
27704000	HG Unica Reno Wall bar 720mm	HG Wall bar	Chrome	
28220700	HG Designflex Textile hose 125cm	HG Designflex	Matt White	
28248000	HG Isiflex volume control 160cm	HG Isiflex	Chrome	
28249000	HG Isiflex volume control 125cm	HG Isiflex	Chrome	
28260700	HG Designflex Textile hose 160cm	HG Designflex	Matt White	
28272700	HG Isiflex Shower hose 125cm	HG Isiflex	Matt White	
28276700	HG Isiflex Shower hose 160cm	HG Isiflex	Matt White	
28331700	HG Porter'S Shower support	HG Porter'S	Matt White	
28387700	HG Rainfinity Shower holder Porter E	HG Rainfinity	Matt White	
28462000	HG Croma 100 Vario EcoSmart OHS	HG Croma	Chrome	
28631700	HG Unica'S Puro shower bar 90cm	HG Wall bar	Matt White	
28632700	HG Unica'S Puro shower bar 65cm	HG Wall bar	Matt White	
31060003	HG Metris S Basin mixer 90 w/o waste	HG Metris S	Chrome	
31084003	HG Metris Basin mixer 110 w/o waste	HG Metris	Chrome	
31174000	HG Focus Basin mixer electronic	HG Focus	Chrome	
31185003	HG Metris Basin mixer 230 w/o waste	HG Metris	Chrome	
31517003	HG Focus Basin mixer 100 w/o waste	HG Focus	Chrome	
31517343	HG Decor Single lever basin mixer 100 w/o waste set	HG Decor	Brushed Black Chrome	
31517823	HG Focus Basin mixer 100 w/o waste	HG Focus	Brushed Nickel	
31518003	HG Focus Basin mixer 190 w/o waste	HG Focus	Chrome	
31518343	HG Decor Single lever basin mixer 190 w/o waste set	HG Decor	Brushed Black Chrome	
31518823	HG Focus Basin mixer 190 w/o waste	HG Focus	Brushed Nickel	
31685003	HG Metris Shower mixer conc.fs	HG Metris	Chrome	
31733343	HG Decor Single lever basin mixer 70 w/o waste set	HG Decor	Brushed Black Chrome	
31817343	HG Decor Single lever KM 280, 1jet	HG Focus M41	Brushed Black Chrome	
31820003	HG Focus M41 kitchen mixer 260	HG Focus M41	Chrome	
31820343	HG Decor Single lever KM 260, 1jet	HG Decor	Brushed Black Chrome	
31945003	HG Focus Bath mixer fs	HG Focus	Chrome	
31945343	HG Decor Single lever bath mixer fs	HG Decor	Brushed Black Chrome	
31945823	HG Focus Bath mixer fs	HG Focus	Brushed Nickel	
31961000	HG Focus Shower mixer conc.small esc.Export	HG Focus	Chrome	
31961820	HG Focus Shower mixer conc.small esc.Export	HG Focus	Brushed Nickel	
31965343	HG Decor Single lever shower mixer fs	HG Decor	Brushed Black Chrome	
33710003	HG Ecostat Comfort E Therm. 1 funct.	HG Ecostat Comfort E	Chrome	
33710143	HG Ecostat Comfort E Therm. 1 funct.	HG Ecostat Comfort E	Brushed Bronze	
33710343	HG Ecostat Comfort E Therm. 1 funct.	HG Ecostat Comfort E	Brushed Black Chrome	
33710673	HG Ecostat Comfort E Therm. 1 funct.	HG Ecostat Comfort E	Matt Black	
33710823	HG Ecostat Comfort E Therm. 1 funct.	HG Ecostat Comfort E	Brushed Nickel	
33711003	HG Ecostat Comfort E Therm. 2 funct.	HG Ecostat Comfort E	Chrome	
33711143	HG Ecostat Comfort E Therm. 2 funct.	HG Ecostat Comfort E	Brushed Bronze	
33711343	HG Ecostat Comfort E Therm. 2 funct.	HG Ecostat Comfort E	Brushed Black Chrome	
33711673	HG Ecostat Comfort E Therm. 2 funct.	HG Ecostat Comfort E	Matt Black	
33711823	HG Ecostat Comfort E Therm. 2 funct.	HG Ecostat Comfort E	Brushed Nickel	
33714003	HG Ecostat Comfort S Therm. 1 funct.	HG Ecostat Comfort S	Chrome	
33714143	HG Ecostat Comfort S Therm. 1 funct.	HG Ecostat Comfort S	Brushed Bronze	
33714343	HG Ecostat Comfort S Therm. 1 funct.	HG Ecostat Comfort S	Brushed Black Chrome	
33714673	HG Ecostat Comfort S Therm. 1 funct.	HG Ecostat Comfort S	Matt Black	
33714823	HG Ecostat Comfort S Therm. 1 funct.	HG Ecostat Comfort S	Brushed Nickel	
33715003	HG Ecostat Comfort S Therm. 2 funct.	HG Ecostat Comfort S	Chrome	
33715143	HG Ecostat Comfort S Therm. 2 funct.	HG Ecostat Comfort S	Brushed Bronze	
33715343	HG Ecostat Comfort S Therm. 2 funct.	HG Ecostat Comfort S	Brushed Black Chrome	
33715673	HG Ecostat Comfort S Therm. 2 funct.	HG Ecostat Comfort S	Matt Black	
33715823	HG Ecostat Comfort S Therm. 2 funct.	HG Ecostat Comfort S	Brushed Nickel	
40088000	HG Replacement brush for toilet brush	Spare parts	Chrome	
40089000	HG Replacement toilet brush with handle	Spare parts	Chrome	
40511820	HG Logis Single hook	HG Logis	Brushed Nickel	
40513820	HG Logis Grab bar 300mm	HG Logis	Brushed Nickel	
40514820	HG Logis Lotion dispenser	HG Logis	Brushed Nickel	
40515820	HG Logis Soap dish	HG Logis	Brushed Nickel	
40517820	HG Logis Holder for Spare Roll	HG Logis	Brushed Nickel	
40526820	HG Logis Paper roll holder w/o lid	HG Logis	Brushed Nickel	
41710000	HG Logis Universal Corner basket	HG Logis Universal	Chrome	

Measurements at scale drawings are in mm.

Discontinued Articles

41711000	HG Logis Universal Single hook	HG Logis Universal	Chrome
41712000	HG Logis Universal Double towel holder	HG Logis Universal	Chrome
41713000	HG Logis Universal Grab bar	HG Logis Universal	Chrome
41714000	HG Logis Universal Soap dispenser	HG Logis Universal	Chrome
41715000	HG Logis Universal Soap dish	HG Logis Universal	Chrome
41716000	HG Logis Universal Bath towel holder	HG Logis Universal	Chrome
41717000	HG Logis Universal Double spare roll holder	HG Logis Universal	Chrome
41718000	HG Logis Universal Toothbrush tumbler	HG Logis Universal	Chrome
41720000	HG Logis Universal Towel rack w/ bath tow.h.	HG Logis Universal	Chrome
41722000	HG Logis Universal Toilet brush holder wall	HG Logis Universal	Chrome
41723000	HG Logis Universal Roll holder w/ cover	HG Logis Universal	Chrome
41724000	HG Logis Universal Towel ring	HG Logis Universal	Chrome
41725000	HG Logis Universal Double hook	HG Logis Universal	Chrome
41726000	HG Logis Universal Roll holder w/o cover	HG Logis Universal	Chrome
41727000	HG Logis Universal Basic set 3-in-1	HG Logis Universal	Chrome
41728000	HG Logis Universal Extended set 5-in-1	HG Logis Universal	Chrome
41741700	HG Addstoris Q Corner basket	HG Addstoris Q	Matt White
41742700	HG Addstoris Q Single hook	HG Addstoris Q	Matt White
41743700	HG Addstoris Q Double bath towel rail	HG Addstoris Q	Matt White
41744700	HG Addstoris Q Grab bar	HG Addstoris Q	Matt White
41745700	HG Addstoris Q Liquid soap dispenser	HG Addstoris Q	Matt White
41746700	HG Addstoris Q Soap dish	HG Addstoris Q	Matt White
41747700	HG Addstoris Q Bath towel rail	HG Addstoris Q	Matt White
41748700	HG Addstoris Q Double roll holder	HG Addstoris Q	Matt White
41749700	HG Addstoris Q Toothbrush tumbler	HG Addstoris Q	Matt White
41751700	HG Addstoris Q Towel rack	HG Addstoris Q	Matt White
41752700	HG Addstoris Q Toilet brush wall mounted	HG Addstoris Q	Matt White
41753700	HG Addstoris Q Roll Holder with cover	HG Addstoris Q	Matt White
41754700	HG Addstoris Q Towel ring	HG Addstoris Q	Matt White
41755700	HG Addstoris Q Double hook	HG Addstoris Q	Matt White
41756700	HG Addstoris Q Spare roll holder	HG Addstoris Q	Matt White
41759700	HG Addstoris Q Shower door handle	HG Addstoris Q	Matt White
41770700	HG Addstoris Q Twin bath towel holder	HG Addstoris Q	Matt White
41771700	HG Addstoris Q Roll holder without cover	HG Addstoris Q	Matt White
41772700	HG Addstoris Q Roll holder with shelf	HG Addstoris Q	Matt White
41773700	HG Addstoris Q Sanitary bag dispenser	HG Addstoris Q	Matt White
41774700	HG Addstoris Q Tissue box	HG Addstoris Q	Matt White
41775700	HG Addstoris Q Pedal bin	HG Addstoris Q	Matt White
41790700	HG Addstoris Q Shaving mirror with LED light	HG Addstoris Q	Matt White
41791700	HG Addstoris Q Shaving mirror	HG Addstoris Q	Matt White
50100000	HG Basin waste push open	Spare parts	Chrome
50100140	HG Basin waste push open	Spare parts	Brushed Bronze
50100340	HG Basin waste push open	Spare parts	Brushed Black Chrome
50100670	HG Basin waste push open	Spare parts	Matt Black
50100700	HG Basin waste push open	Spare parts	Matt White
50100820	HG Basin waste push open	Spare parts	Brushed Nickel
71071003	HG Logis 70 Basin mixer w/o waste	HG Logis	Chrome
71091003	HG Logis 190 Basin mixer w/o waste	HG Logis	Chrome
71101003	HG Logis 100 Basin mixer w/o waste	HG Logis	Chrome
71220003	HG Logis 2-h.basin mix.conc.fs	HG Logis	Chrome
71253003	HG Logis Fine bas.m.110 w/o waste	HG Logis	Chrome
71256000	HG Logis Fine 2h bas.mx.con.	HG Logis	Chrome
71258003	HG Logis Fine bas.m.240 w/o waste	HG Logis	Chrome
71410000	HG Logis Bath spout	HG Logis	Chrome
71410670	HG Logis Bath spout	HG Logis	Matt Black
71410820	HG Logis Bath spout	HG Logis	Brushed Nickel
71604000	HG Logis Shower mixer conc.small esc.Export	HG Logis	Chrome
71605003	HG Logis Shower mixer (iBox)	HG Logis	Chrome
71702003	HG Talis E 80 Basin mixer w/o waste	HG Talis E	Chrome
71712003	HG Talis E 110 Basin mixer w/o waste	HG Talis E	Chrome
71712673	HG Talis E 110 Basin mixer w/o waste	HG Talis E	Matt Black
71712823	HG Talis E 110 Basin mixer w/o waste	HG Talis E	Brushed Nickel
71717003	HG Talis E 240 Basin mixer w/o waste	HG Talis E	Chrome
71717673	HG Talis E 240 Basin mixer w/o waste	HG Talis E	Matt Black
71717823	HG Talis E 240 Basin mixer w/o waste	HG Talis E	Brushed Nickel
71733000	HG Talis E 3-h.basin mixer	HG Talis E	Chrome
71734003	HG Talis E Basin mixer.set conc.fs long	HG Talis E	Chrome

Measurements at scale drawings are in mm.

Technical specifications and units of measurements are subject to change.

Price Book 2026/2027

13

Discontinued Articles

71734673	HG Talis E Basin mixer.set conc.fs long	HG Talis E	Matt Black	
71734823	HG Talis E Basin mixer.set conc.fs long	HG Talis E	Brushed Nickel	
71745003	HG Talis E Bath mixer conc.fs	HG Talis E	Chrome	
71745673	HG Talis E Bath mixer conc.fs	HG Talis E	Matt Black	
71745823	HG Talis E Bath mixer conc.fs	HG Talis E	Brushed Nickel	
71764000	HG Talis E Shower mixer conc.small esc.Export	HG Talis E	Chrome	
71764670	HG Talis E Shower mixer conc.small esc.Export	HG Talis E	Matt Black	
71764820	HG Talis E Shower mixer conc.small esc.Export	HG Talis E	Brushed Nickel	
71765003	HG Talis E Shower mixer conc.fs	HG Talis E	Chrome	
71765673	HG Talis E Shower mixer conc.fs	HG Talis E	Matt Black	
72021003	HG Talis S 100 Basin mixer w/o waste	HG Talis S		
72410000	HG Talis S Bath spout chrome	HG Talis S		
72528000	HG Rebris S 2h Wall-mounted basin mixer 20.5cm	HG Rebris S	Chrome	72528003
72528670	HG Rebris S 2h Wall-mounted basin mixer 20.5cm	HG Rebris S	Matt Black	72528673
72605003	HG Talis S Shower mixer concealed	HG Talis S		
72820003	HG Talis Select S M51 kitchen mixer 300	HG Talis Select S M51	Chrome	
72821003	HG Talis Select S M51 KM 300 with pull-out	HG Talis Select S M51	Chrome	
73561000	HG Logis Universal shaving mirror w/o light	HG Logis Universal	Chrome	
73816003	HG Metris Select M71 KM 320, pull-out spray, 2jet, sBox	HG Metris Select M71	Chrome	
73816803	HG Metris Select M71 KM 320, pull-out spray, 2jet, sBox	HG Metris Select M71	Stainless Steel Optic	
75012003	HG Vivenis basin mixer 80 w/o waste	HG Vivenis	Chrome	
75012673	HG Vivenis basin mixer 80 w/o waste	HG Vivenis	Matt Black	
75012703	HG Vivenis basin mixer 80 w/o waste	HG Vivenis	Matt White	
75022003	HG Vivenis basin mixer 110 w/o waste	HG Vivenis	Chrome	75024003
75022673	HG Vivenis basin mixer 110 w/o waste	HG Vivenis	Matt Black	75024673
75022703	HG Vivenis basin mixer 110 w/o waste	HG Vivenis	Matt White	
75042003	HG Vivenis basin mixer 250 w/o waste	HG Vivenis	Chrome	75045003
75042673	HG Vivenis basin mixer 250 w/o waste	HG Vivenis	Matt Black	75045673
75042703	HG Vivenis basin mixer 250 w/o waste	HG Vivenis	Matt White	
75050000	HG Vivenis 2h Wall-mounted basin mixer 19.2cm	HG Vivenis	Chrome	75050003
75050670	HG Vivenis 2h Wall-mounted basin mixer 19.2cm	HG Vivenis	Matt Black	75050673
75050700	HG Vivenis 2h Wall-mounted basin mixer 19.2cm	HG Vivenis	Matt White	
75410700	HG Vivenis bath spout	HG Vivenis	Matt White	
75415703	HG Vivenis bath mixer (iBox)	HG Vivenis	Matt White	
75445709	HG Vivenis bath mixer freestanding	HG Vivenis	Matt White	
75615703	HG Vivenis shower mixer (iBox)	HG Vivenis	Matt White	
76010003	HG Finoris basin mixer 100 w/o waste	HG Finoris	Chrome	
76010673	HG Finoris basin mixer 100 w/o waste	HG Finoris	Matt Black	
76010703	HG Finoris basin mixer 100 w/o waste	HG Finoris	Matt White	
76020003	HG Finoris basin mixer 110 w/o waste	HG Finoris	Chrome	
76020673	HG Finoris basin mixer 110 w/o waste	HG Finoris	Matt Black	
76020703	HG Finoris basin mixer 110 w/o waste	HG Finoris	Matt White	
76050000	HG Finoris 2-h basin mixer conc.225	HG Finoris	Chrome	
76050670	HG Finoris 2-h basin mixer conc.225	HG Finoris	Matt Black	
76050700	HG Finoris 2-h basin mixer conc.225	HG Finoris	Matt White	
76051000	HG Finoris 2-h basin mixer conc.165	HG Finoris	Chrome	
76051670	HG Finoris 2-h basin mixer conc.165	HG Finoris	Matt Black	
76051700	HG Finoris 2-h basin mixer conc.165	HG Finoris	Matt White	
76063003	HG Finoris basin mixer 230 2j pull out w/o waste	HG Finoris	Chrome	
76063673	HG Finoris basin mixer 230 2j pull out w/o waste	HG Finoris	Matt Black	
76063703	HG Finoris basin mixer 230 2j pull out w/o waste	HG Finoris	Matt White	
76070003	HG Finoris basin mixer 260 w/o waste	HG Finoris	Chrome	
76070673	HG Finoris basin mixer 260 w/o waste	HG Finoris	Matt Black	
76070703	HG Finoris basin mixer 260 w/o waste	HG Finoris	Matt White	
76410000	HG Finoris bath spout	HG Finoris	Chrome	
76410670	HG Finoris bath spout	HG Finoris	Matt Black	
76410700	HG Finoris bath spout	HG Finoris	Matt White	
76415003	HG Finoris bath mixer f.s.	HG Finoris	Chrome	
76415673	HG Finoris bath mixer f.s.	HG Finoris	Matt Black	
76415703	HG Finoris bath mixer f.s.	HG Finoris	Matt White	
76445009	HG Finoris bath mixer floor-standing	HG Finoris	Chrome	
76445679	HG Finoris bath mixer floor-standing	HG Finoris	Matt Black	
76445709	HG Finoris bath mixer floor-standing	HG Finoris	Matt White	
76615003	HG Finoris shower mixer f.s.	HG Finoris	Chrome	
76615673	HG Finoris shower mixer f.s.	HG Finoris	Matt Black	
76615703	HG Finoris shower mixer f.s.	HG Finoris	Matt White	

Measurements at scale drawings are in mm.

Index Brackets for Spare Parts


For individual spare parts, please see spares.hansgrohe.com and search an article code/spare part number/product name to find the appropriate spare part and associated Price Group (PG) number.

Material Description	RRP (AUD) (ex GST)	RRP (inc GST)
Spare part - Price group 1	7.91	8.70
Spare part - Price group 2	12.91	14.20
Spare part - Price group 3	20.45	22.50
Spare part - Price group 4	27.73	30.50
Spare part - Price group 5	33.82	37.20
Spare part - Price group 6	44.82	49.30
Spare part - Price group 7	54.73	60.20
Spare part - Price group 8	68.73	75.60
Spare part - Price group 9	87.55	96.30
Spare part - Price group 10	108.55	119.40
Spare part - Price group 11	139.45	153.40
Spare part - Price group 12	172.00	189.20
Spare part - Price group 13	209.91	230.90
Spare part - Price group 14	244.82	269.30
Spare part - Price group 15	304.36	334.80
Spare part - Price group 16	394.73	434.20
Spare part - Price group 17	496.73	546.40
Spare part - Price group 18	608.82	669.70
Spare part - Price group 19	803.36	883.70
Spare part - Price group 20	976.91	1,074.60
Spare part - Price group 21	1,313.55	1,444.90
Spare part - Price group 22	1,856.64	2,042.30
Spare part - Price group 23	2,658.55	2,924.40
Spare part - Price group 24	5,256.55	5,782.20

Material Description	RRP (ex GST)	RRP (AUD) (inc GST)
Spare part - Price group 51	11.91	13.10
Spare part - Price group 52	19.64	21.60
Spare part - Price group 53	30.73	33.80
Spare part - Price group 54	41.73	45.90
Spare part - Price group 55	50.91	56.00
Spare part - Price group 56	67.18	73.90
Spare part - Price group 57	82.09	90.30
Spare part - Price group 58	103.00	113.30
Spare part - Price group 59	131.18	144.30
Spare part - Price group 60	162.55	178.80
Spare part - Price group 61	209.27	230.20
Spare part - Price group 62	257.91	283.70
Spare part - Price group 63	315.00	346.50
Spare part - Price group 64	367.36	404.10
Spare part - Price group 65	456.64	502.30
Spare part - Price group 66	592.36	651.60
Spare part - Price group 67	745.00	819.50
Spare part - Price group 68	913.18	1,004.50
Spare part - Price group 69	1,205.18	1,325.70
Spare part - Price group 70	1,465.27	1,611.80
Spare part - Price group 71	1,970.36	2,167.40
Spare part - Price group 72	2,785.09	3,063.60
Spare part - Price group 73	3,987.73	4,386.50
Spare part - Price group 74	7,884.55	8,673.00

Overhead showers

Rainfinity overhead showers



Overhead shower 250 3jet with wall connector

- consists of: overhead shower, wall outlet
- projection 273 mm
- spray type: PowderRain, Intense PowderRain, RainStream
- middle spray disc: 151 mm
- shower head size: 250 mm
- shower arm vertically inclinable by 10-30°
- maximum flow rate at 3 bar: 9 l/min
- flow rate RainStream spray (at 3 bar): 9 l/min
- flow rate Intense PowderRain (at 3bar): 9 l/min
- flow rate PowderRain spray (at 0.3 MPa): 9 l/min
- the 3 spray zones must be controlled via 3 valves or a diverter valve with 3 outlets
- Select button on thermostat
- spray disc surface: graphite
- material spray disc: aluminium
- overhead shower removable for cleaning
- frame: metal
- connection dimension: DN15

Finish	Code no.	RRP (ex GST)	RRP (inc GST)
Chrome	26232003	3,453.64	3,799.00
Brushed Bronze	26232143	4,317.27	4,749.00
Brushed Black Chrome	26232343	4,317.27	4,749.00
Matt Black	26232673	4,317.27	4,749.00
Brushed Nickel	26232823	4,317.27	4,749.00




Required parts:

· Basic set iBox universal 2	01500180	172.73	190.00
· Adapter plate for iBox universal 2	13588000	18.18	20.00




IMPORTANT NOTE:
MALE CONNECTION
THREAD ON PRODUCT



Overhead shower 250 1jet with wall connector

- consists of: overhead shower, wall outlet
- projection 273 mm
- spray type: PowderRain
- middle spray disc: 151 mm
- shower head size: 250 mm
- shower arm vertically inclinable by 10-30°
- maximum flow rate at 3 bar: 9 l/min
- spray disc surface: graphite
- material spray disc: aluminium
- overhead shower removable for cleaning
- installation: wall
- connection thread G 1/2 male
- **wall connection to be plumbed with 1/2" female thread in the wall and a 13mm - 28mm clearance from tile face**
- connection dimension: DN15

Chrome	26227007	1,090.00	1,199.00
Matt white	26227707	999.09	1,099.00



Overhead shower 250 1jet


- spray type: PowderRain
- shower head size: 250 mm
- ball-joint: overhead shower angle (2 x 5°) adjustable
- maximum flow rate at 3 bar: 9 l/min
- spray disc surface: graphite
- material spray disc: aluminium
- overhead shower removable for cleaning
- installation: ceiling or wall, Tool-free assembly and disassembly
- connection thread G 1/2
- connection dimension: DN15

Chrome	26228001	1,090.00	1,199.00
Brushed Bronze	26228141	1,362.73	1,499.00
Brushed Black Chrome	26228341	1,362.73	1,499.00
Matt Black	26228671	1,362.73	1,499.00
Brushed Nickel	26228821	1,362.73	1,499.00



Measurements at scale drawings are in mm.

Raindance Alive S overhead showers



Overhead shower 300 2jet with shower arm


- consists of: overhead shower, shower arm
- shower head size: 300 mm
- spray type: Rain, PowderRain
- maximum flow rate at 3 bar: 9,5 l/min
- DropGuard reduces the dripping after stopping the shower to just a few seconds
- material spray disc: anodized aluminium
- spray disc surface: graphite
- design cover can be removed easily and without tools for cleaning
- design cover surface: graphite
- design cover conceals the nozzles
- flat, minimalist design
- shower arm length: 390 mm

Finish	Code no.	RRP (ex GST)	RRP (inc GST)
Chrome	24541001	1,817.27	1,999.00
Brushed Bronze	24541141	2,271.82	2,499.00
Matt Black	24541671	2,271.82	2,499.00
Brushed Nickel	24541821	2,271.82	2,499.00



Required parts:


· Basic set for overhead shower 2jet	24573180	204.55	225.00
--------------------------------------	----------	--------	---------------



Overhead shower 300 1jet


- shower head size: 300 mm
- spray type: Rain, or PowderRain
- Spray Type Switch: allows the spray type to be changed even after installation, Rain (preset), change to PowderRain can be selected upon installation or changed easily at any later stage
- maximum flow rate at 3 bar: 9,5 l/min
- DropGuard reduces the dripping after stopping the shower to just a few seconds
- overhead shower angle adjustable
- material spray disc: anodized aluminium
- spray disc surface: graphite
- design cover can be removed easily and without tools for cleaning
- design cover surface: graphite
- design cover conceals the nozzles
- flat, minimalist design
- installation: ceiling or wall
- connection thread: G 1/2

Chrome	24521001	862.73	949.00
Brushed Bronze	24521141	1,078.18	1,186.00
Matt Black	24521671	1,078.18	1,186.00
Brushed Nickel	24521821	1,078.18	1,186.00



Overhead showers

Raindance Alive Q overhead showers



Overhead shower 210/340 2jet with shower


- consists of: overhead shower, shower arm
- shower head size: 214 x 343 mm
- spray type: PowderRain, Rain
- maximum flow rate at 3 bar: 9,5 l/min
- DropGuard reduces the dripping after stopping the shower to just a few seconds
- material spray disc: anodized aluminium
- spray disc surface: graphite
- design cover can be removed easily and without tools for cleaning
- design cover surface: graphite
- design cover conceals the nozzles
- flat, minimalist design
- shower arm length: 390 mm

Finish	Code no.	RRP (ex GST)	RRP (inc GST)
Chrome	24551001	1,817.27	1,999.00
Brushed Bronze	24551141	2,271.82	2,499.00
Matt Black	24551671	2,271.82	2,499.00
Brushed Nickel	24551821	2,271.82	2,499.00



Required parts:

· Basic set for overhead shower 2jet	24573180	204.55	225.00
--------------------------------------	----------	--------	---------------




Overhead shower 210/340 1jet

- shower head size: 214 x 343 mm
- spray type: Rain
- maximum flow rate at 3 bar: 9,5 l/min
- DropGuard reduces the dripping after stopping the shower to just a few seconds
- overhead shower angle adjustable
- material spray disc: anodized aluminium
- spray disc surface: graphite
- design cover can be removed easily and without tools for cleaning
- design cover surface: graphite
- design cover conceals the nozzles
- flat, minimalist design
- installation: ceiling or wall
- connection thread: G 1/2

Chrome	24531001	862.73	949.00
Brushed Bronze	24531141	1,078.18	1,186.00
Matt Black	24531671	1,078.18	1,186.00
Brushed Nickel	24531821	1,078.18	1,186.00



Raindance S overhead shower




Overhead shower 240 1jet PowderRain

- ball-joint: overhead shower
- angle adjustable
- spray type: PowderRain
- maximum flow rate at 0.3 MPa: 9 l/min
- fully chrome-plated spray disc
- material spray disc: metal
- installation: ceiling or wall
- connection thread G 1/2

Finish	Code no.	RRP (ex GST)	RRP (inc GST)
Chrome	27624001	618.18	680.00
Brushed Bronze	27624141	772.73	850.00
Brushed Black Chrome	27624341	772.73	850.00
Matt Black	27624671	772.73	850.00
Brushed Nickel	27624821	772.73	850.00



Croma overhead shower




Overhead shower 280 1jet EcoSmart 9 l/min

- shower head size: 280 mm
- spray type: RainAir
- flow rate RainAir spray (at 0.3 MPa): 9 l/min
- fully chrome-plated spray disc
- material spray disc: metal
- spray disc removeable for cleaning
- installation: ceiling or wall
- connection thread G 1/2
- connection dimension: DN15
- scope of supply: overhead shower, filter seal, assembly instruction

Finish	Code no.	RRP (ex GST)	RRP (inc GST)
Chrome	26221007	618.18	680.00
Brushed Bronze	26221147	772.73	850.00
Brushed Black Chrome	26221347	772.73	850.00
Matt Black	26221677	772.73	850.00
Brushed Nickel	26221827	772.73	850.00



Pulsify S overhead showers



Overhead shower 260 1jet EcoSmart

- shower head size: 260 mm
- spray type: PowderRain
- Fast Drain empties the overhead shower from an angle of 10°
- ball-joint: overhead shower angle adjustable
- material spray disc: plastic
- spray disc surface: graphite
- maximum flow rate at 3 bar: 7,5 l/min
- flow rate PowderRain spray (at 3 bar): 7,5 l/min
- minimum flow pressure: 1,2 bar
- installation: ceiling or wall
- connection thread G 1/2
- connection dimension: DN15

Finish	Code no.	RRP (ex GST)	RRP (inc GST)
Chrome	24141000	453.64	499.00
Brushed Bronze	24141141	567.27	624.00
Brushed Black Chrome	24141341	567.27	624.00
Matt Black	24141671	567.27	624.00
Brushed Nickel	24141821	567.27	624.00




Optional parts:

· Wall connector for overhead shower 260	Chrome	24149000	180.91	199.00
	Brushed Bronze	24149140	226.36	249.00
	Brushed Black Chrome	24149340	226.36	249.00
	Matt Black	24149670	226.36	249.00

Overhead showers




IMPORTANT NOTE:
MALE CONNECTION
THREAD ON PRODUCT



Wall connector for overhead shower 260

- material: plastic
- connection type: G 1/2 male

Chrome	24149000	180.91	199.00
Brushed Bronze	24149140	226.36	249.00
Brushed Black Chrome	24149340	226.36	249.00
Matt Black	24149670	226.36	249.00



Overhead shower 105 1jet Green


- shower head size: 105 mm
- spray type: PowderRain
- ball-joint: overhead shower angle adjustable
- material spray disc: plastic
- spray disc surface: graphite
- maximum flow rate at 3 bar: 6 l/min
- connection thread G 1/2
- connection dimension: DN15

Chrome	24132000	135.45	149.00
Brushed Bronze	24131141	169.09	186.00
Brushed Black Chrome	24131341	169.09	186.00
Matt Black	24132670	169.09	186.00
Brushed Nickel	24131821	169.09	186.00



Optional parts:

· Wall connector for overhead shower 105	Chrome	24139000	117.27	129.00
	Brushed Bronze	24139140	144.55	159.00
	Brushed Black Chrome	24139340	144.55	159.00
	Matt Black	24139670	144.55	159.00





Wall connector for overhead shower 105

- material: plastic
- connection type: G 1/2 male

Chrome	24139000	117.27	129.00
Brushed Bronze	24139140	144.55	159.00
Brushed Black Chrome	24139340	144.55	159.00
Matt Black	24139670	144.55	159.00

Activera S overhead showers



Overhead shower 240 1jet

- shower head size: 240 mm
- spray type: Rain
- FlexPower: nozzles automatically adjust to water pressure by opening and closing
- QuickClean+: avoid limescale deposits thanks to the elasticity of the nozzles
- maximum flow rate at 3 bar: 9,5 l/min
- overhead shower angle adjustable
- material spray disc: plastic
- installation: ceiling or wall
- connection thread: G 1/2
- connection dimension: DN15

Finish

- Chrome
- Matt Black
- Brushed Nickel

Code no.


- 28056001
- 28056671
- 28056821

RRP (ex GST)



- 393.64
- 491.82
- 491.82

RRP (inc GST)

- 433.00**
- 541.00**
- 541.00**



NEW



Overhead shower 95 1jet

- shower head size: 95 mm
- spray type: Rain
- FlexPower: nozzles automatically adjust to water pressure by opening and closing
- QuickClean+: avoid limescale deposits thanks to the elasticity of the nozzles
- maximum flow rate at 3 bar: 6,7/min
- overhead shower angle adjustable
- material spray disc: plastic
- spray disc surface: graphite
- installation: ceiling or wall
- connection thread: G 1/2

- Chrome
- Matt Black
- Brushed Nickel

- 28867001
- 28867671
- 28867821

- 90.00
- 112.73
- 112.73

- 99.00**
- 124.00**
- 124.00**



Optional parts:

- Wall connector for overhead shower 95


- Chrome
- Matt Black

- 28099000
- 28099670

- 62.73
- 78.18

- 69.00**
- 86.00**

NEW



Wall connector for overhead shower 95

- material: plastic
- suitable for: Activera overhead shower 95
- connection type: G 1/2 male

- Chrome
- Matt Black



- 28099000
- 28099670

- 62.73
- 78.18

- 69.00**
- 86.00**

Activera Q overhead shower

NEW



Overhead shower 290/180 1jet


- shower head size: 290 x 180 mm
- spray type: Rain
- FlexPower: nozzles automatically adjust to water pressure by opening and closing
- QuickClean+: avoid limescale deposits thanks to the elasticity of the nozzles
- maximum flow rate at 3 bar: 9,5 l/min
- overhead shower angle adjustable
- material spray disc: plastic
- installation: ceiling or wall
- connection thread: G 1/2

- Chrome
- Matt Black
- Brushed Nickel

- 28738001
- 28738671
- 28738821


- 393.64
- 491.82
- 491.82

- 433.00**
- 541.00**
- 541.00**



Overhead showers

Crometta S overhead shower



Overhead shower 240 1jet EcoSmart 9 l/min

- shower head size: 240 mm
- spray type: Rain
- function from: 4,8 l/min
- maximum flow rate at 3 bar: 6,5 l/min
- minimum flow pressure: 1 bar
- ball-joint: overhead shower angle adjustable
- material spray disc: plastic
- installation: ceiling or wall
- connection thread G 1/2

Finish

Matt Black

Code no.

26724670

RRP (ex GST)

340.00


RRP (inc GST)

374.00



While stocks last. Run out.

Crometta E overhead shower



Overhead shower 240 1jet EcoSmart 9 l/min

- shower head size: 240 x 240 mm
- spray type: Rain
- function from: 4,8 l/min
- maximum flow rate at 3 bar: 6,5 l/min
- minimum flow pressure: 1 bar
- ball-joint: overhead shower angle adjustable
- material spray disc: plastic
- installation: ceiling or wall
- connection thread G 1/2

Finish

Chrome

Matt Black

Code no.

26727000

26727670

RRP (ex GST)

271.82

340.00

RRP (inc GST)

299.00


374.00



While stocks last. Run out.

Body showers

NEW



Body shower 1jet

- side shower angle adjustable
- spray type: normal spray
- flow rate normal spray (at 0.3 MPa): 6 l/min
- grey spray disc
- connection thread: G 1/2 male
- scope of supply: body shower, escutcheon, assembly instruction

Finish

Chrome

Brushed Nickel

Code no.

28466000

28466820

RRP (ex GST)

144.55

180.91

RRP (inc GST)

159.00

199.00



Alternative products:











- Body shower 1jet stop

Chrome











28467000

144.55

159.00

Shower arms		Finish	Code no.	RRP (ex GST)	RRP (inc GST)		
 <p>NEW</p>		Shower arm E 39 cm					
		<ul style="list-style-type: none"> length: 390 mm installation type: concealed installation material: brass/ plastic connection type: G 1/2 male 		Chrome	24337000	140.91	155.00
				Brushed Bronze	24337140	176.36	194.00
				Brushed Black Chrome	24337340	176.36	194.00
				Matt Black	24337670	176.36	194.00
		Shower arm 38.9 cm					
		<ul style="list-style-type: none"> length: 389 mm material: brass version: 90° angle connection type: G 1/2 		Chrome	27413003	109.09	120.00
				Brushed Bronze	27413143	135.45	149.00
				Brushed Black Chrome	27413343	135.45	149.00
				Matt Black	27413673	135.45	149.00
		Brushed Nickel	27413823	135.45	149.00		
		Shower arm Vernis Blend 30 cm					
		<ul style="list-style-type: none"> length: 300 mm shaft Ø: 26 mm material: brass version: 90° angle connection thread G 1/2 		Chrome	26408003	109.09	120.00
				Brushed Bronze	26408143	135.45	149.00
				Brushed Black Chrome	26408343	135.45	149.00
				Matt Black	26408673	135.45	149.00
		Brushed Nickel	26408823	135.45	149.00		
		Wall shower arm 30 cm					
		<ul style="list-style-type: none"> length: 300 mm shaft Ø: 25 mm material: brass connection thread G 1/2 		Chrome	28893003	109.09	120.00
				Brushed Black Chrome	28893343	135.45	149.00
				Matt Black	28893673	135.45	149.00
				Brushed Nickel	28893823	135.45	149.00
 <p>NEW</p>		Wall shower arm 12.8 cm					
		<ul style="list-style-type: none"> length: 128 mm material: brass connection type: G 1/2 		Chrome	24356003	71.82	79.00
				Brushed Bronze	24356143	90.00	99.00
				Matt Black	24356673	90.00	99.00
				Brushed Nickel	24356823	90.00	99.00

Overhead showers

Ceiling connectors		Finish	Code no.	RRP (ex GST)	RRP (inc GST)	
		Ceiling connector S 10 cm				
		· length: 100 mm	Chrome	27393000	90.00	99.00
		· shaft Ø: 27 mm	Brushed Bronze	27393140	112.73	124.00
		· purpose of use: also usable as an extension	Brushed Black Chrome	27393340	112.73	124.00
		· installation type: exposed installation	Matt Black	27393670	112.73	124.00
· connection thread G 1/2		· connection dimension DN15				
		Ceiling connector Vernis Blend 10cm				
		· length: 100 mm	Chrome	27804003	71.82	79.00
		· shaft Ø: 26 mm	Brushed Bronze	27804143	90.00	99.00
		· installation type: exposed installation	Matt Black	27804673	90.00	99.00
· connection thread G 1/2						
		Ceiling connector S 30 cm				
		· length 300 mm	Chrome	27389000	208.18	229.00
		· material: brass	Brushed Bronze	27389140	260.91	287.00
		· connection thread G 1/2	Brushed Black Chrome	27389340	260.91	287.00
		· connection dimension DN15	Matt Black	27389670	260.91	287.00
			Brushed Nickel	27389820	260.91	287.00
		Ceiling connector Vernis Blend 30 cm				
		· length 300 mm	Chrome	27805003	90.00	99.00
		· material: brass	Brushed Bronze	27805143	112.73	124.00
		· shaft Ø: 26 mm	Matt Black	27805673	112.73	124.00
· connection thread G 1/2						
		Ceiling connector E 30 cm				
		· length 300 mm	Chrome	27388000	226.36	249.00
		· material: brass				
		· connection thread G 1/2				
· connection dimension DN15						

Measurements at scale drawings are in mm.


Rainfinity shower set

Finish

Code no.

RRP
(ex GST)

RRP
(inc GST)



Shower set 130 3jet with shower bar 65cm

- shower head size: 130 mm
- spray type: Mono, PowderRain, IntensePowderRain
- convenient diversion via Select button
- pivot connector prevent hose from tangling
- 90° position adjustable hand shower holder, pivots left and right, up and down
- maximum flow rate at 3 bar: 9 l/min
- wall bar type: chrome-plated brass pipe
- bar width: 22 mm
- fully chrome-plated shower slide
- slide inclination angle steplessly adjustable



Required parts:

· S Puro shower bar 65 with hose	Chrome	28632000	226.36	249.00
· Rainfinity Hand shower 130 3jet	Chrome	26864001	307.27	338.00
· FixFit S	Chrome	27453003	71.82	79.00


Raindance Select E shower set

Finish

Code no.

RRP
(ex GST)

RRP
(inc GST)



Shower set 120 3jet EcoSmart 9 l/min with shower bar 65 cm and soap dish

- shower head size: 120 mm
- spray type: Rain, RainAir, Whirl
- convenient spray selection via Select button
- QuickClean: Limescale deposits can simply be rubbed off with your finger
- 90° position adjustable slider, pivots left and right, up and down
- maximum flow rate at 3 bar: 9 l/min
- wall supports made of plastic
- profile pipe: round
- shower bar diameter: 22 mm
- drilling distance: 625 mm
- pivot connector prevents hose from tangling
- **includes FixFit S**

Brushed Nickel

26622823

453.64


499.00



While stocks last. Run out.

Shower sets


Raindance Select S shower sets



Shower set 120 3jet PowderRain with shower bar 65cm

- shower head size: 105 mm
- spray type: PowderRain, Rain, Whirl
- convenient spray selection via Select button
- QuickClean: Limescale deposits can simply be rubbed off with your finger
- 90° position adjustable slider, pivots left and right, up and down
- maximum flow rate at 3 bar: 8,2 l/min
- wall supports made of plastic
- profile pipe: round
- shower bar diameter: 22 mm
- drilling distance: 625 mm
- pivot connector prevents hose from tangling
- **includes FixFit S**
- **NOTE: Chrome version includes soap dish all other versions do not include soap dish**

Finish	Code no.	RRP (ex GST)	RRP (inc GST)
Chrome	27654003	499.09	549.00
Brushed Bronze	27654143	626.36	689.00
Brushed Black Chrome	27654343	626.36	689.00
Matt Black	27654673	626.36	689.00
Brushed Nickel	27654823	626.36	689.00



Shower set 120 3jet EcoSmart 9 l/min with shower bar 65 cm


- shower head size: 120 mm
- spray type: Whirl, Rain, RainAir
- convenient spray selection via Select button
- QuickClean: Limescale deposits can simply be rubbed off with your finger
- 90° position adjustable slider, pivots left and right, up and down
- maximum flow rate at 3 bar: 9 l/min
- wall supports of metal
- profile pipe: round
- shower bar diameter: 22 mm
- drilling distance: 625 mm
- pivot connector prevents hose from tangling
- **includes FixFit S**

Brushed Black Chrome	26632343	453.64	499.00
----------------------	----------	--------	---------------



While stocks last. Run out.


Pulsify Select S shower sets



**Shower set 105 3jet
Relaxation with shower bar
65 cm**

- shower head size: 105 mm
- spray type: PowderRain, IntenseRain, Massage spray
- convenient spray selection via Select button
- QuickClean: Limescale deposits can simply be rubbed off with your finger
- maximum flow rate at 3 bar: 6,9 l/min
- height-adjustable slider with locking push-button slider
- slider rotatable on the pipe for left or right operation
- wall supports made of plastic
- slider made of plastic/metal
- profile pipe: round
- shower bar diameter: 22 mm
- drilling distance: 625 mm
- shower hose with conical nut on both ends
- pivot connector prevents hose from tangling
- **includes Fixfit S**


Finish	Code no.	RRP (ex GST)	RRP (inc GST)
Chrome	24161003	340.91	375.00
Brushed Bronze	24161143	426.36	469.00
Brushed Black Chrome	24161343	426.36	469.00
Matt Black	24161673	426.36	469.00
Brushed Nickel	24161823	426.36	469.00



**Shower set 105 1jet with
shower bar 65 cm**

- shower head size: 105 mm
- spray type: PowderRain
- QuickClean: Limescale deposits can simply be rubbed off with your finger
- maximum flow rate at 3 bar: 7,6 l/min
- height-adjustable slider with locking push-button slider
- slider rotatable on the pipe for left or right operation
- wall supports made of plastic
- slider made of plastic/metal
- profile pipe: round
- shower bar diameter: 22 mm
- drilling distance: 625 mm
- shower hose with conical nut on both ends
- pivot connector prevents hose from tangling
- **includes Fixfit S**

Chrome	24311003	135.45	149.00
Matt Black	24311673	171.82	189.00



**Shower set 100 1jet with
shower bar 65 cm**


- shower head size: 98 x 24 mm
- spray type: PowderRain
- QuickClean: Limescale deposits can simply be rubbed off with your finger
- slider for right- and left-hand installation
- slider with locking mechanism
- wall supports made of plastic
- slider made of plastic/metal
- wall bar type: swivelling shower bar
- profile pipe: cubic
- drilling distance: 625 mm
- shower hose with conical nut on both ends
- pivot connector prevents hose from tangling
- **includes Fixfit S (not included for 24372821)**

Chrome	24373003	726.36	799.00
Brushed Bronze	24373143	908.18	999.00
Brushed Black Chrome	24373343	908.18	999.00
Matt Black	24373673	908.18	999.00
Brushed Nickel	24372821	908.18	999.00



Shower sets

Pulsify E shower set




Shower set 100 1jet EcoSmart+ with shower bar 65 cm

- shower head size: 100 x25mm
- spray type: PowderRain
- hand shower holder for right- and left hand installation
- metal hand shower holder
- wall mounting: screw fastening
- wall supports made of plastic
- wall bar type: swiveling shower bar
- profile pipe: cubic
- pipe length: 663 mm
- drilling distance 627 mm
- shower hose with conical nut on both ends
- pivot connector prevents hose from tangling
- **includes Fixfit square**

Finish	Code no.	RRP (ex GST)	RRP (inc GST)
Chrome	24371003	726.36	799.00
Brushed Bronze	24371143	908.18	999.00
Brushed Black Chrome	24371343	908.18	999.00
Matt Black	24371673	908.18	999.00
Brushed Nickel	24371823	908.18	999.00




Activera Select S shower set



Shower set 95 2jet 2.5 GPM with shower bar 65 cm and wall outlet


- shower head size: 95 mm
- spray type: Rain, ImpactRain
- convenient spray selection via Select button
- FlexPower: nozzles automatically adjust to water pressure by opening and closing
- QuickClean+: avoid limescale deposits thanks to the elasticity of the nozzles
- flow regulator: 8 l/min (with possible tolerances -20 %)
- EasySplit: simplified repair of the product
- slider rotatable on the pipe for left or right operation
- height-adjustable slider with locking push-button slider
- slider with locking mechanism
- wall supports made of plastic
- profile pipe: round
- shower bar diameter: 22 mm
- drilling distance: 625 mm
- shower hose with conical nut on both ends
- pivot connector prevents hose from tangling
- rinseable filter washer
- **includes FixFit S**

Finish	Code no.	RRP (ex GST)	RRP (inc GST)
Chrome	28088003	180.91	199.00
Matt Black	28088673	226.36	249.00
Brushed Nickel	28088823	226.36	249.00



Activera S shower set

NEW



Shower set 1jet with shower bar 65 cm

- shower head size: 95 mm
- spray type: Rain
- FlexPower: nozzles automatically adjust to water pressure by opening and closing
- QuickClean+: reduce limescale deposits thanks to the elasticity of the nozzles
- maximum flow rate at 3 bar: 9,5 l/min
- slider rotatable on the pipe for left or right operation
- height-adjustable slider with locking push-button slider
- slider with locking mechanism
- wall supports made of plastic
- profile pipe: round
- pipe length: 669 mm
- shower bar diameter: 22 mm
- drilling distance: 625 mm
- shower hose with conical nut on both ends
- pivot connector prevents hose from tangling
- rinseable filter washer


Finish	Code no.	RRP (ex GST)	RRP (inc GST)
Chrome	28041001	81.82	90.00
Matt Black	28041671	102.73	113.00
Brushed Nickel	28041821	102.73	113.00



Required parts:

· FixFit S	Chrome	27453003	71.82	79.00
	Matt Black	27453673	90.00	99.00
	Brushed Nickel	27453823	90.00	99.00

Croma Select E shower set



Shower set 1jet EcoSmart 9 l/min with shower bar 65 cm

- Croma Select E 1Jet Handshower
- spray type: Rain
- convenient diversion via Select button
- pivot connectors prevent hose from tangling
- slide inclination angle can be adjusted by 45°
- maximum flow rate (at 0.3 MPa): 9 l/min
- chrome-plated wall supports of plastic
- Unica Croma wallbar 65cm
- Isiflex hose 1600mm
- **FixFit not included**

Finish	Code no.	RRP (ex GST)	RRP (inc GST)
White/Chrome	26585400	145.45	160.00




While stocks last. Run out.

Required parts:

· FixFit S		27453003	71.82	79.00
------------	--	----------	-------	--------------

Shower sets

Croma Select S shower set



Shower set Tjet EcoSmart 9 l/min with shower bar 65 cm

- shower head size: 110 mm
- spray type: Rain
- QuickClean: Limescale deposits can simply be rubbed off with your finger
- slide inclination angle can be adjusted by 45°
- maximum flow rate at 3 bar: 9 l/min
- wall supports made of plastic
- profile pipe: round
- shower bar diameter: 22 mm
- drilling distance: 625 mm
- pivot connector prevents hose from tangling
- **FixFit not included**

Required parts:

- FixFit S

Finish

White/Chrome

Code no.

26565400

RRP
(ex GST)

145.45

RRP
(inc GST)

160.00




While stocks last. Run out.

27453003

71.82

79.00

Crometta shower set



Shower set Vario EcoSmart+ 6 l/min with shower bar 65 cm

- shower head size: 100 mm
- spray type: Rain, IntenseRain
- spray type adjustment by turning spray disc
- QuickClean: Limescale deposits can simply be rubbed off with your finger
- slide inclination angle can be adjusted by 45°
- flow rate Rain spray at 3 bar: 4,8 l/min
- maximum flow rate at 3 bar: 4,8 l/min
- function from: 3 l/min
- wall supports made of plastic
- profile pipe: round
- pipe length: 669 mm
- drilling distance: 625 mm
- pivot connector prevents hose from tangling
- **FixFit not included**

Required parts:

- FixFit S

Finish

White/Chrome

Code no.

26555400

RRP
(ex GST)

81.82

RRP
(inc GST)

90.00




While stocks last. Run out.

27453003

71.82

79.00

Unica E shower bar



Shower bar E 150 cm with shower hose


- pivot connectors prevent hose from tangling
- 90° position adjustable slider, pivots left and right, up and down
- shelf: shelf made of safety glass
- wall bar type: flat aluminium profile with safety glass finish
- 41 mm
- fully chrome-plated shower slide
- self-locking slide
- slide inclination angle steplessly adjustable
- wall supports of plastic
- 2x Casetta' E soap dish
- finish: chrome, white or black

Finish	Code no.	RRP (ex GST)	RRP (inc GST)
Chrome	27645000	499.09	549.00

While stocks last. Run out.

Alternative sizes:

· Shower bar E 90 cm with shower hose	Chrome	27640000	362.73	399.00
	White/Chrome	27640400	362.73	399.00



Shower bar E 90 cm with shower hose

- pivot connectors prevent hose from tangling
- 90° position adjustable slider, pivots left and right, up and down
- shelf: shelf made of safety glass
- wall bar type: flat aluminium profile with safety glass finish
- 41 mm
- fully chrome-plated shower slide
- self-locking slide
- slide inclination angle steplessly adjustable
- chrome-plated wall supports of plastic
- 1x Casetta' E soap dish
- finish: chrome, white or black

Chrome	27640000	362.73	399.00
White/Chrome	27640400	362.73	399.00

While stocks last. Run out.

Consisting of:


- Shower hose 160 cm (# 28276000)
- Soap dish E (# 26511000)

Alternative sizes:

· Shower bar E 150 cm with shower hose	Chrome	27645000	499.09	549.00
--	--------	----------	--------	---------------

Shower bars

Unica E Comfort shower bar



Shower bar Raindance 90 cm with shower hose



- consists of: shower bar, shower hose, slider
- wall bar type: flat and slim aluminium profile
- bar width: 45 mm
- fully chrome-plated metal shower slide
- self-locking slide
- slide inclination angle steplessly adjustable
- silent inclination angle adjustment
- scope of supply: shower bar, mounting material, assembly instruction

Finish	Code no.	RRP (ex GST)	RRP (inc GST)
Chrome	27636000	362.73	399.00
Brushed Nickel	27636820	453.64	499.00

Consisting of:

- Shower hose 160 cm (# 28276000)

NEW



Shower bar Unica E Puro 65 cm with easy slide hand shower holder and Isiflex shower hose 160cm

- consists of: shower bar, slider, shower hose
- swivelling shower bar
- pivot connector prevents hose from tangling
- pipe length: 663 mm
- profile pipe: cubic
- drilling distance: 625 mm
- shower hose length: 1600 mm
- slider for right- and left-hand installation
- slider with locking mechanism
- slider steplessly adjustable
- wall supports made of plastic
- metal hand shower holder



Chrome	24404000	271.82	299.00
Brushed Bronze	24404140	340.00	374.00
Brushed Black Chrome	24404340	340.00	374.00
Matt Black	24404670	340.00	374.00

Alternative size:

- Shower bar Unica E Puro 90 cm with easy slide hand shower holder and Isiflex shower hose 160 cm

Chrome	24403000	317.27	349.00
Brushed Bronze	24403140	397.27	437.00
Brushed Black Chrome	24403340	397.27	437.00
Matt Black	24403670	397.27	437.00

NEW



Shower bar Unica S Puro 65 cm with easy slide hand shower holder and Isiflex shower hose 160cm

- consists of: shower bar, slider, shower hose
- swivelling shower bar
- pivot connector prevents hose from tangling
- for shower hoses with a conical nut
- pipe length: 663 mm
- profile pipe: round
- drilling distance: 625 mm
- shower hose length: 1600 mm
- slider for right- and left-hand installation
- slider with locking mechanism
- slider steplessly adjustable
- wall supports made of plastic
- slider made of plastic/metal


Chrome	24402000	271.82	299.00
Brushed Bronze	24402140	340.00	374.00
Brushed Black Chrome	24402340	340.00	374.00
Matt Black	24402670	340.00	374.00

Alternative size:

- Shower bar Unica S Puro 90 cm with easy slide hand shower holder and Isiflex shower hose 160 cm

Chrome	24405000	317.27	349.00
Brushed Bronze	24405140	397.27	437.00
Brushed Black Chrome	24405340	397.27	437.00
Matt Black	24405670	397.27	437.00

Measurements at scale drawings are in mm.



Shower bar S Puro 65 cm with shower hose

- consists of: shower bar, shower hose, slider
- wall bar type: chrome-plated brass pipe
- bar width: 22 mm
- fully chrome-plated shower slide
- slide inclination angle steplessly adjustable
- scope of supply: shower bar, mounting material, assembly instruction

Chrome	28632000	226.36	249.00
Brushed Bronze	28632140	283.64	312.00
Brushed Black Chrome	28632340	283.64	312.00
Matt Black	28632670	283.64	312.00
Brushed Nickel	28632820	283.64	312.00

Consisting of:


- Shower hose 160 cm (# 28276000)

Optional parts:

· Soap dish S Puro	Chrome	28679000	44.55	49.00
--------------------	--------	----------	-------	--------------

Alternative size:

· Shower bar S Puro 90cm with shower hose	Chrome	28631000	271.82	299.00
	Brushed Bronze	28631140	340.00	374.00
	Brushed Black Chrome	28631340	340.00	374.00
	Matt Black	28631670	340.00	374.00
	Brushed Nickel	28631820	340.00	374.00



Shower bar Pulsify S 65 cm with push slider and Isiflex shower hose 160 cm







- consists of: shower bar, slider, shower hose
- pivot connector prevents hose from tangling
- hand shower holder inclination angle can be adjusted by 45°
- pipe length: 669 mm
- shower bar diameter: 22 mm
- profile pipe: round
- drilling distance: 625 mm
- height-adjustable slider with locking push button slider
- hand shower holder with locking mechanism
- wall supports made of plastic

Chrome	24400000	180.91	199.00
Brushed Bronze	24400140	226.36	249.00
Brushed Black Chrome	24400340	226.36	249.00
Matt Black	24400670	226.36	249.00

Alternative size:


· Unica Shower bar Pulsify S 90 cm with push slider and Isiflex shower hose 160 cm	Chrome	24401000	217.27	239.00
	Brushed Bronze	24401140	271.82	299.00
	Brushed Black Chrome	24401340	271.82	299.00
	Matt Black	24401670	271.82	299.00

Shower bars

Soap dishes		Finish	Code no.	RRP (ex GST)	RRP (inc GST)
		Chrome	28679000	44.55	49.00
<p>Casseta Soap dish S Puro</p> <ul style="list-style-type: none"> · purpose of use: for shower bars with \varnothing 22 mm · material: plastic · removable · self-draining soap dish for Unica S and C wallbars 					
		Chrome	26519000	44.55	49.00
<p>Casseta Soap dish E</p> <ul style="list-style-type: none"> · purpose of use: for shower bars with \varnothing 22 mm · material: plastic · removable 					
		Chrome	28678000	44.55	49.00
<p>Casseta Soap dish C</p> <ul style="list-style-type: none"> · purpose of use: for shower bars with \varnothing 22 mm · removable 					

Measurements at scale drawings are in mm.


Rainfinity hand showers



Hand shower 130 3jet EcoSmart

- shower head size: 132 mm
- spray type: PowderRain, Intense PowderRain, MonoRain
- convenient spray selection via Select button
- spray disc surface: easy cleanable aluminium spray disc, graphite
- FlexPower: nozzles automatically adjust to water pressure by opening and closing
- QuickClean+: reduce limescale deposits thanks to the elasticity of the nozzles
- maximum flow rate at 3 bar: 9,5 l/min
- rinseable filter washer
- connection thread: G 1/2

Finish	Code no.	RRP (ex GST)	RRP (inc GST)
Chrome	26864001	307.27	338.00
Brushed Bronze	26864141	384.55	423.00
Brushed Black Chrome	26864341	384.55	423.00
Matt Black	26864671	384.55	423.00
Brushed Nickel	26864821	384.55	423.00




Baton hand shower 1jet EcoSmart

- shower head size: 100 x 38 mm
- spray type: PowderRain
- spray disc surface: easy cleanable aluminium spray disc, graphite
- maximum flow rate at 3 bar: 9 l/min
- with internal water conduction
- rinseable dirt filter
- connection thread G 1/2 connection

Finish	Code no.	RRP (ex GST)	RRP (inc GST)
Chrome	26867000	262.73	289.00
Brushed Bronze	26866141	328.18	361.00
Brushed Black Chrome	26866341	328.18	361.00
Matt Black	26866671	328.18	361.00
Brushed Nickel	26866821	328.18	361.00

Raindance Alive Select S hand shower




Hand shower 125 3jet

- shower head size: 125 mm
- spray type: RainAir, PowderRain, Massage spray
- convenient spray selection via Select button
- QuickClean: Limescale deposits can simply be rubbed off with your finger
- maximum flow rate at 3 bar: 9,5 l/min
- design cover conceals the nozzles
- design cover can be removed easily and without tools for cleaning
- design cover surface: graphite
- with internal water conduction
- rinseable filter washer
- connection thread: G 1/2

Finish	Code no.	RRP (ex GST)	RRP (inc GST)
Chrome	24511001	271.82	299.00
Brushed Bronze	24511141	340.00	374.00
Matt Black	24511671	340.00	374.00
Brushed Nickel	24511821	340.00	374.00

Raindance Select S hand showers




Hand shower 120 3jet EcoSmart

- spray type: Rain, RainAir, Whirl
- convenient spray selection via Select button
- spray disc surface: easy cleanable plastic spray disc
- QuickClean: Limescale deposits can simply be rubbed off with your finger
- maximum flow rate at 3 bar: 8,5 l/min
- rinseable filter washer
- connection thread: G 1/2

Finish	Code no.	RRP (ex GST)	RRP (inc GST)
Brushed Nickel	26531823	282.73	311.00

While stocks last. Run out.

Hand showers




Hand shower 120 3jet EcoSmart PowderRain

- shower head size: 125 mm
- spray type: PowderRain, Rain, Whirl
- convenient spray selection via Select button
- spray disc surface: easy cleanable plastic spray disc
- QuickClean: Limescale deposits can simply be rubbed off with your finger
- maximum flow rate at 3 bar: 9,5 l/min
- with internal water conduction
- rinseable filter washer
- connection thread: G 1/2

Chrome	26037001	226.36	249.00
Brushed Bronze	26037141	282.73	311.00
Brushed Black Chrome	26037341	282.73	311.00
Matt Black	26037671	282.73	311.00
Brushed Nickel	26037821	282.73	311.00



Pulsify Select S hand shower




Hand shower 105 3jet Relaxation

- shower head size: 105 mm
- spray type: PowderRain, IntenseRain, Massage spray
- convenient spray selection via Select button
- spray disc surface: graphite
- maximum flow rate at 3 bar: 9,5 l/min
- with internal water conduction
- rinseable screen insert
- connection thread G 1/2

Finish	Code no.	RRP (ex GST)	RRP (inc GST)
Chrome	24111001	117.27	129.00
Brushed Bronze	24111141	144.55	159.00
Brushed Black Chrome	24111341	144.55	159.00
Matt Black	24111671	144.55	159.00
Brushed Nickel	24111821	144.55	159.00



Pulsify S hand shower




Baton hand shower 100 1jet

- shower head size: 98 x 24 mm
- spray type: PowderRain
- maximum flow rate at 3 bar: 9,5 l/min
- with internal water conduction
- rinseable sieve insert
- connection thread G 1/2

Finish	Code no.	RRP (ex GST)	RRP (inc GST)
Chrome	24125001	126.36	139.00
Brushed Bronze	24125141	158.18	174.00
Brushed Black Chrome	24125341	158.18	174.00
Matt Black	24125671	158.18	174.00
Brushed Nickel	24125821	158.18	174.00



Pulsify E hand shower



Baton hand shower 100 1jet


- shower head size: 98 x 24 mm
- spray type: PowderRain
- maximum flow rate at 3 bar: 8 l/min
- rinseable sieve insert
- connection thread G 1/2
- suitable for continuous flow water heaters

Finish	Code no.	RRP (ex GST)	RRP (inc GST)
Chrome	24320000	152.73	168.00
Brushed Bronze	24320140	190.91	210.00
Matt Black	24320670	190.91	210.00



While stocks last. Run out.

Activera Select S hand shower




Hand shower 95 2jet

- shower head size: 95 mm
- spray type: Rain, ImpactRain
- convenient spray selection via Select button
- spray disc surface: graphite
- FlexPower: nozzles automatically adjust to water pressure by opening and closing
- QuickClean+: avoid limescale deposits thanks to the elasticity of the nozzles
- flow regulator: 8 l/min (with possible tolerances -20 %)
- EasySplit: simplified repair of the product
- rinseable filter washer
- connection thread: G 1/2

Finish	Code no.	RRP (ex GST)	RRP (inc GST)
Chrome	28033003	71.82	79.00
Matt Black	28033673	90.00	99.00
Brushed Nickel	28033823	90.00	99.00



Activera S hand shower




Hand shower 95 1jet

- shower head size: 95 mm
- spray type: Rain
- FlexPower: nozzles automatically adjust to water pressure by opening and closing
- QuickClean+: reduce limescale deposits thanks to the elasticity of the nozzles
- maximum flow rate at 3 bar: 9,5 l/min
- with internal water conduction
- rinseable filter washer
- connection thread: G 1/2

Finish	Code no.	RRP (ex GST)	RRP (inc GST)
Chrome	28031001	44.55	49.00
Matt Black	28031671	56.36	62.00
Brushed Nickel	28031821	56.36	62.00



Crometta hand shower



Hand shower Vario EcoSmart+ 6 l/min


- shower head size: 100 mm
- spray type adjustment by turning spray disc
- spray type: Rain, IntenseRain
- maximum flow rate at 3 bar: 5,7 l/min
- with internal water conduction
- rinseable dirt filter
- connection thread G 1/2
- connection dimension: DN15

Finish	Code no.	RRP (ex GST)	RRP (inc GST)
White/Chrome	26336400	35.45	39.00




While stocks last. Run out.


Hand showers

Furly dog shower		Finish	Code no.	RRP (ex GST)	RRP (inc GST)
	<p>Dogs hand shower 150 3jet Select</p> <ul style="list-style-type: none"> · shower head size: 150 x 63 mm · spray type: fur spray, leg spray, paw spray · convenient diversion via Select button · maximum flow rate at 3 bar: 7,6 l/min · minimum function point for proper function in l/min: 5,7 l/min · minimum flow pressure: 1 bar · elongated, brush-like nozzles (1,5 cm) for thorough cleaning with massage effect · ergonomic design · Water Boost: boost function to increase waterflow when needed · rinseable dirt filter · non-return valve 	Sky Blue	26640540	90.00	99.00
		Pink	26640560	90.00	99.00
		Matt Black	26640670	90.00	99.00
		Matt White	26640700	90.00	99.00
<p>Optional parts:</p> <ul style="list-style-type: none"> · Quick coupling Set 			28346000	19.09	21.00



	<p>Quick coupling Set</p> <ul style="list-style-type: none"> · enables quick and easy changing of hand showers · material: plastic · connection dimension DN15 	28346000	19.09	21.00
---	--	----------	-------	--------------

Sensoflex shower hose





Metal shower hose 160 cm

- metal shower hose
- with plastic coating, easy to clean
- shower hose length: 1.60 m
- pivot connector prevent hose from tangling
- kink-protected
- nuts shower hose: conical nut on both ends

Finish	Code no.	RRP (ex GST)	RRP (inc GST)
Chrome	28136000	90.00	99.00

Designflex textile shower hose



Shower hose 160 cm

- high-quality textile hose with braiding
- shower hose length: 1.60 m
- pivot connector prevents hose from tangling
- kink-protected
- water-resistant and water-repellant material
- yarns are made of recycled PET
- unique design with multi-colored braided yarns
- warm, cotton-like material feels great to the skin
- dishwasher proof up to 60°C
- nuts shower hose: 1x conical nut, 1x cylindrical nut
- connection thread: G 1/2


Finish	Code no.	RRP (ex GST)	RRP (inc GST)
Chrome	28260000	80.91	89.00
Brushed Bronze	28260140	100.91	111.00
Brushed Black Chrome	28260340	100.91	111.00
Matt Black	28260670	100.91	111.00
Brushed Nickel	28260820	100.91	111.00

Alternative sizes:

· Shower hose 125cm	Chrome	28220000	71.82	79.00
	Brushed Bronze	28220140	90.00	99.00
	Brushed Black Chrome	28220340	90.00	99.00
	Matt Black	28220670	90.00	99.00
· Shower hose 200cm	Chrome	28230000	90.00	99.00
	Brushed Bronze	28230140	112.73	124.00
	Brushed Black Chrome	28230340	112.73	124.00
	Matt Black	28230670	112.73	124.00
	Brushed Nickel	28230820	112.73	124.00

Shower hoses, fixfits, porters

Isiflex shower hoses




Shower hose 160 cm

- high-quality shower hose with metal effect
- with plastic coating, easy to clean
- shower hose length: 1.60 m
- pivot connectors prevent hose from tangling
- kink-protected
- nuts shower hose: conical nut on both ends

Finish	Code no.	RRP (ex GST)	RRP (inc GST)
Chrome	28276000	53.64	59.00
Brushed Bronze	28276140	67.27	74.00
Brushed Black Chrome	28276340	67.27	74.00
Matt Black	28276670	67.27	74.00
Brushed Nickel	28276820	67.27	74.00

Alternative sizes:				
· Shower hose 125cm	Chrome	28272000	44.55	49.00
	Brushed Bronze	28272140	55.45	61.00
	Brushed Black Chrome	28272340	55.45	61.00
	Matt Black	28272670	55.45	61.00
	Brushed Nickel	28272820	55.45	61.00
· Shower hose 200cm	Chrome	28274000	62.73	69.00
	Brushed Bronze	28274140	78.18	86.00
	Brushed Black Chrome	28274340	78.18	86.00
	Brushed Nickel	28274820	78.18	86.00


FixFit



FixFit Fine S Wall outlet with non-return valve

- slim, minimalist design
- metal connection angle
- material escutcheon: metal
- with non-return valve
- connection type: G 1/2 male
- **wall connection to be plumbed with female thread**


Finish	Code no.	RRP (ex GST)	RRP (inc GST)
Chrome	28882000	99.09	109.00
Brushed Bronze	28882140	123.64	136.00
Brushed Black Chrome	28882340	123.64	136.00
Matt Black	28882670	123.64	136.00



FixFit Fine E Wall outlet with non-return valve

- slim, minimalist design
- metal connection angle
- material escutcheon: metal
- with non-return valve
- connection type: G 1/2 male
- **wall connection to be plumbed with female thread**

Finish	Code no.	RRP (ex GST)	RRP (inc GST)
Chrome	28883000	99.09	109.00
Brushed Bronze	28883140	123.64	136.00
Brushed Black Chrome	28883340	123.64	136.00
Matt Black	28883670	123.64	136.00




FixFit Fine Q Wall outlet with non-return valve

- slim, minimalist design
- metal connection angle
- material escutcheon: metal
- with non-return valve
- connection type: G 1/2 male
- **wall connection to be plumbed with female thread**

Finish	Code no.	RRP (ex GST)	RRP (inc GST)
Chrome	28884000	99.09	109.00
Brushed Bronze	28884140	123.64	136.00
Brushed Black Chrome	28884340	123.64	136.00
Matt Black	28884670	123.64	136.00


Measurements at scale drawings are in mm.



FixFit S

- 1/2" male/female elbow
- with non return valve
- connection dimension DN15


Chrome	27453003	71.82	79.00
Brushed Bronze	27453143	90.00	99.00
Brushed Black Chrome	27453343	90.00	99.00
Matt Black	27453673	90.00	99.00
Brushed Nickel	27453823	90.00	99.00



FixFit Square

- 1/2" male/female elbow
- with non return valve
- connection dimension DN15
- connection thread G 1/2

Chrome	26455003	27.27	30.00
Brushed Black Chrome	26455343	33.64	37.00
Matt Black	26455673	33.64	37.00



**IMPORTANT NOTE:
MALE CONNECTION
THREAD ON PRODUCT**


Rainfinity FixFit wall outlet porter 500 with shower holder and shelf R

- metal connection angle
- shelf made of safety glass
- surface of the shelf at colour variant -000 = mirror glass, at colour variant -700 = graphite colour, satined
- 500 mm storage shelf
- integrated support function
- plastic connection angle with metal ball joint
- non-return valve
- hose nut: for shower hoses with conical nut on both side
- connection thread G 1/2 **male**
- **wall connection to be plumbed with female thread**

Chrome	26858000	635.45	699.00
Brushed Bronze	26858140	794.55	874.00
Brushed Black Chrome	26858340	794.55	874.00
Matt Black	26858670	794.55	874.00

Required parts:

· Hose connection elbow	93276000	17.27	19.00
-------------------------	----------	-------	--------------



**IMPORTANT NOTE:
MALE CONNECTION
THREAD ON PRODUCT**

Rainfinity FixFit wall outlet porter 500 with shower holder and shelf L













- metal connection angle
- shelf made of safety glass
- surface of the shelf at colour variant -000 = mirror glass, at colour variant -700 = graphite colour, satined
- 500 mm storage shelf
- integrated support function
- plastic connection angle with metal ball joint
- non-return valve
- hose nut: for shower hoses with conical nut on both side
- connection thread G 1/2 **male**
- **wall connection to be plumbed with female thread**

Chrome	26843000	635.45	699.00
Brushed Bronze	26843140	794.55	874.00
Brushed Black Chrome	26843340	794.55	874.00
Matt Black	26843670	794.55	874.00

Required parts:


· Hose connection elbow	93276000	17.27	19.00
-------------------------	----------	-------	--------------

Shower hoses and accessories

Porter	Finish	Code no.	RRP (ex GST)	RRP (inc GST)
 	<p>Shower holder rim mounted</p> <ul style="list-style-type: none"> · 30° angle of handshower · 2000mm metal hose · 32mmØ cut out for tiled surface or bath · maintenance opening/access preferred 	Chrome	28307000	162.73 179.00
  <p>IMPORTANT NOTE: MALE CONNECTION THREAD ON PRODUCT</p>	<p>Wall outlet Q with shower holder</p> <ul style="list-style-type: none"> · consists of: wall connector, escutcheon · version: plastic housing with internal water supply made of plastic · fixed holding position · for all Hansgrohe hand showers except AXOR Starck hand shower · for hoses with conical nut · material: plastic · with non-return valve · connection type: G 1/2 male · wall connection to be plumbed with female thread 	Chrome	26887000	108.18 119.00
  <p>IMPORTANT NOTE: MALE CONNECTION THREAD ON PRODUCT</p>	<p>Wall outlet S with shower holder</p> <ul style="list-style-type: none"> · consists of: wall connector, escutcheon · version: plastic housing with internal water supply made of plastic · fixed holding position · for all Hansgrohe hand showers except AXOR Starck hand shower · for hoses with conical nut · material: plastic · with non-return valve · connection type: G 1/2 male · wall connection to be plumbed with female thread 	Chrome	26888000	108.18 119.00
  <p>IMPORTANT NOTE: MALE CONNECTION THREAD ON PRODUCT</p>	<p>Wall outlet E with shower holder</p> <ul style="list-style-type: none"> · consists of: wall connector, escutcheon · version: plastic housing with internal water supply made of plastic · fixed holding position · for all Hansgrohe hand showers except AXOR Starck hand shower · for hoses with conical nut · material: plastic · with non-return valve · connection type: G 1/2 male · wall connection to be plumbed with female thread 	Chrome	26889000	108.18 119.00
 	<p>Shower holder Porter S</p> <ul style="list-style-type: none"> · fixed holding position · for hoses with conical nut · scope of supply: shower holder, mounting material, assembly instruction 	Chrome	28331000	44.55 49.00
 	<p>Rainfinity Shower holder Porter E</p> <ul style="list-style-type: none"> · fixed holding position · for hoses with conical nut 	Chrome	28387000	90.00 99.00

Measurements at scale drawings are in mm.

Duoturn S mixers



Mixer for concealed installation for 1 functions


- 1 function
- volume control for 1 function
- maximum flow rate at 3 bar: 26 l/min
- ceramic cartridge for temperature control, 1/2" ceramic shut-off valve
- easy installation due to pre-assembled function block
- handles always at the same height regardless of the installation depth of the basic set
- escutcheon can be aligned by +/- 3°
- material escutcheon: plastic
- material handles: metal
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar
- mixer is delivered with button hand shower
- connection type: basic set iBox universal 2

Finish	Code no.	RRP (ex GST)	RRP (inc GST)
Chrome	75618003	462.73	509.00
Brushed Bronze	75618143	578.18	636.00
Brushed Black Chrome	75618343	578.18	636.00
Matt Black	75618673	578.18	636.00
Brushed Nickel	75618823	578.18	636.00



Required parts:

· iBox universal 2 Basic set	01500180	172.73	190.00
------------------------------	----------	--------	---------------



Mixer for concealed installation for 2 functions

- 2 functions
- volume control and diverter for 2 functions
- maximum flow rate at 3 bar: 31 l/min
- ceramic cartridge for temperature control, shut-off/ diverter valve
- easy installation due to pre-assembled function block
- handles always at the same height regardless of the installation depth of the basic set
- escutcheon can be aligned by +/- 3°
- material escutcheon: plastic
- material handles: metal
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar
- mixer is delivered with buttons Rain small, Rain large, hand shower, Waterfall, bath tub
- connection type: basic set iBox universal 2

Chrome	75418003	490.00	539.00
Brushed Bronze	75418143	612.73	674.00
Brushed Black Chrome	75418343	612.73	674.00
Matt Black	75418673	612.73	674.00
Brushed Nickel	75418823	612.73	674.00




Required parts:

· iBox universal 2 Basic set	01500180	172.73	190.00
------------------------------	----------	--------	---------------

Thermostatic mixers / valves

ShowerSelect Comfort S thermostats



Thermostat for concealed installation for 1 function set


- 1 function
- comfortable turning on / off of one outlet with large Select-paddle
- water flow control with stop function
- thermostat cartridge, Start/stop valve to operate the functions
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar
- flat escutcheon for more space in the shower
- escutcheon can be aligned by $\pm 3^\circ$
- easy installation due to pre-assembled function block
- handles always at the same height regardless of the installation depth of the basic set
- Safety stop at 40 °C
- temperature limitation adjustable
- the thermostat offers the possibility for thermal disinfection
- material button: metal
- material handles: metal
- connection type: basic set iBox universal 2
- thermostat is delivered with button On/Off

Finish	Code no.	RRP (ex GST)	RRP (inc GST)
Chrome	15553003	817.27	899.00
Brushed Bronze	15553143	1,021.82	1,124.00
Brushed Black Chrome	15553343	1,021.82	1,124.00
Matt Black	15553673	1,021.82	1,124.00
Brushed Nickel	15553823	1,021.82	1,124.00



Required parts:

- iBox universal 2 Basic set 01500180 172.73 **190.00**



Thermostat for concealed installation for 2 functions

- 2 functions
- simultaneous use of several outlets
- comfortable turning on / off of outlets with large Select-paddle
- water flow control with stop function
- thermostat cartridge, Start/stop valve to operate the functions
- maximum flow rate at 1 bar: 12,7 l/min
- maximum flow rate at 3 bar: 22,1 l/min
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar
- escutcheon can be aligned by $\pm 3^\circ$
- easy installation due to pre-assembled function block
- handles always at the same height regardless of the installation depth of the basic set
- Safety stop at 40 °C
- temperature limitation adjustable
- the thermostat offers the possibility for thermal disinfection
- material button: metal
- material handles: metal
- connection type: basic set iBox universal 2
- thermostat is delivered with buttons Rain small, Rain large, hand shower, Waterfall, bath tub


Finish	Code no.	RRP (ex GST)	RRP (inc GST)
Chrome	15554003	908.18	999.00
Brushed Bronze	15554143	1,135.45	1,249.00
Brushed Black Chrome	15554343	1,135.45	1,249.00
Matt Black	15554673	1,135.45	1,249.00
Brushed Nickel	15554823	1,135.45	1,249.00



Required parts:

- iBox universal 2 Basic set 01500180 172.73 **190.00**

Measurements at scale drawings are in mm.



Valve for concealed installation for 3 functions


- 3 functions
- simultaneous use of several outlets
- comfortable turning on / off of outlets with large Select-paddle
- Start/stop valve to operate the functions
- flow rate upper outlet: 26 l/min
- flow rate lower outlet: 26 l/min
- min. operating pressure: 1 bar
- escutcheon can be aligned by +/- 3°
- easy installation due to pre-assembled function block
- valve is delivered with buttons Rain small, Rain large, hand sower, Waterfall, bath tub

Chrome	15558003	635.45	699.00
Brushed Bronze	15558143	794.55	874.00
Brushed Black Chrome	15558343	794.55	874.00
Matt Black	15558673	794.55	874.00
Brushed Nickel	15558823	794.55	874.00



Required parts:

· iBox universal 2 Basic set	01500180	172.73	190.00
------------------------------	----------	--------	---------------



Thermostat for concealed installation

- 1 function
- temperature and water flow control
- water flow control with stop function
- thermostat cartridge
- maximum flow rate at 1 bar: 19,5 l/min
- flow rate upper outlet: 32 l/min
- flow rate lower outlet: 32 l/min
- flow rate by simultaneous use of all outlets: 34,8 l/min
- maximum flow rate at 3 bar: 34,8 l/min
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar
- escutcheon can be aligned by +/- 3°
- easy installation due to pre-assembled function block
- handles always at the same height regardless of the installation depth of the basic set
- Safety stop at 40 °C
- temperature limitation adjustable
- the thermostat offers the possibility for thermal disinfection
- material handles: metal
- connection type: basic set iBox universal 2


Chrome	15559003	635.45	699.00
Brushed Bronze	15559143	794.55	874.00
Brushed Black Chrome	15559343	794.55	874.00
Matt Black	15559673	794.55	874.00
Brushed Nickel	15559823	794.55	874.00



Required parts:

· iBox universal 2 Basic set	01500180	172.73	190.00
------------------------------	----------	--------	---------------

Thermostatic mixers / valves



Thermostat for concealed installation for 1 function and additional outlet

- 1 function
- comfortable turning on / off of one outlet with large Select-paddle
- water flow control with stop function
- thermostat cartridge, Start/stop valve to operate the functions
- flow rate upper outlet: 22 l/min
- flow rate lower outlet: 28 l/min
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar
- flat escutcheon for more space in the shower
- escutcheon can be aligned by +/- 3°
- easy installation due to pre-assembled function block
- handles always at the same height regardless of the installation depth of the basic set
- Safety stop at 40 °C
- temperature limitation adjustable
- the thermostat offers the possibility for thermal disinfection
- material button: metal
- material handles: metal
- connection type: basic set iBox universal 2
- thermostat is delivered with button On/Off


Chrome	15562003	817.27	899.00
Brushed Bronze	15562143	1,021.82	1,124.00
Brushed Black Chrome	15562343	1,021.82	1,124.00
Matt Black	15562673	1,021.82	1,124.00
Brushed Nickel	15562823	1,021.82	1,124.00



Required parts:

- iBox universal 2 Basic set 01500180 172.73 **190.00**

ShowerSelect Comfort E thermostats



Thermostat for concealed installation for 1 function

- simultaneous use of several outlets
- 1 function
- comfortable turning on / off of one outlet with large Select-paddle
- water flow control with stop function
- thermostat cartridge, Start/stop valve to operate the functions
- maximum flow rate at 1 bar: 10,8 l/min
- maximum flow rate at 3 bar: 20,3 l/min
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar
- flat escutcheon for more space in the shower
- escutcheon can be aligned by +/- 3°
- easy installation due to pre-assembled function block
- handles always at the same height regardless of the installation depth of the basic set
- Safety stop at 40 °C
- temperature limitation adjustable
- the thermostat offers the possibility for thermal disinfection
- material button: metal
- material handles: metal
- connection type: basic set


Finish	Code no.	RRP (ex GST)	RRP (inc GST)
Chrome	15571003	817.27	899.00
Brushed Bronze	15571143	1,021.82	1,124.00
Brushed Black Chrome	15571343	1,021.82	1,124.00
Matt Black	15571673	1,021.82	1,124.00
Brushed Nickel	15571823	1,021.82	1,124.00



Required parts:

- iBox universal 2 Basic set 01500180 172.73 **190.00**

Measurements at scale drawings are in mm.



Thermostat for concealed installation for 2 functions


- 2 functions
- simultaneous use of several outlets
- comfortable turning on / off of outlets with large Select-paddle
- water flow control with stop function
- thermostat cartridge, Start/stop valve to operate the functions
- maximum flow rate at 1 bar: 12,7 l/min
- maximum flow rate at 3 bar: 22,1 l/min
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar
- flat escutcheon for more space in the shower
- escutcheon can be aligned by +/- 3°
- easy installation due to pre-assembled function block
- handles always at the same height regardless of the installation depth of the basic set
- Safety stop at 40 °C
- temperature limitation adjustable
- the thermostat offers the possibility for thermal disinfection
- material button: metal
- material handles: metal
- connection type: basic set iBox universal 2
- thermostat is delivered with buttons Rain small, Rain large, hand shower, Waterfall, bath tub

Chrome	15572003	908.18	999.00
Brushed Bronze	15572143	1,135.45	1,249.00
Brushed Black Chrome	15572343	1,135.45	1,249.00
Matt Black	15572673	1,135.45	1,249.00
Brushed Nickel	15572823	1,135.45	1,249.00



Required parts:

· iBox universal 2 Basic set	01500180	172.73	190.00
------------------------------	----------	--------	---------------



Valve for concealed installation for 3 functions

- 3 functions
- simultaneous use of several outlets
- comfortable turning on / off of outlets with large Select-paddle
- Start/stop valve to operate the functions
- flow rate upper outlet: 26 l/min
- flow rate lower outlet: 26 l/min
- maximum flow rate at 3 bar: 32 l/min
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar
- escutcheon can be aligned by +/- 3°
- easy installation due to pre-assembled function block
- flat escutcheon for more space in the shower
- valve is delivered with buttons Rain small, Rain large, hand shower, Waterfall, bath tub
- material button: metal



Chrome	15573003	635.45	699.00
Brushed Bronze	15573143	794.55	874.00
Brushed Black Chrome	15573343	794.55	874.00
Matt Black	15573673	794.55	874.00
Brushed Nickel	15573823	794.55	874.00



Required parts:

· iBox universal 2 Basic set	01500180	172.73	190.00
------------------------------	----------	--------	---------------

Thermostatic mixers / valves



Thermostat for concealed installation


- 1 function
- temperature and water flow control
- thermostat cartridge
- maximum flow rate at 1 bar: 19,5 l/min
- flow rate upper outlet: 32 l/min
- flow rate lower outlet: 32 l/min
- flow rate by simultaneous use of all outlets: 34,8 l/min
- maximum flow rate at 3 bar: 34,8 l/min
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar
- flat escutcheon for more space in the shower
- escutcheon can be aligned by +/- 3°
- easy installation due to pre-assembled function block
- handles always at the same height regardless of the installation depth of the basic set
- Safety stop at 40 °C
- temperature limitation adjustable
- the thermostat offers the possibility for thermal disinfection
- material handles: metal
- connection type: basic set iBox universal 2

Chrome	15574003	635.45	699.00
Brushed Bronze	15574143	794.55	874.00
Brushed Black Chrome	15574343	794.55	874.00
Matt Black	15574673	794.55	874.00
Brushed Nickel	15574823	794.55	874.00



Required parts:

· iBox universal 2 Basic set	01500180	172.73	190.00
------------------------------	----------	--------	---------------



Thermostat for concealed installation for 1 function and additional outlet

- 1 function and 1 additional outlet
- comfortable turning on / off of one outlet with large Select-paddle
- water flow control with stop function
- thermostat cartridge, Start/stop valve to operate the functions
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar
- flat escutcheon for more space in the shower
- escutcheon can be aligned by +/- 3°
- easy installation due to pre-assembled function block
- handles always at the same height regardless of the installation depth of the basic set
- Safety stop at 40 °C
- temperature limitation adjustable
- the thermostat offers the possibility for thermal disinfection
- material button: metal
- material handles: metal
- connection type: basic set iBox universal 2
- thermostat is delivered with button On/Off


Chrome	15575003	817.27	899.00
Brushed Bronze	15575143	1,021.82	1,124.00
Brushed Black Chrome	15575343	1,021.82	1,124.00
Matt Black	15575673	1,021.82	1,124.00
Brushed Nickel	15575823	1,021.82	1,124.00



Required parts:

· iBox universal 2 Basic set	01500180	172.73	190.00
------------------------------	----------	--------	---------------

RainSelect thermostats



RainSelect Thermostat for concealed installation for 2 functions


- 2 functions
- simultaneous use of several outlets
- Select push-button on/off control for 2 outlets
- depending on volume flow and installation situation approx. 50% flow rate reduction and integrated shut off function
- thermostat cartridge, Start/stop valve to operate the functions
- flow rate per outlet: 26 l/min
- flow rate by simultaneous use of all outlets: 38 l/min
- maximum flow rate at 3 bar: 38 l/min
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar
- safety stop at 40° C
- temperature limitation adjustable
- non-return valve
- connection type: basic set
- thermostat is delivered with buttons handshower and PowderRain

Finish	Code no.	RRP (ex GST)	RRP (inc GST)
Chrome	15380000	908.18	999.00
Brushed Bronze	15380140	1,135.45	1,249.00
Brushed Black Chrome	15380340	1,135.45	1,249.00
Matt Black	15380670	1,135.45	1,249.00



Required parts:


· Basic set for 2 functions	15310180	817.27	899.00
-----------------------------	----------	--------	---------------



Basic set for 2 functions

- 2 outlets
- connection thread Rp 3/4
- installation depth: 87 - 122 mm
- horizontal installation
- sound-decoupled installation
- connection dimension: DN15/ DN20

15310180	817.27	899.00
----------	--------	---------------



RainSelect Thermostat for concealed installation for 3 functions

- 3 functions
- simultaneous use of several outlets
- Select push-button on/off control for 3 functions
- depending on volume flow and installation situation approx. 50% flow rate reduction and integrated shut off function
- thermostat cartridge, Start/stop valve to operate the functions
- flow rate per outlet: 26 l/min
- flow rate by simultaneous use of all outlets: 38 l/min
- maximum flow rate at 3 bar: 38 l/min
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar
- safety stop at 40° C
- temperature limitation adjustable
- non-return valve
- connection type: basic set
- thermostat is delivered with buttons handshower, PowderRain, shoulder shower


Chrome	15381000	1,090.00	1,199.00
Brushed Bronze	15381140	1,362.73	1,499.00
Brushed Black Chrome	15381340	1,362.73	1,499.00
Matt Black	15381670	1,362.73	1,499.00



Required parts:

· Basic set for 3 functions	15311180	999.09	1,099.00
-----------------------------	----------	--------	-----------------


Thermostatic mixers / valves



Basic set for 3 functions

- 3 outlets
- connection thread Rp 3/4
- installation depth: 87 - 122 mm
- horizontal installation
- sound-decoupled installation
- connection dimension: DN15/ DN20

15311180 999.09 **1,099.00**



RainSelect Thermostat for concealed installation for 4 functions

- 4 functions
- simultaneous use of several outlets
- Select push-button on/off control for 4 functions
- depending on volume flow and installation situation approx. 50% flow rate reduction and integrated shut off function
- thermostat cartridge, Start/stop valve to operate the functions
- flow rate per outlet: 26 l/min
- flow rate by simultaneous use of all outlets: 38 l/min
- maximum flow rate at 3 bar: 38 l/min
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar
- safety stop at 40° C
- temperature limitation adjustable
- non-return valve
- connection type: basic set
- thermostat is delivered with buttons handshower, PowderRain, Waterfall, Rain large


Chrome	15382000	1,271.82	1,399.00
Brushed Bronze	15382140	1,590.00	1,749.00
Brushed Black Chrome	15382340	1,590.00	1,749.00
Matt Black	15382670	1,590.00	1,749.00



Required parts:

- Basic set for 4 functions


15312180 1,180.91 **1,299.00**



Basic set for 4 functions

- 4 outlets
- connection thread Rp 3/4
- installation depth: 87 - 122 mm
- horizontal installation
- sound-decoupled installation
- connection dimension: DN15/ DN20

15312180 1,180.91 **1,299.00**



RainSelect Thermostat for concealed installation for 5 functions


- 5 functions
- simultaneous use of several outlets
- Select push-button on/off control for 5 functions
- depending on volume flow and installation situation approx. 50% flow rate reduction and integrated shut off function
- thermostat cartridge, Start/stop valve to operate the functions
- flow rate of hand shower at 3 bar: 16,7 l/min
- flow rate by simultaneous use of all outlets: 38 l/min
- maximum flow rate at 3 bar: 38 l/min
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar
- safety stop at 40° C
- temperature limitation adjustable
- non-return valve
- connection type: basic set
- thermostat is delivered with buttons handshower, PowderRain, Waterfall, Rain large, shoulder shower

Chrome	15384000	1,453.64	1,599.00
Brushed Bronze	15384140	1,817.27	1,999.00
Brushed Black Chrome	15384340	1,817.27	1,999.00
Matt Black	15384670	1,817.27	1,999.00



Required parts:

- Basic set for 5 functions 15313180 1,362.73 **1,499.00**




Basic set for 5 functions

- 5 outlets
- connection thread Rp 3/4
- installation depth: 87 - 122 mm
- horizontal installation
- sound-decoupled installation
- connection dimension: DN15/ DN20

15313180	1,362.73	1,499.00
----------	----------	-----------------

Vivenis basin




Single lever basin mixer 110 without waste set

- ComfortZone 110
- projection 146 mm
- spray type: WaterfallStream
- maximum flow rate at 3 bar: 5 l/min
- ceramic cartridge
- temperature limitation adjustable
- suitable for continuous flow water heaters
- connection type: G 1/2 connections
- connection dimension: DN15

Finish	Code no.	RRP (ex GST)	RRP (inc GST)
Chrome	75024003	453.64	499.00
Brushed Bronze	75024143	515.45	567.00
Brushed Black Chrome	75024343	515.45	567.00
Matt Black	75024673	515.45	567.00
Brushed Nickel	75024823	515.45	567.00



LEAD FREE




Single lever basin mixer 250 without waste set

- ComfortZone 250
- projection 191 mm
- spray type: WaterfallStream
- ceramic cartridge
- temperature limitation adjustable
- suitable for continuous flow water heaters
- connection type: G 1/2 connections
- connection dimension: DN15

Finish	Code no.	RRP (ex GST)	RRP (inc GST)
Chrome	75045003	627.27	690.00
Brushed Bronze	75045143	712.73	784.00
Brushed Black Chrome	75045343	712.73	784.00
Matt Black	75045673	712.73	784.00
Brushed Nickel	75045823	712.73	784.00



LEAD FREE



Single lever basin mixer for concealed installation wall-mounted with spout 19,2 cm

- consists of: single lever basin mixer for concealed installation wall-mounted, waste set
- projection 192 mm
- spray type: WaterfallStream
- maximum flow rate at 3 bar: 5 l/min
- ceramic cartridge
- temperature limitation adjustable
- suitable for continuous flow water heaters
- non-closing waste set
- material waste set: metal
- connection type: basic set
- connection dimension: DN15
- handle can be positioned on the right or left, depends on the basic set installation
- <0.25% lead as per Lead Free Watermark certification

Finish	Code no.	RRP (ex GST)	RRP (inc GST)
Chrome	75050003	445.45	490.00
Brushed Bronze	75050143	557.27	613.00
Brushed Black Chrome	75050343	557.27	613.00
Matt Black	75050673	557.27	613.00
Brushed Nickel	75050823	557.27	613.00




LEAD FREE



Required parts:

- Basic set for single lever basin mixer for concealed installation wall-mounted 13622180 204.55 **225.00**

Vivenis bath



Single lever bath mixer for concealed installation


- 2 functions
- connection type: basic set
- flow rate upper outlet: 21 l/min
- flow rate lower outlet: 29 l/min
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar
- ceramic cartridge
- temperature limitation adjustable
- diverter with automatic resetting
- with silencer

Required parts:

- Basic set iBox universal 2
- Adapter plate for iBox universal 2

Finish	Code no.	RRP (ex GST)	RRP (inc GST)
Chrome	75415003	427.27	470.00
Brushed Bronze	75415143	485.45	534.00
Brushed Black Chrome	75415343	485.45	534.00
Matt Black	75415673	485.45	534.00
Brushed Nickel	75415823	485.45	534.00

01500180	172.73	190.00
13588000	18.18	20.00



Single lever bath mixer floor-standing

- consists of: single lever bath mixer floor standing, baton hand shower, shower hose, shower holder
- 2 functions
- connection type: basic set
- spray type mixer: WaterfallStream
- spray type hand shower: Rain, Mono
- maximum flow rate at 3 bar: 22,2 l/min
- flow rate for bath spout at 3 bar: 22,2 l/min
- flow rate of hand shower at 3 bar: 6,2 l/min
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar
- ceramic cartridge
- temperature limitation adjustable
- diverter with automatic resetting
- non-return valve
- connection dimension: DN15


Required parts:

- Basic set for bath mixer floor-standing

75445009	3,635.45	3,999.00
75445149	4,130.91	4,544.00
75445349	4,130.91	4,544.00
75445679	4,130.91	4,544.00
75445829	4,130.91	4,544.00



10452180	908.18	999.00
----------	--------	---------------




IMPORTANT NOTE:
MALE CONNECTION
THREAD ON PRODUCT

Bath spout

- 1 function
- connection type: G 1/2 male connection
- with escutcheon
- projection 202 mm
- wall-mounted
- maximum flow rate at 3 bar: 24,3 l/min
- spray type: WaterfallStream

75410000	290.91	320.00
75410140	362.73	399.00
75410340	362.73	399.00
75410670	362.73	399.00

Vivenis shower




Single lever shower mixer for concealed installation

- 1 function
- connection type: basic set
- maximum flow rate at 3 bar: 23 l/min
- ceramic cartridge
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar
- temperature limitation adjustable
- with silencer

Finish	Code no.	RRP (ex GST)	RRP (inc GST)
Chrome	75615003	471.82	519.00
Brushed Bronze	75615143	536.36	590.00
Brushed Black Chrome	75615343	536.36	590.00
Matt Black	75615673	536.36	590.00
Brushed Nickel	75615823	536.36	590.00

Required parts:

· Basic set iBox universal 2	01500180	172.73	190.00
· Adapter plate for iBox universal 2	13588000	18.18	20.00



Single lever shower mixer for concealed installation


- 1 function
- connection type: basic set
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar
- scope of supply: handle, sleeve, escutcheon Ø 110 mm

Chrome	75616003	190.00	209.00
Brushed Bronze	75616143	216.36	238.00
Brushed Black Chrome	75616343	216.36	238.00
Matt Black	75616673	216.36	238.00
Brushed Nickel	75616823	216.36	238.00

Required parts:

· Basic set for single lever shower mixer for concealed installation	13620180	181.82	200.00
--	----------	--------	---------------

Tecturis S basin




Single lever basin mixer 80 EcoSmart+ without waste set LF

- ComfortZone: 80
- projection: 108 mm
- spout height: 80 mm
- maximum flow rate at 3 bar: 4 l/min
- ceramic cartridge
- temperature limitation adjustable
- connection type: G 1/2 connections
- connection dimension: DN15
- <0.25% lead as per Lead Free Watermark certification

Finish	Code no.	RRP (ex GST)	RRP (inc GST)
Chrome	73380003	362.73	399.00
Brushed Bronze	73380143	453.64	499.00
Brushed Black Chrome	73380343	453.64	499.00
Matt Black	73380673	453.64	499.00
Brushed Nickel	73380823	453.64	499.00



LEAD FREE




Single lever basin mixer 110 Ecosmart+ without waste set LF

- ComfortZone: 110
- projection: 116 mm
- spout height: 105 mm
- maximum flow rate at 3 bar: 4 l/min
- ceramic cartridge
- temperature limitation adjustable
- connection type: G 1/2 connections
- connection dimension: DN15
- <0.25% lead as per Lead Free Watermark certification

Chrome	73381003	387.27	426.00
Brushed Bronze	73381143	484.55	533.00
Brushed Black Chrome	73381343	484.55	533.00
Matt Black	73381673	484.55	533.00
Brushed Nickel	73381823	484.55	533.00



LEAD FREE



Single lever basin mixer for concealed installation wall-mounted with spout 22,5cm LF

- projection: 225 mm
- maximum flow rate at 3 bar: 4 l/min
- ceramic cartridge
- temperature limitation adjustable
- non-closing waste set
- material waste set: metal
- connection type: basic set
- connection dimension: DN15
- handle can be positioned on the right or left, depending on the basic set installation
- <0.25% lead as per Lead Free Watermark certification

Chrome	73351003	381.82	420.00
Brushed Bronze	73351143	477.27	525.00
Brushed Black Chrome	73351343	477.27	525.00
Matt Black	73351673	477.27	525.00
Brushed Nickel	73351823	477.27	525.00




LEAD FREE



Required parts:

- Basic set for single lever basin mixer for concealed installation wall-mounted 13622180 204.55 **225.00**

Tecturis S bath



Single lever bath mixer floor-standing


- 2 functions
- projection: 194 mm
- spray type mixer: normal spray
- maximum flow rate at 3 bar: 21 l/min
- flow rate of hand shower at 3 bar: 7,5 l/min
- ceramic cartridge
- pressure diverter Select with automatic resetting
- non-return valve
- connection dimension: DN15
- connection type: basic set
- deck mounted
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar
- no additional maintenance opening required
- spray type hand shower: Rain, MonoRain

Finish	Code no.	RRP (ex GST)	RRP (inc GST)
Chrome	73440003	3,180.91	3,499.00
Brushed Bronze	73440143	3,976.36	4,374.00
Brushed Black Chrome	73440343	3,976.36	4,374.00
Matt Black	73440673	3,976.36	4,374.00
Brushed Nickel	73440823	3,976.36	4,374.00



Required parts:

· Basic set for bath mixer floor-standing	10452180	908.18	999.00
---	----------	--------	---------------




IMPORTANT NOTE:
MALE CONNECTION
THREAD ON PRODUCT

Bath Spout

- connection type: G 1/2 male connection
- with escutcheon
- projection: 198 mm
- wall-mounted
- maximum flow rate at 3 bar: 22,5 l/min
- connection dimension: DN15
- spray type: normal spray

Chrome	73411000	271.82	299.00
Brushed Bronze	73411140	340.00	374.00
Brushed Black Chrome	73411340	340.00	374.00
Matt Black	73411670	340.00	374.00

Tecturis S shower




Single lever shower mixer

- 1 function
- maximum flow rate at 3 bar: 28,7 l/min
- maximum flow rate at 1 bar: 16,9 l/min
- temperature limitation adjustable
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar
- connection type: basic set

Finish	Code no.	RRP (ex GST)	RRP (inc GST)
Chrome	73605003	177.27	195.00
Brushed Bronze	73605143	221.82	244.00
Brushed Black Chrome	73605343	221.82	244.00
Matt Black	73605673	221.82	244.00
Brushed Nickel	73605823	221.82	244.00

Required parts:

· Basic set for single lever shower mixer	13620180	181.82	200.00
---	----------	--------	---------------



DuoTurn S Mixer for concealed installation for 2 functions


- 2 functions
- volume control and diverter for 2 functions
- maximum flow rate at 3 bar: 31 l/min
- ceramic cartridge for temperature control, shut-off/ diverter valve
- easy installation due to pre-assembled function block
- handles always at the same height regardless of the installation depth of the basic set
- escutcheon can be aligned by $\pm 3^\circ$
- material escutcheon: plastic
- material handles: metal
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar
- mixer is delivered with buttons Rain small, Rain large, hand shower, Waterfall, bath tub
- connection type: basic set iBox universal 2

Chrome	75418003	490.00	539.00
Brushed Bronze	75418143	612.73	674.00
Brushed Black Chrome	75418343	612.73	674.00
Matt Black	75418673	612.73	674.00
Brushed Nickel	75418823	612.73	674.00



Required parts:

· iBox universal 2 Basic set	01500180	172.73	190.00
------------------------------	----------	--------	---------------



DuoTurn S Mixer for concealed installation for 1 functions

- 1 function
- volume control for 1 function
- maximum flow rate at 3 bar: 26 l/min
- ceramic cartridge for temperature control, 1/2" ceramic shut-off valve
- easy installation due to pre-assembled function block
- handles always at the same height regardless of the installation depth of the basic set
- escutcheon can be aligned by $\pm 3^\circ$
- material escutcheon: plastic
- material handles: metal
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar
- mixer is delivered with button hand shower
- connection type: basic set iBox universal 2


Chrome	75618003	462.73	509.00
Brushed Bronze	75618143	578.18	636.00
Brushed Black Chrome	75618343	578.18	636.00
Matt Black	75618673	578.18	636.00
Brushed Nickel	75618823	578.18	636.00



Required parts:

· iBox universal 2 Basic set	01500180	172.73	190.00
------------------------------	----------	--------	---------------

Rebris S basin




Single lever basin mixer 80 without waste set

- ComfortZone 80
- projection: 121 mm
- spray type: normal spray
- ceramic cartridge
- temperature limitation adjustable
- suitable for continuous flow water heaters
- connection type: G ½ connections
- connection dimension: DN15

Finish	Code no.	RRP (ex GST)	RRP (inc GST)
Chrome	72512003	235.45	259.00
Brushed Bronze	72512143	294.55	324.00
Brushed Black Chrome	72512343	294.55	324.00
Matt Black	72512673	294.55	324.00
Brushed Nickel	72512823	294.55	324.00



LEAD FREE




Single lever basin mixer 110 without waste set LF

- ComfortZone 110
- projection: 133 mm
- spray type: normal spray
- ceramic cartridge
- temperature limitation adjustable
- suitable for continuous flow water heaters
- connection type: G ½ connections
- connection dimension: DN15
- <0.25% lead as per Lead Free Watermark certification

Finish	Code no.	RRP (ex GST)	RRP (inc GST)
Chrome	72518003	308.18	339.00
Brushed Bronze	72518143	385.45	424.00
Brushed Black Chrome	72518343	385.45	424.00
Matt Black	72518673	385.45	424.00
Brushed Nickel	72518823	385.45	424.00



LEAD FREE



Single lever basin mixer 240 without waste set LF



- ComfortZone 240
- projection: 169 mm
- spray type: normal spray
- ceramic cartridge
- temperature limitation adjustable
- suitable for continuous flow water heaters
- connection type: G ½ connections
- connection dimension: DN15
- <0.25% lead as per Lead Free Watermark certification

Finish	Code no.	RRP (ex GST)	RRP (inc GST)
Chrome	72524003	453.64	499.00
Brushed Bronze	72524143	476.36	524.00
Brushed Black Chrome	72524343	476.36	524.00
Matt Black	72524673	476.36	524.00
Brushed Nickel	72524823	476.36	524.00



LEAD FREE





- Single lever basin mixer for concealed installation wall-mounted with spout 20,5 cm**
- consists of: single lever basin mixer for concealed installation wall-mounted, waste set
 - projection: 205 mm
 - spray type: normal spray
 - maximum flow rate at 3 bar: 5 l/min
 - ceramic cartridge
 - temperature limitation adjustable
 - suitable for continuous flow water heaters
 - non-closing waste set
 - material waste set: metal
 - connection type: basic set
 - connection dimension: DN15
 - handle can be positioned on the right or left, depends on the basic set installation
 - <0.25% lead as per Lead Free Watermark certification

Chrome	72528003	340.00	374.00
Brushed Bronze	72528143	476.36	524.00
Brushed Black Chrome	72528343	476.36	524.00
Matt Black	72528673	476.36	524.00
Brushed Nickel	72528823	476.36	524.00




LEAD FREE



Required parts:

· Basic set for single lever basin mixer for concealed installation wall-mounted	13622180	204.55	225.00
--	----------	--------	---------------

Rebris S bath





- Single lever bath mixer for concealed installation for iBox universal**
- 2 functions
 - connection type: basic set
 - min. operating pressure: 1 bar
 - max. operating pressure: 10 bar
 - ceramic cartridge
 - temperature limitation adjustable
 - diverter with automatic resetting
 - with silencer

Finish	Code no.	RRP (ex GST)	RRP (inc GST)
Chrome	72466003	240.00	264.00
Brushed Bronze	72466143	300.00	330.00
Brushed Black Chrome	72466343	300.00	330.00
Matt Black	72466673	300.00	330.00
Brushed Nickel	72466823	300.00	330.00

Required parts:

· Basic set iBox universal 2	01500180	172.73	190.00
· Adapter plate for iBox universal 2	13588000	18.18	20.00




- Bath spout**
- connection type: G 1/2
 - with escutcheon
 - projection 200 mm
 - wall-mounted
 - maximum flow rate at 3 bar: 22,2 l/min
 - spray type: normal spray

Chrome	72430000	180.91	199.00
Matt Black	72430670	226.36	249.00

Rebris S

Rebris S shower




Single lever shower mixer for concealed installation for iBox universal

- 1 function
- connection type: basic set
- ceramic cartridge
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar
- temperature limitation adjustable with silencer

Finish	Code no.	RRP (ex GST)	RRP (inc GST)
Chrome	72667003	342.73	377.00
Brushed Bronze	72667143	426.36	469.00
Brushed Black Chrome	72667343	426.36	469.00
Matt Black	72667673	426.36	469.00
Brushed Nickel	72667823	426.36	469.00

Required parts:

· Basic set iBox universal 2	01500180	172.73	190.00
· Adapter plate for iBox universal 2	13588000	18.18	20.00



Single lever shower mixer for concealed installation


- 1 function
- maximum flow rate at 3 bar: 28,7 l/min
- connection type: basic set
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar

Chrome	72649000	112.73	124.00
Brushed Bronze	72649140	140.91	155.00
Brushed Black Chrome	72649340	140.91	155.00
Matt Black	72649670	140.91	155.00
Brushed Nickel	72649820	140.91	155.00

Required parts:

· Basic set for single lever shower Mixer for concealed installation	13620180	181.82	200.00
--	----------	--------	---------------

Zesis S basin




Single lever basin mixer 100 CoolStart without waste set LF

- ComfortZone: 100
- projection: 115 mm
- spout height: 104 mm
- spray type: normal spray
- ceramic cartridge
- temperature limitation adjustable
- connection type: G 1/2 connections
- connection dimension: DN15
- <0.25% lead as per Lead Free Watermark certification

Finish	Code no.	RRP (ex GST)	RRP (inc GST)
Chrome	74721003	313.64	345.00
Brushed Bronze	74721143	391.82	431.00
Brushed Black Chrome	74721343	391.82	431.00
Matt Black	74721673	391.82	431.00
Brushed Nickel	74721823	391.82	431.00



LEAD FREE




Single lever basin mixer 230 CoolStart without waste set LF

- ComfortZone: 230
- projection: 178 mm
- spout height: 233 mm
- spray type: normal spray
- maximum flow rate at 3 bar: 4 l/min
- ceramic cartridge
- suitable for continuous flow water heaters
- connection type: G 1/2 connections
- connection dimension: DN15
- <0.25% lead as per Lead Free Watermark certification

Chrome	74731003	499.09	549.00
Brushed Bronze	74731143	623.64	686.00
Brushed Black Chrome	74731343	623.64	686.00
Matt Black	74731673	623.64	686.00
Brushed Nickel	74731823	623.64	686.00



LEAD FREE



Single lever basin mixer 210 CoolStart with swivel spout

- ComfortZone: 210
- projection: 142 mm
- spout height: 210 mm
- handle variant: lever handle
- swivel range adjustable in 2 steps to 110° or fixed stop
- spray type: normal spray
- maximum flow rate at 3 bar: 4 l/min
- ceramic cartridge
- suitable for continuous flow water heaters
- connection type: G 3/8 hose connections
- connection dimension: DN15
- cold water in basic handle position
- <0.25% lead as per Lead Free Watermark certification

Chrome	74741000	453.64	499.00
Matt Black	74741670	567.27	624.00




LEAD FREE



Required parts:

· Adaptor G 3/8 to G 1/2 (Units:1)	93395000	7.27	8.00
------------------------------------	----------	------	-------------



Single lever basin mixer for concealed installation wall-mounted with spout 19,2 cm LF

- projection: 194 mm
- maximum flow rate at 3 bar: 4 l/min
- ceramic cartridge
- temperature limitation adjustable
- non-closing waste set
- material waste set: synthetic
- connection type: basic set
- connection dimension: DN15
- handle can be positioned on the right or left, depending on the basic set installation
- <0.25% lead as per Lead Free Watermark certification

Chrome	74750003	367.27	404.00
Brushed Bronze	74750143	459.09	505.00
Brushed Black Chrome	74750343	459.09	505.00
Matt Black	74750673	459.09	505.00
Brushed Nickel	74750823	459.09	505.00




LEAD FREE



Required parts:

· Basic set for single lever basin mixer for concealed installation wall-mounted	13622180	204.55	225.00
--	----------	--------	---------------

Zesis S shower




Single lever shower mixer

- 1 function
- maximum flow rate at 3 bar: 28,7 l/min
- maximum flow rate at 1 bar: 16,9 l/min
- temperature limitation adjustable
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar
- connection type: basic set

Finish	Code no.	RRP (ex GST)	RRP (inc GST)
Chrome	74617003	135.45	149.00
Brushed Bronze	74617143	169.09	186.00
Brushed Black Chrome	74617343	169.09	186.00
Matt Black	74617673	169.09	186.00
Brushed Nickel	74617823	169.09	186.00

Required parts:

· Basic set for single lever shower mixer	13620180	181.82	200.00
---	----------	--------	---------------



Single lever shower mixer for concealed installation for iBox universal

- 1 function
- maximum flow rate at 3 bar: 31 l/min
- ceramic cartridge
- temperature limitation adjustable
- with silencer
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar
- connection type: basic set


Finish	Code no.	RRP (ex GST)	RRP (inc GST)
Chrome	74616003	414.55	456.00
Brushed Bronze	74616143	518.18	570.00
Brushed Black Chrome	74616343	518.18	570.00
Matt Black	74616673	518.18	570.00
Brushed Nickel	74616823	518.18	570.00

Required parts:

· iBox universal 2 Basic set	01500180	172.73	190.00
· Adapter plate for iBox universal 2	13588000	18.18	20.00

Electronic Basin Mixers

Vernis Blend electronic basin mixer



IMPORTANT NOTE:
EUROPEAN CONNECTION PLUG

Electronic basin mixer with temperature pre-adjustment

- ComfortZone 100
- projection: 112 mm
- spray type: normal spray
- swiveling spray former
- maximum flow rate at 3 bar: 3,7 l/min
- temperature pre-adjustable with isolated water conduction – without contact with nickel and lead
- non-return valve
- infrared sensor technology
- automatic environmental adjustment of infrared sensor
- 230 V / 50 Hz mains connection
- running time adjustable
- running time: 10 s, 20 s, 30 s, 60 s (preset)
- hygiene rinse activatable (automatic water flow)
- frequency of hygiene rinse: 24 h, 48 h, 72 h
- flushing time hygiene rinse: 10 s, 20 s, 30 s
- permanent rinse activatable (single water flow for 200 seconds, suitable for thermal disinfection)
- cleaning mode: manual water stop for washbasin cleaning
- connection dimension: DN15
- dirt filters in the connection hoses
- frequency of hygiene rinse and flushing time hygiene rinse are dependent on each other (24 h - 10 s, 48 h - 20 s, 72 h - 30 s)

Finish	Code no.	RRP (ex GST)	RRP (inc GST)
Chrome	71501009	534.55	588.00



LEAD FREE



Alternative product

- Electronic basin mixer for cold water or pre-adjusted water mains connection 230 V


Chrome	71504009	437.27	481.00
--------	----------	--------	--------

Required parts:

- Adaptor G 3/8 to G 1/2 (Units:1)

93395000	7.27	8.00
----------	------	------


AddStoris Q accessories



Corner basket

- can be used additional as a shelf
- material: metal
- wall-mounted


Finish	Code no.	RRP (ex GST)	RRP (inc GST)
Chrome	41741000	100.91	111.00
Brushed Bronze	41741140	126.36	139.00
Brushed Black Chrome	41741340	126.36	139.00
Matt Black	41741670	126.36	139.00
Brushed Nickel	41741820	126.36	139.00



Single hook

- material: metal
- wall-mounted


Chrome	41742000	27.27	30.00
Brushed Bronze	41742140	34.55	38.00
Brushed Black Chrome	41742340	34.55	38.00
Matt Black	41742670	34.55	38.00
Brushed Nickel	41742820	34.55	38.00



Double hook

- material: metal
- wall-mounted



Chrome	41755000	57.27	63.00
Brushed Bronze	41755140	71.82	79.00
Brushed Black Chrome	41755340	71.82	79.00
Matt Black	41755670	71.82	79.00
Brushed Nickel	41755820	71.82	79.00



Bath towel rail

- drilling distance 626 mm
- wall-mounted
- length 648 mm

Chrome	41747000	104.55	115.00
Brushed Bronze	41747140	130.91	144.00
Brushed Black Chrome	41747340	130.91	144.00
Matt Black	41747670	130.91	144.00
Brushed Nickel	41747820	130.91	144.00




Double bath towel rail

- drilling distance 626 mm
- wall-mounted
- length 648 mm


Chrome	41743000	171.82	189.00
Brushed Bronze	41743140	214.55	236.00
Brushed Black Chrome	41743340	214.55	236.00
Matt Black	41743670	214.55	236.00
Brushed Nickel	41743820	214.55	236.00

Accessories




Towel rack with towel holder

- drilling distance 630 mm
- wall-mounted
- length 648 mm





Chrome	41751000	362.73	399.00
Brushed Bronze	41751140	453.64	499.00
Brushed Black Chrome	41751340	453.64	499.00
Matt Black	41751670	453.64	499.00
Brushed Nickel	41751820	453.64	499.00




Towel holder twin-handle

- wall-mounted
- length 445 mm




Chrome	41770000	126.36	139.00
Brushed Bronze	41770140	158.18	174.00
Brushed Black Chrome	41770340	158.18	174.00
Matt Black	41770670	158.18	174.00
Brushed Nickel	41770820	158.18	174.00



Towel ring


- wall-mounted

Chrome	41754000	80.91	89.00
Brushed Bronze	41754140	100.91	111.00
Brushed Black Chrome	41754340	100.91	111.00
Matt Black	41754670	100.91	111.00
Brushed Nickel	41754820	100.91	111.00



Shower door handle

- thickness of glass: 6 - 12 mm
- diameter drill hole: 6 mm
- drilling distance 350 mm
- can be used simultaneously as a bath towel holder




Chrome	41759000	162.73	179.00
Brushed Bronze	41759140	203.64	224.00
Brushed Black Chrome	41759340	203.64	224.00
Matt Black	41759670	203.64	224.00
Brushed Nickel	41759820	203.64	224.00




Grab bar
 · drilling distance 327 mm
 · wall-mounted
 · length 348 mm
 · TÜV certified

Chrome	41744000	135.45	149.00
Brushed Bronze	41744140	169.09	186.00
Brushed Black Chrome	41744340	169.09	186.00
Matt Black	41744670	169.09	186.00
Brushed Nickel	41744820	169.09	186.00




Roll holder without cover
 · wall-mounted

Chrome	41771000	71.82	79.00
Brushed Bronze	41771140	90.00	99.00
Brushed Black Chrome	41771340	90.00	99.00
Matt Black	41771670	90.00	99.00
Brushed Nickel	41771820	90.00	99.00




Roll holder with shelf
 · wall-mounted

Chrome	41772000	126.36	139.00
Brushed Bronze	41772140	158.18	174.00
Brushed Black Chrome	41772340	158.18	174.00
Matt Black	41772670	158.18	174.00
Brushed Nickel	41772820	158.18	174.00




Roll holder with cover
 · wall-mounted

Chrome	41753000	117.27	129.00
Brushed Bronze	41753140	146.36	161.00
Brushed Black Chrome	41753340	146.36	161.00
Matt Black	41753670	146.36	161.00
Brushed Nickel	41753820	146.36	161.00





Double roll holder
 · wall-mounted
 · for 2 paper rolls

Chrome	41748000	89.09	98.00
Brushed Bronze	41748140	110.91	122.00
Brushed Black Chrome	41748340	110.91	122.00
Matt Black	41748670	110.91	122.00
Brushed Nickel	41748820	110.91	122.00




Accessories



Spare roll holder

- wall-mounted

Chrome	41756000	89.09	98.00
Brushed Bronze	41756140	110.91	122.00
Brushed Black Chrome	41756340	110.91	122.00
Matt Black	41756670	110.91	122.00
Brushed Nickel	41756820	110.91	122.00




Toilet brush holder wall-mounted

- material: metal, glass
- wall-mounted

Chrome	41752000	125.45	138.00
Brushed Bronze	41752140	156.36	172.00
Brushed Black Chrome	41752340	156.36	172.00
Matt Black	41752670	156.36	172.00

Optional parts:


· Replacement toilet brush with handle	93286000	80.91	89.00
--	----------	-------	--------------



Liquid soap dispenser

- wall-mounted
- filling capacity 200 ml
- dosage 2 ml


Chrome	41745000	108.18	119.00
Brushed Bronze	41745140	135.45	149.00
Brushed Black Chrome	41745340	135.45	149.00
Matt Black	41745670	135.45	149.00
Brushed Nickel	41745820	135.45	149.00



Soap dish

- material: metal, glass
- wall-mounted



Chrome	41746000	80.91	89.00
Brushed Bronze	41746140	100.91	111.00
Brushed Black Chrome	41746340	100.91	111.00
Matt Black	41746670	100.91	111.00
Brushed Nickel	41746820	100.91	111.00







Toothbrush tumbler


- wall-mounted

Chrome	41749000	71.82	79.00
Brushed Bronze	41749140	90.00	99.00
Brushed Black Chrome	41749340	90.00	99.00
Matt Black	41749670	90.00	99.00
Brushed Nickel	41749820	90.00	99.00

		Sanitary bag dispenser	Chrome	41773000	44.55	49.00
		<ul style="list-style-type: none"> · suitable for: customary sanitary bag boxes · wall-mounted · wall mounting: adhesive attachment, screw fastening · horizontal or vertical installation · drilling distance: 90 mm · easy removal of the lid for easy filling 	Brushed Bronze	41773140	55.45	61.00
			Brushed Black Chrome	41773340	55.45	61.00
			Matt Black	41773670	55.45	61.00











		Tissue box	Chrome	41774000	108.18	119.00
		<ul style="list-style-type: none"> · suitable for customary tissue boxes · wall-mounted · wall mounting: adhesive attachment, screw fastening · drilling distance 200 mm · horizontal or vertical installation 	Brushed Bronze	41774140	135.45	149.00
			Brushed Black Chrome	41774340	135.45	149.00
			Matt Black	41774670	135.45	149.00

		Pedal Bin	Chrome	41775000	71.82	79.00
		<ul style="list-style-type: none"> · capacity: 3 l · shape: round · deck mounted · softclose function guarantees a quiet closing of the lid · removable synthetic bucket with handle 	Brushed Bronze	41775140	90.00	99.00
			Brushed Black Chrome	41775340	90.00	99.00
			Matt Black	41775670	90.00	99.00

		Shaving mirror with LED light	Chrome	41790000	317.27	349.00
		<ul style="list-style-type: none"> · inclinable · material: metal · illuminant: max. 2 W (21 x 0.08 W / LED) · input voltage: 100 - 240 V AC / 50 / 60 Hz · output voltage: 12 V - DC · wall-mounted · cavity socket required for installation · enlargement: 3 x magnification · swivelling · illuminated enlargement mirror · TÜV certified 	Brushed Bronze	41790140	396.36	436.00
			Brushed Black Chrome	41790340	396.36	436.00
			Matt Black	41790670	396.36	436.00


		Shaving mirror	Chrome	41791000	208.18	229.00
		<ul style="list-style-type: none"> · inclinable · material: metal · wall-mounted · enlargement: 3 x magnification · swivelling · TÜV certified 	Brushed Bronze	41791140	260.00	286.00
			Brushed Black Chrome	41791340	260.00	286.00
			Matt Black	41791670	260.00	286.00

Accessories

AddStoris S accessories		Finish	Code no.	RRP (ex GST)	RRP (inc GST)
		Corner basket			
		<ul style="list-style-type: none"> · wall-mounted · holder material: metal · with mounting material · concealed fastening · diameter drill hole: 6 mm · can be used additional as a shelf 	<ul style="list-style-type: none"> Chrome 41761000 100.91 111.00 Brushed Bronze 41761140 126.36 139.00 Brushed Black Chrome 41761340 126.36 139.00 Matt Black 41761670 126.36 139.00 Brushed Nickel 41761820 126.36 139.00 		
		Towel hook			
		<ul style="list-style-type: none"> · wall-mounted · material: metal · with mounting material · concealed fastening · diameter drill hole: 6 mm 	<ul style="list-style-type: none"> Chrome 41762000 27.27 30.00 Brushed Bronze 41762140 34.55 38.00 Brushed Black Chrome 41762340 34.55 38.00 Matt Black 41762670 34.55 38.00 Brushed Nickel 41762820 34.55 38.00 		
		Towel hook double			
		<ul style="list-style-type: none"> · wall-mounted · material: metal · with mounting material · concealed fastening · drilling distance: 50 mm · diameter drill hole: 6 mm 	<ul style="list-style-type: none"> Chrome 41785000 57.27 63.00 Brushed Bronze 41785140 71.82 79.00 Brushed Black Chrome 41785340 71.82 79.00 Matt Black 41785670 71.82 79.00 Brushed Nickel 41785820 71.82 79.00 		
		Bath towel rail			
		<ul style="list-style-type: none"> · wall-mounted · material: metal · holder material: metal · length: 661 mm · with mounting material · drilling distance: 627 mm · diameter drill hole: 6 mm · concealed fastening 	<ul style="list-style-type: none"> Chrome 41767000 104.55 115.00 Brushed Bronze 41767140 130.91 144.00 Brushed Black Chrome 41767340 130.91 144.00 Matt Black 41767670 130.91 144.00 Brushed Nickel 41767820 130.91 144.00 		
		Double bath towel rail			
		<ul style="list-style-type: none"> · wall-mounted · material: metal · holder material: metal · length: 661 mm · with mounting material · drilling distance: 627 mm · diameter drill hole: 6 mm · concealed fastening 	<ul style="list-style-type: none"> Chrome 41763000 171.82 189.00 Brushed Bronze 41763140 214.55 236.00 Brushed Black Chrome 41763340 214.55 236.00 Matt Black 41763670 214.55 236.00 Brushed Nickel 41763820 214.55 236.00 		

AddStoris range also available in Polished Gold Optic. Measurements at scale drawings are in mm.

NEW




Towel rack with towel holder

- wall-mounted
- material: metal
- holder material: metal
- length: 661 mm
- with mounting material
- concealed fastening
- drilling distance: 627 mm
- diameter drill hole: 6 mm

Chrome	41781000	362.73	399.00
Brushed Bronze	41781140	453.64	499.00
Brushed Black Chrome	41781340	453.64	499.00
Matt Black	41781670	453.64	499.00
Brushed Nickel	41781820	453.64	499.00

NEW




Towel holder twin-handle

- wall-mounted
- material: metal
- holder material: metal
- fixed
- length: 441 mm
- with mounting material
- drilling distance: 26 mm
- diameter drill hole: 6 mm
- concealed fastening

Chrome	41787000	126.36	139.00
Brushed Bronze	41787140	158.18	174.00
Brushed Black Chrome	41787340	158.18	174.00
Matt Black	41787670	158.18	174.00
Brushed Nickel	41787820	158.18	174.00

NEW




Towel ring

- wall-mounted
- material: metal
- swivelling
- with mounting material
- concealed fastening
- drilling distance: 26 mm
- diameter drill hole: 6 mm

Chrome	41784000	80.91	89.00
Brushed Bronze	41784140	100.91	111.00
Brushed Black Chrome	41784340	100.91	111.00
Matt Black	41784670	100.91	111.00
Brushed Nickel	41784820	100.91	111.00

NEW




Grab bar

- wall-mounted
- material: metal
- length: 340 mm
- with mounting material
- concealed fastening
- drilling distance: 306 mm
- diameter drill hole: 6 mm

Chrome	41764000	135.45	149.00
Brushed Bronze	41764140	169.09	186.00
Brushed Black Chrome	41764340	169.09	186.00
Matt Black	41764670	169.09	186.00
Brushed Nickel	41764820	169.09	186.00

NEW




Toilet paper holder

- wall-mounted
- material: metal
- with mounting material
- concealed fastening
- drilling distance: 26 mm
- diameter drill hole: 6 mm

Chrome	41788000	71.82	79.00
Brushed Bronze	41788140	90.00	99.00
Brushed Black Chrome	41788340	90.00	99.00
Matt Black	41788670	90.00	99.00
Brushed Nickel	41788820	90.00	99.00


Accessories



Toiletpaper holder with shelf

- wall-mounted
- material: metal
- with mounting material
- concealed fastening
- drilling distance: 26 mm
- diameter drill hole: 6 mm
- Size of shelf: 141 mm


Chrome	41789000	126.36	139.00
Brushed Bronze	41789140	158.18	174.00
Brushed Black Chrome	41789340	158.18	174.00
Matt Black	41789670	158.18	174.00
Brushed Nickel	41789820	158.18	174.00



Toiletpaper holder with cover

- wall-mounted
- material: metal
- with mounting material
- concealed fastening
- drilling distance: 26 mm
- diameter drill hole: 6 mm


Chrome	41783000	117.27	129.00
Brushed Bronze	41783140	146.36	161.00
Brushed Black Chrome	41783340	146.36	161.00
Matt Black	41783670	146.36	161.00
Brushed Nickel	41783820	146.36	161.00



Toiletpaper holder double

- wall-mounted
- material: metal
- with mounting material
- concealed fastening
- drilling distance: 26 mm
- diameter drill hole: 6 mm
- for 2 paper rolls


Chrome	41768000	89.09	98.00
Brushed Bronze	41768140	110.91	122.00
Brushed Black Chrome	41768340	110.91	122.00
Matt Black	41768670	110.91	122.00
Brushed Nickel	41768820	110.91	122.00



Spare roll holder

- wall-mounted
- material: metal
- with mounting material
- concealed fastening
- drilling distance: 26 mm
- diameter drill hole: 6 mm

Chrome	41786000	89.09	98.00
Brushed Bronze	41786140	110.91	122.00
Brushed Black Chrome	41786340	110.91	122.00
Matt Black	41786670	110.91	122.00
Brushed Nickel	41786820	110.91	122.00



Toiletpaper brush holder wall-mounted


- wall-mounted
- material: metal, glass
- material recess: matt glass
- with removable insert
- with mounting material
- concealed fastening
- drilling distance: 26 mm
- diameter drill hole: 6 mm

Chrome	41782000	125.45	138.00
Brushed Bronze	41782140	156.36	172.00
Brushed Black Chrome	41782340	156.36	172.00
Matt Black	41782670	156.36	172.00

Optional parts:

· Replacement toilet brush with handle	93286000	80.91	89.00
--	----------	-------	--------------

NEW




Liquid soap dispenser

- wall-mounted
- holder material: metal
- material container: matt glass
- type of soap: liquid soap
- filling capacity 200 ml
- dosage 1 ml
- with mounting material
- concealed fastening
- drilling distance: 26 mm
- diameter drill hole: 6 mm

Chrome	41765000	108.18	119.00
Brushed Bronze	41765140	135.45	149.00
Brushed Black Chrome	41765340	135.45	149.00
Matt Black	41765670	135.45	149.00
Brushed Nickel	41765820	135.45	149.00

NEW




Soap dish

- wall-mounted
- material recess: matt glass
- holder material: metal
- with mounting material
- concealed fastening
- drilling distance: 26 mm
- diameter drill hole: 6 mm

Chrome	41766000	80.91	89.00
Brushed Bronze	41766140	100.91	111.00
Brushed Black Chrome	41766340	100.91	111.00
Matt Black	41766670	100.91	111.00
Brushed Nickel	41766820	100.91	111.00

NEW



Toothbrush tumbler

- wall-mounted
- material: metal, matt glass
- holder material: metal
- with mounting material
- concealed fastening
- drilling distance: 26 mm
- diameter drill hole: 6 mm

Chrome	41769000	71.82	79.00
Brushed Bronze	41769140	90.00	99.00
Brushed Black Chrome	41769340	90.00	99.00
Matt Black	41769670	90.00	99.00
Brushed Nickel	41769820	90.00	99.00

NEW



Shelf

- wall-mounted
- length: 400 mm
- with mounting material
- concealed fastening

Chrome	41794000	209.09	230.00
Brushed Bronze	41794140	261.82	288.00
Brushed Black Chrome	41794340	261.82	288.00
Matt Black	41794670	261.82	288.00


Rainfinity

Finish	Code no.	RRP (ex GST)	RRP (inc GST)
--------	----------	--------------	---------------


Shelf 500

- surface of the shelf at colour variant
- 000 = mirror glass, at colour variant
- 700 = graphite colour, satined
- shelf made of safety glass
- material: metal
- wall-mounted
- length 500 mm

Chrome	26844000	362.73	399.00
Brushed Bronze	26844140	453.64	499.00
Brushed Black Chrome	26844340	453.64	499.00
Matt Black	26844670	453.64	499.00



NEW





**Wall niche with frame
300/600/100**

- consists of: wall niche with frame, sealing set
- installation depth: 100 mm
- where to use: renovation, new construction
- easy to clean surface
- suitable for use in wet areas
- wall type: solid wall construction, drywall construction
- material sealing set: Polystyrene (PS)
- material wall niche: Stainless Steel 304 (1.4301)
- surface of the wall niche powder-coated stainless steel
- dimensions wall niche: 300 x 600 x 100 mm (HxWxD)
- required dimensions for installation set: 313 x 625 x 100 mm (HxWxD)

Concrete grey	56064380	817.27	899.00
Matt Black	56064670	817.27	899.00
Matt White	56064700	817.27	899.00

NEW




**Wall niche with frame
300/900/100**

- consists of: wall niche with frame, sealing set
- installation depth: 100 mm
- where to use: new construction, renovation
- easy to clean surface
- suitable for use in wet areas
- wall type: solid wall construction, drywall construction
- material sealing set: Polystyrene (PS)
- material wall niche: Stainless Steel 304 (1.4301)
- surface of the wall niche powder-coated stainless steel
- dimensions wall niche: 300 x 900 x 100 mm (HxWxD)
- required dimensions for installation set: 313 x 925 x 100 mm (HxWxD)

Concrete grey	56067380	999.09	1,099.00
Matt Black	56067670	999.09	1,099.00
Matt White	56067700	999.09	1,099.00

XtraStoris Minimal accessories

NEW




**Wall niche frameless
300/150/100**

- consists of: wall niche frameless, installation set, sealing set
- installation depth: 100 mm
- where to use: new construction, renovation
- variable installation depth
- easy to clean surface
- installable flush with the wall or as a design element sticking out (up to 55 mm)
- frameless design
- suitable for use in wet areas
- easy adjustment to tile thickness
- wall type: drywall construction, solid wall construction
- material sealing set: Polystyrene (PS)
- material wall niche: Stainless Steel 304 (1.4301)
- dimensions wall niche: 300 x 150 x 100 mm (HxWxD)
- required dimensions for installation set: 313 x 175 x 100 mm (HxWxD)

Finish	Code no.	RRP (ex GST)	RRP (inc GST)
Stainless Steel	56070800	544.55	599.00
Matt Black	56070670	544.55	599.00
Matt White	56070700	544.55	599.00

NEW




Wall niche frameless 300/300/100

- consists of: wall niche frameless, installation set, sealing set
- installation depth: 100 mm
- where to use: new construction, renovation
- variable installation depth
- easy to clean surface
- installable flush with the wall or as a design element sticking out (up to 55 mm)
- frameless design
- suitable for use in wet areas
- easy adjustment to tile thickness
- wall type: drywall construction, solid wall construction
- material sealing set: Polystyrene (PS)
- material wall niche: Stainless Steel 304 (1.4301)
- dimensions wall niche: 300 x 300 x 100 mm (HxWxD)
- required dimensions for installation set: 313 x 325 x 100 mm (HxWxD)

Stainless Steel	56073800	635.45	699.00
Matt Black	56073670	635.45	699.00
Matt White	56073700	635.45	699.00

XtraStoris Rock accessories

NEW




Recessed toilet brush holder with toilet paper holder and tileable door

- consists of: wall niche with tileable door, toilet brush holder, toilet brush, toilet paper roll holder, installation set, sealing set
- tileable Push-Open door
- door hinge: left
- depth of the tileable door: 12 mm
- installation depth: 140 mm
- where to use: new construction, renovation
- easy to clean surface
- easy adjustment to tile thickness
- frameless design
- wall type: drywall construction, solid wall construction
- material sealing set: Polystyrene (PS)
- material wall niche: Stainless Steel 304 (1.4301)
- door stop can be changed before installation
- material of the brush holder plastic, chromed
- dimensions wall niche: 595 x 145 x 140 (HxWxD)
- required dimensions for installation set: 606 x 176 x 140 mm (HxWxD)

Finish	Code no.	RRP (ex GST)	RRP (inc GST)
Stainless Steel	56062800	1,362.73	1,499.00
Matt Black	56062670	1,362.73	1,499.00
Matt White	56062700	1,362.73	1,499.00

NEW




Recessed toilet brush holder with storage shelf and tileable door

Stainless Steel	56060800	1,180.91	1,299.00
Matt Black	56060670	1,180.91	1,299.00
Matt White	56060700	1,180.91	1,299.00

- consists of: wall niche with tileable door, toilet brush holder, toilet brush, shelf, installation set, sealing set
- tileable Push-Open door
- door hinge: change can be customised before installation
- depth of the tileable door: 12 mm
- installation depth: 140 mm
- where to use: new construction, renovation
- easy to clean surface
- frameless design
- easy adjustment to tile thickness
- wall type: drywall construction, solid wall construction
- material sealing set: Polystyrene (PS)
- material wall niche: Stainless Steel 304 (1.4301)
- material of the brush holder plastic, chromed
- dimensions wall niche: 595 x 145 x 140 (HxWxD)
- required dimensions for installation set: 606 x 176 x 140 mm (HxWxD)

NEW



Recessed waste bin with tileable door 300/300/100

Stainless Steel	56089800	908.18	999.00
Matt Black	56089670	908.18	999.00
Matt White	56089700	908.18	999.00

- consists of: wall niche with tileable door, installation set, waste bin, sealing set
- tileable Push-Open door
- depth of the tileable door: 12 mm
- installation depth: 100 mm
- where to use: new construction, renovation
- easy to clean surface
- frameless design
- pre-installed
- wall type: drywall construction, solid wall construction
- material sealing set: Polystyrene (PS)
- material wall niche: Stainless Steel 304 (1.4301)
- capacity: 4 l

iBox universal 2. Efficient installation offering maximum flexibility.


Every installation becomes child's play with the hansgrohe finish sets and the iBox universal 2. The innovative base set for concealed thermostats ensures quick and simple installation. If the thermostatic mixer needs to be replaced further down the line, this is also not a problem – all finish sets can be replaced by another without major effort. The iBox universal 2 is compatible with all current finish sets, such as the ShowerSelect Comfort or Ecostat Comfort thermostatic mixers. Older mixers and thermostatic mixers can also be used with the iBox universal 2 with the help of a special adapter plate.

With the new iBox universal 2 and the new finish sets, installation is twice as fast compared to the previous model:


“The time saved on the job site is huge, during both initial installation and final assembly at the end.”

Maiko Weinhardt, Hiller Sanitär- und Heizungstechnik KG, Germany

iBox universal 2 at a glance:



Finish set options for the iBox universal 2:




1 Mounting ring
Installation in, on or in front of the wall. The mounting ring can be placed on the front or back.



2 Box made of EPP foam
Versatile: polypropylene is sound-absorbent, insulating, waterproof and recyclable.



3 Sliding sleeve
The sliding sleeve is easy to slide, regardless of the installation depth.











4 Pre-assembled sealing foil
Elastic and reliable: firmly attached to the sliding sleeve, the pre-assembled sealing foil will not go missing.




5 Pre-assembled function block
The durable connection block made of high-quality metal enables safe, fast installation.

Watch the installation video



Basic sets		Finish	Code no.	RRP (ex GST)	RRP (inc GST)
 	<p>Basic set iBox universal 2</p> <ul style="list-style-type: none"> · suitable for all new shower, bath tub and thermostat finish sets for concealed installation (ShowerSelect Comfort, DuoTurn) in conjunction with adapter plate (# 13588000) compatible with other concealed shower, bath tub and thermostat finish sets · material: dezincification brass, EPP foam, heat and sound insulating · connection thread: Rp 1/2 · connection dimension: DN15 · rotationally-symmetric installation · sound-decoupled installation · flexible mounting ring for different mounting situations · mounting ring adjustable in 5 mm steps · mounting ring suitable for front and rear installation · no shortening necessary thanks to sliding sleeve · support aid for the spirit level · integrated spirit level for correct horizontal and vertical alignment · sealing foil permanently fixed · power supply: M16 flexible conduit · minimum mounting depth: 80 mm · maximum mounting depth: 108 mm 		01500180	172.73	190.00
 	<p>Adapter plate for iBox universal 2</p> <ul style="list-style-type: none"> · is required when installing iBox universal (# 01800180, # 01700180) compatible overhead showers, shower, bath tub and thermostat finish sets for concealed installation in conjunction with the iBox universal 2 (# 01500180, # 01400180) 		13588000	18.18	20.00
 	<p>Basic set for bath mixer floor-standing</p> <ul style="list-style-type: none"> · for mounting on unfinished floor · suitable for all finish sets for free-standing bath faucets · connection dimension: DN15 		10452180	908.18	999.00
 	<p>Basic set for single lever shower mixer for concealed installation</p> <ul style="list-style-type: none"> · ceramic cartridge · connection dimension: DN15 		13620180	181.82	200.00


Basic sets and wastes



Basic set for single lever basin mixer for concealed installation wall-mounted

- scope of supply: with flush valve
- variable positioning of the mixer system, can be left or right of the spout
- connection dimension: DN15


13622180 204.55 **225.00**



Basic set for Quattro four-way diverter valve for concealed installation

- requires volume control
- scope of supply: ceramic cartridge, seal
- 3 outlets
- simultaneous utilization by 2 outlets
- suitable for all Quattro finish sets
- flow rate: 65 l/min
- connection dimension: DN20

15930180 750.00 **825.00**




Basic set for Trio shut-off/diverter valve for concealed installation

- scope of supply: ceramic cartridge, seal
- 2 outlets
- simultaneous utilization by 2 outlets
- suitable for all Trio finish sets
- flow rate: 65 l/min
- connection dimension: DN20

15981180 476.36 **524.00**


NEW



Waste set push-open for basin mixers

- operation with pressure plug
- for basins with overflow hole
- brass
- drain plug material brass

Chrome	50130003	71.82	79.00
Brushed Bronze	50130143	90.00	99.00
Brushed Black Chrome	50130343	90.00	99.00
Matt Black	50130673	90.00	99.00
Brushed Nickel	50130823	90.00	99.00



Bathtub filler and push-open waste set

Chrome

58129003 180.91 **199.00**


- suitable for standard bath tubs
- supply hose water connection left DN20
- with integrated overflow
- adjustable direction of water with waterfall spray
- push waste
- complies with AS3718 & WMTS 040

While stocks last. Run out.

Consisting of:

- Finish set bath filler (# 58112000)
- Waste set push-open for bath tubs (# 50107000)

NEW



sBox Finish set square

- consists of: hose box, shower hose, escutcheon
- suitable for rim or tile mounted installation
- 1 function
- sBox for quiet, smooth and protected hose guidance
- connection dimension: DN15
- no additional maintenance opening required
- bath rim width at least 80 mm
- clamping range: 0 - 30 mm
- maximum pull-out length of hand shower: 1,45 m
- removable for service at any time
- protected against backflow, according to DIN EN 1717
- maximum flow rate at 3 bar: 9,5 l/min

Chrome

28010000 908.18 **999.00**

Brushed Bronze

28010140 1,135.45 **1,249.00**

Brushed Black Chrome

28010340 1,135.45 **1,249.00**

Matt Black

28010670 1,135.45 **1,249.00**

Required parts:


- sBox Rim and tile mounted bath basic set 13560180 174.55 **192.00**

Optional parts:

- sBox Installation plate for tile mounted installation 28016000 210.00 **231.00**
- sBox Mounting angle set for installation plate for tile mounted installation 28021000 520.91 **573.00**

- Rim mounted adapter 25° Chrome 28071000 85.45 **94.00**
- Brushed Bronze 28071140 128.18 **141.00**
- Brushed Black Chrome 28071340 128.18 **141.00**
- Matt Black 28071670 128.18 **141.00**

Talis M54 kitchen mixer




M54 Single lever kitchen mixer 210, pull out spout, 2 jet

- ComfortZone 210
- swivel range adjustable in 4 steps 60°, 110°, 150° or 360°
- laminar spray and shower spray
- lockable shower spray, spray returns through pressing spray diverter and spray returns automatically through handle closing
- quick connect hose
- connection dimension: DN15
- maximum flow rate at 3 bar: 6 l/min
- ceramic cartridge
- connection type: G 1/2 connections
- integrated non-return valve
- suitable for continuous flow water heaters
- tap hole with Ø 35 mm required
- <0.25% lead as per Lead Free Watermark certification

Finish	Code no.	RRP (ex GST)	RRP (inc GST)
Chrome	72800003	726.36	799.00
Brushed Black Chrome	72800343	908.18	999.00
Matt Black	72800673	908.18	999.00
Stainless Steel	72800803	908.18	999.00



LEAD FREE




M54 Single lever kitchen mixer 210, pull out spout, 1 jet

- ComfortZone 210
- swivel range adjustable in 4 steps 60°, 110°, 150° or 360°
- laminar spray
- quick connect hose
- connection dimension: DN15
- maximum flow rate at 3 bar: 6 l/min
- ceramic cartridge
- connection type: G 1/2 connections
- integrated non-return valve
- suitable for continuous flow water heaters
- tap hole with Ø 35 mm required
- <0.25% lead as per Lead Free Watermark certification

Chrome	72802003	680.91	749.00
Brushed Black Chrome	72802343	850.91	936.00
Matt Black	72802673	850.91	936.00
Stainless Steel	72802803	850.91	936.00



LEAD FREE



M54 Single lever kitchen mixer 220, 1jet

- ComfortZone 220
- swivel range adjustable in 4 steps 60°, 110°, 150° or 360°
- laminar spray
- connection dimension: DN15
- maximum flow rate at 3 bar: 4.5 l/min
- ceramic cartridge
- connection type: G 1/2 connection
- suitable for continuous flow water heaters
- tap hole with Ø 35 mm required
- <0.25% lead as per Lead Free Watermark certification

Chrome	72804003	626.36	689.00
Brushed Black Chrome	72804343	786.36	865.00
Matt Black	72804673	786.36	865.00
Stainless Steel	72804803	786.36	865.00




LEAD FREE



Kitchen mixers

Focus M41 kitchen mixer



M41 Single lever kitchen mixer 240 with pull-out spray

- swivel range 150°
- vertical handle position
- laminar spray and shower spray
- lockable shower spray, spray returns through pressing spray diverter
- MagFit magnetic shower support
- quick connect shower hose
- connection dimension: DN15
- flow rate 7 l/min
- ceramic cartridge
- connection type: G 1/2 connections
- integrated non-return valve
- suitable for continuous flow water heaters
- suitable for in front of windows where access is needed. Can be laid flat for window access
- <0.25% lead as per Lead Free Watermark certification


Finish	Code no.	RRP (ex GST)	RRP (inc GST)
Chrome	31815003	635.45	699.00
Brushed Black Chrome	31815343	794.55	874.00
Matt Black	31815673	794.55	874.00
Stainless Steel	31815803	794.55	874.00



LEAD FREE



Cento Variac kitchen mixer



Single lever kitchen mixer XL, pullout spray, 2jet

- ComfortZone 230
- Swivel range 150°
- 2 spray pull-out spout: normal spray, shower spray
- Convenient spray selection with toggle
- Extension hose length up to 50 cm
- High clearance goose neck tap (230mm) ideal for filling large containers or pots
- Ceramic cartridge with Eco handle position for a reduced flowrate by up to 50%
- Connection type: G 1/2 connections
- Temperature limitation adjustable
- Suitable for continuous flow water heaters
- <0.25% lead as per Lead Free Watermark certification


Finish	Code no.	RRP (ex GST)	RRP (inc GST)
Chrome	14803003	499.09	549.00



LEAD FREE



Zesis M33 kitchen mixers




M33 Single lever kitchen mixer 150, pull-out spray, 2jet

- ComfortZone 150
- swivel range 150°
- laminar spray, shower spray
- lockable shower spray, spray returns through pressing spray diverter and spray returns automatically through handle closing
- quick connect hose
- connection dimension: DN15
- ceramic cartridge
- connection type: G 1/2 connections
- temperature limitation adjustable
- integrated non-return valve
- suitable for continuous flow water heaters
- extension length up to 50 cm
- <0.25% lead as per Lead Free Watermark certification

Finish	Code no.	RRP (ex GST)	RRP (inc GST)
Chrome	74800003	526.36	579.00
Matt Black	74800673	659.09	725.00
Stainless Steel	74800803	659.09	725.00



LEAD FREE



M33 Single lever kitchen mixer 150, 1jet

- ComfortZone 150
- swivel range adjustable in 3 steps 60°, 110° or 360°
- normal spray
- connection dimension: DN15
- ceramic cartridge
- connection type: G 1/2 connections
- temperature limitation adjustable
- suitable for continuous flow water heaters
- <0.25% lead as per Lead Free Watermark certification


Finish	Code no.	RRP (ex GST)	RRP (inc GST)
Chrome	74802003	347.27	382.00
Matt Black	74802673	435.45	479.00
Stainless Steel	74802803	435.45	479.00



LEAD FREE



Vernis Blend kitchen mixer



Single leve kitchen mixer 210 with swivel spout

- ComfortZone 210
- Swivel range adjustable in 2 steps 120° or 360°
- Laminar spray with AirPower
- Aerated jet through AirPower technology. More voluminous, lighter, softer droplets for a pleasant water jet
- Ceramic cartridge for long lasting durability
- Boltic lock handle, prevents wobble over time
- Connection type: G 1/2 connections
- Suitable for continuous flow water heaters
- <0.25% lead as per Lead Free Watermark certification


Finish	Code no.	RRP (ex GST)	RRP (inc GST)
Chrome	71870003	381.82	420.00
Matt Black	71870673	477.27	525.00



LEAD FREE




Soap dispensers



A41 Soap/ lotion dispenser

- suitable for matched design to selected kitchen mixers
- projection 91 mm
- material: durable metal construction
- non-corroding outlet pipe
- filling capacity 500 ml
- dosage 2 ml
- easy to fill up from the top
- for installation in worktops up to 55 mm
- easy installation without tools needed
- mounting hole with 28 - 35 mm diameter needed


Finish	Code no.	RRP (ex GST)	RRP (inc GST)
Chrome	40438000	90.00	99.00
Brushed Black Chrome	40438340	108.18	119.00
Stainless Steel Optic	40438800	108.18	119.00
Matt Black	40438670	108.18	119.00



A51 Soap/ lotion dispenser

- suitable for matched design to selected kitchen mixers
- projection 91 mm
- material: durable metal construction
- non-corroding outlet pipe
- filling capacity 500 ml
- dosage 2 ml
- easy to fill up from the top
- for installation in worktops up to 55 mm
- easy installation without tools needed
- mounting hole with 28 - 35 mm diameter needed

Chrome	40448000	90.00	99.00
Stainless Steel Optic	40448800	108.18	119.00
Matt Black	40448670	108.18	119.00



A71 Soap/ lotion dispenser

- suitable for matched design to selected kitchen mixers
- projection 91 mm
- material: durable metal construction
- non-corroding outlet pipe
- filling capacity 500 ml
- dosage 2 ml
- easy to fill up from the top
- for installation in worktops up to 55 mm
- easy installation without tools needed
- mounting hole with 28 - 35 mm diameter needed

Chrome	40468000	90.00	99.00
Stainless Steel Optic	40468800	108.18	119.00
Matt Black	40468670	108.18	119.00

General Terms and Conditions of Business of Hansgrohe Pty Ltd

As of: June 2021

I. Applicability

1. Unless expressly agreed in writing otherwise, these General Terms and Conditions of Business ("GTC") of Hansgrohe Pty Ltd ("Seller") shall apply to all contracts for the supply of goods by the seller to a customer (the Buyer). The Buyer warrants and represents that it is purchasing goods from the Seller in the course of Buyer's business for resupply to its customers.
2. The GTC together with the specific terms contained in an accepted order constitute a contract between the Seller and the Buyer. In the event of any conflict between a term of the GTC and the terms of an accepted order, the terms of the accepted order shall prevail

II. Formation of contract

1. Any quotation prepared by the Seller is not an offer and it may be withdrawn or altered without notice. Submission of an order by the Buyer constitutes an offer that may be accepted by the Seller unless the order is revoked in writing prior to acceptance. The Seller is under no obligation to accept any orders from the Buyer and the Seller may do so in its absolute discretion.
2. In the event of any dispute as to the terms of an order, the documents provided by the Seller during the order process, such as images and drawings, as well as technical details and specifications, shall be decisive.

III. Scope of delivery, transportation and passing of risk

1. Delivery of the goods will be to the agreed point of shipment. The risk in the goods shall pass to the Buyer on shipment of the goods. If the shipment is delayed by the conduct of the Buyer or due to circumstances for which the Seller is not culpable, then the risk shall pass to the Buyer upon notification by the Seller of readiness for delivery.
2. To the extent not otherwise stipulated, the Buyer shall take out transportation insurance at its own expense on the basis of customary terms and conditions therefore, which insurance shall cover transportation risk of the goods encompassed by the order from the place of shipment to the stipulated destination location. The expenses of transportation shall be borne by the Buyer.
3. In the event that an agreement is reached on trade terms, the latest version of Incoterms shall apply.
4. The Seller, acting reasonably, shall have the right to make partial deliveries and issue partial invoices prior to the expiration of the delivery deadline.
5. If the shipment or the delivery of the goods is delayed at the wish of the Buyer or due to circumstances which originate in the Buyer's sphere of risk and responsibility, then the Buyer will be liable on demand to reimburse the Seller for any loss arising from the delay in delivery. This may include without limitation any warehousing expenses that have arisen, as well as the costs of interest on the capital invested in the goods. Notwithstanding the foregoing, the Seller shall have the right, after setting a reasonable deadline to dispose of the goods and to deliver substitute goods to the Buyer within a reasonably extended deadline or to cancel the contract.
6. Seller will procure that the products shipped by Seller to the Buyer comply with the laws and regulations of the country / countries designated by the Buyer. In case the Buyer - after receipt of the products - exports the products to third countries it is the obligation of the Buyer to make sure that the products comply with the applicable local laws and regulations of such countries with regard to the products. If, however, the Buyer chooses to export products to third countries, the Buyer is solely responsible for any and all liability resulting from any non-compliance of the products.

IV. Delivery deadlines and operational disruptions

1. A delivery deadline shall not commence until after the Seller has received all information required to effect the delivery and until after any applicable down payment has been made. A delivery deadline is complied with if the delivery is brought to dispatch within the deadline or if notification has been made of the readiness for delivery.
2. Delivery deadlines shall be extended upon the occurrence of any circumstances for which the Seller or its suppliers are not culpable (including, without limitation industrial unrest, force majeure, and other operational disruptions for which the Seller or its suppliers are not responsible or over which the Seller or its suppliers have no reasonable control) for the duration of the operational disruption. The Seller shall inform the Buyer about the prospective operational disruption and set a new delivery date. If the goods are undeliverable even by the new delivery deadline, then both parties shall have the right to cancel the contract, in whole or in part; any consideration of the Buyer's already rendered shall be reimbursed without undue delay.

V. Prices and ancillary expenses

1. Deliveries shall be effected at the prices current upon entering into the contract, in accordance with the Seller's confirmation of the order. All prices shall be valid ex works/place of delivery. For Buyers resident in Australia, all prices shall be understood to be in Australian Dollars, insofar as not otherwise marked, as well as any statutory import value-added tax and any other taxes as provided by law (e.g., customs duties, fees) in the respectively valid amount. For Buyers resident in New Zealand and Fiji, all prices shall be understood to be in New Zealand Dollars, insofar as not otherwise marked, but excludes any statutory value-added tax and any other taxes (e.g., customs duties, fees).
2. Unless otherwise stated, all prices stated by the Seller are exclusive of GST. In addition to any amounts payable by the Buyer to the Seller, the Buyer must pay to the Seller an additional amount on account of GST.
3. The Seller will issue the Buyer a tax invoice in the form required by the GST Law where applicable.
4. The Buyer must pay GST, without deduction or set off of any other amounts, at the same time and on the same basis as the Buyer pays the price for the goods.
5. The Buyer indemnifies the Seller for any loss that the Seller may incur as a result of the incorrect payment or non-payment of any GST and associated fees or penalties.
6. If the Seller becomes liable for any penalties or interest as a result of a late payment of GST, where that late payment is as a direct result of a failure of the Buyer to comply with its obligations under the GTC, the Buyer must pay to the Seller an additional amount on demand equal to the amount of those penalties and interest.
7. The Seller reserves the right to reasonably raise the stipulated prices for a time period of more than four (4) months if, after entering into the contract, increased costs occur, including, but not limited to, those due to collective bargaining agreements, market-based acquisition prices, or increases in the price of materials. These shall be substantiated upon demand to the person or party placing the order.
8. Unless agreed otherwise, for Buyers resident in Australia, delivery terms are FIS (Free into Store) subject to minimum order values as stated in the agreed Terms and Conditions with the Seller, below which, a delivery surcharge shall be added to the invoice which the Buyer is liable to pay the Seller. Any costs and fees for express delivery of goods requested by the Buyer, shall always be borne by the Buyer.
9. For Buyers resident in New Zealand and Fiji, the Buyer is liable to pay a freight surcharge according to the mode of delivery.

VI. Payment and default

1. Payments are to be rendered to the Seller without any deduction, as specified in the invoice (unless otherwise pre-agreed by the Seller in the Terms and Conditions with the Buyer), immediately after receipt of the invoice and delivery of the goods to the Buyer, unless credit terms are granted in the terms and conditions agreed with the Buyer. The Seller shall, however, at all times (for example for large project orders or credit limits being exceeded or account overdue), have the right to require pre-payment before any obligation to deliver the goods arises. The Seller, acting reasonably, may determine the method of payment. If the Seller in its discretion decides to accept payment by cheque, payment shall only be deemed to have occurred after the cheque has been redeemed. The Buyer may not deduct, and must bear, any expenses (including bank charges) that may apply in respect of a particular method of payment. The Seller may offset any payment received by the Buyer against any debt owned to the Seller by the Buyer.
2. In the event of a payment default, the Buyer shall be liable for statutory default interest charged.
3. The Buyer shall be entitled to rights of setoff vis-à-vis the Seller's claims only if the counterclaim is undisputed or has been judicially determined. This provision shall not apply to the extent that the counterclaim directly concerns the Seller's primary performance duty arising from the same contract.

General Terms and Conditions

4. Any assignment of claims shall require the consent of the Seller.
5. If, after entering into the agreement or after delivery of the goods, the Seller forms the view that the Buyer is not or is no longer creditworthy, for example if any invoices despite reminders have not been paid; or the Buyer is subject to an Insolvency Event, then the Seller shall be able to immediately assert claims even for receivables not yet mature and for such receivables for which a cheque was given. In these instances, for still-undelivered goods the Seller shall be able to demand pre-payment, the rendering of a security, or delivery based solely upon cash-on-delivery. If the Buyer does not comply with this demand within the reasonable deadline established for it, then the Seller shall have the right to cancel the contract.

VII. Retention of title

1. The Seller shall retain title to the delivered goods until full payment in respect of the goods has been received by the Seller.
2. To secure payment of the monies due to the Seller under the GTC, the Buyer grants a Security Interest in the purchased goods and the proceeds of sale of those goods to the Seller. Any proceeds of sale of the goods must be held on trust for the Seller and kept separate from the Buyer's own funds until full payment of the goods has been received by the Seller.
3. While any amount or obligation of the Buyer under the GTC remains unsatisfied, the Buyer:
 - a. authorises the Seller (at the sole cost of the Buyer) to do anything which the Seller considers reasonably necessary or desirable to effect the registration of its Security Interest on the Personal Property Securities Register to ensure that it is enforceable, perfected and otherwise effective and the Buyer agrees to provide all assistance required by the Seller to facilitate this;
 - b. for Buyers resident in Australia, must not assign or grant a security interest over any accounts or other proceeds relating to the sale of the goods and must immediately provide the Seller with a copy of any notice the Buyer receives under section 64 of the Personal Property Securities Act 2009 (Cth) (PPSA AU);
 - c. irrevocably authorises the Seller to repossess any or all of the goods, to enter upon any premises where the Seller reasonably believes any of the goods are located and remove them and obtain any necessary consent from any other person to enable this to occur; and
 - d. acknowledges that the Seller may immediately upon the Buyer breaching these Terms (or any other agreement between the Seller and Buyer relating to payment for any goods that are subject to a Security Interest granted to the Seller under these terms) take any action to enforce its Security Interest without demand or notice (to the extent permitted by law).
4. To the extent the law permits, the Buyer agrees to waive its rights to receive from the Seller any notice required to be provided under the PPSA AU and agrees that sections 142 and 143 of the PPSA AU do not apply to these Terms and that the Seller need not comply with sections 95, 125, 130, 132(3)(d), 132(4) of the PPSA AU.

VIII. Limitation of liability

1. Subject to clause VIII 5 and any other applicable legislation:
 - a. Under no circumstances will the Seller be liable to the customer for any indirect and consequential loss, loss of revenue, profits, anticipated savings, goodwill or business opportunity, injury to the Buyer's reputation.
 - b. Subject to clause VIII 2. the Buyer acknowledges and agrees that the Seller, its employees, contractors and/or agents will not be liable to the Buyer for any loss howsoever arising including from breach of contract, under tort, under statute or otherwise.
2. Clause VIII 1 b. does not apply to any liability for death or personal injury to the extent caused by the Seller's negligence or willful misconduct.
3. The Seller's liability to the Buyer for loss or damage of any kind is reduced to the extent (if any) that the Buyer causes or contributes to the loss or damage. This reduction applies whether the Seller's liability is in contract, tort (including negligence), under any statute or otherwise.
4. The Seller excludes to the fullest extent possible under law, all implied terms and warranties whether statutory or otherwise.
5. For Buyers resident in Australia, in circumstances where the Consumer Guarantees are applicable, to the maximum extent permitted by law the Seller limits its liability for a breach of a Consumer Guarantee to replacing the relevant goods or refunding the price of the relevant goods (at the Seller's election) in accordance with section 64A of the ACL.
6. For Buyers resident in New Zealand, the Consumer Guarantees apply where the Buyer acquires the goods as a Consumer. In circumstances where the Consumer Guarantees are applicable, and the Buyer is buying for a business purpose then to the maximum extent permitted by law the Seller limits its liability for a breach of a Consumer Guarantee to replacing the relevant goods or refunding the price of the relevant goods (at the Seller's election) in accordance with section 43 of the CGA.

IX. Returns

1. Goods delivered by the Seller that are not defective shall not be taken back, unless there exists an appropriate claim of the Buyer.
2. If, by way of exception in the individual case, the Seller in its absolute discretion decides to accept a return of goods that are not defective, then, to the extent permitted by law, appropriate recompense (30% of the purchase price paid by the Buyer for the Goods) shall be levied for this purpose within the framework of a corresponding agreement. Further recompense shall be applicable as determined by the Seller, if the returned Goods are received not in original condition but with damage or missing parts. The risk of transportation and the costs of transportation shall be borne by the Buyer.

X. Rescission of the purchase contract

1. In the event of rescission of the contract (e.g., due to cancellation of one of the contracting parties), the Buyer shall be obligated, irrespective of the remaining process as contemplated under the following paragraphs, to surrender the goods to the Seller in advance. The Seller shall have the right to have the deliverable picked up from the Buyer's premises.
2. Furthermore, the Seller shall be able to demand reasonable compensatory payment from the Buyer for any deterioration or destruction of the goods, or anything occurring or having occurred that renders surrender of the goods impossible for another reason, which is caused by any wrongful act or omission of the Buyer. In addition, the Seller shall be able to demand compensatory payment for the use or the usage of the goods if the value of the goods has declined between the completion of its installation and its completed, immediate repossession by the Seller. This decline in value shall be computed from the difference of the total price in accordance with the order and the current fair value as it is determined by the sales proceeds or, if a sale is not possible, through the estimate of a sworn expert.

XI. Assignment

No assignment of rights and/or transfer of the obligations of the Buyer arising from this contract shall be permissible without the written consent of the Seller

XII. Export control provisions

1. The goods may be subject to the export control provisions of the Federal Republic of Germany, of the European Union, of the United States of America, or of other countries.
2. In the event the goods are subject to export control provisions as referred to in clause XIII 1, the Buyer shall be responsible for compliance (including all costs of compliance) with the provisions of any applicable law relating to the export of the goods.

General Terms and Conditions

XIII. Place of jurisdiction and applicable law

1. The law of Victoria, Australia shall apply to these GTC and the contractual relationship between the parties, to the exclusion of uniform international law, including, but not limited to, United Nations Sales of Goods law. The law of Victoria, Australia shall also apply to extra-contractual debt relationships standing in close connection with the contract.
2. The exclusive place of jurisdiction for any and all disputes, claims and controversies arising from or relating to this contract shall be Victoria Australia.

XIV. General

1. Any provision of the GTC which is unenforceable or partly unenforceable is, where possible, to be severed to the extent necessary to make the GTC enforceable.
2. A provision of the GTC must not be construed to the disadvantage of a party merely because that party was responsible for the preparation of this agreement or the inclusion of the provision in this agreement.
3. The meaning of any general language used in the GTC is not restricted by any accompanying example, and the words 'includes', 'including', 'such as', 'for example' or similar words are not words of limitation.
4. For the purposes of the GTC:
 - a. ACL means schedule 2 of the Competition and Consumer Act 2010 (Cth).
 - b. CGA means the Consumer Guarantees Act 1993 (NZ).
 - c. Consumer has the meaning given in the ACL or the CGA as applicable
 - d. Consumer Guarantees means the statutory guarantees in Division 1 of Part 3-2 of the ACL, or as set out in the CGA, as applicable
 - e. GST means a tax, levy, duty, charge or deduction, together with any related additional tax, interest, penalty, fine or other charge, imposed by or under the relevant GST Law.
 - f. GST Law means A New Tax System (Goods and Services Tax) Act 1999 (Cth) for sales in Australia Goods and Services Tax Act 1985 for sales in New Zealand.
 - g. Insolvency Event includes the winding up, dissolution or cessation of business, the appointment of an administrator, liquidator, receiver or an official manager, an assignment for the benefit of creditors, scheme or arrangement with creditors, insolvency and bankruptcy of a person or any similar procedure.
 - h. PPSA means the Personal Property Securities Act 1999 (NZ).
 - i. PPSA AU means the Personal Property Securities Act 2009 (Cth)
 - j. Security Interest has the meaning attributed to that term in the PPSA or the PPSA AU as applicable.

[Hansgrohe Pty Ltd, Level 10 , 530 Collins Street, Melbourne VIC 3000, Australia]

Warranty

Effective from 1 July 2021

1. Warranty terms & conditions

We thank you for your purchase of Hansgrohe products. Offering our customers the highest quality at all times is a fundamental part of the Hansgrohe company philosophy. Hansgrohe therefore offers consumers a voluntary warranty on Hansgrohe products in Australia, New Zealand & Fiji according to the details in these warranty terms and conditions. Please refer to Clause 6 herein on how to submit a warranty claim.

2. Glossary & Definitions

- a. "Authorized Dealer" shall mean the authorized dealers / distributors of Hansgrohe Australia, New Zealand & Fiji, listed on its website - www.hansgrohe.com.au and www.axor-design.com/au;
- b. "Customer" shall mean the original end customer or first customer who purchased the product from the Authorized Sales Channel of Hansgrohe Australia, New Zealand & Fiji;
- c. "Hansgrohe" shall mean Hansgrohe Australia Pty Ltd having its registered office at Office Unit 4/71 Victoria Crescent Abbotsford, Victoria, 3067; Australia.
- d. "Products" shall mean products manufactured by or on behalf of Hansgrohe that bear a trademark owned by Hansgrohe;
- e. "Invoice" shall mean the invoice issued by the Authorized Dealer for a product purchased by the customer;

3. Warranty Conditions

- 3.1. Hansgrohe provides the following warranty terms and conditions for all Hansgrohe products purchased in Australia, New Zealand & Fiji from an authorized dealer for use in domestic or commercial installations. Any product purchased through unauthorized dealer or from other sources or imports are not covered by this warranty terms and conditions as products purchased otherwise may not meet local regulations
- 3.2. Hansgrohe guarantees customers that its products are free from material, manufacturing and design faults. The defect giving rise to the damage must already have been present in the product at time of manufacture. These warranty terms and conditions shall be void for the following reasons:
 - a. Non-compliance with the installation, maintenance and usage instructions;
 - b. Damage caused by debris and sediment from water supply pipes.
 - c. Installation, maintenance, repair or servicing by non-qualified persons;
 - d. Product damage caused by the seller, plumber, customer or third persons;
 - e. Damage that can be attributed to normal wear and tear or intentional damage - in the event of negligent damage, contributory negligence shall be offset on agreement;
 - f. Improper installation or commissioning;
 - g. Insufficient or improper maintenance;
 - h. Products that have not been or are not used in line with their intended purpose;
 - i. Damage caused by force majeure or natural disasters, especially but not limited to floods, fires or frost damage;
 - j. Product is purchased from unauthorized dealer;
 - k. Product was not purchased by the Customer as a brand new product;
 - l. Products not installed to relevant National Standards and State Regulations.
 - m. Product has been exposed to harsh or abnormal environmental elements;
 - n. Product has been serviced or repaired with non-standard or non-Hansgrohe replacement parts
 - o. In accordance with AS3500 clause 3.3.4, operating water pressure in a building shall not exceed 500kPa. Water supply pressures that exceed 500kpa will cause damage to installations and fittings. In this situation pressure-limiting valves should be installed. Where the water pressure is greater than 500kpa, Hansgrohe and its agent / dealers reserve the right not to accept warranty claims.
 - p. Modifications to the products.
 - q. Failure to regularly clean or replace dirty or blocked outlet aerator inserts in tapware and/or shower heads etc.
 - r. Product's surface has been damaged as a result of adhesives, sealants or abrasive cleaners.
 - s. Failure to observe manufacturers maintenance and care instructions.
- 3.3. These warranty terms & conditions remain applicable only if the customer has ensured the product
 - a. has been used in accordance with the terms of this warranty terms;
 - b. has not been improperly or negligently handled;
 - c. has not been damaged prior to installation;
 - d. has been installed according to the instruction manual;
 - e. the Product has all of its components installed;
 - f. has received required maintenance and cleaning. Please see care and cleanings tips under chapter 7.
- 3.4. This warranty terms & conditions commences on the earlier of:
 - a. the date of purchase for domestic customers;
 - b. the project handover for commercial customers;It will continue for the relevant periods set out in the warranty period tables below.
- 3.5. Hansgrohe is not responsible for other incidental or consequential costs. Hansgrohe is not responsible or liable for any special or consequential damages due to the defective product, or due to defects of any component or part thereof and in no event shall the liability of Hansgrohe exceeds the purchase price of the product.
- 3.6. This warranty terms and conditions are only valid if the original sales / purchase tax Invoice is provided with the claim. This warranty is not transferable and confined to original purchaser / first purchaser of the product only. Customers are therefore required to keep the original invoice and of product safely.
- 3.7. In the event of non-availability of components or parts due to any reason, neither Hansgrohe nor its Authorized Dealer will be responsible or liable for any delay that may be caused to service / repair of the product. In case of product obsolescence, a suitable replacement will be chosen based upon the features, the intended use and the retail price of the original product. In the event of product obsolescence Hansgrohe cannot guarantee the same color or aesthetic attributes as the original product.
- 3.8. For Hansgrohe products sold in Australia, New Zealand and Fiji, only this warranty document is applicable. Any reference to any other warranty document will not be considered. The warranty does not cover any accessories external to the product. Warranty is valid and applicable to the products which are licensed for sale and purchased in these markets through an authorized Dealer only.
- 3.9. Our goods come with guarantees that cannot exclude the Australian or New Zealand Consumer Law or other respective national legislation. Nothing in this warranty has the effect of excluding, restricting or modifying those rights

4. Warranty Periods

4.1. Domestic / Residential applications

Product Category	Parts	Labour
Tapware	15 years	5 years
Cartridges & Thermostatic elements	15 years	5 years
Showers	15 years	5 years
Shower hoses	5 years	NIL
Kitchen mixer hoses	5 years	2 years

Warranty

Product Category	Parts	Labour
Hand showers	5 years	NIL
iBox Universal	20 years	5 years
Accessories	5 years	2 years
Electronic taps & mixers	5 years	2 years
All surfaces- electroplate, PVD, lacquered	5 years	2 years
Spare Parts	2 years	2 years

4.2. Commercial Applications

A commercial premises is deemed to be any business, motel, hotel, airport, hospital or place that is not by its nature a domestic residential building.

Product category	Parts	Labour
Tapware	5 years	2 years
Cartridges & Thermostatic elements	5 years	2 years
Showers	5 years	2years
Shower hoses	5 years	NIL
Kitchen mixer hoses	5 years	2 years
Hand showers	5 years	NIL
iBox Universal	20 years	5 years
Accessories	3 years	2 years
Electronic taps & mixers	5 years	2 years
All surfaces- electroplate, PVD, lacquered	5 years	2 years
Spare Parts	2 years	2 years

4.3 Exclusions from the warranty include

- a. Jumper Valves
- b. O-rings and washers
- c. Aerator Inserts
- d. Normal wear & tear

4.4. In regards to ceramic cartridges, the warranty is void should the cartridge be faulty as a result of the following in the water supply:

- a. Copper and plastic tube pieces
- b. Dirt, sand or grit
- c. Plumbing tape

5. Authorised Service Agent

5.1. Hansgrohe warranty service can only be conducted by our authorized service agent or authorized Dealer.

5.2. Warranty Services is conducted only during normal business hours on business days. Hansgrohe or its agents / dealers is not bound by any obligation to carry out service / replacement in specified time period, while every effort will be made to carry out service / replacement at the earliest possibility.

5.3. In the event that the product may be required for offsite inspection. Hansgrohe, its service agent or dealer is not be liable to provide any alternative product for temporary use in such case and shall not be liable for any cost or consequences incurred by the customer due to offsite inspection.

5.4. When a product is found to be defective, Hansgrohe or its agent may decide to:

- a. replace it with the same model
- b. replace it with a model of similar value, in case if same model is discontinued or not available

6. How to make a warranty claim?

Should any of our Products not perform to the warranty terms provided herein, please contact:

In Australia:

Tel: 03 8319 5753

Email: info@hansgrohe.com.au

In New Zealand and Fiji:

Contact the Authorised Dealer where you purchased the product from.

Warranty related labour, if required, is provided by the authorized dealer from whom the purchase was made.

Hansgrohe reserves the right to determine any issue or uncertainty in connection with the warranty.

7. Product care and cleaning

7.1. Always test your cleaning solution on an inconspicuous area on the product before applying to entire surface.

7.2. Do not allow harsh cleaners to sit or soak on the product.

7.3. Wipe surfaces clean and rinse completely with water immediately after applying cleaners

7.4. Clean the fitting with just a mild detergent (such as dish-washing soap) and a damp cloth, then simply rinse off and wipe dry; you can prevent lime scale by drying the fitting after each use. We strictly do not advise the use of solvents or acidic cleaners, lime scale removers, household vinegar and cleaning agents containing acetic acid - they will attack the surface and leave your fitting looking dull and scratched.

7.5. Use a soft, dampened sponge or cloth to clean, never use abrasive material like a bristle brush or scouring pad

7.6. Wherever gold or platinum metal is used on products, use only warm water to clean and then dry the surface with a soft cloth

7.7. Never use cleaners containing abrasive cleansers, ammonia, bleach, acids, waxes alcohol, solvents or other products not recommended for chrome.

hansgrohe

Life is waterful.

The Water Studio Melbourne

Located in Abbotsford, Melbourne, The Water Studio is a by-appointment-only inspirational space showcasing our range of luxury German kitchen and bathroom tapware and showers. Experience our products first hand in our live demonstration area and discover how hansgrohe combines German engineering with beautiful design to deliver a superior experience with water.

[hansgrohe.com.au](https://www.hansgrohe.com.au)



Book an appointment

Hansgrohe Australia
Unit 4/71 Victoria Crescent
Abbotsford, VIC, 3067
Australia
Tel +61 03 8319 5753
info@hansgrohe.com.au
www.hansgrohe.com.au



Discover hansgrohe online and on social media.

All products are subject to availability. Availability may be temporarily impacted by material shortages, supply chain disruptions or other force majeure events. Please contact us for further details.