



hansgrohe

Sales manual 2022

hansgrohe bathroom range

[hansgrohe.uk](https://www.hansgrohe.uk)

Sales & Service

Whether by phone, email or fax, the hansgrohe customer advice team offers you individual and customer-oriented support - both technical and commercial.

Monday - Thursday: 7.30am - 5pm

Friday: 7.30am - 3.30pm

Phone +49 7836 51-3124

Fax +49 7836 51-1400

service@hansgrohe.com

Professional website

We provide additional information and services on our partner website, including delivery information, online spare parts catalogue, price lists, planning data and marketing tools. You can access it at any time, whether you're out and about or with a customer.

pro.hansgrohe.com

Project consultation

Are you in the process of planning one or multiple bathrooms, and need support with planning or tendering? Our project consultancy is here to help.

Monday - Thursday: 7.30am - 5pm

Friday: 7.30am - 3.30pm

Phone +49 7836 51-3126

Fax +49 7836 51-1878

gpservices@hansgrohe.com

pro.hansgrohe.com

Expert service

Our service specialists are trained experts and technicians and can advise you on technical issues. If something cannot be clarified by telephone or over email, you can also arrange a visit from a specialist on site.

Monday - Friday: 7am - 6pm

Phone +49 7836 51-1282

Fax +49 7836 51-1440

info@hansgrohe.com

Online spare parts catalogue

You can find spare or additional parts easily using our online spare parts catalogue. There are also other useful resources, such as dimensional drawings, links to drawings and service parts, watch lists and assembly and service instructions downloads.

spares.hansgrohe.com

Hansgrohe Aquademie Schiltach The Water Studio Hamburg

Get advice from the experts. In the stilwerk in Hamburg and in the Aquademie in Schiltach, our fittings, showers and installation technology is available to see in real life scenarios. Many of them are useable - like in the Showerworld in Schiltach, where the latest shower products can be tried out.

pro.hansgrohe.com/service/showrooms

Spray modes



Powder Rain
A unique shower experience thanks to the soft caress of micro droplets.



Intense Powder Rain
Intense jet of micro-fine droplets for sensational showering.



Rain
Full shower rain, ideal for washing hair.



Intense Rain
An intense jet of water that activates and wakes you up.



Turbo Rain
Intensive shower rain that refreshes and rejuvenates.



Rain Air
Gentle shower rain with air-enriched drops.



RainAir XL
Large jet envelops your whole body in soft droplets.



SoftRain
A soft water spray that caresses the body for that feel-good sensation.



Mono
Focussed jet for a soothing, feelgood shower.



Massage
A strong massage spray that invigorates and soothes aching muscles.



Whirl
Concentrated targeted massage spray.



Mix
The harmonious combination of gentle shower drops and dynamic spray.



Caresse Air
Boosts energy after a challenging day.



Balance Air
A harmonious combination of soft shower rain and a dynamic spray.



Normal
Full shower rain, ideal for washing hair.



Shampoo
An intense jet of water that activates and wakes you up.



RainFlow
Powerful flood jet for generous coverage.



Rain Stream
Generous flow of soft sprays.



Fur Spray
Full shower spray for rinsing off dirt and shampoo.



Leg Spray
For legs and other sensitive areas.



Paw Spray
A soft spray, ideal for gently cleaning paws.



Laminar Spray
Crystal clear and economical, without added air. Ideal for quickly filling large containers, and preventing splashing.



Normal Spray
Ventilated water spray thanks to AirPower technology. Fuller, lighter and softer drops for a gentler water spray.



Shower Spray
Economical and cleansing. Also perfect for fast spraying at the sink.



Satin Flow Spray
The soft, flat spray is splash-free, making it highly efficient at saving water.

Finishes

When choosing the surface, each order number (#) has 8 digits, for example 28500, - 000 = chrome



-000
Chrome



-090
Chrome/Gold
Optic




-140
Brushed Bronze



-340
Brushed Black
Chrome



-400
White/Chrome



-450
White



-540
Petrol



-560
Pink



-600
Black/Chrome



-610
Black



-670
Matt Black



-700
Matt White



-800
Stainless Steel




-820
Brushed Nickel



-990
Polished Gold
Optic

Technologies



Select
Simply regulates the water flow at the touch of a button: a convenient way to turn the shower on and off or switch between spray modes.



EcoSmart
Reduces the flow rate to save water and energy. For long-lasting pleasure.



AirPower
Combines water with a generous amount of air. For a soft, splashfree water spray and rich, full shower drops.



Quick Clean
Wipe limescale deposits away easily by rubbing your finger over the flexible silicone nubs.



Quick Clean
Easy and fast cleaning and maintenance of surfaces.



XXL Performance
Distributes the water over the large spray face enveloping the whole body in drops of wellbeing.



Adjustable Shower Head
With the adjustable shower head, the water jet can be adjusted individually.



Fast Drain
Fast drainage of shower to reduce the dripping time.



PushSlider
With just one hand, the shower holder can be freely adjusted in height at the touch of a button. For a safe and comfortable shower experience.



Water Flow Control
Easy water control: with the control dial the water flow can be adjusted easily.



Cool Contact
Cools through the controlled flow of cold water to stop the product getting hot. For even safer showering.



Rotatable Bath Spout
The bath spout can be neatly stored underneath the thermostat when not in use. A truly aesthetical solution for safety and mobility.



CoolStart
Cold water starts to flow when it is opened in the basic setting. You consume hot water only when you need it.



Comfort Zone
Defines the useable area between washstand and mixer. Something to suit every customer.



Pull-out Faucet
Highest flexibility by pull-out function.



Sensor Activation
Like many motion detectors, the sensor reacts to changes in infrared radiation. As soon as it detects the warmth of the hand, water will flow.



Comfort Zone
Defines the height, side clearance and – with the pull-out function – the length of the space around the mixer.



sBox Kitchen
The hose extends quietly and smoothly from the base cabinet by up to 76 cm.



Tilt Function
The kitchen tap can easily be removed its holder and lowered, so that a window can be opened inwards.




Low Pressure
Low pressure fitting for cold water pipes with boiler/heat storage.



Glue or Screw Fix
Assembly possible both with included glue-kit and screws.



EasyClick
All accessories can be easily clicked onto the wall bar and removed from it.



Variable Installation Depth
Variable installation depth of finish set for an individual look.



Adjustable Frame Height
For flush integration into the adjacent area.



Water Damage Protection
Water damage protection via water proof basic set and preassembled sealing membrane.



In-floor Installation
In-floor installation as design highlight.



One-sided Installation
Wallbound installation for comfortable use of space.



Two-sided Installation
Installation adapted to the integration between two walls.



Three-sided Installation
Minimalistic installation against back and side walls.



Resizable Cover Length
Drain can be cut to length. For optimal adaptation to the installation surrounding.



High Drainage Capacity
High capacity drain.



Easy Clean Siphon
Comfortable cleaning of the siphon.



Water Boost
You can increase the amount of water in a targeted way when needed.

hansgrohe brand	4 Editorial	12 Quality
	6 Company	13 Service
	8 Innovation	14 Responsibility
	10 Design	15 Sports sponsorship

Spray types & technologies	Bathroom	Kitchen
16	Spray modes	30 Spray modes
18	Technologies	31 Technologies
28	FinishPlus	35 FinishPlus

Bathroom

Hand showers and shower sets	38 Rainfinity	54 Jocolino NEW
	40 Raindance	56 DogShower NEW
	44 Pulsify S NEW	
	46 Croma	
	50 Crometta	
	52 Vernis NEW	

Shower bars and accessories	58 Shower rails & care
	64 Shower hoses
	66 Shower supports and hose connections
	69 Soap dishes and shelves

Overhead and side showers	72 Rainmaker Select	86 Croma
	74 Rainfinity	90 Crometta
	76 Raindance	91 Vernis NEW
	84 Pulsify S NEW	

Showerpipes	96 Rainmaker Select	110 Croma
	98 Rainfinity	118 Crometta
	100 Raindance	120 Vernis NEW
	108 Pulsify S NEW	

Thermostats	Exposed	Concealed
	124 ShowerTablet Select NEW	130 RainSelect
	126 Ecostat	134 Concealed installation overview of functions
	128 Shower systems	138 ShowerSelect
		144 Ecostat

Mixers	150 Metropol	182 Focus
	158 Metris	186 Vernis NEW
	164 Finoris NEW	194 Logis NEW
	168 Vivenis NEW	200 Electronics & care
	172 Talis	

Accessories	204 XtraStoris NEW
	208 Logis
	210 AddStoris NEW
	212 Logis Universal
	214 WallStoris NEW

Drainage systems	Shower	Basin
	219 RainDrain NEW	228 Siphons & accessories
	219 Staro	
	Bath	
	226 Flexaplust	
	227 Exafill	

Planning and Installation	230 iBox universal	240 Example installations
	236 sBox bath	
	238 uBox universal NEW	

The kitchen

Kitchen mixers	268 Aquino Select	284 Zesis NEW
	270 Metris	286 Logis
	274 Talis	287 Vernis NEW
	280 Focus	288 Accessories

Meet the beauty of water

The new meaning of 'home'

Over the past year, many of us have come to realise the importance of home providing a place of relaxation and retreat. As a company, we know we are providing something truly fundamental to our customers: a home filled with beauty and quality, a place of escape from the outside world. Whatever happens, we are – and always will – be by your side.

Innovations to bring your business to life

This year, we're introducing a range of exciting new products that deliver on our guiding principles: **innovation, design, quality and responsibility**. We offer solutions to every need, by developing cutting-edge products to suit every lifestyle. Meet Pulsify, the shower that offers a completely new experience in any sized bathroom, thanks to the innovative PowderRain spray. Or Finoris, the tap that gives a new freedom of movement in the bathroom. Innovation continues with the multi-sensory shower experience RainTunes*, the fun Jocolino children's shower, the flexible WallStoris storage system and the RainDrain shower channels.

Designed for people

hansgrohe is a brand for life. Whether you are looking for a moment of calm or refreshment, every product we make is designed to make life easier. Our products are not one-off ideas but comprehensive solutions, destined to become integral to everyday life. It's this that defines our brand: our focus on people.



* RainTunes is not available worldwide



hansgrohe – our past informs our future

hansgrohe is a company steeped in tradition. It was founded by Hans Grohe in 1901, with a small metalwork shop in Schiltach, the Black Forest. Today, you will still find our Innovation Centre and corporate headquarters there. The hansgrohe brand has an international reputation for excellence, thanks largely to the commitment of its people. Each employee is passionate about water, but it's our expertise which really set us apart as a company. These qualities have resulted in revolutionary bathroom innovations and pioneering water-saving technologies, yesterday, today and tomorrow.



In 1901, Hans Grohe founded his metalwork business. He was a visionary, recognising the changing role of the bathroom in the home (despite it being a fairly new concept to most at the time).



1928

Hand shower
The first shower with a white porcelain handle. This hansgrohe innovation made showering affordable for many households for the first time.



Shower bar Unica
Thanks to this revolutionary idea, hand showers could be mounted at a required height.



Tribel
First design award winning hand shower in many colours and with three spray types.



ALLEGROH
The first mixer with the new lever handle, swivel spout and innovative ball mix technique.



iBox universal
First and only basic set for all standard and thermostat solutions - a revolution in concealed installation.



Raindance
The first hand shower with an XXL shower head, flat silhouette and short handle. The all-rounder becomes a trendsetter.

New milestones in bathroom innovation



PowderRain
A unique shower experience thanks to the soft caress of micro droplets.



FinishPlus
High-quality finishes provide a variety of design options.



RainTunes*
We combine water with sound, light, imagery and fragrance into one holistic wellness experience.

* RainTunes is not available worldwide

Innovation – driving our business and yours

Whether in a new build or renovation, clever products and state-of-the-art technologies will keep you ahead of the competition. Hansgrohe registers hundreds of new designs, patents and brands every year, holding 15,000 patents to date. It's the reason we're considered pioneers in the industry. We combine top technical performance with a focus on the needs and enjoyment of the customer. With hansgrohe, you can have confidence that you have technological innovation on your side.



Our own research and development laboratory

We believe every part of a product is important. From the look, functionality and material of a shower, to the sound it makes as water flows. In our in-house spray laboratory, acoustic experts tirelessly research the perfect water sound. This attention to detail is reflected in over 15,000 active patents. The result is that customers around the world can enjoy more comfort and relaxation in the bathroom.





The right spray type for every shower

Different people have different requirements from their shower. Some look for a relaxing time-out from the world, while others want an energising, refreshing shower experience. Whatever your customers are looking for, with hansgrohe you will find the right spray type. PowderRain is one such spray, enveloping the body in thousands of ultra-fine droplets and creating a delicate cocoon of water. Our experts have used all of their knowledge to ensure quiet operation, and the result is a sensual, whisper-quiet home spa experience.



Technologies that inspire

The best products enrich people's lives, bringing more comfort and enjoyment. And sometimes, it's the smallest technologies that make the difference. hansgrohe's Select is just one button that brings a new ease of use to the bathroom. Or QuickClean, the clever anti-limescale solution. hansgrohe technologies make taps and showers enjoyable to use and easy to clean.

Design – collaborating for excellence

Elegant functionality appeals to both the heart and mind, and it's something we specialise in. Our products are consistently award-winning, outlasting fads and instead providing long-lasting value, whether they are found in the home or in a world famous hotel. With over 30 years of collaboration with Phoenix Design, hansgrohe is a leader within the industry, with more than 600 awards collected for our design achievements.

More than
600 awards





Serenia The Palm
Dubai, United Arab Emirates
Products: hansgrohe Metris
Copyright: Serenia The Palm



Developers, investors, architects and planners around the world spearhead the most ambitious of projects, ensuring that intelligent and elegant water solutions are always in demand. Our shower and bathroom collections are well known as the very embodiment of design excellence. That's why you'll find them in world class hotels, exclusive sports clubs, royal castles and luxury yachts.

You can find more inspiring examples at pro.hansgrohe.com/your-selling-points/references

At home all over
the world



InterContinental - ANA Beppu Resort & Spa
Oita, Japan
Products: hansgrohe Logis
Copyright: ANA Beppu Resort & Spa



Quality – the highest standards for the longest product life

Install a hansgrohe product, and you know it will be enjoyed for years to come. Offering customers the highest quality at all times is a fundamental part of our philosophy. We have been manufacturing bathroom and kitchen products for over 120 years, and we are proud of our intensive quality control processes, practiced around the world.

Our reliability goes one step further: we offer our end users a five year* manufacturer's guarantee on our products.

This manufacturer's guarantee goes far beyond statutory requirements. With this, we provide our sales partners with yet another advantage of using hansgrohe over other brands. We also ensure that we provide assistance to our specialist partners when applying this manufacturer's guarantee.

Your customer will also benefit from the fifteen year parts availability guarantee, which ensures the security of their investment even after a product is phased out.



hansgrohe
guarantee and
availability guarantee



hansgrohe produces incredibly advanced technology, but the measurement of quality is a very human endeavour. That's why every single product is carefully checked by human hands before it leaves our factory.

* This guarantee applies to all hansgrohe products, with the exception of the products listed under II b on [hansgrohe.com/guarantee](https://www.hansgrohe.com/guarantee)

Service – a partnership you can rely on

You deliver your best on each job and need a partner you can rely on. As a trade partner, hansgrohe is here to support you. Through hansgrohe, you can contact experienced plumbers to help you with even the most complex problems – anytime, anywhere. We also provide brochures, videos and online webinars to help you keep your skills up-to-date and provide the best service for your customers.

We keep you up-to-date – on hansgrohe product innovations, marketing and sales campaigns, seminars, events and company news. Whether you're from a trade, craftsman or project management background, register here to always stay in the know.

pro.hansgrohe.com/newsletter



Your success is our success

On our partners website you'll find many additional services, such as delivery information, online spare parts catalogue, dimensional drawings and 3D data, price lists and Building Information Modelling (BIM) data for most software applications and marketing tools. This means you can access it at any time, whether you're out and about or with a customer.

pro.hansgrohe.com

Professional knowledge from our experts

hansgrohe eLearnings gives you the skills and knowledge to be able to advise customer effectively. Our digital training courses train you on the features and benefits of our products. This is all accessible online, on your computer, tablet or smartphone, for the ultimate in flexibility.

pro.hansgrohe.com/service/elearning

Taking responsibility – acting sustainably

We focus on three areas of accountability: **responsible management, social action** and **ecological awareness**. We believe this is the only way to be successful, both now and in the future. This is something we put into practice worldwide, and have been doing so for many years. This includes ensuring we have an environmentally conscious production process, and mindfully employing people and other resources.

Klaus Grohe, the founder's son, was an ardent campaigner for sustainability from an early age. He ensured that environmentally-conscious thinking was a core principle at Hansgrohe. As early as 1987, Hansgrohe was one of the first to bring a water-saving shower to the market. From this point on, many projects were undertaken to ensure environmentally and resource-friendly production in our factories.


At Hansgrohe, we are in the process of taking giant steps forward to help minimise climate change. By 2030, our aim is to make the entire company, including our products, climate neutral. To implement this, we carefully choose our raw materials, packaging and logistics based on their climate impact.



Simply calculate potential savings

With our water saving calculator, it's easy to see the amount of water that could potentially be saved with our environmentally-friendly EcoSmart technology. It's useful for both large and small customers, showing instantly the products that will help conserve our most valuable resource.

pro.hansgrohe.com/consultation/water-savings-calculator



Calculate individually



- Number of people in household
- Energy type
- Average shower length (in mins)
- Water costs ££/1000l
- Energy costs ££/kWh
- Product selection

Sports sponsorship – teaming premium athletes with premium products

hansgrohe has been the official title sponsor of the world class cycling team BORA-hansgrohe since 2017. We share the same values and have a similarly global reach: with this international dream team of 29 athletes from ten nations, hansgrohe has helped them to compete in 140 countries around the world. As brand ambassadors, the athletes are on the road for almost 300 days a year.

In 2019, BORA-hansgrohe was the second ranked team in the UCI WorldTour. A highlight of 2021 was the top German team winning the points classification at the Giro d'Italia – largely thanks to superstar Peter Sagan, who won the famous “Maglia Ciclamino” jersey.

Find out where, when and who is in the starting position on the website and via social media from hansgrohe and the BORA-hansgrohe team.



More indulgence with a range spray types by hansgrohe

Spray types – relax or energise with every shower

Different people require different things from the shower. Some look for a relaxing time-out from the world, while others want an energising, refreshing shower experience.

Whatever your customers are looking for, with hansgrohe you will find the right hand and overhead shower, with the right spray type. Products featuring our Select technology

provide particular convenience for your customers.



PowderRain

Revolutionise your daily shower experience with PowderRain and transform your bathroom into an oasis of relaxation. Instead of only one jet outlet per nozzle, PowderRain has up to five openings that create thousands of fine and silky micro-droplets that envelope your body.



Intense PowderRain

Intense jets of fine micro-droplets for sensational showering. Intense PowderRain is extraordinarily effective as the number of droplets has been substantially increased to produce an intense, yet velvety soft spray.

Simply scan the code and experience the spray patterns in the video.



Rain

Despite the smaller nozzles on the hand shower and overhead shower, the performance of both are consistently excellent. The Rain spray invigorates and refreshes, making rinsing out shampoo quick and easy.




RainAir and RainAir XL

Relaxing shower rain, which is enriched with air inside the shower head. This makes the water feel exceptionally soft and plump, covering your body with soft beads of water and enveloping you to create a sense of well-being. It's a spray most loved by pleasure seekers.



IntenseRain

It's not just shampoo you can rinse away with ease thanks to IntenseRain water spray. It's perfect for setting yourself up for the day too: wash morning tiredness down the drain – for a refreshing start to the day.



TurboRain

The all-purpose tool for quick, straightforward results: TurboRain is the most powerful of our Rain spray modes and lives up to its name every time.



SoftRain

The gentle SoftRain spray is a treat for soul and skin, whether it's a quick daily shower or a pampering evening indulgence.



Mix

Simultaneously gentle and dynamic. The mix spray combines the rich, soft RainAir spray with the strong, revitalising CaresseAir spray. Soft drops envelop your body, while a warm jet massages the skin. It's a dream combination for daily showering pleasure.




Whirl

A swirling massage spray, which showers away the stresses of the day. This relieves tension, primarily in the neck area and shoulders. The rotating helix jet wanders over the skin, just like a masseur's fingers. The ideal choice for relieving stress or giving yourself a spa-like treatment after playing sport.



CaresseAir

Five strong single sprays combine in a pleasantly revitalising and powerful massage. It's just the thing for post-exercise or after a hard day at work – good as new in minutes.



Massage

A concentrated spray that relieves the stress of everyday life, easing areas of tension. The innovative ring-shaped spray creates an at-home wellness experience like no other.



Mono

A targeted, soothing spray from the centre of the showerhead. The Mono jet's lightness helps you to unwind, making it a perfect spray for relaxing.



RainFlow

An overhead shower with RainFlow creates a waterfall in the bathroom. The effect is a cascade of water on the neck and shoulders, easing tension and bringing total relaxation.



RainStream

The new single sparkling RainStream spray is a crowning achievement for the hansgrohe R&D team. These special overhead shower sprays remain revitalising and intense from head to toe, giving a consistent experience however tall you are.

Our experience means more efficiency in the bathroom

Technology – providing the ultimate ease of use for your customers



Select

Because sometimes pressing is easier than turning. With our innovative Select technology, a simple touch of a button on the shower or shower control is all it takes to change the spray mode or turn the water on/off for even more comfort while showering, no matter your age.

- Intuitive control at the touch of a button
- Suitable for all age groups
- Mechanical construction for permanent functional safety
- Temperature can be pre-set
- Can even be operated with your elbow or arm



The idea: a button instead of a lever at the sink. The mechanical Select button simplifies everyday routines, and is robust enough to stand the rigours of everyday life, as our long-term testing proves. These small changes can have a large impact on how convenient a product is to use, and make them ideal for a multi-generational household.





EcoSmart

Thanks to EcoSmart technology, hansgrohe showers consume up to 60% less water than conventional products thanks to the addition of air to the spray. This also saves valuable energy.

- Up to 60% less water consumption (shower)
- Water consumption of only 5 l/min (tap)
- Lower consumption means lower energy requirements, and therefore fewer CO₂ emissions
- Lower water and energy consumption for double efficiency



Thanks to EcoSmart technology's aeration, our basin taps consume just 5 l/min of water. This saves warm water and energy. All of our basin taps have achieved level A in the home sector: the best possible result.

The savings calculator computes how much water and energy can be saved at:


pro.hansgrohe.com/consultation/water-savings-calculator



QuickClean

QuickClean means flexible silicone inserts on the aerators. Dirt and limescale deposits can be simply rubbed off with your finger with no need to use cleaning products, helping to extend your shower's lifespan.

- Quick and simple cleaning
- Ultra high quality and tear resistant silicone
- For a long lifetime and functionality





AirPower

Comfort and efficiency don't have to be mutually exclusive and our AirPower showers prove it. An ample supply of air is sucked in via the spray disc of your shower, making the droplets fuller, lighter and softer, increasing water efficiency at the same time.

- Fuller, lighter and softer drops – pure shower pleasure
- Fewer splashes, so less cleaning
- Higher water efficiency thanks to a larger water volume



XXL Performance

Large-format showers have to be experienced to be truly appreciated. The luxurious hansgrohe design envelops the individual in water, bringing XXL performance to the bathroom.

- Large-format showering sensation
- Higher water efficiency – evenly distributed spray nozzles, for an incomparable shower experience



Tiltable

You can adjust this overhead shower at an angle to suit the shower area, so that the whole body is soothingly enveloped in water.

- Adjustable shower head to suit the individual
- Angle of adjustments provides flexibility
- Modern installation for contemporary enjoyment



FastDrain minimises drips

This clever technology significantly reduces dripping from the overhead shower.

- Reduces annoying dripping
- Smarter waterflow inside the shower
- Easier cleaning



Water regulation

The amount of water can be precisely regulated using the thermostat. Not only does this conserve water, it's great for children, who often find a gentler waterflow more pleasant.

- Precisely regulate the amount of water
- Actively regulate water consumption with the volume control
- Easy operation – suitable for all ages



Height-adjustable PushSlider

With just one hand, the shower holder can be freely adjusted in height at the touch of a button. For a safe and comfortable shower experience.

- Easy to use with one hand
- More comfort for every generation
- Easily adjustable shower heights



Rotatable bath spout

The water inlet of this bath thermostat can be turned 90° so that it disappears underneath, providing more space to move while bathing or showering and creating a neater overall appearance.

- More freedom of movement when bathing or showering
- Functional design
- Streamlining the overall look



CoolContact

The CoolContact cooling technology stops the thermostatic mixer's housing getting too hot. So there is no more need to keep a safe distance from the taps, making showering even more care-free. It also means there is no more risk of children burning their delicate hands.

- Innovative cooling technology
- More safety in the bathroom, for children too
- Care-free showering



Pull-out function

Thanks to the pull-out tap, the working area at the sink becomes much larger. It also offers fantastic ease of use, thanks to the magnetic recoil function.

- The pull-out tap extends your workspace
- Easy handling
- Minimalist design for maximum flexibility and freedom of movement




ComfortZone


Whether you want more elbow room when washing your hands, a comfortable way to wash your hair or just fill containers, the higher the tap, the more flexible your options become. We call the space between the tap and the ceramics the ComfortZone because you can use it however you like.

- The optimal height for every requirement
- The perfect combination of tap and basin
- Reduce unnecessary water spraying through a reliable test: pro.hansgrohe.com/consultation/comfortzone


The right fitting for every need




Mixer behind free standing exposed basin or behind wash bowl.




Wash bowl with exposed mixer.



Wash bowl with wall mixer.



Mixer for built-in basin.



Wall-hanging wash basin with exposed mixer.

The right tap for every sink

The ComfortZone test – ensuring perfect synchronisation



The higher the tap, the more flexible the space. However, if a wash basin and tap do not match up properly it can result in splash-

back. To avoid this, we developed the ComfortZone test. Carried out under realistic conditions, the test reveals just how well

customers' taps work in combination with conventional wash basins from leading manufacturers.



How the ComfortZone test works

1. Free space test

Is there enough of a gap in the combination of mixer and wash basin? A test sphere is positioned between the mixer and wash basin to check how easy and comfortable it is to wash the hands.

2. Splash test

Is there any splashing when the mixer is turned on? The mixer is opened and closed several times under different water pressures. Between tests, the splashes are analysed and the wash basin rubbed dry.

3. Practice test

Is there any splashing when washing the hands? A standardised hand model is passed under the water flow and the splashes outside of the basin analysed.

Free PDF: the test results from over 12,000 combinations

Take advantage of the thousands of tests we have conducted: as a professional partner, we make the results exclusively avail-

able to you. With an overview of all sink and tap combinations, the results give you everything you need for a successful sales

conversation. The PDF test result files are available free of charge at pro.hansgrohe.com/consultation/comfortzone

Advantages and benefits

- Reliable test procedure on the wash basins of leading manufacturers, fitted in accordance with the instructions
- Recommendations from over 12,000 tested mixer wash basin combinations available online for planning – constantly expanded and updated
- The certainty that wash basin and mixer harmonise – without annoying splashes



Contactless taps

Like many motion detectors, the sensor on our non-contact products reacts to changes in infrared radiation. As soon as it detects the warmth of the hand, water flows, making it economical and hygienic.

- Contactless
- Savings in water and energy
- Maximum hand hygiene – ideal in public spaces



CoolStart

On standard taps the continuous flow heater or circulation pump starts up immediately when the handle is in the middle position, but with CoolStart taps the hot water is only added when the lever is moved to the left. This cuts down on energy needs, CO₂ emissions and costs.

- Basic setting enables only cold water to flow
- Large energy, and therefore money, saving potential – ideal in business premises
- Special user ergonomics (the lever only needs to be moved to the left for hot water)



LowFlow

In business projects, water and energy savings are important criteria for building certification, such as LEED or BREEAM. This is why hansgrohe has developed LowFlow cartridges, providing a waterflow of only 3.5 l/min.

- Savings in water and energy
- Certification advantages especially for projects
- Precise temperature setting despite low flow rate



EasyClick installation

Modern accessories, easy to install: hansgrohe hooks, shelves and baskets can be attached to the wall bar with one click. With this modular organisation system, accessories can be moved or removed quickly and easily.

- Simply attach it to the wall bar with one click
- It can be removed or re-attached at any time
- Flexible storage system with almost infinite combinations



Can be attached using glue or screw

Secure hold, residue-free fixing: hansgrohe wall bars can be glued or drilled to the bathroom wall using a rustproof steel plate. Both types of attachment securely hold the accessories.

- Easy DIY installation: use glue or screws to secure
- Remove at any time without leaving any residue
- Robust material: stainless steel plate



Variable installation depth

These hansgrohe accessories provide plenty of storage space. With their variable installation depth, the ready-to-use sets suit every customer requirement – while also ensuring an individual look.

- Variable installation depth
- Storage solution embedded into the wall



Protection against water damage

This basic installation set is embedded flush with the wall and is 100% waterproof. A pre-assembled seal prevents shower water from penetrating the surrounding floor or under the tiles.

- 100% waterproof
- Pre-assembled seal



Freely install in any area

Adaptable installation: This shower drain can be positioned in different places on the floor. This type of installation requires a four-sided slope.

- hansgrohe shower channel installed freely in the area
- Four slopes required
- A highly functional design highlight



Wall-mounted installation

Wall-mounted installation: Install this shower drain against a wall. This type of installation requires a slope on three sides.

- hansgrohe shower channel installed on a wall
- Three slopes required
- Effective use of space



Wall-to-wall installation

Wall-to-wall installation: Install this shower drain between two walls. This type of installation requires a slope on both sides.

- hansgrohe shower channel installed between two walls
- Two slopes required
- Requires a shower drain the exact length



Installation against three walls

Minimalist installation against three walls: Install this shower drain on the rear wall and between the side walls. This type of installation requires a one-sided slope the exact length of the shower drain.

- hansgrohe shower channel installed against the rear and two side walls
- One slope is required
- Requires a shower drain the exact length



Adjustable frame height

The drain channel must close the surrounding area without creating a trip hazard. The level of the cover can still be adjusted using the height adjustment frame, even after the screed has been poured.

- High-quality hansgrohe shower channel
- Easy adjustment to the surrounding tiled area thanks to the height-adjustable frame
- Flexible installation



Shower channel that can be shortened

This shower channel can be shortened, so you can adapt it to the structural requirements.

- Adaptable hansgrohe shower channel
- Can be shortened on-site
- Flexible installation



High drainage capacity

A truly great shower experience from a powerful overhead shower places high demands on drainage. This drain is designed for high flow volumes of up to 60 l/min, preventing flooding.

- High flow rate of up to 60 l/min
- Avoids flooding
- Maximum enjoyment



Easy to clean siphon

The aerodynamic geometry and high flow rate of the innovative hansgrohe Dryphon allows dirt and hair to pass through smoothly, reducing the need for cleaning.

- Easier cleaning

Personality-infused design, thanks to coloured fittings

FinishPlus – new surfaces bring new individuality to the bathroom

Today's bathroom increasingly reflects our own personal style. FinishPlus has been developed to provide five new surface designs

in matte and metallic tones, expanding your style options far beyond classic chrome. The high-quality surfaces offer a wide range of

design options, giving you brand new ways of expressing yourself.




670 Matt Black: Getting back to basics with black and white contrasts.



700 Matt White: Cheeky, unconventional freshness.



340 Brushed Black Chrome: A dark, partially reflective surface creates an sophisticated aesthetic.



140 Brushed Bronze: Soft natural tones and subtle nuances.



990 Polished Gold Optic: Glamorous look for aesthetic extravagance.



000 Chrome: Timeless classic paired with dainty elegance.

Advantages and benefits

- A large selection for self-expression: new tap colours and complementary products
- Resilient and scratch-proof, with tactile appeal
- Immediate availability: easy ordering process as products are kept in stock



Make washing-up a breeze

Spray types – for a streamlined workflow in every kitchen



Laminar spray
Crystal clear waterspray without added air, which prevents splashing and is ideal for filling large containers, like vases, quickly.



Normal spray
Fuller, lighter and softer droplets from an aerated spray, thanks to AirPower technology.



Shower spray
A gently water-saving cleaning spray, suitable for rinsing the sink.



SatinFlow spray
The soft, flat spray is splash-free, making it highly efficient at saving water.

Clever functions mean more efficiency

Technologies to make life easier



Select

Select technology makes using the kitchen tap easier than ever before, because the water can be turned on and off with just one click. You can do that with your elbow or even the back of your hand, keeping your taps clean when you're cooking or washing up.

- Convenient use and optimal water flow
- Stop and start the water flow at the touch of a button during operation
- Can also be operated with an arm or elbow



QuickClean

QuickClean means flexible silicone discs. Dirt and limescale deposits can be simply rubbed off with your finger - low effort with no need to use cleaning products, extending your shower's lifespan.


- Fast and easy cleaning
- Ultra high quality and tear resistant silicone
- For a long lifetime and functionality



EcoSmart

Thanks to EcoSmart technology with added air, certain hansgrohe kitchen taps consume only 6 l/min. This reduced water volume means less water needs to be heated up, which also saves valuable energy for your customer.

- Air enriched water for a full, sparkling spray
- Lower energy consumption means fewer CO₂ emissions
- Lower water and energy consumption for double efficiency



AirPower

AirPower works by drawing in air via the jet outlet. This addition of air enriches the incoming water, making the jet fuller, lighter and softer. AirPower cleverly delivers a high jet volume with less water.

- Fuller, lighter and softer droplets, for an enhanced water jet
- Less risk of splashing
- High efficiency helps to reduce water consumption



ComfortZone

Kitchen taps with an extra high spout offer additional space, making them ideal for filling large pots and tall vases. For those that swivel, the rotation can be set incrementally up to 360°.

- The optimum height for all needs
- A flexible swivel area prevents over-rotation
- Ultimate freedom to move



Pull-out function

More flexibility, thanks to the pull-out function. This pull-out tap extends your working area at the sink, making it easier to fill containers or water plants.

- Standard extension max. 50 cm
- The sBox extends the working space to 76 cm



Lower in front of a window


With kitchen windows that open inwards, conventional taps often get in the way. A hansgrohe tap with TiltFunction solves this. It can be easily lifted and lowered, so that the window can be open and shut easily.

- Ideal for installation in front of a window
- Easily lifted up and folded down
- For easy opening and closing of a window



sBox kitchen

With extendible kitchen taps and sink combi units, the sBox ensures that the hose can be pulled out and stowed away safely and easily. The 52 cm-tall box fits into all standard base units from 74 cm upwards. Alternatively, products can also be purchased without the sBox.



- Smooth and safe retrieval of the hose, without getting in the way of the drawer or waste separation system
- Multiple installation options in the base unit thanks to flexible mounting elements
- For a more organised sink cabinet
- The hose weight in the sBox ensures smooth and quiet use
- Optional accessories: An additional spacer rail that allows for installation lower in the cabinet body

Installation options



Best placement – vertically below kitchen tap:

The lower brackets are firmly screwed to the base. The upper brackets can be either screwed to or suspended on the rear panel. The mounting elements can be moved and rotated 360°. This makes installation fast and easy.



Vertically below kitchen tap, tilted backwards or forwards:

The tilted back assembly is recommended if the rear wall is offset to the front or if there are obstacles on the floor. The brackets are all aligned to the front. This way, the sBox can simply be tilted forward and clicked out of all brackets. This enables quick and easy cleaning. The sBox can be tilted backwards or forwards. Maximum recommended tilt angle: $\pm 20^\circ$.



At the back of the rear wall, tilted sideways:

Laterally tilted installation is an option where there are obstacles on the ground such as waste pull-out or drainage systems, or when angle valves are difficult to access. The brackets can be screwed to the base, sides or rear panel. Maximum recommended tilt angle: $\pm 20^\circ$.



Tilted and offset on the side wall:

The installation on the side panel is ideal for corner sinks, sinks with draining boards or sinks with tap holes that are positioned to the side. All the brackets are screwed to the side. You should avoid parallel displacement of the sBox. If displacement is required for the installation, there must not be more than 30 mm between the tap and outlet axis of the sBox.



CoolStart

On standard taps the continuous flow heater or circulation pump starts up immediately when the handle is in the middle position, but with CoolStart taps the hot water is only added when the lever is moved to the left. This cuts down on energy needs, CO₂ emissions and costs.

- Basic setting enables only cold water to flow
- Potential for water, energy and financial savings
- Special user ergonomics (the lever only needs to be moved to the left for hot water)



Low pressure

Kitchen fittings equipped with LowPressure technology can be used at sinks with a water pressure of just 0.2 bar. A low pressure fitting for cold water pipes with boiler/heat storage.

- hansgrohe low pressure fittings
- Suitable for cold water pipes with boiler/heat storage tanks
- Suitable for water pressure of 0.2 bar or more

High-quality designs for the sink

FinishPlus – for kitchens with personality

Customers are increasingly looking for ways to stamp their individuality onto their kitchen. We can help that happen, offering

kitchen taps in various coloured finishes. In addition to chrome and stainless steel, taps in a matte black finish are more popular than ever

before. And with FinishPlus you can fulfil your customer's every dream, creating a kitchen bursting with personality.



670 Matt Black: Getting back to basics with black and white contrasts.



800 stainless steel finish: A harmonious look.



000 Chrome: Timeless classic paired with dainty elegance.

Advantages and benefits

- A large selection for self-expression: new tap colours and complementary products
- Resilient and scratch-proof, with tactile appeal
- Immediate availability: easy ordering process as products are kept in stock

hansgrohe hand showers

Product ranges at a glance

Rainfinity



Hand shower
130 3jet

Baton hand shower
100 1jet

Raindance Select E



Hand shower
150 3jet

Hand shower
120 3jet

Raindance Select S



Hand shower
150 3jet

Hand shower
120 3jet

Surface	-000, -140, -340 -670, -700, -990	-000, -140, -340 -670, -700, -990	-000, -400	-000, -140, -340, -400, -670, -700, -990	-000, -400	-000, -140, -340, -400, -670, -700, -990
Standard	14 l/min	13,8 l/min	16,4 l/min	14,4 l/min	16,4 l/min	15 l/min
EcoSmart 8-9 l/min	■	■	■	■	■	■
Green 6-7 l/min						
Select	■		■	■	■	■
QuickClean	■	■	■	■	■	■
XXL Performance	■		■	■	■	■
AirPower			■	■	■	■
PowderRain	■	■				

Page 38

Page 40

Page 40

Croma Select S



Hand shower Multi

Hand shower Vario

Croma 100



Hand shower 1jet

Hand shower Multi

Hand shower Vario

Hand shower 1jet

Surface	-400	-400	-400	-000	-000	-000
Standard	16 l/min	14,7 l/min	16 l/min	19 l/min	18 l/min	16 l/min
EcoSmart 8-9 l/min	■	■	■	■	■	■
Green 6-7 l/min						
Select	■	■				
QuickClean	■	■	■	■	■	■
XXL Performance	■	■	■	■	■	■
AirPower						
PowderRain						

Page 46

Page 49

Pulsify S

Croma Select E

						
Hand shower 120 3jet PowderRain	Hand shower 105 3jet Relaxation	Hand shower 105 3jet Activation	Hand shower 105 1jet	Hand shower Multi	Hand shower Vario	Hand shower 1jet
-000, -140, -340, -400, -670, -700, -990	-000, -670, -700	-000, -670, -700	-000, -670, -700	-400	-400	-400
11 l/min	11,4 l/min	11,5 l/min	13,5 l/min	16 l/min	14,7 l/min	16 l/min
■	■	■		■	■	■
■	■	■	■	■	■	■
■	■	■	■	■	■	■
■	■	■	■	■	■	■
■	■	■	■			
■	■	■	■			

Page 40

Page 44

Page 46

Crometta

Vernis Blend

Jocolino

Dog Shower

				
Hand shower Vario	Hand shower 1jet	Hand shower Vario	Children hand shower crocodile 2jet	Dogs hand shower 150 3jet Select
-400	-400	-000, -670	-210, -570, -640	-540, -560, -670, -700
13,8 l/min	14 l/min	15,2 l/min	11 l/min	7,6 l/min
■	■	■		■
■	■	■		
■	■	■	■	
■	■	■		

Page 50

Page 52

Page 54

Page 56

Wonderfully soft, pampering experience

Rainfinity



PowderRain: An unrivalled shower experience thanks to gently enveloping micro-droplets.



Intense PowderRain: for an effective way to rinse out shampoo.



MonoRain: A targeted jet, for the ultimate in relaxation.

Advantages and benefits

- All-encompassing showering with innovative spray surface
- Round or geometric shape
- Switching between the three spray types is effortless with Select technology




Rainfinity

Hand shower 130 3jet
 # 26864, -00 0, -140, -340, -670, -700, -990 14 l/min
 # 26865, -000, -140, -340, -670, -700, -990 EcoSmart 8.5 l/min



Rainfinity

Baton hand shower 100 1jet
 # 26866, -000, -140, -340, -670, -700, -990 13.8 l/min
 # 26867, -000, -140, -340, -670, -700, -990 EcoSmart 9 l/min



Rainfinity

Shower set 130 3jet with shower bar 90 cm and shelf
 # 27671, -000 14 l/min
 # 27672, -000 EcoSmart 8 l/min
 Shower set 130 3jet with shower bar 150 cm and shelves (not shown)
 # 27673, -000 14 l/min
 # 27674, -000 EcoSmart 8 l/min



Rainfinity

Shower holder set 130 3jet with shower hose 125 cm
 # 26852, -000, -700 14 l/min
 Shower holder set 130 3jet with shower hose 160 cm
 # 26851, -000, -700 14 l/min




Rainfinity

Shower holder set 100 1jet with shower hose 125 cm
 # 26857, -000, -700 13.8 l/min
 Shower holder set 100 1jet with shower hose 160 cm
 # 26856, -000, -700 13.8 l/min



The right spray for every time of day

Raindance



Convenient range of functions with Select technology



PowderRain: An unrivalled shower experience thanks to gently enveloping micro-droplets.



Rain: A powerful, refreshing spray.



Whirl: A concentrated massaging jet to relieve tension.


Advantages and benefits

- All you need in a shower, from invigorating to relaxing
- Switching between the three spray types is effortless with Select technology
- Effortless cleaning with QuickClean
- Round or geometric shape




Raindance Select E

Hand shower 150 3jet
 # 26550, -000, -400 16.4 l/min
 # 26551, -000, -400 EcoSmart 8.5 l/min



Raindance Select E

Hand shower 120 3jet
 # 26520, -000, -140, -340, -400, -670, -700, -990 14.4 l/min
 # 26521, -000, -400 EcoSmart 8.5 l/min



Raindance Select S

Hand shower 150 3jet
 # 28587, -000, -400 16.4 l/min
 # 28588, -000, -400 EcoSmart 8.8 l/min




Raindance Select S

Hand shower 120 3jet
 # 26530, -000, -140, -340, -400, -670, -700, -990 15 l/min
 # 26531, -000, -140, -340, -400, -670, -700, -990 EcoSmart 8.5 l/min



Raindance Select S

Hand shower 120 3jet PowderRain
 # 26014, -000, -140, -340, -670, -700, -990 11 l/min



Raindance Classic

Hand shower 100 3jet
 # 28548, -000, -090 17 l/min





Raindance Select E

Shower set 150 3jet with shower bar 65 cm and soap dish
27856, -000 16.4 l/min
Shower set 150 3jet with shower bar 90 cm and soap dish (not shown)
27857, -000 16.4 l/min




Raindance Select E

Shower set 120 3jet with shower bar 65 cm and soap dish
26620, -000, -400 14.4 l/min
26622, -000, -400 EcoSmart 9 l/min
Shower set 120 3jet with shower bar 90 cm and soap dish (not shown)
26621, -000, -400 14.4 l/min
26623, -000, -400 EcoSmart 9 l/min





Raindance Select E

Shower holder set 120 3jet with shower hose 125 cm
26700, -000 14.4 l/min
Shower holder set 120 3jet with shower hose 160 cm
26720, -000, -400 14.4 l/min



Raindance Select S

Shower set 150 3jet with shower bar 65 cm and soap dish
27802, -000 16.4 l/min
Shower set 150 3jet with shower bar 90 cm and soap dish (not shown)
27803, -000, -400 16 l/min



Raindance Select S

Shower set 120 3jet with shower bar 65 cm and soap dish
26630, -000, -400 15 l/min
26632, -000 EcoSmart 9 l/min
Shower set 120 3jet with shower bar 90 cm and soap dish (not shown)
26631, -000, -400 15 l/min
26633, -000 EcoSmart 9 l/min



Raindance Select S

Shower set 120 3jet PowderRain with shower bar 65 cm
27654, -000 11 l/min
Shower set 120 3jet PowderRain with shower bar 90 cm (not shown)
27667, -000 11 l/min





Raindance Select S

Shower set 120 3jet with shower bar 90 cm and soap dish
27648, -000, -400 15 l/min
27649, -000 EcoSmart 9 l/min


Shower set 120 3jet with shower bar 150 cm and soap dishes (not shown)
27646, -000 15 l/min



Raindance Select S

Shower set 120 3jet with shower bar 110 cm left
26324, -000 15 l/min


Shower set 120 3jet with shower bar 110 cm right (not shown)
26326, -000 15 l/min



Raindance Select S

Shower set 120 3jet with shower bar 65 cm
26320, -000 15 l/min

Shower set 120 3jet with shower bar 90 cm (not shown)
26322, -000, -400 15 l/min
26323, -000 EcoSmart 9 l/min



Raindance Select S


Shower set 150 3jet with shower bar 90 cm
26626, -000, -400 16.4 l/min



Raindance Select S

Shower holder set 120 3jet with shower hose 125 cm
26701, -000 15 l/min

Shower holder set 120 3jet with shower hose 160 cm
26721, -000, -400 15 l/min



Raindance Select S

Shower holder set 120 3jet PowderRain with shower hose 125 cm
27669, -000 11 l/min

Shower holder set 120 3jet PowderRain with shower hose 160 cm
27668, -000 11 l/min



Welcome back me

Pulsify S NEW



Three jet types for ultimate relaxation:
PowderRain, IntenseRain and Massage



QuickClean: Remove limescale deposits simply by rubbing the flexible silicone nozzles



Convenient range of functions with Select technology



PowderRain: An unrivalled shower experience thanks to gently enveloping micro-droplets.




IntenseRain: An intensely invigorating water flow.



Massage: A powerful and invigorating massage spray.

Advantages and benefits

- Available in chrome, matt black and matt white
- Also available as a water-saving EcoSmart variant with 9 l/min
- With the innovative Select control you can easily switch between the spray types
- Effortless cleaning with QuickClean



Pulsify Select S
 Hand shower 105 3jet Relaxation
 # 24110, -000, -670, -700
 Hand shower 105 3jet Relaxation EcoSmart
 # 24111, -000, -670, -700 EcoSmart




Pulsify Select S
 Hand shower 105 3jet Activation
 # 24100, -000, -670, -700
 Hand shower 105 3jet Activation EcoSmart
 # 24101, -000, -670, -700 EcoSmart




Pulsify S
 Hand shower 105 1jet
 # 24120, -000, -670, -700
 Hand shower 105 1jet Green
 # 24121, -000, -670, -700 Green




Pulsify Select S
 Shower set 105 3jet Relaxation
 with shower bar 65 cm
 # 24160, -000, -670, -700 11.4 l/min
 # 24161, -000, -670, -700 EcoSmart 8.2 l/min
 Shower set 105 3jet Relaxation
 with shower bar 90 cm (not shown)
 # 24170, -000, -670, -700 11.4 l/min
 # 24171, -000, -670, -700 EcoSmart 8.2 l/min



Pulsify Select S
 Shower holder set 105 3jet Relaxation
 with shower hose 125 cm
 # 24302, -000, -670, -700 11.4 l/min
 Shower holder set 105 3jet Relaxation
 with shower hose 160 cm
 # 24303, -000, -670, -700 11.4 l/min





Pulsify S
 Shower holder set 105 1jet
 with shower hose 125 cm
 # 24301, -000, -670, -700 13.5 l/min



All specified flow rates are based on an operating pressure of 0.3 MPa (3 bar).

More comfort for everyone

Croma



- (1) **SoftRain:** soft, beneficial water spray.
- (2) **IntenseRain:** intensive water spray that activates and refreshes.
- (3) **Massage:** concentrated, revitalising spray.

- (1) **Rain:** perfect for rinsing shampoo out of your hair.
- (2) **IntenseRain:** intensive water spray that activates and refreshes.
- (3) **TurboRain:** the most powerful of all Rain sprays – for a refreshingly powerful showering experience.

Advantages and benefits

- Easy spray change at the touch of a button thanks to Select technology – now also in the Croma range
- 110 mm spray face with new spray types for any shower requirement: whether just rinsing out shampoo, winding down in the evening or being full of energy in the morning
- Easy to clean: thanks to QuickClean
- Also available in the water-saving EcoSmart version at just 7 l/min




Croma Select E
Hand shower Multi
26810, -400 16 l/min
26811, -400 EcoSmart 9 l/min



Croma Select E
Hand shower Vario
26812, -400 14.7 l/min
26813, -400 EcoSmart 9 l/min



Croma E
Hand shower 1jet
26814, -140, -340, -400, -670, -700, -990 16 l/min
26815, -140, -340, -400, -670, -700, -990 EcoSmart 9 l/min
26816, -400 EcoSmart 7 l/min





Croma Select S
Hand shower Multi
26800, -400 16 l/min
26801, -400 EcoSmart 9 l/min



Croma Select S
Hand shower Vario
26802, -400 14.7 l/min
26803, -400 EcoSmart 9 l/min



Croma S
Hand shower 1jet
26804, -400 16 l/min
26805, -400 EcoSmart 9 l/min
26806, -400 EcoSmart 7 l/min



Croma Select E
Shower set Multi
with shower bar 65 cm
26580, -400 16 l/min
26581, -400 EcoSmart 9 l/min

Shower set Multi
with shower bar 90 cm (not shown)
26590, -400 16 l/min
26591, -400 EcoSmart 9 l/min



Croma Select E
Shower set Vario
with shower bar 65 cm
26582, -400 14.7 l/min
26583, -400 EcoSmart 9 l/min


Shower set Vario
with shower bar 65 cm
and soap dish (not shown)
26586, -400 14.7 l/min

Shower set Vario
with shower bar 90 cm (not shown)
26592, -400 14.7 l/min
26593, -400 EcoSmart 9 l/min



Croma Select E
Shower set 1jet
with shower bar 65 cm
26584, -400 16 l/min
26585, -400 EcoSmart 9 l/min

Shower set 1jet
with shower bar 90 cm (not shown)
26594, -400 16 l/min
26595, -400 EcoSmart 9 l/min





Croma Select S

Shower set Multi with shower bar 65 cm


26560, -400 16 l/min

26561, -400 EcoSmart 9 l/min

Shower set Multi with shower bar 90 cm (not shown)

26570, -400 16 l/min

26571, -400 EcoSmart 9 l/min



Croma Select S

Shower set Vario with shower bar 65 cm

26562, -400 15 l/min

26563, -400 EcoSmart 9 l/min

Shower set Vario with shower bar 65 cm

and soap dish (not shown)

26566, -400 14.7 l/min

Shower set Vario with shower bar 90 cm (not shown)

26572, -400 14.7 l/min

26573, -400 EcoSmart 9 l/min



Croma Select S

Shower set 1jet with shower bar 65 cm


26564, -400 16 l/min

26565, -400 EcoSmart 9 l/min

Shower set 1jet with shower bar 90 cm (not shown)

26574, -400 16 l/min

26575, -400 EcoSmart 9 l/min



Croma Select E

Shower holder set Vario with shower hose 125 cm

26425, -400 15 l/min

Shower holder set Vario with shower hose 160 cm

26413, -400 14.7 l/min




Croma Select E

Shower holder set 1jet with shower hose 125 cm

26424, -400 16 l/min

Shower holder set 1jet with shower hose 160 cm

26412, -400 16 l/min




Croma Select S

Shower holder set Vario with shower hose 125 cm

26421, -400 15 l/min

Shower holder set Vario with shower hose 160 cm

26411, -400 15 l/min




Croma Select S

Shower holder set 1jet with shower hose 125 cm

26420, -400 16 l/min

Shower holder set 1jet with shower hose 160 cm


26410, -400 16 l/min



Croma 100 Classic

Hand shower Multi

28539, -000 19 l/min






Croma 100
Hand shower Multi
28536, -000 19 l/min
28538, -000 EcoSmart 9 l/min



Croma 100
Hand shower Vario
28535, -000 18 l/min
28537, -000 EcoSmart 9 l/min




Croma 100
Hand shower 1jet
28580, -000 16 l/min
28583, -000 EcoSmart 9 l/min




Croma 100
Shower set Multi
with shower bar 90 cm and soap dish
27774, -000 19 l/min



Croma 100
Shower set Vario with shower bar 65 cm
and soap dish
27772, -000 18 l/min
27776, -000 EcoSmart 9 l/min
Shower set Vario with shower bar 90 cm
and soap dish (not shown)
27771, -000 18 l/min
27653, -000 EcoSmart 9 l/min




Croma 100
Shower set Mono with shower bar 65 cm
and soap dish
27717, -000 16 l/min
Shower set Mono with shower bar 90 cm
and soap dish (not shown)
27724, -000 16 l/min



Croma 100
Shower holder set Multi with shower hose 125 cm
27593, -000 19 l/min
Shower holder set Multi with shower hose 160 cm
27595, -000 19 l/min



Croma 100
Shower holder set Vario with shower hose 125 cm
27592, -000 18 l/min
Shower holder set Vario with shower hose 160 cm
27594, -000 18 l/min



Croma 100
Shower holder set Mono with shower hose 125 cm
27574, -000 16 l/min
Shower holder set Mono with shower hose 160 cm
27575, -000 16 l/min




Easy savings in water, energy, CO₂ and hence costs

Crometta



- (1) **Rain:** perfect for rinsing shampoo out of your hair.
 (2) **IntenseRain:** intensive water spray that activates and refreshes.



Saving water: enjoy a comprehensive showering experience with the EcoSmart and Green lines – despite the low consumption.


Advantages and benefits

- Safe grip and single-handed changeover by simply turning the spray face
- Spray face of 100 mm diameter
- Also available as the water-saving EcoSmart variant with a flow of 9 l/min or LEED-compliant 6 l/min
- 2 spray types: large Rain spray and revitalising IntenseRain spray
- Attractive white design





Crometta

Hand shower Vario
 # 26330, -400 13.8 l/min
 # 26332, -400 EcoSmart 9 l/min
 # 26336, -400 Green 5.7 l/min



Crometta

Hand shower 1jet
 # 26331, -400 14 l/min
 # 26333, -400 EcoSmart 9 l/min
 # 26334, -400 Green 5.7 l/min




Crometta

Shower set Vario with shower bar 65 cm
 # 26532, -400 13.8 l/min
 # 26534, -400 EcoSmart 9 l/min
 # 26555, -400 Green 6 l/min

Shower set Vario with shower bar 65 cm and soap dish (not shown)
 # 26553, -400 13.8 l/min


Shower set Vario with shower bar 90 cm (not shown)
 # 26536, -400 13.8 l/min
 # 26538, -400 EcoSmart 9 l/min



Crometta

Shower set 1jet with shower bar 65 cm
 # 26533, -400 14 l/min
 # 26535, -400 EcoSmart 9 l/min
 # 26554, -400 Green 6 l/min


Shower set 1jet with shower bar 90 cm (not shown)
 # 26537, -400 14 l/min
 # 26539, -400 EcoSmart 9 l/min



Crometta

Shower holder set Vario with shower hose 125 cm
 # 26691, -400 13.8 l/min
 # 26693, -400 EcoSmart 9 l/min


Shower holder set Vario with shower hose 160 cm
 # 26692, -400 13.8 l/min
 # 26694, -400 EcoSmart 9 l/min



Crometta


Shower holder set 1jet with shower hose 125 cm
 # 26690, -400 14 l/min
 # 26568, -400 EcoSmart 9 l/min

Shower holder set 1jet with shower hose 160 cm
 # 26567, -400 14 l/min
 # 26569, -400 EcoSmart 9 l/min



The right solution for every bathroom

Vernis Blend **NEW**



Rain: Full rain shower, ideal for washing hair.



IntenseRain: An intensely invigorating water flow



QuickClean: Wipe limescale deposits away easily by rubbing your finger over the flexible silicone nubs.

Advantages and benefits

- Safe grip and single-handed changeover by simply turning the spray face
- Spray face of 100 mm diameter
- Easy to clean: thanks to QuickClean
- Also available as a water-saving EcoSmart and Green variant




Vernis Blend

Hand shower Vario

26270, -000, -670 15.2 l/min

26340, -000, -670 EcoSmart 9.7 l/min

26090, -000 Green 5.2 l/min



Vernis Blend

Shower set Vario with shower bar Crometta 65 cm

26275, -000 15.2 l/min

26279, -000 EcoSmart 9.7 l/min



Vernis Blend

Shower holder set Vario with shower hose 160 cm


26273, -000 15.2 l/min

26278, -000 EcoSmart 9.7 l/min



Go wild for bath time

Jocolino **NEW**



Rain: Full rain shower, ideal for washing hair.



MonoRain: Targeted spray, for a soothing shower experience.




Quick coupling: You can easily switch between two hand showers.

Advantages and benefits


- Three different animal designs: lion, crocodile and zebra
- Moving eyes, for even more bath time fun
- Ergonomic handle, suitable for small hands
- Two spray types: Rain and MonoRain
- With the optional quick coupling, you can easily switch between two hand showers




Jocolino
Children hand shower crocodile 2jet
28788570 11 l/min



Jocolino
Children hand shower zebra 2jet
28787640 11 l/min



Jocolino
Children hand shower lion 2jet
28760210 11 l/min



Quick-coupling set
28346000

A treat for both dog and owner

DogShower NEW



Leg Spray: For legs and other sensitive areas.



Paw Spray: A soft spray, ideal for gently cleaning paws.



Fur Spray: A full shower spray, for effectively rinsing off dirt and shampoo.

Advantages and benefits

- Specifically designed to streamline the washing process for dogs and their owners
- The hansgrohe DogShower can help reduce a dog's stress in the shower and prevent skin irritation
- With the optional quick coupling, you can easily switch between two hand showers



DogShower

Dogs hand shower 150 3jet Select
 # 26640, -540, -560, -670, -700 7.6 l/min



Quick-coupling set
 # 28346000

Uniquely elegant

Unica

Extending: Additional Casetta soap dishes can be added

Practical: integrated glass shelf for shower utensils, height can be set individually when fitting

Unique: Glass shower rails available in two surfaces: white/chrome and chrome

Flexible: Shower holder is height-adjustable, rotatable and tiltable, with a self-locking slide which can be set with one hand

Easy to clean: easy to clean thanks to the level surface

Versatile: available in lengths 0.90 m and 1.50 m



Attractive: harmonises with other glass elements such as shower partitions, overhead showers or thermostats.



Surface: White/chrome



Surface: Mirrored chrome

Advantages and benefits

- Integrated glass shelf for more space, additional shelves may be purchased
- Easy to clean: thanks to the level surface
- The shower holder is height adjustable, tilts and turns
- 1.50 m version ideal for families with children or for easy foot care
- Suitable for small and large shower areas and may be fitted to existing wall connections, making it ideal for refurbishments



Unica
 Shower bar E 90 cm
 with Isiflex shower hose 160 cm
 # 27640, -000, -400

Shower bar E 150 cm
 with Isiflex shower hose 160 cm and shelves (not shown)
 # 27645, -000



Unica
 Shower bar Raindance 90 cm
 with Isiflex shower hose 160 cm
 # 27636, -000



Unica
 Shower bar S Puro 65 cm
 with Isiflex shower hose 160 cm
 # 28632, -000, -140, -340, -670, -700, -990

Shower bar S Puro 90 cm
 with Isiflex shower hose 160 cm (not shown)
 # 28631, -000, -140, -340, -670, -700, -820, -990



Unica
 Shower bar C 65 cm
 with Isiflex shower hose 160 cm
 # 27611, -000

Shower bar C 90 cm
 with Isiflex shower hose 160 cm (not shown)
 # 27610, -000



Unica
 Shower bar Pulsify 65 cm
 with push slider and Isiflex shower hose 160 cm
 # 24400, -000

Shower bar Pulsify 90 cm
 with push slider and Isiflex shower hose 160 cm
 (not shown)
 # 24401, -000





Unica
Shower bar Classic 65 cm
with Sensoflex shower hose 160 cm
27617, -000, -820



Unica
Shower bar Cromia 65 cm
with Isiflex shower hose 160 cm
26503, -000
Shower bar Cromia 90 cm
with Isiflex shower hose 160 cm (not shown)
26504, -000



Unica
Shower bar Crometta 65 cm
with Metaflex shower hose 160 cm
27615, -000
Shower bar Crometta 90 cm
with Metaflex shower hose 160 cm (not shown)
27614, -000



Unica
Shower bar Comfort 110 cm left
26403, -400



Unica
Shower bar Comfort 110 cm right
26404, -400



Unica
Shower bar Comfort 65 cm
26401, -000
Shower bar Comfort 90 cm (not shown)
26402, -000



Unica
 Shower bar Croma 65 cm
 # 26505, -000
 Shower bar Croma 90 cm (not shown)
 # 26506, -000



Unica
 Shower bar Crometta 90 cm
 # 27609, -000



Unica
 Shower bar S Puro Reno 72 cm
 # 28662, -000
 Shower bar S Puro Reno 105 cm (not shown)
 # 28663, -000



Unica
 Shower bar Reno 72 cm
 # 27704, -000



Unica
 Shower bar Varia 72 cm
 # 27355, -000
 Shower bar Varia 105 cm (not shown)
 # 27356, -000

- Adjustable shower heights and angles
- Hands-free showering
- Shower can be swivelled out
- Can be flexibly installed in showers and baths
- The wall attachments of the Reno shower rails can be attached to the walls as desired

Leaves nothing to be desired with regard to strength and comfort

Unica Comfort



The Unica Comfort range is a sturdy solution for well-used bathrooms. The solid materials make it ideal for business or hospitality premises, like hotels. The robust shower rails have a tensile strength of 200 kg, which means they can also be used as a grab

bar. The 25mm chrome-plated brass rod and solid metal wall support ensures a secure hold, preventing it from being torn from the wall. The handle with shelf, footrest and Raindance Select S 120 hand shower adds another level of convenience for the user.

Metal supports provide a firm attachment to the wall

250 mm wide shelf of solid plastic for the easy positioning of shower utensils – simply remove to clean


Flexible: An additional shower holder gives a variety of hand shower positioning options – ideal for those showering while seated

Practical: shower bar, shelf and grab handle in one

Robust: Holder with a strong, self-locking metal slider, tilts by 90° for easy single-handed use

Safe: ergonomic handle for safe support up to 200 kg, 25 mm diameter

Shower hose swivels to the side, to prevent annoying twisting



Advantages and benefits

- Single-handed use thanks to self-locking slider
- Easy to change the spray type using the Select button
- Smooth tilt of the shower holder by up to 90°
- High tensile strength of up to 200 kg
- Combination of shelf, grab handle and holder as a compact solution for the bathroom
- A removable shelf made of solid white plastic provides plenty of space for shower accessories
- The shower bar and grab handle are also ideal for the bath



Unica
Shower bar Comfort 110 cm left
26403, -400




Unica
Shower bar Comfort 110 cm right
26404, -400




Unica
Shower bar Comfort 65 cm
26401, -000
Shower bar Comfort 90 cm (not shown)
26402, -000




Raindance Select S
Shower set 120 3jet
with shower bar 110 cm left
26324, -000 15 l/min



Raindance Select S
Shower set 120 3jet
with shower bar 110 cm right
26326, -000 15 l/min



Raindance Select S
Shower set 120 3jet
with shower bar 65 cm
26320, -000 15 l/min
Shower set 120 3jet
with shower bar 90 cm (not shown)
26322, -000, -400 15 l/min
26323, -000 EcoSmart 9 l/min



Unica
Grab handle Comfort
with shelf and shower holder
26328, -400



Unica
Foot support Comfort
26329, -000

- Holder can be fitted to the left or right, or may be removed


Clever shower hoses with the perfect touch

Shower hoses

hansgrohe has consistently been developing the design and functionality of shower hoses for over 40 years – as, for example, with the swivel on ball bearings. Lots

of new ideas and products by hansgrohe more than comply with the required standards. This is confirmed by the hansgrohe quality tests on pressure resistance and tensile strength, as well

as twist safety and the quality of seals. Whether metal or plastic, the shower hoses never fail to appeal for their high-quality, sophisticated technology.



Advantages and benefits

- Various materials, lengths and looks
- Anti-kink and easy care
- Chrome effect matching the mixers
- Drinking water approval – DVGW certification
- Scratch free thanks to plastic coating
- No irritating twisting from the swivel
- Particularly strong – confirmed by tension tests



Sensoflex

Metal shower hose 125 cm
28132, -000
Metal shower hose 160 cm
28136, -000
Metal shower hose 200 cm
28134, -000



Isiflex

Shower hose 125 cm
28272, -000, -140, -340, -450, -670, -700, -990
Shower hose 160 cm
28276, -000, -140, -340, -450, -670, -700, -990
Shower hose 200 cm
28274, -000



Comfortflex

Shower hose 125 cm
28167, -000
Shower hose 160 cm
28168, -000
Shower hose 200 cm
28169, -000



Metaflex

Shower hose 125 cm
28262, -000
Shower hose 160 cm
28266, -000
Shower hose 200 cm
28264, -000



Isiflex

Shower hose 125 cm with volume control
28249, -000
Shower hose 160 cm with volume control
28248, -000

- Control the amount of water used with the hand shower with products featuring Select technology
- May be reduced to 5 l/min




Shower holder Porter E
28387, -000, -140, -340, -670, -700, -990



Shower holder Porter S
28331, -000, -140, -340, -670, -700, -800, -990



Shower holder Porter C
27521, -000



Shower holder porter classic
28324, -000



FixFit
Wall outlet S with shower holder
26487, -000



FixFit
Wall outlet E with shower holder
26485, -000



FixFit
Wall outlet square with shower holder
26486, -000

- Three different designs to suit any finish set and shower
- Permanently safe function thanks to the high-quality metal housing and internal plastic water channels
- Few drill holes, so installation is fast and easy
- Suits any DN15 flexible hose



FixFit

Wall outlet S with non-return valve
and synthetic connection angle
26453, -000, -140, -340, -670, -700, -990

Wall outlet S without non-return valve (not shown)
27453, -000


Wall outlet S with non-return valve (not shown)
27456, -000

Wall outlet S with non-return valve and pivot joint
(not shown)
27506, -000



FixFit

Wall outlet Square with non-return valve
26455, -000, -140, -340, -670, -700, -990



Wall outlet with non-return valve
16884, -000, -820



FixFit

Wall outlet E without non-return valve
27454, -000, -140, -340, -670, -700, -990

Wall outlet E with non-return valve (not shown)
27458, -000

Wall outlet E with non-return valve and pivot joint
(not shown)
27505, -000



FixFit

Wall outlet with non-return valve
26457, -000, -140, -340, -670, -700, -990

Wall outlet with non-return valve and pivot joint
(not shown)
27414, -000



FixFit

Wall outlet E stop with non-return valve
and shut-off valve
27452, -000



Rainfinity

Wall outlet Porter 500 with shower holder
and shower shelf left
26843, -000, -700

Wall outlet Porter 500 with shower holder
and shower shelf right (not shown)
26858, -000, -700



FixFit

Wall outlet Porter 300 with shower holder
and shower shelf
26456, -000, -400

- Shelf, wall connection and shower holder combined in one product
- Fewer drill holes
- The shower area looks much tidier
- Also suitable for the bath
- Space for all conventional shower accessories
- More storage area than in other storage baskets
- Glass surface for easy cleaning



Rainfinity
Shelf 500
26844, -000, -700



Unica
Grab handle Comfort
with shelf and shower holder
26328, -400

- Holder can be fitted to the left or right, or may be removed



Casetta
Soap dish E
26519, -000



Casetta
Soap dish C
28678, -000



Casetta
Soap dish S Puro
28679, -000



Casetta
Soap dish/shelf E
26511, -000, -400, -600

hansgrohe overhead showers

Product ranges at a glance

Rainmaker Select

Rainfinity

							
	Overhead shower 460 3jet	Overhead shower 460 2jet	Overhead shower 460 1jet	Overhead shower 580 3jet	Overhead shower 360 3jet	Overhead shower 360 1jet	Overhead shower 250 3jet
Surface	-400, -600	-400, -600	-400, -600	-400, -600	-000, -140, -340 -670, -700, -990	-000, -140, -340 -670, -700, -990	-000, -140, -340 -670, -700, -990
Wall installation	■	■	■	■	■	■	■
Ceiling installation	■	■	■		■	■	■
Standard	18 l/min	18 l/min	19 l/min	20 l/min	28,1 l/min	21 l/min	20 l/min
EcoSmart 8-9 l/min	■	■	■	■			■
Green							
LowPressure							
Select							
QuickClean	■	■	■	■	■	■	■
XXL Performance	■	■	■	■	■	■	■
AirPower							
PowderRain					■	■	■

Page 72

Page 74

Raindance S

Pulsify S

Croma Select E

Croma Select S

Croma E

							
	Overhead shower 240 1jet PowderRain	Overhead shower 260 2jet	Overhead shower 260 1jet	Overhead shower 105 1jet	Overhead shower 180 2jet	Overhead shower 180 2jet	Overhead shower 280 1jet
Surface	-000, -670, -700	-000, -670, -700	-000, -670, -700	-000, -670, -700	-000, -400	-000, -400	-000
Wall installation	■	■	■	■	■	■	■
Ceiling installation	■				■	■	■
Standard	18 l/min	11,3 l/min	12,3 l/min	11,7 l/min	17 l/min	17 l/min	18,3 l/min
EcoSmart 8-9 l/min		■	■		■	■	■
Green				■			
LowPressure							
Select					■	■	
QuickClean	■	■	■	■	■	■	■
XXL Performance	■	■	■	■	■	■	■
AirPower							■
PowderRain	■	■	■	■			

Page 82

Page 84


Page 86

Page 86

Page 88

The new star in the shower

Rainmaker Select



Flexible: Also available for ceiling mounting, where it can be positioned freely anywhere in the room.



Easy to clean: Thanks to the QuickConnect holder, the overhead shower can easily be fitted or removed for cleaning by one person – no tools required.



Individual: Surfaces available in white/chrome and black/chrome.

Advantages and benefits

- Striking and over-sized spray discs
- Spray widths of up to 580 mm perfectly fill the large shower area
- Height-variable wall mounting based on the iBox universal for optimum spray intensity of RainFlow or RainStream
- Choice of versions with 1–3 spray types
- Generous white surfaces integrate harmoniously in the ceiling, and look light and elegant
- Easy to clean: durable and hygienic, thanks to the flat surface
- Surface/concealed installation of the single spray overhead shower with ShowerTablet Select 700 is possible, integrating storage space directly



Rainmaker Select

Overhead shower 460 3jet with shower arm

- # 24007, -400, -600 18 l/min
- # 24017, -400 EcoSmart 9 l/min

Basic set iBox universal (not shown)
01800180

Overhead shower 460 3jet with ceiling connector (not shown)
24006, -400, -600 23 l/min
24016, -400 EcoSmart

Basic set for overhead shower with ceiling connector (not shown)
24010180



Rainmaker Select

Overhead shower 460 2jet with shower arm

- # 24005, -400, -600 18 l/min
- # 24015, -400 EcoSmart 9 l/min

Basic set iBox universal (not shown)
01800180

Overhead shower 460 2jet with ceiling connector (not shown)
24004, -400, -600 21 l/min
24014, -400 EcoSmart 9 l/min

Basic set for overhead shower with ceiling connector (not shown)
24010180



Rainmaker Select


Overhead shower 460 1jet with shower arm

- # 24003, -400, -600 19 l/min
- # 24013, -400 EcoSmart 9 l/min

Overhead shower 460 1jet with ceiling connector (not shown)
24002, -400, -600 21 l/min

24012, -400 EcoSmart 9 l/min

Basic set for overhead shower with ceiling connector (not shown)
24010180



Rainmaker Select

Overhead shower 580 3jet


- # 24001, -400, -600 20 l/min
- # 24011, -400 EcoSmart 9.5 l/min

Basic set iBox universal (not shown)
01800180



Micro-fine showering experience

Rainfinity



QuickClean: Remove limescale deposits simply by rubbing the flexible silicone nozzles


Three spray types to suit the individual: PowderRain, Intense PowderRain and RainStream




PowderRain:
Sensational showering with softly enveloping micro-droplets



Intense PowderRain:
for an effective way to rinse out shampoo



RainStream:
Refreshingly powerful spray made of pearl-like droplets with a revitalising effect



Sensational showering: Do something to truly benefit your body and soul with PowderRain. Simply wash away the tiredness and stresses of daily life with an increased number of droplets in the Intense PowderRain setting.



Practical shoulder shower: with a high-quality metal body and sturdy safety-glass shelf in graphite with a 50 cm width. Wide spray surface for softly enveloping PowderRain.



Personal comfort: Adjust the angle from 10-30° for even more flexibility and a whole new dimension to showering.

Advantages and benefits

- All-encompassing showering with innovative spray surface
- Adjustable tilt guarantees a comfortable showering position





Rainfinity
Overhead shower 360 3jet
with wall connector
26234, -000, -140, -340, -670,
-700, -990 28.1 l/min

Basic set iBox universal (not shown)
01800180



Rainfinity
Overhead shower 360 1jet
with wall connector
26230, -000, -140, -340, -670,
-700, -990 21 l/min



Rainfinity
Overhead shower 360 1jet
26231, -000, -140, -340, -670,
-700, -990 20.3 l/min
Ceiling connector S 10 cm (not shown)
27393, -000, -140, -340, -670, -700, -990
Ceiling connector S 30 cm (not shown)
27389, -000, -140, -340, -670, -700, -990
Shower arm square 39 cm (not shown)
27694, -000, -140, -340, -670, -700, -990




Rainfinity
Overhead shower 250 3jet
with wall connector
26232, -000, -700 20 l/min
26233, -000, -700 EcoSmart 9 l/min



Basic set iBox universal (not shown)
01800180




Rainfinity
Overhead shower 250 1jet
with wall connector
26226, -000, -700 19 l/min
26227, -000, -700 EcoSmart 9.4 l/min



Rainfinity
Overhead shower 250 1jet
26228, -000, -140, -340, -670, -700, -990 16 l/min
26229, -000, -140, -340, -670, -700, -990
EcoSmart 9 l/min
Ceiling connector S 10 cm (not shown)
27393, -000, -140, -340, -670, -700, -990
Ceiling connector S 30 cm (not shown)
27389, -000, -140, -340, -670, -700, -990
Shower arm square 39 cm (not shown)
27694, -000, -140, -340, -670, -700, -990



Rainfinity
Shoulder shower 500 1jet with shower shelf
26243, -000, -700



Providing total comfort for your customers


Raindance Rainmaker

The Raindance Rainmaker and Raindance Rainfall creates a totally new shower experience. The Raindance Rainmaker is mounted flush to the ceiling, which means

water no longer just falls, but instead creates a room full of warm rainfall. You can choose between the RainAir, RainAir XL, Whirl and Mix spray. The Raindance Rainfall also

features a horizontal rain panel, pampering you with two types of spray: relaxing RainAir and invigorating RainFlow.

Raindance Rainmaker: Bringing a new dimension to showering



- (1) **RainAir:** Central overhead shower with AirPower technology.
 (2) **RainAir XL:** Full, soft rainfall with AirPower technology.



- Whirl:** Three rotating massage jets with AirPower technology.

Advantages and benefits

- Installed flush in the ceiling
- Full shower rain
- Also with integrated lighting



Raindance Rainmaker

Overhead shower 600 3jet
with lighting

26117, -000 25 l/min

Overhead shower 600 3jet
without lighting (not shown)

26115, -000 25 l/min

Basic set for overhead shower 600 3jet (not shown)
28412180



Raindance Rainmaker

Overhead shower 680/460 3jet
with lighting

28418, -000 28.1 l/min

Overhead shower 680/460 3jet
without lighting (not shown)

28417, -000 28.1 l/min

Basic set for overhead shower 680/460 3jet
(not shown)
28414180



Raindance



Overhead shower 260/260 1jet

26472, -000 15 l/min

26481, -000 EcoSmart 9 l/min

Basic set for overhead shower 260/260 1jet
(not shown)

26471180



Raindance Rainfall

Overhead shower 180 2jet

28433, -000, -400 24 l/min

Basic set iBox universal (not shown)

01800180



Raindance Rainfall

Overhead shower 150 1jet

26442, -000 18 l/min



Raindance Rainfall

Overhead shower 150 1jet stream

26443, -000 18 l/min



One button, endless enjoyment

Raindance Select S



Remove limescale deposits simply by rubbing the flexible silicone nozzles.



Easily accessible, the Select button need only be touched to change between RainAir and Rain



RainAir: Large, soft droplets form a gentle and relaxing spray.



Rain: A spray that is strong and revitalising and perfect for washing the hair.



QuickClean: Remove limescale deposits simply by rubbing the flexible silicone nozzles.

Advantages and benefits


- Two spray types in one overhead shower: gentle RainAir and powerful Rain
- Simply switch between RainAir and Rain at the touch of a button
- Select button is easily accessible
- Easy cleaning: the metal spray face is dishwasher safe



Raindance Select S

Overhead shower 300 2jet
with shower arm
27378, -000, -400 17 l/min


Overhead shower 300 2jet
with ceiling connector (not shown)
27337, -000, -400 17 l/min



Raindance Select S



Overhead shower 240 2jet
with shower arm
26466, -000, -400 17 l/min
26470, -000, -400 EcoSmart 9 l/min

Overhead shower 240 2jet
with ceiling connector (not shown)
26467, -000, -400 17 l/min
26469, -000 EcoSmart 9 l/min



Square, elegant, stylish


Raindance E



Designed with great attention to detail: Overhead shower fits very neatly to the shower arm.



RainAir: The improved Air technology creates large, soft drops, saves water while showering, and reduced shower dripping to a minimum.



In one unit: with the flush ceiling version with a spray face of 400 mm x 400 mm, the overhead shower merges beautifully with the ceiling.

Advantages and benefits



- Single sprays adapt perfectly to the silhouette of the body for an optimised spray performance. Highest concentration in the middle for rinsing the hair, decreasing to the outside to keep the body warm
- Several versions available for fitting to the wall and ceiling, and flush-ceiling installation
- To suit any ShowerSelect finish sets and the new Metropol mixers
- Easy to clean: metal spray face is easy to remove
- Also available as EcoSmart with 9 l/min flow rate at 3 bar



Raindance E


Overhead shower 300 1jet
with shower arm
26238, -000, -140, -340, -670, -700, -990 17 l/min
26239, -000 EcoSmart 9 l/min

Overhead shower 300 1jet
with ceiling connector (not shown)
26250, -000, -140, -340, -670, -700, -990 17 l/min
26251, -000 EcoSmart 9 l/min




Raindance E

Overhead shower 400/400 1jet
26252, -000 20 l/min
26253, -000 EcoSmart 9 l/min
Basic set for overhead shower 400/400 1jet
(not shown)
26254180




Raindance E

Overhead shower 360 1jet
with shower arm 39 cm
27376, -000 16.5 l/min
Overhead shower 360 1jet
with shower arm 24 cm (not shown)
27371, -000 16.5 l/min
Overhead shower 360 1jet
with ceiling connector (not shown)
27381, -000 16.5 l/min




Raindance E

Overhead shower 240 1jet
with shower arm
27370, -000 17.6 l/min
27375, -000 EcoSmart 9 l/min
Overhead shower 240 1jet
with ceiling connector (not shown)
27380, -000 19.5 l/min



Like soft summer rain

Raindance



QuickClean: Remove limescale deposits simply by rubbing the flexible silicone nozzles.



Reduced splash with PowderRain: Water belongs on the body, and only on the body. So our developers have made sure that the soft micro-droplets in the PowderRain spray reduce the splash effect when showering by testing and improving it over and over again in our dedicated spray laboratory.

Advantages and benefits

- Enjoy a peaceful experience in a much quieter shower
- Extraordinarily effective at rinsing out shampoo, with significantly more droplets
- Effortless cleaning with QuickClean




Raindance S

Overhead shower 300 1jet
with shower arm 39 cm
27493, -000 18 l/min

Overhead shower 300 1jet
with shower arm 46 cm (not shown)
27492, -000 18 l/min


Overhead shower 300 1jet
with ceiling connector (not shown)
27494, -000 20 l/min



Raindance S

Overhead shower 240 1jet PowderRain
with shower arm
27607, -000 18.1 l/min

Overhead shower 240 1jet PowderRain
with ceiling connector (not shown)
27620, -000 18 l/min




Raindance S

Overhead shower 240 1jet PowderRain
27623, -000, -670, -700 18 l/min

Shower arm 38.9 cm (not shown)
27413, -000, -140, -340, -670, -700, -990


Ceiling connector 10 cm (not shown)
27479, -000, -140, -340, -670, -700, -820, -990



Raindance S


Overhead shower 240 1jet
with shower arm
27474, -000 18 l/min
27461, -000 EcoSmart 8 l/min

Overhead shower 240 1jet
with ceiling connector (not shown)
27477, -000 18 l/min
27463, -000 EcoSmart 9 l/min



Raindance S


Overhead shower 180 1jet
with ceiling connector
27478, -000 18 l/min



Raindance Classic

Overhead shower 240 1jet
with shower arm
27424, -000, -090 19 l/min

Overhead shower 240 1jet
with ceiling connector (not shown)
27405, -000, -090 19 l/min



Welcome back me

Pulsify S NEW



PowderRain: An unrivalled shower experience thanks to gently enveloping micro-droplets.



Fast drain: Fast drainage of shower to reduce the dripping time.



Adjustable shower head: With the adjustable shower head, the water jet can be adjusted individually.

Advantages and benefits

- Available in chrome, matt black and matt white
- Also available as a water-saving EcoSmart variant
- Effortless cleaning with QuickClean
- Adjustable tilt guarantees a comfortable showering position



Pulsify S

Overhead shower 260 2jet
with wall connector
24150, -000, -670, -700 11.3 l/min
24151, -000, -670, -700 EcoSmart 7.4 l/min
Basic set iBox universal (not shown)
01800180



Available from 01/2023



Pulsify S

Overhead shower 260 1jet
24140, -000, -670, -700 12.3 l/min
24141, -000, -670, -700 EcoSmart 7.5 l/min
Wall connector for overhead shower 260 (not shown)
24149, -000, -670, -700




Available from 01/2023




Pulsify S

Overhead shower 105 1jet
24130, -000, -670, -700 11.7 l/min
24132, -000, -670, -700 Green 6 l/min
Wall connector for overhead shower 105 (not shown)
24139, -000, -670, -700



Pulsify

Wall connector for overhead shower 260
24149, -000, -670, -700




Pulsify

Wall connector for overhead shower 105
24139, -000, -670, -700

Comfort in top form

Croma Select



Rain: flat rain from large, feel-good water drops.



IntenseRain: An intense jet of water that activates and wakes you up.



User-friendly: A simple touch of the Select button (from below) is all it takes to change the spray type.


Advantages and benefits

- New design language with a large spray face of 180 mm diameter
- Available in two finishes: chrome and white/chrome
- Easy to change the spray types at the touch of a button
- Two different rain sprays: flat Rain spray, and refreshing, intensive IntenseRain
- Also available in the EcoSmart version with only 9 l/min



Croma Select E


Overhead shower 180 2jet
 # 26524, -000, -400 17 l/min
 # 26528, -000, -400 EcoSmart 9 l/min



Shower arm E 38.9 cm
 # 27446, -000




Ceiling connector E 10 cm
 # 27467, -000
 Ceiling connector E 30 cm (not shown)
 # 27388, -000



Croma Select S

Overhead shower 180 2jet
 # 26522, -000, -400 17 l/min
 # 26523, -000 EcoSmart 9 l/min




Shower arm 38.9 cm
 # 27413, -000, -140, -340, -670, -700, -990



Ceiling connector S 10 cm
 # 27393, -000, -140, -340, -670, -700, -990
 Ceiling connector S 30 cm (not shown)
 # 27389, -000, -140, -340, -670, -700, -990

Royally relaxed

Croma



SoftCube Design: all components in one rounded look.



AirPower: Fuller, lighter and softer drops, for a more luxurious shower.


Advantages and benefits

- Comfortable and safe showering
- 280 mm width for all-encompassing showering
- Effortless cleaning with QuickClean
- High-end product in modern and attractive design
- Excellent value for money



Croma E

Overhead shower 280 1jet
 # 26257, -000 18.3 l/min
 # 26258, -000 EcoSmart 8 l/min



Shower arm E 38.9 cm
 # 27446, -000




Ceiling connector E 10 cm
 # 27467, -000
 Ceiling connector E 30 cm (not shown)
 # 27388, -000




Croma

Overhead shower 280 1jet
 # 26220, -000, -140, -340, -670, -700, -990 15.6 l/min
 # 26221, -000, -140, -340, -670, -700, -990 EcoSmart 8.5 l/min
 Shower arm 38.9 cm (not shown)
 # 27413, -000, -140, -340, -670, -700, -990
 Ceiling connector 10 cm (not shown)
 # 27479, -000, -140, -340, -670, -700, -820, -990




Croma

Overhead shower 220 1jet
 # 26464, -000 19 l/min
 # 26465, -000 EcoSmart 9 l/min
 Shower arm 38.9 cm (not shown)
 # 27413, -000, -140, -340, -670, -700, -990
 Ceiling connector 10 cm (not shown)
 # 27479, -000, -140, -340, -670, -700, -820, -990



Croma 100

Overhead shower Multi
 # 27443, -000 20 l/min
 Shower arm 12.8 cm (not shown)
 # 27411, -000



Croma 100


Overhead shower Vario
 # 27441, -000 22 l/min
 # 28462, -000 EcoSmart 9 l/min
 Shower arm 12.8 cm (not shown)
 # 27411, -000






Crometta E

Overhead shower 240 1jet
 # 26726, -000 18 l/min
 # 26727, -000 EcoSmart 9 l/min
 Overhead shower 240 1jet LowPressure
 # 26722, -000 21 l/min
 Shower arm E 38.9 cm (not shown)
 # 27446, -000
 Ceiling connector E 10 cm (not shown)
 # 27467, -000
 Ceiling connector E 30 cm (not shown)
 # 27388, -000




Crometta S

Overhead shower 240 1jet
 # 26723, -000 18 l/min
 # 26724, -000 EcoSmart 9 l/min
 Overhead shower 240 1jet LowPressure
 # 26725, -000 21 l/min
 Shower arm 38.9 cm (not shown)
 # 27413, -000, -140, -340, -670, -700, -990
 Ceiling connector S 10 cm (not shown)
 # 27393, -000, -140, -340, -670, -700, -990
 Ceiling connector S 30 cm (not shown)
 # 27389, -000, -140, -340, -670, -700, -990



Crometta 85

Overhead shower Multi
 # 28425, -000 15 l/min
 Shower arm 12.8 cm (not shown)
 # 27411, -000





Crometta 85

Overhead shower Vario
 # 28424, -000 18 l/min
 Shower arm 12.8 cm (not shown)
 # 27411, -000



Crometta 85

Overhead shower 1jet Green 6 l/min
 # 28423, -000 Green 5.7 l/min
 Shower arm 12.8 cm (not shown)
 # 27411, -000



Bodyvette

Body shower 1jet
 # 28466, -000 5 l/min
 Body shower 1jet stop
 # 28467, -000







Vernis Blend


Overhead shower 200 1jet
 # 26271, -000, -670 12.4 l/min
 # 26277, -000, -670 EcoSmart 8.7 l/min
 # 26093, -000 Green 5.4 l/min

Overhead shower 200 1jet LowPressure
 # 26095, -000 14.7 l/min



Vernis Blend

Shower arm 24 cm
 # 27809, -000, -670



Vernis Blend


Ceiling connector 10 cm
 # 27804, -000, -670
 Ceiling connector 30 cm (not shown)
 # 27805, -000, -670



Vernis Shape

Overhead shower 230 1jet
 # 26281, -000, -670 12.4 l/min
 # 26283, -000, -670 EcoSmart 8.7 l/min
 # 26094, -000 Green 5.4 l/min

Overhead shower 200 1jet LowPressure
 # 26096, -000 14.7 l/min



Vernis Shape

Shower arm 24 cm
 # 26405, -000, -670



Vernis Shape

Ceiling connector 10 cm
 # 26406, -000, -670
 Ceiling connector 30 cm (not shown)
 # 26407, -000, -670

hansgrohe Showerpipes

Product ranges at a glance

Rainmaker Select



Showerpipe 460 3jet

Rainfinity



Showerpipe 360 1jet

Raindance Select E



Showerpipe 300 3jet



Showerpipe 300 1jet



Showerpipe 300 1jet

Surface	-400	-000, -700	-000, -400	-000, -400	-000
Standard	27 l/min	19,6 l/min	19 l/min	16,9 l/min	16 l/min
EcoSmart 9 l/min	■				■
Green 6 l/min					
Bath					
Mixer					
Reno					
Swiveling shower arm					
Riser pipe can be shortened					
Select	■	■	■	■	■
QuickClean	■	■	■	■	■
XXL Performance	■	■	■	■	■
CoolContact	■		■	■	■
Water flow control					
Fast drain					
AirPower			■	■	■
PowderRain		■			
	Page 96	Page 98	Page 100	Page 100	Page 102

Raindance E

Raindance Select S

Raindance S



Showerpipe 300 1jet

Showerpipe 360 1jet

Showerpipe 240 1jet
PowderRain

Showerpipe 300 2jet

Showerpipe 300 1jet

Showerpipe 240 1jet

-000

-000, -400

-000, -140, -340
-670, -700, -990

-000, -400

-000

-000

16 l/min

15 l/min

16 l/min

15 l/min

16 l/min

16 l/min



hansgrohe Showerpipes

Product ranges at a glance

Pulsify S



Showerpipe 260 2jet



Showerpipe 260 1jet



Showerpipe 280 1jet



Showerpipe 280 1jet



Showerpipe 180 2jet

	Showerpipe 260 2jet	Showerpipe 260 1jet	Showerpipe 280 1jet	Showerpipe 280 1jet	Showerpipe 180 2jet
Surface	-000, -670, -700	-000	-000	-140, -340 -670, -700, -990	-400
Standard	12,9 l/min	10,9 l/min	16 l/min	14,5 l/min	16 l/min
EcoSmart 9 l/min	■	■	■	■	■
Green 6 l/min					
Bath		■	■		■
Mixer			■		■
Reno			■		
Swiveling shower arm		■	■	■	■
Riser pipe can be shortened	■	■	■	■	■
Select	■	■		■	■
QuickClean	■	■	■	■	■
XXL Performance	■	■	■	■	■
CoolContact	■	■			
Water flow control	■	■			
Fast drain	■	■			
AirPower			■	■	
PowderRain	■	■			

Page 108

Page 110

Page 113

Croma E

Croma

Crometta S

Crometta E

Vernis Blend

Vernis Shape



Showerpipe 280 1jet

Showerpipe 220 1jet

Showerpipe 240 1jet

Showerpipe 240 1jet

Showerpipe 200 1jet

Showerpipe 230 1jet

-000

-000

-000

-000

-000, -670

-000, -670

15 l/min

15 l/min

16 l/min

15 l/min

15,9 l/min

15,9 l/min





For deluxe showering pleasure


Rainmaker Select




Easy to clean: The high quality, completely flat surface is easy to clean



MonoRain: A targeted spray for showering pleasure that also refreshes.



Rain: Rain spray over the entire area of the spray face for large-scale showering pleasure.



RainStream: Eleven jets of sparkling water that run parallel right down to the floor. For the same fascinating shower effects at every installation height so you enjoy the same refreshing shower however tall you are.



Select
Select the spray types



Select
Easy operation of the hand shower and spray types at the touch of a button

Setting the temperature

Advantages and benefits

- Different versions with different overhead showers for complete showering pleasure in large showers
- Intuitive control concept, pleasure at the touch of a button
- Practical 700 mm wide storage shelf
- Easy to clean thanks to the large, even surfaces
- Easy installation with the thermostat, overhead and hand showers in a single system
- Ideal for modernisation projects, as it can be installed on existing wall connections



Rainmaker Select

Showerpipe 460 3jet with thermostat
Shower arm length 450 mm

- Rainmaker Select overhead shower 460 3jet
 - Raindance Select S hand shower 120 3jet
 - ShowerTablet Select thermostat 700 Universal
- # 27106, -400 27 l/min
27029, -400 EcoSmart 9 l/min



Rainmaker Select

Showerpipe 460 2jet with thermostat
Shower arm length 450 mm

- Rainmaker Select overhead shower 460 2jet
 - Raindance Select S hand shower 120 3jet
 - ShowerTablet Select thermostat 700 Universal
- # 27109, -400 27 l/min
27028, -400 EcoSmart 9 l/min



Complete indulgence

Rainfinity



Adjust the angle from 10-30° for even more flexibility and a whole new dimension to showering.



Surface Matt White



Surface chrome



High-quality safety-glass shelf in graphite to place toiletries



1jet overhead shower with PowderRain spray




PowderRain:
Sensational showering with softly enveloping micro-droplets

3jet hand shower with adjustable, flexible hand shower holder



PowderRain:
Sensational showering with softly enveloping micro-droplets



Intense PowderRain:
for an effective way to rinse out shampoo



MonoRain:
Focused, relaxing spray – perfectly calming

Easy installation with the right basic set

Advantages and benefits

- Completely new archetype of design
- Practical shelves with an attractive design
- Separate concealed control to give your shower a high-end look



Rainfinity

Showerpipe 360 1jet for concealed installation

- Rainfinity overhead shower 360 1jet

- Rainfinity hand shower 130 3jet

26842, -000, -700 19.6 l/min

Basic set for Showerpipe 360 1jet

for concealed installation


(not shown)

26840180



A comprehensive system for all your shower needs

Raindance Select E



Select
Select the spray types

RainStream: Twelve jets of sparkling water that run parallel right down to the floor. For the same fascinating shower effects at every installation height and for every body size.

Select
Select the spray types

Setting the temperature

Select
Select the hand shower

Select
Select the overhead shower

Select
Switch RainStream on and off on the overhead shower

Advantages and benefits

- Complete system with overhead shower, hand shower and thermostat
- Intuitive control concept, pleasure at the touch of a button
- Ideal for simple bathroom renovations, as it can be mounted on existing connections
- Six spray modes: three from the overhead shower, three from the hand shower
- Overhead shower including RainStream with twelve parallel jets




Raindance Select E

Showerpipe 300 3jet with ShowerTablet Select 300
 Shower arm length 380 mm
 ▪ Raindance Select E overhead shower 300 3jet
 ▪ Raindance Select E hand shower 120 3jet
 ▪ ShowerTablet Select thermostat 300
 # 27127, -000, -400 19 l/min




Raindance Select E

Showerpipe 300 2jet with ShowerTablet Select 300
 Shower arm length 380 mm
 ▪ Raindance Select E overhead shower 300 2jet
 ▪ Raindance Select E hand shower 120 3jet
 ▪ ShowerTablet Select thermostat 300
 # 27126, -000, -400 16 l/min
 # 27283, -000, -400 EcoSmart




Raindance E

Showerpipe 360 1jet with thermostat
 Shower arm length 380 mm
 ▪ Raindance E overhead shower 360 1jet
 ▪ Raindance Select E hand shower 120 3jet
 ▪ Ecostat Select thermostat
 # 27112, -000, -400 15 l/min



Showering comfort with clear advantages

Raindance E



RainAir: a gentle, relaxing jet with large, soft droplets

Unique: the glass riser pipe looks extremely impressive and yet is easy to clean

User-friendly: Comfortable: Height adjustable and tiltable
Convenient: Adjusting then locking the height can be done with one hand

Select
Select the spray types

Practical: storage surface up to 600 mm long

Highlight: the front of the thermostat in scratchproof glass

Function selection
Setting the temperature


Advantages and benefits

- Complete system with overhead shower, hand shower and thermostat
- Unique Showerpipe with riser pipe and thermostat made of glass
- Practical storage surface up to 600 mm long
- Easy to clean thanks to the large, even surfaces
- Can be fitted to existing connections, so ideal for bathroom refurbishments
- Also available in the EcoSmart version with only 9 l/min




Raindance E

Showerpipe 300 1jet with ShowerTablet 600
 Shower arm length 405 mm
 ▪ Raindance E overhead shower 300 1jet
 ▪ Raindance Select S hand shower 120 3jet
 ▪ ShowerTablet thermostat 600 Universal
 # 27363, -000 16 l/min
 # 27364, -000 EcoSmart 9 l/min




Raindance E

Showerpipe 300 1jet with ShowerTablet 350
 Shower arm length 405 mm
 ▪ Raindance E overhead shower 300 1jet
 ▪ Raindance Select S hand shower 120 3jet
 ▪ ShowerTablet thermostat 350
 # 27361, -000 16 l/min
 # 27362, -000 EcoSmart 9 l/min



Raindance E

Showerpipe 360 1jet with thermostat
 Shower arm length 380 mm
 ▪ Raindance E overhead shower 360 1jet
 ▪ Raindance Select E hand shower 120 3jet
 ▪ Ecostat Select thermostat
 # 27112, -000, -400 15 l/min
 Showerpipe 360 1jet with bath thermostat
 # 27113, -000, -400 20 l/min



Detail view bath thermostat



Feeling good


Raindance Select S



XXL Performance for an extra level of showering indulgence

Riser pipe can be shortened to suit personal needs

Ergonomic wing handles, which are easy to turn even with soapy hands



1jet overhead shower with PowderRain spray



PowderRain:
Sensational showering with softly enveloping micro-droplets

QuickClean: Remove limescale deposits simply by rubbing the flexible silicone nozzles

Convenient range of functions with Select technology



PowderRain:
Sensational showering with softly enveloping micro-droplets



Rain: Powerful, refreshing spray



Whirl: Concentrated massaging water vortex to ease tensions

Advantages and benefits

- Safe showering with Ecostat Comfort thermostatic mixer
- XXL Performance for an extra level of showering indulgence
- Riser pipe can be shortened to suit personal needs
- Hand shower has three spray modes: Rain, PowderRain and Whirl
- Convenient operation of the hand shower through Select technology



Raindance Select S

Showerpipe 240 1jet PowderRain with thermostat
Shower arm length 460 mm


- Swivel shower arm
- Raindance S overhead shower 240 1jet PowderRain
 - Raindance Select S hand shower 120 3jet PowderRain
 - Ecostat thermostat Comfort
- # 27633, -000, -140, -340, -670, -700, -990 16 l/min



Raindance Select S

Showerpipe 300 2jet with thermostat
Shower arm length 460 mm

- Swivel shower arm
- Height of the Showerpipe can be reduced
- Raindance Select S overhead shower 300 2jet
 - Raindance Select S hand shower 120 3jet
 - Ecostat thermostat Comfort
- # 27133, -000, -400 15 l/min



Raindance Select S

Showerpipe 240 2jet with thermostat
Swivel shower arm

- Height of the Showerpipe can be reduced
- Raindance Select S overhead shower 240 2jet
 - Raindance Select S hand shower 120 3jet
 - Ecostat thermostat Comfort
- # 27129, -000, -400 15 l/min





Raindance S

Showerpipe 300 1jet with thermostat
 Shower arm length 460 mm
 Swivel shower arm
 Height of the Showerpipe can be reduced
 ▪ Raindance S overhead shower 300 1jet
 ▪ Raindance Select S hand shower 120 3jet
 ▪ Ecostat thermostat Comfort
 # 27114, -000 16 l/min




Raindance S

Showerpipe 240 1jet with thermostat
 Shower arm length 460 mm
 Swivel shower arm
 Height of the Showerpipe can be reduced
 ▪ Raindance S overhead shower 240 1jet
 ▪ Raindance Select S hand shower 120 3jet
 ▪ Ecostat thermostat Comfort
 # 27115, -000 16 l/min
 # 27116, -000 EcoSmart




Showerpipe 240 1jet with bath thermostat
 # 27117, -000

Detail view bath thermostat




Welcome back me

Pulsify S NEW



Advantages and benefits

- Available in chrome, matt black and matt white
- Select technology to change the spray type at the touch of a button
- Actively regulate water consumption with the volume control
- Also available as a water-saving EcoSmart variant
- Integrated storage space offers plenty of space
- Can be fitted to existing connections, so ideal for bathroom refurbishments



Pulsify S

Showerpipe 260 2jet with ShowerTablet Select 400

Height of the Showerpipe can be reduced

- Pulsify S overhead shower 260 2jet
- Pulsify S hand shower 105 3jet Relaxation
- ShowerTablet Select 400 thermostat

24240, -000, -670, -700 12.9 l/min

24241, -000, -670, -700 EcoSmart



Available from 01/2023



Pulsify S

Showerpipe 260 1jet with ShowerTablet Select 400

Height of the Showerpipe can be reduced

Shower arm length 398 mm


Swivel shower arm

- Pulsify S overhead shower 260 1jet
- Pulsify S hand shower 105 3jet Relaxation
- ShowerTablet Select 400 thermostat

24220, -000 10.9 l/min

24221, -000 EcoSmart

Showerpipe 260 1jet
with bath thermostat ShowerTablet 400
24230, -000



Available from 01/2023

Detail view bath thermostat



Set to all-round comfort

Croma Select



EcoStat Comfort with ergonomic, durable metal pin handle for straightforward temperature setting

Long holder for secure support of the hand shower

280 mm wide spray face made of metal, detachable for easy cleaning

RainAir spray

Select
Selection spray types

SoftRain: a soft water spray that caresses the body for that feel-good sensation.

IntenseRain: an intensive water spray that is ideal for rinsing out shampoo.

Massage: a concentrated spray with a great refreshing effect.

Advantages and benefits

- Complete system with overhead shower, hand shower and thermostat
- Select technology to change the spray type at the touch of a button
- Can be fitted to existing connections, so ideal for bathroom refurbishments
- Overhead shower swivels, so can be positioned as desired independently of the connections
- 4 spray types: 1 from the overhead shower, 3 from the hand shower
- Also available in the EcoSmart version with only 9 l/min



Croma Select S

Showerpipe 280 1jet with thermostat
 Shower arm length 400 mm
 Swivel shower arm
 Height of the Showerpipe can be reduced

- Croma overhead shower 280 1jet
- Croma Select S hand shower Multi
- Ecostat thermostat Comfort

26790, -000 16 l/min
 # 26794, -000 EcoSmart 9 l/min

Showerpipe 280 1jet with bath thermostat
 # 26792, -000




Croma Select S

Showerpipe 280 1jet with thermostat
 and hand shower Raindance Select S 120 3jet
 Shower arm length 400 mm
 Swivel shower arm
 Height of the Showerpipe can be reduced

- Croma overhead shower 280 1jet
- Raindance Select S hand shower 120 3jet
- Ecostat thermostat Comfort

26890, -140, -340, -670, -700, -990 15 l/min
 # 26891, -140, -340, -670, -700, -990 EcoSmart 9 l/min



Detail view bath thermostat



All specified flow rates are based on an operating pressure of 0.3 MPa (3 bar).



Croma Select S

Showerpipe 280 ljet with single lever mixer
Shower arm length 400 mm


Swivel shower arm

Height of the Showerpipe can be reduced

▪ Croma overhead shower 280 ljet

▪ Croma Select S hand shower Multi

26791, -000 15 l/min



Croma Select S

Showerpipe 280 ljet Reno

Shower arm length 400 mm

Swivel shower arm

Height of the Showerpipe can be reduced

▪ Croma overhead shower 280 ljet

▪ Croma Select S hand shower Multi

26793, -000



Croma Select S

SemiPipe Multi with thermostat

▪ Croma Select S hand shower Multi

▪ Ecostat thermostat Comfort

27247, -400 16 l/min



- The bar doubles as a handle for safe showering
- Solid attachment, ideal for hotels



Croma Select E

SemiPipe Multi with thermostat
 ▪ Croma Select E hand shower Multi
 ▪ Ecostat thermostat Comfort
 # 27248, -400 16 l/min



Croma Select E

Showerpipe 180 2jet with thermostat
 Shower arm length 400 mm
 Swivel shower arm
 Height of the Showerpipe can be reduced
 ▪ Croma Select E 180 2jet
 ▪ Croma Select E hand shower Multi
 ▪ Ecostat thermostat Comfort
 # 27256, -400
 # 27257, -400 EcoSmart

Showerpipe 180 2jet with bath thermostat
 # 27352, -400 18 l/min




Croma Select E

Showerpipe 180 2jet with single lever mixer
 Shower arm length 400 mm
 Swivel shower arm
 Height of the Showerpipe can be reduced
 ▪ Croma Select E overhead shower 180 2jet
 ▪ Croma Select E hand shower Multi
 # 27258, -400



Detail view bath thermostat



- The bar doubles as a handle for safe showering
- Solid attachment, ideal for hotels

Plenty of room for an indulgent shower

Croma



More freedom to move: can be swivelled easily to adjust the angle

SoftCube design: all elements in a coherent design




SoftSqueeze Slider: Adjust the height easily with just one hand by simply pressing in the button

Showerpipe for bathtub: easy to switch between the hand and overhead shower on the riser pipe



CoolContact technology ensures that the thermostatic mixer's housing is always cool and always safe



AirPower: fuller, lighter and softer droplets for sumptuous showering



Croma Select E Multi: Hand shower with Select technology for a choice between three spray types




SoftRain: perfect for rinsing shampoo out of your hair



IntenseRain: intensive water spray that activates and refreshes



Massage: the most powerful of all Rain sprays – for a refreshingly powerful showering experience



Showerpipe Shower: easily switch between the hand and overhead shower on the thermostatic mixer

Advantages and benefits

- Convenient showering with a stable temperature thanks to the SafetyStop and CoolContact features
- Easy to clean with QuickClean feature and removable spray disc
- High-end product in modern and attractive design
- Instantly switch between the overhead shower and hand shower on the bath tub's Showerpipe
- Excellent value for money



Croma E

Showerpipes 280 ljet with thermostat

Showers arm length 340 mm

Swivel shower arm

Height of the Showerpipes can be reduced

▪ Cromo E overhead shower 280 ljet

▪ Cromo Select E hand shower Multi

▪ EcoStat E thermostat

27630, -000 15 l/min

27660, -000 EcoSmart 8.5 l/min

Showerpipes 280 ljet with bath thermostat

27687, -000 20.3 l/min



Detail view bath thermostat




All specified flow rates are based on an operating pressure of 0.3 MPa (3 bar).



Croma
 Showerpipe 220 1jet with thermostat
 Shower arm length 400 mm
 Swivel shower arm
 Height of the Showerpipe can be reduced

- Croma overhead shower 220 1jet
- Croma 100 hand shower Vario
- EcoStat thermostat Comfort

27185, -000 15 l/min
 # 27188, -000 EcoSmart
 Showerpipe 220 1jet with bath thermostat
 # 27223, -000



Croma
 Showerpipe 220 1jet with single lever mixer
 Shower arm length 400 mm
 Swivel shower arm
 Height of the Showerpipe can be reduced

- Croma overhead shower 220 1jet
- Croma 100 hand shower Vario

27222, -000



Croma
 Showerpipe 220 1jet Reno
 Shower arm length 400 mm
 Swivel shower arm
 Height of the Showerpipe can be reduced

- Croma overhead shower 220 1jet
- Croma 100 hand shower Vario

27224, -000



Detail view bath thermostat





Crometta S

Showerpipe 240 1jet with thermostat
 Shower arm length 350 mm
 Height of the Showerpipe can be reduced
 ▪ Crometta S overhead shower 240 1jet
 ▪ Crometta hand shower Vario
 ▪ Ecostat thermostat 1001 CL
 # 27267, -000 16 l/min
 # 27268, -000 EcoSmart 9 l/min

Showerpipe 240 1jet with bath thermostat
 # 27320, -000



Crometta S

Showerpipe 240 1jet with single lever mixer
 Shower arm length 350 mm
 Height of the Showerpipe can be reduced
 ▪ Crometta S overhead shower 240 1jet
 ▪ Crometta hand shower Vario
 # 27269, -000



Crometta S

Showerpipe 240 1jet EcoSmart 9 l/min Reno
 Shower arm length 350 mm
 Height of the Showerpipe can be reduced
 ▪ Crometta S overhead shower 240 1jet
 ▪ Crometta hand shower Vario
 # 27270, -000 EcoSmart 9 l/min




Detail view bath thermostat





Crometta E

Showerpipe 240 1jet with thermostat
 Shower arm length 350 mm
 Height of the Showerpipe can be reduced
 ▪ Crometta E overhead shower 240 1jet
 ▪ Crometta hand shower Vario
 ▪ Ecostat thermostat 1001 CL
 # 27271, -000
 # 27281, -000 EcoSmart 7.6 l/min
 Showerpipe 240 1jet with bath thermostat
 # 27298, -000




Crometta E

Showerpipe 240 1jet with single lever mixer
 Shower arm length 350 mm
 Height of the Showerpipe can be reduced
 ▪ Crometta E overhead shower 240 1jet
 ▪ Crometta hand shower Vario
 # 27284, -000 15 l/min



Crometta E

Showerpipe 240 1jet EcoSmart 9 l/min Reno
 Shower arm length 350 mm
 Height of the Showerpipe can be reduced
 ▪ Crometta E overhead shower 240 1jet
 ▪ Crometta hand shower Vario
 # 27289, -000 EcoSmart 9 l/min



Detail view bath thermostat



All specified flow rates are based on an operating pressure of 0.3 MPa (3 bar).



Vernis Blend


- Showerpipe 200 1jet with thermostad
 Shower arm length 400 mm
- Vernis Blend overhead shower 200 1jet
 - Vernis Blend hand shower Vario
 - Vernis thermostad
- # 26276, -000, -670 15.9 l/min
 # 26089, -000, -670 EcoSmart 8.7 l/min
 # 26318, -000 Green 5.7 l/min

- Showerpipe 200 1jet with bath thermostad
 # 26274, -000 20 l/min
 # 26079, -000 EcoSmart 20 l/min



Vernis Blend

- Showerpipe 200 1jet Reno
 Shower arm length 400 mm
- Vernis Blend overhead shower 200 1jet
 - Vernis Blend hand shower Vario
- # 26272, -000, -670 14.6 l/min
 # 26099, -000, -670 EcoSmart 8.7 l/min



Detail view bath thermostad





Vernis Shape


- Showerpipe 230 1jet with thermostat
 Shower arm length 426 mm
- Vernis Shape overhead shower 230 1jet
 - Vernis Blend hand shower Vario
 - Vernis thermostat
- # 26286, -000, -670 15.9 l/min
 # 26097, -000, -670 EcoSmart 8.7 l/min
 # 26319, -000 Green 5.7 l/min

- Showerpipe 230 1jet with bath thermostat
 # 26284, -000 20 l/min
 # 26098, -000 EcoSmart 20 l/min



Vernis Shape

- Showerpipe 230 1jet Reno
 Shower arm length 400 mm
- Vernis Shape overhead shower 230 1jet
 - Vernis Blend hand shower Vario
- # 26282, -000, -670 14.6 l/min
 # 26289, -000, -670 EcoSmart 8.7 l/min



Detail view bath thermostat



All specified flow rates are based on an operating pressure of 0.3 MPa (3 bar).

hansgrohe Thermostat

Product ranges at a glance

ShowerTablet Select



Ecostat Select



Ecostat E



Surface	-000, -400	-000, -670, -700	-000, -400	-000
Standard	■	■	■	■
with bath filler	■	■	■	■
With shower holder		■		
Shelf	■	■	■	
Safety lock at 40°	■	■	■	■
Adjustable temperature limit	■	■	■	■
EcoStop button				■
Select	■	■		
Waterflow control		■		
CoolContact	■	■	■	■

Page 124

Page 124

Page 124

Page 126

RainSelect



Shower Select Glas



Shower Select



Shower Select S



Surface	-000, -140, -340, -400 -600, -670, -700, -990	-400	-000, -140, -340 -670, -700, -990	-000, -140, -340 -670, -700, -990
Standard	■	■	■	■
Tap variant			■	■
With shower holder	■		■	
Basic iBox universal		■	■	■
Safety lock at 40°	■	■	■	■
Adjustable temperature limit	■	■	■	■
Number of outlets	2-5	1-4	1-4	1-4
Select	■	■	■	■

Page 130

Page 141

Page 142

Page 143

Ecostat

Ecostat



-000, -140, -340
-670, -700, -990



-000



-000



Page 126

Page 126

Page 126

Ecostat Square

Ecostat E

Ecostat S



-000, -140, -340
-670, -700, -990



-000



-000, -140, -340
-670, -700, -990



1-4

1-2

1-2

Page 144

Page 145

Page 145

Welcome back me

ShowerTablet Select **NEW**



Practical: Integrated storage space of over 40 cm offers plenty of space.



Water flow control: The water amount can be set using the rotary control.



Rotatable bath spout: The bath spout can be neatly stored underneath the thermostat when not in use. A truly aesthetical solution for safety and mobility.

Advantages and benefits

- Available in chrome, matt black and matt white
- Select technology for simple selection at the push of a button
- Actively regulate water consumption with the volume control
- Integrated storage space offers plenty of space
- Can be fitted to existing connections, so ideal for bathroom refurbishments



ShowerTablet Select
Bath thermostat 700 for exposed installation
13183, -000



ShowerTablet Select
Thermostat 700 universal for exposed installation
for 2 functions
13184, -000, -400



ShowerTablet Select
Bath thermostat 300 for exposed installation
13151, -000, -400



ShowerTablet Select
Shower thermostat 300 for exposed installation
13171, -000, -400




ShowerTablet Select
Bath thermostat 400 for exposed installation
24340, -000, -670, -700



Available from 04/2022



ShowerTablet Select
Shower thermostat 400 for exposed installation
24360, -000, -670, -700



Available from 04/2022



Ecostat Select
Bath thermostat for exposed installation
13141, -000, -400




Ecostat Select
Shower thermostat for exposed installation
13161, -000, -400



Safe showering for all ages

Ecostat



CoolContact: cools the thermostatic mixer's housing for comfortable and safe showering.



SafetyStop: prevents accidental temperature settings exceeding 40°C.

Advantages and benefits

- Comfortable and safe showering with CoolContact
- High-end product in modern and attractive design



Ecostat E
Bath thermostat for exposed installation
15774, -000



Ecostat E
Shower thermostat for exposed installation
15773, -000



Ecostat
Bath thermostat Comfort for exposed installation
13114, -000, -140, -340, -670, -700, -990



Ecostat
Shower thermostat Comfort for exposed installation
13116, -000, -140, -340, -670, -700, -990



Ecostat
Bath thermostat universal for exposed installation
13123, -000



Ecostat
Shower thermostat universal for exposed installation
13122, -000



Ecostat
Bath thermostat 1001 CL for exposed installation
13201, -000




Ecostat
Shower thermostat 1001 CL for exposed installation
13211, -000



Raindance Select E

Shower system for exposed installation 120 with Ecostat Select thermostat and shower bar 65 cm # 27038, -000, -400

Shower system for exposed installation 120 with Ecostat Select thermostat and shower bar 90 cm (not shown) # 27039, -000, -400



Raindance Select S

Shower system for exposed installation 150 with Ecostat Select thermostat and shower bar 65 cm # 27036, -000, -400


Shower system for exposed installation 150 with Ecostat Select thermostat and shower bar 90 cm (not shown) # 27037, -000, -400



Pulsify Select S

Shower system 105 3jet Relaxation with hand shower, thermostat, shower bar 65 cm, slider and shower hose # 24260, -000

Shower system 105 3jet Relaxation with hand shower, thermostat, shower bar 90 cm, slider and shower hose (not shown) # 24270, -000



Available from 04/2022



Croma Select E

Shower system for exposed installation Vario with Ecostat Comfort thermostat and shower bar 65 cm # 27081, -400


Shower system for exposed installation Vario with Ecostat Comfort thermostat and shower bar 90 cm (not shown) # 27082, -400



Croma Select S

Shower system for exposed installation Vario with Ecostat Comfort thermostat and shower bar 65 cm # 27013, -400

Shower system for exposed installation Vario with Ecostat Comfort thermostat and shower bar 90 cm (not shown) # 27014, -400



Croma 100

Shower system for exposed installation Vario with Ecostat Comfort thermostat and shower bar 65 cm # 27034, -000

27032, -000 EcoSmart
Shower system for exposed installation Vario with Ecostat Comfort thermostat and shower bar 90 cm (not shown) # 27035, -000 # 27033, -000 EcoSmart



Advantages and benefits

- Two products combined in one
- Matched in looks and function
- Less expensive than purchasing separately
- Easy order process
- Easy to store



Crometta

Shower system for exposed installation Vario with Ecostat 1001 CL thermostat and shower bar 65 cm # 27812, -400

Shower system for exposed installation Vario with Ecostat 1001 CL thermostat and shower bar 90 cm (not shown) # 27813, -400



Ecostat

Under-basin thermostat for exposed installation # 15346, -000

- Easy to connect to existing valves, e. g. under the basin
- Provides a constant temperature and consistent flow even with fluctuating cold water pressure
- Ideal for use in nurseries, hospitals or hotels
- Safe for thermal disinfection

Change over to elegance


RainSelect



The shape of the RainSelect creates an unknown elegance in the bathroom. The new installation method facilitates thin attachments to the wall, and delights with its filigree, relief-


like appeal. This opens up a whole variety of new design options. However, the RainSelect also has much to offer in the way of functionality: It allows up to 5 functions to use

the innovative and intuitive Select technology. Furthermore, a holder is integrated for the hand shower.



Advantages and benefits


- Variety of uses: shower version available for up to five outlets and bath version for two outlets
- Convenient: Select technology with large, soft-click buttons make it easy for anyone to operate
- Design: Sleek, linear, rectangular design is ideal for large showers, utilising the space well
- Durable: Icons on the select buttons are wear-resistant thanks to clever finishing



Model -000 with metal buttons



Model -140, -340, -400, -600, -670, -700, -990 with glass buttons



- Individual: water volume control offers personal settings, above all for close-body showering with the hand shower
- Cleaning: easy thanks to the separate shut-off function
- Tidy looks: on the wall for a timeless bathroom ambience in the shower area
- Reliable planning: only a single object needs to be planned
- Universal application: suits any Rainmaker Select or other existing multi-spray overhead shower

Control for greater showering pleasure



Touch of button: thanks to Select, choosing a function is as easy as using a light switch.



Button size: Large button (70 mm x 70 mm) with easy-to-read lettering.



Temperature setting: Clear symbols and simple hot/cold display for ease of use.



SafetyStop function: prevents accidental temperature settings exceeding 40°C.



Volume control: precise control of the flow amount, which helps to save water.




Cleaning: switches off quickly to make cleaning easier for the users.




FixFit holder: free choice of hand shower and hose.




Thickness: Narrow band of 90 mm with metal frame and low installation height of 16.5 mm.




RainSelect
Thermostat for concealed installation
for 2 functions
15380, -000, -140, -340, -670, -700, -990
Basic set for 2 functions (not shown)
15310180



RainSelect
Thermostat for concealed installation
for 3 functions
15381, -000, -700
Basic set for 3 functions (not shown)
15311180



RainSelect
Thermostat for concealed installation
for 4 functions
15382, -000, -140, -340, -670, -700, -990
Basic set for 4 functions (not shown)
15312180



RainSelect
Thermostat for concealed installation
for 5 functions
15384, -000, -700
Basic set for 5 functions (not shown)
15313180




RainSelect
Thermostat for concealed installation
for 2 functions with integrated shower holder
15355, -000, -400, -600
Basic set for 2 functions (not shown)
15310180



RainSelect
Thermostat for concealed installation
for 3 functions with integrated shower holder
15356, -000, -400, -600
Basic set for 3 functions (not shown)
15311180



RainSelect
Thermostat for concealed installation
for 4 functions with integrated shower holder
15357, -000, -400, -600
Basic set for 4 functions (not shown)
15312180




RainSelect
Thermostat for concealed installation
for 5 functions with integrated shower holder
15358, -000, -400, -600
Basic set for 5 functions (not shown)
15313180



hansgrohe concealed finish sets based on the iBox universal

Concealed installation overview of functions



1 function



ShowerSelect Thermostat



ShowerSelect
Thermostat for concealed installation for 1 function
15762, -000
Glass surface (not shown)
15737, -400

ShowerSelect Thermostat



ShowerSelect S
Thermostat for concealed installation for 1 function
15744, -000

ShowerSelect Mixer



ShowerSelect
Mixer for concealed installation for 1 function
15767, -000

ShowerSelect Mixer



ShowerSelect S
Mixer for concealed installation for 1 function
15747, -000

Ecostat Thermostat



Ecostat Square
Thermostat for concealed installation for 1 function
15712, -000



Ecostat E
Thermostat for concealed installation for 1 function
15707, -000

Ecostat Thermostat



Ecostat S
Thermostat for concealed installation for 1 function
15757, -000

You will be able to satisfy any of your customers' requirements – and help them keep to their budgets – with hansgrohe's complete concealed range for between one and four functions. The choice starts with the operation:

are the showers and spray types to be controlled conventionally by turning, or with complete ease at the touch of a button? Your customers also have complete freedom of design: the ShowerSelect is now also available

in a round design and as a mixer. Ecostat thermostats are available as a circle, and now also as a square with rounded corners. Plenty of options for attractive installations that blend beautifully with the bathroom.



2 functions



ShowerSelect Thermostat



ShowerSelect
Thermostat for concealed installation for 2 functions
15763, -XXX
Glass surface (not shown)
15738, -400



ShowerSelect
Thermostat for concealed installation for 2 functions with hose connection and shower holder
15765, -000

ShowerSelect Thermostat



ShowerSelect S
Thermostat for concealed installation for 2 functions
15743, -XXX

ShowerSelect Mixer



ShowerSelect
Mixer for concealed installation for 2 functions
15768, -000

ShowerSelect Mixer



ShowerSelect S
Mixer for concealed installation for 2 functions
15748, -000

Ecostat Thermostat



Ecostat Square
Thermostat for concealed installation for 2 functions
15714, -XXX



Ecostat E
Thermostat for concealed installation for 2 functions
15708, -000

Ecostat Thermostat



Ecostat S
Thermostat for concealed installation for 2 functions
15758, -XXX



3 functions



ShowerSelect Thermostat



ShowerSelect
Valve for concealed installation
for 3 functions
15764, -XXX
Glass surface
(not shown)
15736, -400



ShowerSelect
Thermostat HighFlow
for concealed installation
15760, -XXX
Glass surface
(not shown)
15734, -400

ShowerSelect Thermostat



ShowerSelect S
Valve for concealed installation
for 3 functions
15745, -000



ShowerSelect S
Thermostat HighFlow
for concealed installation
15741, -000

Ecostat Thermostat



Shut-off/diverter valve S Trio/Quattro
for concealed installation
15932, -000



Ecostat E
Thermostat HighFlow
for concealed installation
15706, -000



Shut-off valve E
for concealed installation
31677, -000

Ecostat Thermostat



Shut-off/diverter valve S Trio/Quattro
for concealed installation
15932, -000



Ecostat S
Thermostat
for concealed installation
15755, -000

Thermostat HighFlow
for concealed installation
(not shown)
15756, -000



Shut-off valve S
for concealed installation
15972, -000



4 functions



ShowerSelect Thermostat



ShowerSelect
Valve for concealed installation
for 3 functions
15764, -XXX
Glass surface
(not shown)
15736, -400



ShowerSelect
Thermostat HighFlow
for concealed installation
for 1 function and additional outlet
15761, -000
Glass surface
(not shown)
15735, -400

ShowerSelect Thermostat



ShowerSelect S
Valve for concealed installation
for 3 functions
15745, -000



ShowerSelect S
Thermostat HighFlow
for concealed installation
for 1 function and additional outlet
15742, -000

Ecostat Thermostat



Shut-off/diverter valve S Trio/Quattro
for concealed installation
15932, -000



Shut-off valve E
for concealed installation
31677, -000



Ecostat E
Thermostat HighFlow
for concealed installation
15706, -000



Shut-off valve E
for concealed installation
31677, -000

Ecostat Thermostat



Shut-off/diverter valve S Trio/Quattro
for concealed installation
15932, -000



Shut-off valve S
for concealed installation
15972, -000




Ecostat S
Thermostat
for concealed installation
15755, -000
Thermostat HighFlow
for concealed installation
(not shown)
15756, -000



Shut-off valve S
for concealed installation
15972, -000

Operation in all its tremendous variety

ShowerSelect



- Constant water temperature even with fluctuating water pressure
- Temperature limited at 40°C, a higher temperature can be set by touching the button on the underside of the handle
- Safe for thermal disinfection
- Plastic escutcheon and metal handle
- For pipes with stable water pressure
- Unique product: Mixer technology with a new handle design, so it can be used with any mixer and shower line
- Easy temperature adjustment
- The depth of the metal handle does not depend on the installation depth of the iBox universal
- Fluctuating water pressures are no problem for the high quality hansgrohe cartridges

Advantages and benefits

- Individual choice: 2 different technologies - thermostat or mixer
- Convenient: easy operation thanks to various button combinations for any showering situation
- Button durability: permanently abrasion-proof printing
- Savings: thanks to the recommended operating pressure of the Select valves of 0.1 to 0.5 MPa max. 1 MPa
- Design: available squared or circular, for every style and shower type



Advantages and benefits

- Tidy looks on the wall for a timeless bathroom ambience in the shower area
- High planning reliability: installation based on the iBox universal
- Minimum effort: no need to drill a separate FixFit and holder

Lots of advantages – lots of benefits



Intuitive: Easy-to-use Select buttons for intuitive, comfortable control – even for those with restricted mobility.



Clear: Easy to understand, abrasion-resistant symbols make control easier.



Easy to use: Can be controlled using an elbow or fist thanks to the button extension that is included in the box. Installing the optional button extension makes use possible with some restricted freedom of movement.



User-friendly: The desired temperature can be set precisely with the user-friendly handle.



Easy to clean: The flush-fit buttons leave a flat surface that is easy to clean.



Attractive: The rectangular shape blends perfectly with a tiled bathroom and will also go in many modern bathroom designs.



Economical: The easy-to-push button encourages the user to switch the water off frequently, which helps to save water.



User-friendly: The functions can all be used at the same time – for even greater shower pleasure.

Advantages and benefits

- Showering pleasure: high level of comfort by simultaneously setting several functions
- Design options: available in chrome or white glass
- Water saving: with the addition of the Isiflex with volume control, the flow rate can be regulated between 6 l/min and 16 l/min
- Easy to use: fast, inexpensive renovations possible by simply replacing the existing finish sets



ShowerSelect Glas
Thermostat for concealed installation
for 1 function
15737, -400



ShowerSelect Glas
Thermostat for concealed installation
for 2 functions
15738, -400



ShowerSelect Glas
Thermostat HighFlow for concealed installation
15734, -400




ShowerSelect Glas
Thermostat HighFlow for concealed installation
for 1 function and additional outlet
15735, -400



ShowerSelect Glas
Valve for concealed installation
for 3 functions
15736, -400



Basic set iBox universal
01800180



Assembly aid for iBox universal
93500000



ShowerSelect
Thermostat for concealed installation
for 1 function
15762, -000




ShowerSelect
Thermostat for concealed installation
for 2 functions
15763, -000, -140, -340, -670, -700, -990



ShowerSelect
Thermostat for concealed installation
for 2 functions with hose connection and shower holder
15765, -000



ShowerSelect
Valve for concealed installation
for 3 functions
15764, -000, -140, -340, -670, -700, -990



ShowerSelect
Thermostat HighFlow for concealed installation
15760, -000, -140, -340, -670, -700, -990



ShowerSelect
Thermostat HighFlow for concealed installation
for 1 function and additional outlet
15761, -000



ShowerSelect
Mixer for concealed installation
for 1 function
15767, -000



ShowerSelect
Mixer for concealed installation
for 2 functions
15768, -000




Basic set iBox universal
01800180



Assembly aid for iBox universal
93500000



ShowerSelect S
Thermostat for concealed installation
for 1 function
15744, -000



ShowerSelect S
Thermostat for concealed installation
for 2 functions
15743, -000, -140, -340, -670, -700, -990



ShowerSelect S
Valve for concealed installation
for 3 functions
15745, -000



ShowerSelect S
Thermostat HighFlow for concealed installation
15741, -000



ShowerSelect S
Thermostat HighFlow for concealed installation
for 1 function and additional outlet
15742, -000



ShowerSelect S
Mixer for concealed installation
for 1 function
15747, -000



ShowerSelect S
Mixer for concealed installation
for 2 functions
15748, -000




Basic set iBox universal
01800180



Assembly aid for iBox universal
93500000

Established technology in a new design

Ecostat



Unique identification of the functions makes handling easier

Switch the hand or overhead shower on and off, and adjust the water quantity

Larger print for even easier legibility - and intuitive use

Ergonomic handles fit perfectly in the hand, and are also easy to use with soapy hands

Easy selection of the desired temperature



Easy to use: Unique identification of the functions makes handling easier.



Clear: Larger print for even easier legibility - and intuitive use.



Safe: Ergonomic handles fit perfectly in the hand, and are also easy to use with soapy hands.

Advantages and benefits

- Convenient: easy to operate by turning the handle to choose between hand and overhead shower and to control the amount of water
- Safe and easy control thanks to size-optimised handles
- Design options: Three variations, suitable for every bathroom and shower shape
- User friendly: thanks to the precise control of the water temperature
- Pleasant: constant water temperature thanks to thermostat technology



EcoStat Square
Thermostat for concealed installation
for 1 function
15712, -000



EcoStat Square
Thermostat for concealed installation
for 2 functions
15714, -000, -140, -340, -670, -700, -990



EcoStat E
Thermostat for concealed installation
for 1 function
15707, -000



EcoStat E
Thermostat for concealed installation
for 2 functions
15708, -000



EcoStat E
Thermostat HighFlow for concealed installation
15706, -000



EcoStat S
Thermostat for concealed installation
for 1 function
15757, -000



EcoStat S
Thermostat for concealed installation
for 2 functions
15758, -000, -140, -340, -670, -700, -990



EcoStat S
Thermostat for concealed installation
15755, -000
Thermostat HighFlow for concealed installation
(not shown)
15756, -000



Basic set iBox universal
01800180



Assembly aid for iBox universal
93500000



Shut-off/diverter valve S Trio/Quattro
for concealed installation
15932, -000

Basic set for Trio shut-off/diverter valve
for concealed installation
(not shown)
15981180

Basic set for Quattro four-way diverter valve
for concealed installation (not shown)
15930180



Shut-off valve S
for concealed installation
15972, -000

Basic set 52 l/min for shut-off valve
for concealed installation spindle (not shown)
15973180

Basic set 40 l/min for shut-off valve
for concealed installation ceramic (not shown)
15974180

Basic set 130 l/min for shut-off valve
for concealed installation spindle (not shown)
15970180



Metris
Shut-off valve E for concealed installation
31677, -000

Basic set 52 l/min for shut-off valve
for concealed installation spindle (not shown)
15973180

Basic set 40 l/min for shut-off valve
for concealed installation ceramic (not shown)
15974180

Basic set 130 l/min for shut-off valve
for concealed installation spindle (not shown)
15970180



Logis
Shut-off valve for concealed installation
71970, -000

Basic set 52 l/min for shut-off valve
for concealed installation spindle (not shown)
15973180

Basic set 40 l/min for shut-off valve
for concealed installation ceramic (not shown)
15974180

Basic set 130 l/min for shut-off valve
for concealed installation spindle (not shown)
15970180

hansgrohe fittings

Product ranges at a glance

Metropol



Metris



Metris S



Surface	-000, -140, -340 -670, -700, -990	-000	-000	-000	-000
Standard	■	■	■	■	■
EcoSmart	■	■	■	■	■
Pillar tap	■			■	
LowFlow				■	■
CoolStart	■			■	
For open water heaters				■	
Swivel spout					■
Pull-out tap					
Bidet	■	■		■	■
Select			■		
QuickClean	■	■	■	■	■

Page 150

Page 150

Page 150

Page 158

Page 162

Talis S



Focus



Vernis Shape



Surface	-000	-000	-000	-000	-000, -670
Standard	■	■	■	■	■
EcoSmart	■	■	■	■	■
Pillar tap	■		■	■	■
LowFlow	■			■	
CoolStart	■			■	■
For open water heaters			■	■	
Swivel spout	■		■	■	■
Pull-out tap					
Bidet	■	■	■	■	■
Select		■			
QuickClean	■	■	■	■	

Page 176

Page 176

Page 180

Page 182

Page 186

Finoris



-000, -670, -700

Vivenis



-000, -670, -700

Talis E



-000, -140, -340
-670, -700, -990



-000



Page 164

Page 168

Page 172

Page 172

Vernis Blend



-000, -670

Logis



-000



-000




Page 190

Page 194

Page 196

The new form of fascination

Metropol



Appealing: Geometric design language takes up the design of the bathroom to create a pleasant atmosphere.



Impressive: Metropol mixers also create an exclusive effect when used as free-standing items.



Elegant: The open handle design adds lightness and exclusivity into the shower.

Advantages and benefits

- Perfect geometric design language for a timeless bathroom design
- Minimalistic yet intuitive Select button for easy operation
- Design freedom thanks to the wide range of options: various spout lengths and 3 handles for washbasins. Also various installation options for washbasins and baths.
- ComfortZone – hand washing made easy thanks to the various height options



Metropol
Single lever basin mixer 260 with lever handle
for washbowls with push-open waste set
32512, -000, -140, -340, -670, -700, -990



Metropol
Single lever basin mixer 260 with loop handle
for washbowls with push-open waste set
74512, -000



Metropol
Basin mixer 260 Select
with push-open waste set
32572, -000



Metropol
Single lever basin mixer 110 with lever handle
and push-open waste set
32507, -000, -140, -340, -670, -700, -990

Single lever basin mixer 110 with lever handle
and pop-up waste set
32506, -000

Single lever basin mixer 110 CoolStart with lever handle
and push-open waste set (not shown)
32508, -000



Metropol
Single lever basin mixer 110 with loop handle
and pop-up waste set
74506, -000

Single lever basin mixer 110 with loop handle
and push-open waste set
74507, -000



Metropol
Basin mixer 110 Select
with push-open waste set
32571, -000



Metropol
Single lever basin mixer 100 with lever handle
and push-open waste set
32502, -000

Single lever basin mixer 100 CoolStart with lever handle
and push-open waste set (not shown)
32503, -000



Metropol
Single lever basin mixer 100 with loop handle
and push-open waste set
74502, -000



Metropol
Basin mixer 100 Select
with push-open waste set
32570, -000





Metropol

Single lever basin mixer 100 with lever handle for hand washbasins with push-open waste set
32500, -000, -140, -340, -670, -700, -990

Single lever basin mixer 100 with lever handle for hand washbasins for cold water (not shown)
32501, -000



Metropol

Single lever basin mixer 100 with loop handle for hand washbasins with push-open waste set
74500, -000



Metropol

Single lever basin mixer 230 with lever handle and push-open waste set
32511, -000, -140, -340, -670, -700, -990



Metropol

Single lever basin mixer 230 with loop handle and push-open waste set
74511, -000



Metropol

3-hole basin mixer 160 with lever handles and push-open waste set
32515, -000, -140, -340, -670, -700, -990

3-hole basin mixer 110 with lever handles and push-open waste set (not shown)
32514, -000



Metropol

3-hole basin mixer 160 with loop handles and push-open waste set
74515, -000

3-hole basin mixer 110 with loop handles and push-open waste set (not shown)
74514, -000





Metropol
Single lever basin mixer floor-standing
with lever handle without waste set
32530, -000

Basic set for mixers floor-standing (not shown)
10452180



Metropol
Single lever basin mixer floor-standing
with loop handle without waste set
74530, -000

Basic set for mixers floor-standing (not shown)
10452180



Metropol
Single lever basin mixer for concealed installation
wall-mounted with lever handle and spout 22.5 cm
32526, -000, -140, -340, -670, -700, -990

Single lever basin mixer for concealed installation
wall-mounted with lever handle and spout 16.5 cm
(not shown)
32525, -000

Basic set for single lever basin mixer for concealed
installation wall-mounted (not shown)
13622180



Metropol
Single lever basin mixer for concealed installation
wall-mounted with loop handle and spout 22.5 cm
74526, -000

Single lever basin mixer for concealed installation
wall-mounted with loop handle and spout 16.5 cm
(not shown)
74525, -000

Basic set for single lever basin mixer for concealed
installation wall-mounted (not shown)
13622180



Metropol
Single lever bidet mixer with lever handle
and push-open waste set
32520, -000, -140, -340, -670, -700, -990



Metropol
Single lever bidet mixer with loop handle
and push-open waste set
74520, -000





Metropol

Single lever bath mixer for exposed installation with lever handle
32540, -000, -140, -340, -670, -700, -990



Metropol

Single lever bath mixer for exposed installation with loop handle
74540, -000



Metropol

3-hole rim mounted single lever bath mixer with lever handle for Secuflex
32550, -000

Basic set for 3-hole rim mounted single lever bath mixer (not shown)
13437180

3-hole rim mounted single lever bath mixer with lever handle
32551, -000

Basic set for 3-hole rim mounted single lever bath mixer (not shown)
13439180




Metropol

3-hole rim mounted single lever bath mixer with loop handle for Secuflex
74550, -000

Basic set for 3-hole rim mounted single lever bath mixer (not shown)
13437180

3-hole rim mounted single lever bath mixer with loop handle
74551, -000

Basic set for 3-hole rim mounted single lever bath mixer (not shown)
13439180




Metropol

4-hole rim mounted bath mixer with lever handles for Secuflex
32552, -000

Basic set for 4-hole rim mounted bath mixer (not shown)
13444180

4-hole rim mounted bath mixer with lever handles
32553, -000

Basic set for 4-hole rim mounted bath mixer (not shown)
13444180



Metropol

4-hole rim mounted bath mixer with loop handles for Secuflex
74552, -000

Basic set for 4-hole rim mounted bath mixer (not shown)
13444180

4-hole rim mounted bath mixer with loop handles
74553, -000

Basic set for 4-hole rim mounted bath mixer (not shown)
13444180





Metropol
2-hole rim mounted single lever bath mixer
with lever handle
32548, -000

Basic set for 2-hole rim mounted bath mixer (not shown)
13159180



Metropol
2-hole rim mounted single lever bath mixer
with loop handle
74548, -000


Basic set for 2-hole rim mounted bath mixer (not shown)
13159180



Metropol
Bath spout
32542, -000



Metropol
Bath spout
32543, -000, -140, -340, -670,
-700, -990



Metropol
Single lever bath mixer for concealed installation
with lever handle for iBox universal
32545, -000, -140, -340, -670,
-700, -990

Single lever bath mixer for concealed installation
with lever handle and integrated security combination
according to EN1717 for iBox universal
32546, -000, -140, -340, -670,
-700, -990

Basic set iBox universal (not shown)
01800180



Metropol
Single lever bath mixer for concealed installation
with loop handle for iBox universal
74545, -000

Single lever bath mixer for concealed installation
with loop handle and integrated security combination
according to EN1717 for iBox universal
74546, -000

Basic set iBox universal (not shown)
01800180



sBox
Finish set square
28010, -000, -140, -340, -670, -700, -990

Rim and tile mounted bath basic set (not shown)
13560180


Installation plate for tile mounted installation (not shown)
28016, -000

Mounting angle set for installation plate
for tile mounted installation (not shown)
28021, -000




Metropol

Single lever bath mixer floor-standing
with lever handle
32532, -000, -140, -340, -670, -700, -990
Basic set for mixers floor-standing (not shown)
10452180



Metropol

Single lever bath mixer floor-standing
with loop handle
74532, -000
Basic set for mixers floor-standing (not shown)
10452180



Metropol

Bath spout floor-standing
32531, -000
Basic set for mixers floor-standing (not shown)
10452180





Metropol
 Single lever shower mixer for exposed installation
 with lever handle
 # 32560, -000, -140, -340, -670, -700, -990



Metropol
 Single lever shower mixer for exposed installation
 with loop handle
 # 74560, -000



Metropol
 Single lever shower mixer for concealed installation
 with lever handle for iBox universal
 # 32565, -000, -140, -340, -670, -700, -990
 Basic set iBox universal (not shown)
 # 01800180



Metropol
 Single lever shower mixer for concealed installation
 with loop handle for iBox universal
 # 74565, -000
 Basic set iBox universal (not shown)
 # 01800180

Designed to meet demands of every height

Metris



User-friendly: Five basin mixer heights are available offering the right solution for any installation situation.



Elegant: Generous handle and spout surfaces lend the bathroom a luxurious ambience.



Modern: Metris mixers are designed for discretion, providing space for the personal ComfortZone.

Advantages and benefits

- Generous surfaces for elegant, quality bathroom design
- The open curve on the flat handle is easy to use
- Elegant tapered base and defined edges
- Available in five different heights
- Automatic flow limit to 5 l/min thanks to EcoSmart technology



Metris
Single lever basin mixer 260 for washbowls
with pop-up waste set
31082, -000
Single lever basin mixer 260 for washbowls
without waste set
31184, -000



Metris
Single lever basin mixer 200
with pop-up waste set
31183, -000
Single lever basin mixer 200
without waste set
31185, -000



Metris
Single lever basin mixer 110
with pop-up waste set
31080, -000
Single lever basin mixer 110
without waste set
31084, -000
Single lever basin mixer 110
for vented hot water cylinders with pop-up waste set
31074, -000
Single lever basin mixer 110 LowFlow
with pop-up waste set
31203, -000
Single lever basin mixer 110 LowFlow
without waste set
31204, -000
Single lever basin mixer 110 CoolStart
with pop-up waste set (not shown)
31121, -000



Metris
Single lever basin mixer 100 for hand washbasins
with pop-up waste set
31088, -000
Single lever basin mixer 100 for hand washbasins
without waste set
31186, -000



Metris
Single lever basin mixer 230
with pop-up waste set
31087, -000
Single lever basin mixer 230
with push-open waste set
31187, -000
Single lever basin mixer 230
without waste set
31081, -000



Metris
Pillar tap 100
without waste set
31166, -000





Metris

Single lever basin mixer for concealed installation wall-mounted with spout 16.5 cm
31085, -000

Single lever basin mixer for concealed installation wall-mounted with spout 22.5 cm (not shown)
31086, -000

Basic set for single lever basin mixer for concealed installation wall-mounted (not shown)
13622180



Metris

Single lever bidet mixer with pop-up waste set
31280, -000



Metris

Single lever bath mixer for exposed installation
31480, -000



Metris

Bath spout
31494, -000



Metris

Single lever bath mixer for concealed installation for iBox universal
31493, -000

Single lever bath mixer for concealed installation with integrated security combination according to EN1717 for iBox universal
31487, -000

Basic set iBox universal (not shown)
01800180



Metris

Single lever bath mixer for concealed installation for iBox universal
31454, -000

Single lever bath mixer for concealed installation with integrated security combination according to EN1717 for iBox universal
31451, -000

Basic set iBox universal (not shown)
01800180



sBox

Finish set oval
28020, -000, -140, -340, -670, -700, -990

Rim and tile mounted bath basic set (not shown)
13560180

Installation plate for tile mounted installation (not shown)
28016, -000

Mounting angle set for installation plate for tile mounted installation (not shown)
28021, -000




Metris
3-hole rim mounted single lever bath mixer
31190, -000

Basic set for 3-hole rim mounted single lever bath mixer
(not shown)
13437180



Metris
4-hole rim mounted bath mixer
31442, -000

Basic set for 4-hole rim mounted bath mixer (not shown)
13444180



Metris
Single lever bath mixer floor-standing
31471, -000

Basic set for mixers floor-standing (not shown)
10452180



Metris
Single lever shower mixer for exposed installation
31680, -000



Metris
Single lever shower mixer for concealed installation
for iBox universal
31685, -000
Basic set iBox universal (not shown)
01800180



Metris
Single lever shower mixer for concealed installation
for iBox universal
31456, -000
Basic set iBox universal (not shown)
01800180



Metris S

Single lever basin mixer 260 for washbowls
with pop-up waste set
31022, -000

Single lever basin mixer 260 for washbowls
without waste set
31023, -000



Metris S

Single lever basin mixer 100
with pop-up waste set
31060, -000

Single lever basin mixer 100
without waste set
31068, -000

Single lever basin mixer 100 LowFlow 3.5 l/min
with pop-up waste set
31063, -000

Single lever basin mixer 100 LowFlow
without waste set
31015, -000

Single lever basin mixer 100 LowFlow 2 l/min
with pop-up waste set
31016, -000



Metris S

Single lever basin mixer with swivel spout
and pop-up waste set
31159, -000

Single lever basin mixer 230 with swivel spout
and push-open waste set
31161, -000



Metris S

Single lever basin mixer for concealed installation
wall-mounted with spout 16.5 cm
31162, -000

Single lever basin mixer for concealed installation
wall-mounted with spout 22.5 cm (not shown)
31163, -000

Basic set for single lever basin mixer
for concealed installation wall-mounted (not shown)
13622180



Metris S

Single lever bidet mixer
with pop-up waste set
31261, -000



Metris S
Single lever bath mixer for exposed installation
31460, -000



Metris S
4-hole rim mounted bath mixer with spout 17.1 cm
31446, -000

4-hole rim mounted bath mixer with spout 22 cm
(not shown)
31447, -000

Basic set for 4-hole rim mounted bath mixer (not shown)
13444180



Metris S
Bath spout
14420, -000



Metris S
Single lever bath mixer for concealed installation
for iBox universal
31465, -000

Single lever bath mixer for concealed installation
with integrated security combination according to
EN1717 for iBox universal
31466, -000

Basic set iBox universal (not shown)
01800180



sBox
Finish set oval
28020, -000, -140, -340, -670, -700, -990

Rim and tile mounted bath basic set (not shown)
13560180

Installation plate for tile mounted installation (not shown)
28016, -000

Mounting angle set for installation plate
for tile mounted installation (not shown)
28021, -000



Metris S
Single lever shower mixer for exposed installation
31660, -000



Metris S
Single lever shower mixer for concealed installation
for iBox universal
31665, -000

Basic set iBox universal (not shown)
01800180

Your routine reimagined

Finoris **NEW**

Flexible: Convenient pull-out tap with a 500 mm working radius and magnetic hose retraction.



User-friendly: Different sink heights provide the right solution for every installation scenario.



Design: Available in chrome, matte black and matte white surfaces.

Advantages and benefits

- A long pull-out spray is fully integrated into the basin tap for ultimate flexibility. It smoothly glides back into its original position once you're done
- ComfortZone technology provides plenty of space, maximum ease of use and fewer water splashes at the sink
- Choose between laminar spray or PowderRain at the touch of a button
- Available in three finishes: chrome, matt black and matt white



Finoris
Single lever basin mixer 260 for washbowls
with push-open waste set
76070, -000, -670, -700



Finoris
Single lever basin mixer 230 with pull-out spray, 2jet
and push-open waste set
76063, -000, -670, -700



Finoris
Single lever basin mixer 230 with swivel spout
and push-open waste set
76060, -000, -670, -700




Finoris
Single lever basin mixer 110
with pop-up waste set
76020, -000, -670, -700

Single lever basin mixer 110
with push-open waste set
76023, -000, -670, -700



Finoris
Single lever basin mixer 110 CoolStart
with push-open waste set
76024, -000, -670, -700



Finoris
Single lever basin mixer 100
with push-open waste set
76010, -000, -670, -700



Finoris
Pillar tap 100 for cold water
without waste set
76013, -000, -670, -700



Finoris
Single lever basin mixer for concealed installation
wall-mounted with spout 16.8 cm
76051, -000, -670, -700

Single lever basin mixer for concealed installation
wall-mounted with spout 22.8 cm (not shown)
76050, -000, -670, -700

Basic set for single lever basin mixer
for concealed installation wall-mounted (not shown)
13622180




Finoris
3-hole basin mixer 110
with push-open waste set
76033, -000, -670, -700

3-hole basin mixer 160
with push-open waste set (not shown)
76034, -000, -670, -700





Finoris
Single lever bidet mixer
with push-open waste set
76200, -000, -670, -700




Finoris
Single lever bath mixer for exposed installation
76420, -000, -670, -700



Finoris
4-hole rim mounted bath mixer with sBox
76444, -000, -670, -700
Basic set for 4-hole rim mounted bath mixer (not shown)
13444180



Finoris
Single lever bath mixer floor-standing
76445, -000, -670, -700
Basic set for mixers floor-standing (not shown)
10452180



Finoris
Bath spout
76410, -000, -670, -700



Finoris
Single lever bath mixer for concealed installation
for iBox universal
76415, -000, -670, -700
Single lever bath mixer for concealed installation
with integrated security combination according to
EN1717 for iBox universal
76416, -000, -670, -700
Basic set iBox universal (not shown)
01800180



sBox
Finish set oval
28020, -000, -140, -340, -670, -700, -990
Rim and tile mounted bath basic set (not shown)
13560180
Installation plate for tile mounted installation (not shown)
28016, -000
Mounting angle set for installation plate
for tile mounted installation (not shown)
28021, -000



Finoris
Single lever shower mixer for exposed installation
76620, -000, -670, -700



Finoris
Single lever shower mixer for concealed installation
for iBox universal
76615, -000, -670, -700
Basic set iBox universal (not shown)
01800180

The wonder's in the water

Vivenis **NEW**



Waterfall spray type: New aerator for a soft and wide spray, gentle on the hand.




Convenient: Different tap heights provide the right solution for every installation scenario.



Wide range: The range includes taps for surface and concealed installation, a bath inlet, a four-hole rim-mounted bath mixer and a floor-standing version.


Advantages and benefits

- The AirPower technology and the wide waterfall flow creates a brand new wellness experience
- The water is enriched with air, to create a particularly soft and light spray
- The elegant shape of the tap complements the flow of water
- Ergonomic operation
- Available in three finishes to match any bathroom: chrome, matt black and matt white




Vivenis
Single lever basin mixer 250 for washbowls
with pop-up waste set
75040, -000, -670, -700

Single lever basin mixer 250 for washbowls
without waste set
75042, -000, -670, -700




Vivenis
Single lever basin mixer 110
with pop-up waste set
75020, -000, -670, -700

Single lever basin mixer 110
without waste set
75022, -000, -670, -700



Vivenis
Single lever basin mixer 80
with pop-up waste set
75010, -000, -670, -700

Single lever basin mixer 80
without waste set
75012, -000, -670, -700




Vivenis
Pillar tap 80 for cold water
without waste set
75013, -000, -670, -700



Vivenis
Single lever basin mixer 210
with swivel spout and pop-up waste set
75030, -000, -670, -700

Single lever basin mixer 210
with swivel spout without waste set
75032, -000, -670, -700



Vivenis
3-hole basin mixer 90
with pop-up waste set
75033, -000, -670, -700



Vivenis
Single lever basin mixer for concealed installation
wall-mounted with spout 19.2 cm
75050, -000, -670, -700

Basic set for single lever basin mixer
for concealed installation wall-mounted (not shown)
13622180






Vivenis
Single lever bidet mixer
with pop-up waste set
75200, -000, -670, -700




Vivenis
Single lever bath mixer for exposed installation
75420, -000, -670, -700



Vivenis
4-hole rim mounted bath mixer with sBox
75444, -000, -670, -700
Basic set for 4-hole rim mounted bath mixer (not shown)
13440180



Vivenis
Single lever bath mixer floor-standing
75445, -000, -670, -700
Basic set for mixers floor-standing (not shown)
10452180



Vivenis
Single lever bath mixer for concealed installation
for iBox universal
75415, -000, -670, -700

Single lever bath mixer for concealed installation
with integrated security combination according to
EN1717 for iBox universal
75416, -000, -670, -700

Basic set iBox universal (not shown)
01800180



Vivenis
Bath spout
75410, -000, -670, -700



sBox
Finish set oval
28020, -000, -140, -340, -670, -700, -990
Rim and tile mounted bath basic set (not shown)
13560180
Installation plate
for tile mounted installation (not shown)
28016, -000
Mounting angle set for installation plate
for tile mounted installation (not shown)
28021, -000




Vivenis
Single lever shower mixer for exposed installation
75620, -000, -670, -700



Vivenis
Single lever shower mixer for concealed installation
for iBox universal
75615, -000, -670, -700
Basic set iBox universal (not shown)
01800180

Comfort in its most natural form

Talis E



User-friendly: Whether with a finger, arm or elbow – the Select button makes operation easier than ever.



Fine form: Because the Select button has no lever, the mixer always looks symmetrical. There is no need to turn back the lever, and the water temperature is instantly correct.



Elegant: With their precise edges, the mixers contribute to the overall look of harmony in the modern bathroom.


Advantages and benefits

- Select technology makes daily routines easier at the touch of a button
- Easy to clean: thanks to the generous areas
- Helps to save water, since the easy operation encourages the user to keep switching it off
- Automatic flow limit to 5 l/min thanks to EcoSmart technology



Talis Select E
Basin mixer 240
with pop-up waste set
71752, -000

Basin mixer 240
without waste set
71753, -000



Talis Select E
Basin mixer 110
with pop-up waste set
71750, -000

Basin mixer 110
without waste set
71751, -000



Talis E
Single lever basin mixer 150
with pop-up waste set
71754, -000, -140, -340, -670,
-700, -990

Single lever basin mixer 150
without waste set
71755, -000



Talis E
Single lever basin mixer 240
with pop-up waste set
71716, -000, -140, -340, -670,
-700, -990

Single lever basin mixer 240
without waste set
71717, -000, -140, -340, -670,
-700, -990



Talis E
Single lever basin mixer 110
with pop-up waste set
71710, -000, -140, -340, -670,
-700, -990

Single lever basin mixer 110
with push-open waste set
71711, -000

Single lever basin mixer 110
without waste set
71712, -000, -140, -340, -670,
-700, -990

Single lever basin mixer 110
CoolStart with pop-up waste set (not shown)
71713, -000, -140, -340, -670,
-700, -990

Single lever basin mixer 110
CoolStart without waste set (not shown)
71714, -000, -140, -340, -670,
-700, -990

Single lever basin mixer 110
LowFlow with pop-up waste set
71715, -000



Talis E
Single lever basin mixer 80
with pop-up waste set
71700, -000

Single lever basin mixer 80
with push-open waste set
71701, -000

Single lever basin mixer 80
without waste set
71702, -000

Single lever basin mixer 80
CoolStart with pop-up waste set (not shown)
71703, -000


Single lever basin mixer 80
CoolStart without waste set (not shown)
71704, -000

Single lever basin mixer 80
LowFlow with pop-up waste set
71705, -000

Single lever basin mixer 80
for vented hot water cylinders with pop-up waste set
71707, -000

Pillar tap 80
for cold water (not shown)
71706, -000





Talis E
3-hole basin mixer
with pop-up waste set
71733, -000, -140, -340, -670, -700, -990



Talis E
Single lever basin mixer for concealed installation
wall-mounted with spout 22.5 cm
71734, -000, -140, -340, -670, -700, -990


Single lever basin mixer for concealed installation
wall-mounted with spout 16.5 cm (not shown)
71732, -000

Basic set for single lever basin mixer
for concealed installation wall-mounted (not shown)
13622180




Talis E
Self-closing basin mixer with temperature control
71718, -000

Self-closing pillar tap for cold water
or pre-adjusted water (not shown)
71719, -000



Talis E
Single lever bidet mixer
with pop-up waste set
71720, -000, -140, -340, -670,
-700, -990

Single lever bidet mixer
with push-open waste set
71721, -000



Talis E
3-hole rim mounted bath mixer
71747, -000

Basic set for 3-hole rim mounted bath mixer (not shown)
13233180



Talis E
3-hole rim mounted single lever bath mixer for Secuflex
71730, -000

Basic set for 3-hole rim mounted single lever bath mixer
(not shown)
13437180



Talis E
4-hole rim mounted bath mixer
71748, -000, -140, -340, -670,
-700, -990

Basic set for 4-hole rim mounted bath mixer (not shown)
13244180





Talis E
Single lever bath mixer for exposed installation
71740, -000, -140, -340, -670, -700, -990



Bath spout
71410, -000



Talis E
Single lever bath mixer for concealed installation
for iBox universal
71745, -000, -140, -340, -670,
-700, -990

Single lever bath mixer for concealed installation
with integrated security combination according to
EN1717 for iBox universal
71474, -000, -140, -340, -670,
-700, -990


Basic set iBox universal (not shown)
01800180



sBox
Finish set oval
28020, -000, -140, -340, -670, -700, -990
Rim and tile mounted bath basic set (not shown)
13560180

Installation plate
for tile mounted installation (not shown)
28016, -000

Mounting angle set for installation plate
for tile mounted installation (not shown)
28021, -000



Talis E
Single lever shower mixer for exposed installation
71760, -000, -140, -340, -670,
-700, -990




Talis E
Single lever shower mixer for concealed installation
for iBox universal
71765, -000, -140, -340, -670,
-700, -990

Basic set iBox universal (not shown)
01800180

This is where form and function blend

Talis S



User-friendly: Whether with a finger, arm or elbow – the Select button makes operation easier than ever. The temperature can remain pre-set.



Fine form: Because the Select button has no lever, the mixer always looks symmetrical. There is no need to turn back the lever, and the water temperature is instantly correct.



Natural: harmonious integration of the mixers in the bathroom thanks to the naturally blending pipe bodies.

Advantages and benefits

- Select technology makes daily routines easier at the touch of a button
- Helps to save water, since the easy operation encourages the user to keep switching it off
- Easy to clean: thanks to the clear conical shapes
- Automatic flow limit to 5 l/min thanks to EcoSmart technology



Talis Select S
Basin mixer 190
with pop-up waste set
72044, -000
Basin mixer 190
without waste set
72045, -000



Talis Select S
Basin mixer 100
with pop-up waste set
72042, -000
Basin mixer 100
without waste set
72043, -000




Talis Select S
Basin mixer 80
with pop-up waste set
72040, -000
Basin mixer 80
without waste set
72041, -000



Talis S
Single lever basin mixer 190
with pop-up waste set
72031, -000
Single lever basin mixer 190
without waste set
72032, -000



Talis S
Single lever basin mixer 100
with pop-up waste set
72020, -000
Single lever basin mixer 100
without waste set
72021, -000
Single lever basin mixer 100
CoolStart with pop-up waste set (not shown)
72022, -000
Single lever basin mixer 100 C
oolStart without waste set (not shown)
72023, -000
Single lever basin mixer 100
LowFlow with pop-up waste set
72024, -000
Single lever basin mixer 100
LowFlow without waste set
72025, -000



Talis S
Single lever basin mixer 80
with pop-up waste set
72010, -000
Single lever basin mixer 80
with push-open waste set
72011, -000
Single lever basin mixer 80
without waste set
72012, -000
Single lever basin mixer 80
CoolStart with pop-up waste set (not shown)
72013, -000
Single lever basin mixer 80
CoolStart without waste set (not shown)
72014, -000
Single lever basin mixer 80
LowFlow with pop-up waste set
72015, -000
Single lever basin mixer 80 L
owFlow without waste set
72018, -000
Single lever basin mixer 80
for vented hot water cylinders
with pop-up waste set
72016, -000
Pillar tap 80 for cold water (not shown)
72017, -000





Talis S
Single lever basin mixer 250
with pop-up waste set
72115, -000

Single lever basin mixer 250
without waste set
72116, -000



Talis S
Single lever basin mixer 140
with pop-up waste set
72113, -000



Talis S
Single lever basin mixer 210
with swivel spout and pop-up waste set
72105, -000



Talis S
Single lever basin mixer for concealed installation
wall-mounted with spout 22.5 cm
72111, -000

Basic set for single lever basin mixer
for concealed installation wall-mounted (not shown)
13622180



Talis S
Single lever basin mixer for concealed installation
wall-mounted with spout 16.5 cm
72110, -000

Basic set for single lever basin mixer
for concealed installation wall-mounted (not shown)
13622180



Talis Select S
Bidet mixer
with pop-up waste set
72202, -000



Talis S
Single lever bidet mixer
with pop-up waste set
72200, -000



Talis S
Single lever bath mixer floor-standing
72412, -000

Basic set for mixers floor-standing (not shown)
10452180







Talis S
Single lever bath mixer
for exposed installation
72400, -000



Talis S
3-hole rim mounted single lever bath mixer
for Secuflex
72416, -000
Basic set for 3-hole rim mounted single lever bath mixer
(not shown)
13437180



Talis S
4-hole rim mounted bath mixer for Secuflex
72418, -000
Basic set for 4-hole rim mounted bath mixer (not shown)
13444180



Talis S
Bath spout
72410, -000



Talis S
Single lever bath mixer for concealed installation
for iBox universal
72405, -000
Single lever bath mixer for concealed installation
with integrated security combination according to
EN1717 for iBox universal
72406, -000
Basic set iBox universal (not shown)
01800180



sBox
Finish set oval
28020, -000, -140, -340, -670, -700, -990
Rim and tile mounted bath basic set (not shown)
13560180
Installation plate for tile mounted installation (not shown)
28016, -000
Mounting angle set for installation plate
for tile mounted installation (not shown)
28021, -000



Talis S
Single lever shower mixer for exposed installation
72600, -000



Talis S
Single lever shower mixer for concealed installation
for iBox universal
72605, -000
Basic set iBox universal (not shown)
01800180



Talis S
Single lever basin mixer
with pop-up waste set
32020, -000

Single lever basin mixer
without waste set
32031, -000

Single lever basin mixer for vented hot water cylinder
with pop-up waste set
32032, -000




Talis S
Pillar tap 40
without waste set
13132, -000



Talis S
Single lever basin mixer 200
with swivel spout and pop-up waste set
32070, -000



Talis S
Single lever bath mixer for exposed installation
32420, -000



Bath spout
13414, -000



Talis S
Single lever bath mixer for concealed installation
for iBox universal
32475, -000

Single lever bath mixer for concealed installation
with integrated security combination according to
EN1717 for iBox universal
32477, -000

Basic set iBox universal (not shown)
01800180



sBox
Finish set oval
28020, -000, -140, -340, -670, -700, -990

Rim and tile mounted bath basic set (not shown)
13560180

Installation plate for tile mounted installation (not shown)
28016, -000

Mounting angle set for installation plate
for tile mounted installation (not shown)
28021, -000



Talis S
Single lever shower mixer for exposed installation
32620, -000



Talis S
Single lever shower mixer for concealed installation
for iBox universal
32675, -000
Basic set iBox universal (not shown)
01800180

With top quality, comfort and great value

Focus



User-friendly: Gentle, caressing roundness and the ergonomic handle invite you to try out the ease of use.



Living: The cylindrical, contemporary body of Focus mixers brings elegance and value to the bathroom.

Advantages and benefits

- Design complete in itself and expressed in a clear, generous language
- Dynamic silhouette and gentle round shapes emphasise the quality
- Ergonomic handle for ease of use
- Excellent value with a high level of comfort
- Automatic flow limit to 5 l/min thanks to EcoSmart technology



Focus
Single lever basin mixer 230
with pop-up waste set
31531, -000
Single lever basin mixer 230
without waste set
31532, -000



Focus
Single lever basin mixer 190
with pop-up waste set
31608, -000
Single lever basin mixer 190
without waste set
31518, -000



Focus
Single lever basin mixer 100
with pop-up waste set
31607, -000
Single lever basin mixer 100
without waste set
31517, -000
Single lever basin mixer 100
LowFlow with pop-up waste set
31603, -000
Single lever basin mixer 100
LowFlow without waste set
31513, -000
Single lever basin mixer 100
CoolStart with pop-up waste set (not shown)
31621, -000



Focus
Single lever basin mixer 70
with pop-up waste set
31730, -000
Single lever basin mixer 70
without waste set
31733, -000
Single lever basin mixer 70
LowFlow without waste set
31952, -000
Single lever basin mixer 70
for vented hot water cylinders with pop-up waste set
31132, -000
Single lever basin mixer 70
with push-open waste set
31604, -000
Pillar tap 70 without waste set (not shown)
31130, -000
Single lever basin mixer 70
CoolStart with pop-up waste set (not shown)
31539, -000



Focus
Single lever basin mixer 240
with swivel spout and pop-up waste set
31609, -000
Single lever basin mixer 240
with swivel spout without waste set
31519, -000



Focus
Single lever basin mixer for exposed installation
wall-mounted
31923, -000





Focus


Single lever bidet mixer
with pop-up waste set
31920, -000

Single lever bidet mixer
with push-open waste set
31922, -000



Focus

Single lever bath mixer for exposed installation
31940, -000



Bath spout
13414, -000



Focus

Single lever bath mixer for concealed installation
for iBox universal
31945, -000

Single lever bath mixer for concealed installation
with integrated security combination according to
EN1717 for iBox universal
31946, -000

Basic set iBox universal (not shown)
01800180



sBox

Finish set oval
28020, -000, -140, -340, -670, -700, -990

Rim and tile mounted bath basic set (not shown)
13560180

Installation plate for tile mounted installation (not shown)
28016, -000

Mounting angle set for installation plate
for tile mounted installation (not shown)
28021, -000



Focus
Single lever shower mixer for exposed installation
31960, -000



Focus
Single lever shower mixer for concealed installation
for iBox universal
31965, -000
Basic set iBox universal (not shown)
01800180

Geometric shapes meet precise edges

Vernis Shape **NEW**



Geometric form: Combined with precise edges for a refined aesthetic.



Flexible: The range offers the right solution for every installation scenario.



Design: Available in chrome and matte black surfaces.

Advantages and benefits

- Extensive range with various basin mixer heights
- High quality and dynamic design at an attractive price
- Water- and energy-saving with EcoSmart technology



Vernis Shape

Single lever basin mixer 190
with pop-up waste set
71562, -000, -670

Single lever basin mixer 190
with metal pop-up waste set
71590, -000

Single lever basin mixer 190
without waste set
71591, -000, -670



Vernis Shape

Single lever basin mixer 100
with pop-up waste set
71561, -000, -670

Single lever basin mixer 100
with metal pop-up waste set
71568, -000

Single lever basin mixer 100
without waste set
71569, -000, -670

Single lever basin mixer 100
CoolStart with pop-up waste set (not shown)
71594, -000, -670



Vernis Shape

Single lever basin mixer 70
with pop-up waste set
71560, -000, -670

Single lever basin mixer 70
with metal pop-up waste set
71566, -000

Single lever basin mixer 70
without waste set
71567, -000, -670

Single lever basin mixer 70
CoolStart with pop-up waste set (not shown)
71593, -000, -670

Pillar tap 70 for cold water
without waste set (not shown)
71592, -000, -670



Vernis Shape

Single lever basin mixer with swivel spout
and pop-up waste set
71564, -000



Vernis Shape

Single lever basin mixer for concealed installation
wall-mounted with spout 20.7 cm
71578, -000, -670

Basic set for single lever basin mixer
for concealed installation wall-mounted (not shown)
13622180



Vernis Shape

3-hole basin mixer
with pop-up waste set
71563, -000, -670





Vernis Shape
Single lever bidet mixer
with pop-up waste set
71211, -000, -670



Vernis Shape
Single lever bath mixer for exposed installation
71450, -000, -670



Vernis Shape
4-hole rim mounted bath mixer
71459, -000, -670
Basic set for 4-hole rim mounted bath mixer (not shown)
13244180



Vernis Shape
Bath spout
71460, -000, -670



Vernis Shape
Single lever bath mixer for concealed installation
for iBox universal
71468, -000, -670
Single lever bath mixer for concealed installation
with integrated security combination according to
EN1717 for iBox universal
71469, -000, -670
Basic set iBox universal (not shown)
01800180



sBox
Finish set square
28010, -000, -140, -340, -670, -700, -990
Rim and tile mounted bath basic set (not shown)
13560180
Installation plate for tile mounted installation (not shown)
28016, -000
Mounting angle set for installation plate
for tile mounted installation (not shown)
28021, -000



Vernis Shape

Single lever shower mixer for exposed installation
71650, -000, -670



Vernis Shape

Single lever shower mixer for concealed installation
for iBox universal
71668, -000, -670
Basic set iBox universal (not shown)
01800180

Simple elegance


Vernis Blend NEW



Harmonious: With its elegant fittings, it works well with warm materials such as wood.



ComfortZone: Also available in the right ComfortZone height for use with a countertop sink.



Design: Available in chrome and matte black surfaces.

Advantages and benefits

- Extensive range with various basin mixer heights
- High quality and dynamic design at an attractive price
- Water- and energy-saving with EcoSmart technology




Vernis Blend

Single lever basin mixer 190
with pop-up waste set
71552, -000, -670

Single lever basin mixer 190
with metal pop-up waste set
71581, -000

Single lever basin mixer 190
with isolated water conduction
and pop-up waste set (not shown)
71572, -000

Single lever basin mixer 190
without waste set
71582, -000, -670



Vernis Blend


Single lever basin mixer 100
with pop-up waste set
71551, -000, -670

Single lever basin mixer 100
with metal pop-up waste set
71559, -000

Single lever basin mixer 100
with isolated water conduction
and pop-up waste set (not shown)
71571, -000

Single lever basin mixer 100
without waste set
71580, -000, -670

Single lever basin mixer 100
CoolStart with pop-up waste set (not shown)
71585, -000, -670



Vernis Blend

Single lever basin mixer 70
with pop-up waste set
71550, -000, -670

Single lever basin mixer 70
with metal pop-up waste set (not shown)
71557, -000

Single lever basin mixer 70
with isolated water conduction
and pop-up waste set (not shown)
71570, -000

Single lever basin mixer 70
without waste set (not shown)
71558, -000, -670

Single lever basin mixer 70
CoolStart with pop-up waste set (not shown)
71584, -000, -670

Pillar tap 70
for cold water without waste set (not shown)
71583, -000, -670



Vernis Blend

Single lever basin mixer with swivel spout
and pop-up waste set
71554, -000



Vernis Blend

Single lever basin mixer for concealed installation
wall-mounted with spout 20.7 cm
71576, -000, -670

Basic set for single lever basin mixer
for concealed installation wall-mounted (not shown)
13622180



Vernis Blend

3-hole basin mixer
with pop-up waste set
71553, -000, -670






Vernis Blend
Single lever bidet mixer
with pop-up waste set
71210, -000, -670



Vernis Blend
Single lever bath mixer for exposed installation
71440, -000, -670



Vernis Blend
4-hole rim mounted bath mixer
71456, -000, -670
Basic set for 4-hole rim mounted bath mixer (not shown)
13244180



Vernis Blend
Bath spout
71420, -000, -670



Vernis Blend
Single lever bath mixer for concealed installation
for iBox universal
71466, -000, -670
Single lever bath mixer for concealed installation
with integrated security combination according to
EN1717 for iBox universal
71467, -000, -670
Basic set iBox universal (not shown)
01800180



sBox
Finish set oval
28020, -000, -140, -340, -670, -700, -990
Rim and tile mounted bath basic set (not shown)
13560180
Installation plate for tile mounted installation (not shown)
28016, -000
Mounting angle set for installation plate for tile mounted
installation (not shown)
28021, -000



Vernis Blend
Single lever shower mixer
for exposed installation
71640, -000, -670



Vernis Blend
Single lever shower mixer for concealed installation
for iBox universal
71667, -000, -670
Basic set iBox universal (not shown)
01800180

Precise edges radiate clarity

Logis **NEW**



Pleasing: The precise shoulder lines and rounded edges delight both the eye and the hand.



Flexible: The range offers the right solution for every installation scenario.



New aerator: Can be removed with a coin, for easy replacement and cleaning without tools.


Advantages and benefits

- Clear, generous surfaces for easy operation and cleaning
- The rounded shapes of the handle and base make them the perfectly matching complements to the soft edges of the basin
- High value in the lower price category
- Extensive range with various basin mixer heights
- New aerator: Can be removed with a coin, for easy replacement and cleaning without tools



Logis
Single lever basin mixer 240 Fine
with pop-up waste set
71257, -000


Single lever basin mixer 240 Fine
without waste set
71258, -000



Logis
Single lever basin mixer 110 Fine
with pop-up waste set
71251, -000

Single lever basin mixer 110 Fine
with push-open waste set
71252, -000

Single lever basin mixer 110 Fine
without waste set
71253, -000



Logis
Single lever basin mixer 110 Fine CoolStart
with pop-up waste set
71254, -000

Single lever basin mixer 110 Fine CoolStart
without waste set
71255, -000



Logis
Single lever basin mixer for concealed installation Fine
wall-mounted with spout 20.5 cm
71256, -000

Basic set for single lever basin mixer
for concealed installation wall-mounted (not shown)
13622180



Logis
Single lever bidet mixer 110 Fine
with pop-up waste set
71201, -000



Harmonious design with precision feeling

Logis



Pleasing: The precise shoulder lines and rounded edges delight both the eye and the hand.



Flexible: The extensive range has the best and most irresistible solution for any installation situation.



Homely: Thanks to the gentle silhouettes, the Logis mixers create a harmonious atmosphere.

Advantages and benefits

- Clear, generous surfaces for easy operation and cleaning
- The rounded shapes of the handle and base make them the perfectly matching complements to the soft edges of the basin
- High-quality and noise-free ceramic cartridge - ideal for apartment buildings, hotels and offices
- High value in the lower price category
- Extensive range with various basin mixer heights
- Automatic flow limit to 5 l/min thanks to EcoSmart technology



Logis
Single lever basin mixer 190
with pop-up waste set
71090, -000

Single lever basin mixer 190
without waste set
71091, -000



Logis
Single lever basin mixer 100
with pop-up waste set
71100, -000

Single lever basin mixer 100
with push-open waste set
71107, -000

Single lever basin mixer 100
CoolStart with pop-up waste set (not shown)
71102, -000

Single lever basin mixer 100
CoolStart without waste set (not shown)
71103, -000

Single lever basin mixer 100
without waste set
71101, -000



Logis
Single lever basin mixer 70
with pop-up waste set
71070, -000

Single lever basin mixer 70
with push-open waste set
71077, -000

Single lever basin mixer 70
CoolStart with pop-up waste set (not shown)
71072, -000

Single lever basin mixer 70
CoolStart without waste set (not shown)
71073, -000

Single lever basin mixer 70
without waste set
71071, -000

Single lever basin mixer 70
for vented hot water cylinders
with push-open waste set (not shown)
71074, -000

Single lever basin mixer 70
LowFlow with pop-up waste set
71078, -000



Logis
Single lever basin mixer 210
with swivel spout and pop-up waste set
71130, -000

Single lever basin mixer 210
with swivel spout without waste set
71131, -000



Logis
Pillar tap 70
for cold water without waste set
71120, -000



Logis
Single lever basin mixer for concealed installation
wall-mounted with spout 19,5 cm
71220, -000

Basic set for single lever basin mixer
for concealed installation wall-mounted (not shown)
13622180





Logis
Single lever basin mixer for exposed installation
wall-mounted
71225, -000




Logis
3-hole basin mixer 150
with pop-up waste set
71133, -000




Logis
2-handle basin mixer 150
with pop-up waste set
71222, -000

2-handle basin mixer 150
without waste set
71221, -000




Logis
Single lever bidet mixer 100
with pop-up waste set
71200, -000



Logis
Single lever bidet mixer 70
with pop-up waste set
71204, -000



Logis
Single lever bath mixer for exposed installation
71400, -000



Logis
2-handle bath mixer for exposed installation
71243, -000



Logis
3-hole rim mounted single lever bath mixer for Secuflex
71310, -000

Basic set for 3-hole rim mounted single lever bath mixer
(not shown)
13437180





Bath spout
71410, -000



Logis
Single lever bath mixer for concealed installation
for iBox universal
71405, -000

Single lever bath mixer for concealed installation
with integrated security combination according to
EN1717 for iBox universal
71407, -000

Basic set iBox universal (not shown)
01800180




sBox

Finish set oval
28020, -000, -140, -340, -670, -700, -990

Rim and tile mounted bath basic set (not shown)
13560180

Installation plate for tile mounted installation (not shown)
28016, -000

Mounting angle set for installation plate
for tile mounted installation (not shown)
28021, -000



Logis
Single lever shower mixer for exposed installation
71600, -000



Logis
2-handle shower mixer for exposed installation
71263, -000



Logis
Single lever shower mixer for concealed installation
for iBox universal
71605, -000

Single lever shower mixer HighFlow
for concealed installation for iBox universal
71607, -000

Basic set iBox universal (not shown)
01800180



Logis
Shut-off valve for concealed installation
71970, -000

Basic set 52 l/min for shut-off valve
for concealed installation spindle (not shown)
15973180

Basic set 40 l/min for shut-off valve
for concealed installation ceramic (not shown)
15974180


Basic set 130 l/min for shut-off valve
for concealed installation spindle (not shown)
15970180

Sensor technology – for more hygienic, water saving operation

Electronic basin mixer

Here, water flows only when it is needed. Contactless taps with infrared proximity sensors help to save water and energy, particularly useful in public facilities. The contact-free technology also lowers the

risk of infection that can be an issue in frequently used public and commercial sanitary facilities. Sensor-controlled taps are also particularly recommended by hygiene experts in healthcare settings.



Advantages and benefits

- Water savings thanks to automatic stop
- Available for battery and mains connection
- Contactless, so particularly hygienic
- Ideal for public and business sectors



Metris S

Electronic basin mixer
with temperature control battery operation
31100, -000

Electronic basin mixer
with temperature control mains connection 230 V
31102, -000



Metris S

Electronic basin mixer
with temperature pre-adjustment battery operation
31101, -000


Electronic basin mixer
with temperature pre-adjustment mains connection 230 V
31103, -000



Focus

Electronic basin mixer 130
with temperature control battery operation
31171, -000

Electronic basin mixer 130
with temperature control mains connection 230 V
31173, -000



Focus

Electronic basin mixer
with temperature pre-adjustment battery operation
31172, -000

Electronic basin mixer
with temperature pre-adjustment mains connection 230 V
31174, -000



Vernis Blend

Electronic basin mixer
with temperature pre-adjustment mains connection 230 V
71501, -000

Electronic basin mixer
with temperature pre-adjustment battery operation
71502, -000



Vernis Blend

Electronic basin mixer
for cold water or pre-adjusted water battery operation
71503, -000

Electronic basin mixer
for cold water or pre-adjusted water
mains connection 230 V
71504, -000



Talis E

Self-closing basin mixer
with temperature control
71718, -000

Self-closing pillar tap
for cold water or pre-adjusted water (not shown)
71719, -000



Designed for comfort and safety

Care mixers

Longer handles, consistent temperatures, larger lettering: these fittings and thermostats ensure extra safety and comfort in the bathroom. The safe use of water makes everyday life easier, particularly for

families with small children. The carefully designed solutions are also suitable anywhere where age or illness needs to be considered, or where hygiene is paramount, such as in retirement homes, hospitals, spa facilities or

hospices. The ease of use also makes them ideal for places such as nurseries, hotels or multigenerational households.



Advantages and benefits

- Extra-long, flat operating lever: ergonomically shaped to be moved with the whole hand or arm
- Comfortable use under a light touch
- Robust brass body and metal handle for a particularly long lifetime
- The temperature can be preset, ideal for people who have trouble sensing warmth



Focus
Single lever basin mixer 100
with extra long handle 12,1 cm
and pop-up waste set
31911, -000

Single lever basin mixer 100
with extra long handle
without waste set
31915, -000

Single lever basin mixer 100
CoolStart with extra long handle 12,1 cm
without waste set (not shown)
31917, -000



Focus
Single lever basin mixer 70
with extra long handle
without waste set
31914, -000

Single lever basin mixer 70
with extra long handle 12,1 cm
and pop-up waste set
31910, -000



Focus
Single lever basin mixer for exposed installation
with extra long handle 12,1 cm
31913, -000



Focus
Single lever shower mixer for exposed installation
with extra long handle 12,1 cm
31916, -000



Ecostat
Bath thermostat Comfort Care for exposed installation
with extra long handles
13115, -000



Ecostat
Shower thermostat Comfort Care for exposed installation
with extra long handles
13117, -000



Ecostat
Under-basin thermostat for exposed installation
15346, -000



Quick-coupling set
28346000

- Easy to connect to existing valves, e. g. under the basin
- Provides a constant temperature and consistent flow even with fluctuating cold water pressure
- Ideal for use in nurseries, hospitals or hotels
- Safe for thermal disinfection

- For quick, easy emptying of hoses

Dream storage for a dream bathroom

XtraStoris **NEW**



Individual: A quality solution available in numerous designs and dimensions.



Integrated: Wall recess creates extra space.



Minimalist: Flush with the tile or protruding up to 55 mm to create a design feature.

Advantages and benefits

- Storage solution integrated in the wall
- Waterproof to ensure safety and ease of use
- Integrated solution to create a bathroom tailored to the smallest detail
- Available in various dimensions and surfaces





XtraStoris Individual
 Wall niche Brushed Stainless Steel
 with design frame 300/150/100
 # 56094, -140, -340, -670, -700, -800, -990



XtraStoris Individual
 Wall niche Brushed Stainless Steel
 with design frame 300/300/100
 # 56097, -140, -340, -670, -700, -800, -990



XtraStoris Individual
 Wall niche Matt Black with design frame 300/150/100
 # 56095, -140, -340, -670, -700, -800, -990



XtraStoris Individual
 Wall niche Matt Black with design frame 300/300/100
 # 56098, -140, -340, -670, -700, -800, -990



XtraStoris Individual
 Wall niche Matt White with design frame 300/150/100
 # 56096, -140, -340, -670, -700, -800, -990



XtraStoris Individual
 Wall niche Matt White with design frame 300/300/100
 # 56099, -140, -340, -670, -700, -800, -990





XtraStoris Original
Wall niche with frame 300/150/100
56057, -670, -700, -800



XtraStoris Original
Wall niche with frame 300/300/100
56061, -670, -700, -800



XtraStoris Original
Wall niche with frame 300/600/100
56064, -670, -700, -800



XtraStoris Original
Wall niche with frame 300/900/100
56067, -670, -700, -800



XtraStoris Minimalistic
Wall niche frameless 300/300/100
56073, -670, -700, -800
Wall niche frameless 300/300/140 (not shown)
56079, -670, -700, -800



XtraStoris Minimalistic
Wall niche frameless 300/150/100
56070, -670, -700, -800
Wall niche frameless 300/150/140 (not shown)
56076, -670, -700, -800



XtraStoris Rock
Wall niche with tileable door 300/300/100
56085, -670, -700, -800
Wall niche with tileable door 300/300/140 (not shown)
56091, -670, -700, -800



XtraStoris Rock
Wall niche with tileable door 300/150/100
56082, -670, -700, -800
Wall niche with tileable door 300/150/140 (not shown)
56088, -670, -700, -800



XtraStoris Safe
Wall niche with tileable door
and integrated shut-off valve 150/300/100
56100, -800



Available from 02/2022

Logis



Logis
Liquid soap dispenser
40514, -000, -820



Logis
Toothbrush tumbler
40518, -000, -820



Logis
Soap dish
40515, -000, -820



Logis
Roll holder with cover
40523, -000, -820



Logis
Roll holder without cover
40526, -000, -820



Logis
Spare roll holder
40517, -000, -820



Logis
Toilet brush holder wall-mounted
40522, -000, -820



Logis
Towel hook
40511, -000, -820



Logis
Towel holder twin-handle
40512, -000, -820



Logis
Grab bar
40513, -000, -820



Logis
Bath towel rail
40516, -000, -820

AddStoris NEW



AddStoris
Towel hook
41742, -000, -140, -340, -670, -700, -990



AddStoris
Towel hook double
41755, -000, -140, -340, -670, -700, -990



AddStoris
Toothbrush tumbler
41749, -000, -140, -340, -670, -700, -990



AddStoris
Soap dish
41746, -000, -140, -340, -670, -700, -990



AddStoris
Liquid soap dispenser
41745, -000, -140, -340, -670, -700, -990



AddStoris
Toilet brush holder wall-mounted
41752, -000, -140, -340, -670, -700, -990




AddStoris
Bath towel rail
41747, -000, -140, -340, -670, -700, -990



AddStoris
Double bath towel rail
41743, -000, -140, -340, -670, -700, -990




AddStoris
Towel rack with towel holder
41751, -000, -140, -340, -670, -700, -990



AddStoris
Towel holder twin-handle
41770, -000, -140, -340, -670, -700, -990



AddStoris
Towel ring
41754, -000, -140, -340, -670, -700, -990



AddStoris
Corner basket
41741, -000, -140, -340, -670, -700, -990



AddStoris
Roll holder with cover
41753, -000, -140, -340, -670, -700, -990



AddStoris
Roll holder without cover
41771, -000, -140, -340, -670, -700, -990



AddStoris
Roll holder with shelf
41772, -000, -140, -340, -670, -700, -990



AddStoris
Spare roll holder
41756, -000, -140, -340, -670, -700, -990



AddStoris
Double roll holder
41748, -000, -140, -340, -670, -700, -990



AddStoris
Shaving mirror
41791, -000, -140, -340, -670, -700, -990
Shaving mirror with LED light (not shown)
41790, -000, -140, -340, -670, -700, -990



AddStoris
Tissue box
41774, -000, -140, -340, -670, -700, -990



AddStoris
Sanitary bag dispenser
41773, -000, -140, -340, -670, -700, -990



AddStoris
Pedal Bin
41775, -000, -670, -700



AddStoris
Grab bar
41744, -000, -140, -340, -670, -700, -990



AddStoris
Shower door handle
41759, -000, -140, -340, -670, -700, -990

Logis Universal



Logis Universal
Liquid soap dispenser
41714, -000



Logis Universal
Toothbrush tumbler
41718, -000



Logis Universal
Soap dish
41715, -000



Logis Universal
Towel hook
41711, -000



Logis Universal
Towel hook double
41725, -000



Logis Universal
Corner basket
41710, -000



Logis Universal
Roll holder with cover
41723, -000



Logis Universal
Spare roll holder
41726, -000



Logis Universal
Double roll holder
41717, -000



Logis Universal
Toilet brush holder wall-mounted
41722, -000



Logis Universal
Shaving mirror
73561, -000



Logis Universal
Towel ring
41724, -000



Logis Universal
Grab bar
41713, -000



Logis Universal
Bath towel rail
41716, -000



Logis Universal
Double bath towel rail
41712, -000



Logis Universal
Towel rack with towel holder
41720, -000




Logis Universal
Bath-accessory set 3 in 1
41727, -000



Logis Universal
Bath-accessory set 5 in 1
41728, -000

Your customers, their wall

WallStoris **NEW**



Safe, easy installation: The strips can be glued on then removed when needed, leaving no residue. They can also be screwed on. The modules simply click into place.





Intelligent storage system: A bar with modular accessories and an infinite number of combinations.



Perfect for the bathroom: Thanks to the in-built drain, the container collects no water. WallStoris is also dishwasher safe.

Advantages and benefits

- A flexible, modern storage system with almost infinite combinations
- Perfect for wet environments: thanks to the integrated drain no water collects in the containers or racks
- High-quality bars in two lengths (50, 70 cm) and two surfaces (matt black and matt white)
- Easy assembly: either with screws or simply stuck to the wall, so that the bar can be removed later without leaving any residue.





WallStoris
 Wall bar 50 cm
 # 27902, -670, -700
 Wall bar 70 cm (not shown)
 # 27904, -670, -700



Available from 04/2022



WallStoris
 Towel hook wide
 # 27914, -670, -700



Available from 04/2022



WallStoris
 Towel hook slim
 # 27929, -670, -700



Available from 04/2022



WallStoris
 Storage basket deep
 # 27912, -670, -700



Available from 04/2022



WallStoris
 Storage basket
 # 27913, -670, -700



Available from 04/2022



WallStoris
 Cover for storage basket
 # 27925, -670, -700

Available from 04/2022



WallStoris
 Shelf
 # 27915, -670, -700



Available from 04/2022



WallStoris
 Tumbler
 # 27921, -670, -700



Available from 04/2022



WallStoris
 Squeegee
 # 27916, -670, -700

Available from 04/2022



WallStoris
Push slider
27917, -670, -700



Available from 04/2022



WallStoris
Towel rail
27926, -670, -700



Available from 04/2022



WallStoris
Toilet brush holder
27927, -670, -700



Available from 04/2022



WallStoris
Toilet paper holder with shelf
27928, -670, -700



Available from 04/2022



WallStoris
Toilet bundle
27969, -670, -700



Available from 04/2022



WallStoris
Bathtub bundle
27966, -670, -700



Available from 04/2022



WallStoris
Shower bundle
27967, -670, -700



Available from 04/2022



WallStoris
Bathroom bundle
27968, -670, -700



Available from 04/2022

Subtle in design, faultless in functionality

Drainage systems

Clean, hygienic bathrooms depend on excellent drainage, which is why hansgrohe has developed a number of innovative

drainage systems. They work in all installation scenarios and are easy to both install and use, ensuring that water drains away quickly and

easily. Overflow regulation and other smart features ensure long-lasting comfort, both during and after a shower.

Shower

The RainDrain drainage channel ensures perfect drainage in floor-level showers, working in aesthetic harmony with the rest of the space. The clever system means that a basic set works for all shower channels – whether it's a flat shower tray or one with a raised rim, a small or large drainage hole, Staro works with them all.



Bath

With Exafill, we combine drain technology into an integrated bath inlet, outlet and overflow function. This replaces the conventional bath tap. If you have a separate bath filler, Flexaplust provides the ideal solution. Both drainage systems can be individually cut to length and are easy to install. It's this flexibility that hansgrohe is known for.



Basin

The linear design of the Flowstar siphon is a subtle under-the-sink design highlight. A push-open valve is suitable for sinks without a pull rod, since it opens or closes simply by pressing it.



Shower



RainDrain Spot

Complete set 150/150 point drain and installation set
56055, -800

Complete set 150/150 point drain tileable rear cover
and installation set (not shown)
56112, -800



Raindrain

Complete set waste set 90 XXL
60067, -000, -140, -340




Staro

Complete set waste set 90
60056, -000, -140, -340, -990

Eye catching with integrated gradient

RainDrain Flex **NEW**



Perfect length: It can be shortened on-site if necessary, since there is no channel under the drain cover.



Individual: Available in chrome, brushed stainless steel and five exclusive FinishPlus surfaces.



A basic set for all shower channels: Can be installed using the universal uBox, without a separate installation set, since it can be laid directly onto screed.


Advantages and benefits

- The full range contains products that work with every hansgrohe surface. That means you can buy everything from a single source, maintaining design cohesion.
- Available in chrome, brushed stainless steel and five exclusive FinishPlus surfaces
- Products seamlessly integrate at floor level, for ultimate freedom of movement when showering
- Drainage capacity is optimised to hansgrohe shower systems, while the innovative siphon solution blocks odours
- High-quality materials



RainDrain Flex

- Finish set shower drain 700 cuttable
56043, -000, -140, -340, -670, -700, -800, -990
- Finish set shower drain 800 cuttable (not shown)
56044, -000, -140, -340, -670, -700, -800, -990
- Finish set shower drain 900 cuttable (not shown)
56045, -000, -140, -340, -670, -700, -800, -990
- Finish set shower drain 1000 cuttable (not shown)
56046, -000, -140, -340, -670, -700, -800, -990
- Finish set shower drain 1200 cuttable (not shown)
56047, -000, -140, -340, -670, -700, -800, -990



RainDrain Flex

- Finish set shower drain 700 cuttable
for wall mounting
56050, -000, -140, -340, -670, -700, -800, -990
- Finish set shower drain 800 cuttable
for wall mounting (not shown)
56051, -000, -140, -340, -670, -700, -800, -990
- Finish set shower drain 900 cuttable
for wall mounting (not shown)
56052, -000, -140, -340, -670, -700, -800, -990
- Finish set shower drain 1000 cuttable
for wall mounting (not shown)
56053, -000, -140, -340, -670, -700, -800, -990
- Finish set shower drain 1200 cuttable
for wall mounting (not shown)
56054, -000, -140, -340, -670, -700, -800, -990



uBox universal

Base set for finish sets for flat installation
01000180



uBox universal

Base set for finish sets for standard installation
01001180
Base set for finish sets for vertical installation (not shown)
01002180



The shower channel for every bathroom

RainDrain Match NEW

Can be tiled on the back of the cover



Easy height adjustment thanks to the height-adjustable frame

High drainage capacity: Dryphon included



Can be tiled on the back: The cover of this product can be tiled on the back, up to a thickness of 18m. This is not recommended with glass versions.

Individuality: Available in chrome, brushed stainless steel, matte black, matte white and two glass surfaces (-450 and -610).

Easy installation: The universal uBox and installation kit are available as a complete set.

Advantages and benefits

- The full range contains products that work with every hansgrohe surface. That means you can buy everything from a single source, maintaining design cohesion.
- Available in chrome, brushed stainless steel, matte black, matte white and two glass surfaces (-450 and -610)
- Products seamlessly integrate at floor level, for ultimate freedom of movement when showering
- Drainage capacity is optimised to hansgrohe shower systems, while the innovative siphon solution blocks odours
- High-quality materials



RainDrain Match

Finish set shower drain 600
with height adjustable frame
56036, -000, -450, -610, -670, -700, -800

Finish set shower drain 700
with height adjustable frame (not shown)
56037, -000, -450, -610, -670, -700, -800

Finish set shower drain 800
with height adjustable frame (not shown)
56038, -000, -450, -610, -670, -700, -800

Finish set shower drain 900
with height adjustable frame (not shown)
56040, -000, -450, -610, -670, -700, -800

Finish set shower drain 1000
with height adjustable frame (not shown)
56041, -000, -450, -610, -670, -700, -800

Finish set shower drain 1200
with height adjustable frame (not shown)
56042, -000, -450, -610, -670, -700, -800



uBox universal

Complete set for flat installation 600
for shower drains finish sets
56016180

Complete set for flat installation 700
for shower drains finish sets (not shown)
56017180

Complete set for flat installation 800
for shower drains finish sets (not shown)
56018180

Complete set for flat installation 900
for shower drains finish sets (not shown)
56019180

Complete set for flat installation 1000
for shower drains finish sets (not shown)
56020180

Complete set for flat installation 1200
for shower drains finish sets (not shown)
56021180



uBox universal

Complete set for standard installation 600
for shower drains finish sets
56022180

Complete set for standard installation 700
for shower drains finish sets (not shown)
56023180

Complete set for standard installation 800
for shower drains finish sets (not shown)
56024180

Complete set for standard installation 900
for shower drains finish sets (not shown)
56025180

Complete set for standard installation 1000
for shower drains finish sets (not shown)
56026180


Complete set for standard installation 1200
for shower drains finish sets (not shown)
56027180



Designed to be tiled with natural stone or tiles

RainDrain Rock NEW

Flat surface, suitable for tiles and natural stone up to 40 mm thick



Perfect length: Shower panel can be shortened by up to 50 mm per side.



Individual: Designed to be tiled with natural stone or tiles in thicknesses of up to 40 mm.



Easy installation: The universal uBox and installation kit are available as a complete set.

Advantages and benefits

- The full range contains products that work with every hansgrohe surface. That means you can buy everything from a single source, maintaining design cohesion.
- To be tiled with natural stone/tiles up to 40 mm thick
- Products seamlessly integrate at floor level, for ultimate freedom of movement when showering
- Drainage capacity is optimised to hansgrohe shower systems, while the innovative siphon solution blocks odours
- High-quality materials



RainDrain Rock

Finish set shower drain 600
cut on size and tileable
56029, -000

Finish set shower drain 700
cut on size and tileable (not shown)
56030, -000

Finish set shower drain 800
cut on size and tileable (not shown)
56031, -000

Finish set shower drain 900
cut on size and tileable (not shown)
56032, -000

Finish set shower drain 1000
cut on size and tileable (not shown)
56033, -000

Finish set shower drain 1200
cut on size and tileable (not shown)
56034, -000



uBox universal

Complete set for flat installation 600
for shower drains finish sets
56016180

Complete set for flat installation 700
for shower drains finish sets (not shown)
56017180

Complete set for flat installation 800
for shower drains finish sets (not shown)
56018180

Complete set for flat installation 900
for shower drains finish sets (not shown)
56019180

Complete set for flat installation 1000
for shower drains finish sets (not shown)
56020180

Complete set for flat installation 1200
for shower drains finish sets (not shown)
56021180



uBox universal

Complete set for standard installation 600
for shower drains finish sets
56022180

Complete set for standard installation 700
for shower drains finish sets (not shown)
56023180

Complete set for standard installation 800
for shower drains finish sets (not shown)
56024180

Complete set for standard installation 900
for shower drains finish sets (not shown)
56025180

Complete set for standard installation 1000
for shower drains finish sets (not shown)
56026180


Complete set for standard installation 1200
for shower drains finish sets (not shown)
56027180



Bath



Flexaplust
Complete set waste and overflow set
for standard bath tubs
58143, -000




Flexaplust S
Complete set waste and overflow set
for standard bath tubs
58150, -000



Flexaplust
Basic set waste and overflow set
for standard bath tubs
58140180



Flexaplust
Basic set waste and overflow set
for special bath tubs
58141180



Flexaplust
Finish set waste and overflow set
58185, -000, -140, -340, -670, -700, -990



Flexaplust S
Finish set waste and overflow set
58186, -000



Exafill
Complete set bath filler, waste and overflow set
for standard bath tubs
58123, -000



Exafill
Basic set bath filler, waste and overflow set
for standard bath tubs
58125180




Exafill
Basic set bath filler, waste and overflow set
for special bath tubs
58126180



Exafill
Finish set bath filler, waste and overflow set
58127, -000



Exafill S
Complete set bath filler, waste and overflow set
for standard bath tubs
58113, -000



Exafill S
Basic set bath filler, waste and overflow set
for standard bath tubs
58115180



Exafill S
Basic set bath filler, waste and overflow set
for special bath tubs
58116180



Exafill S
Finish set bath filler, waste and overflow set
58117, -000, -140, -340, -670, -700, -820, -990



Basin



Design trap Flowstar
52100, -000
Design trap Flowstar set (not shown)
52120, -000



Design trap Flowstar S
52105, -000, -140, -340, -670, -700, -990



Waste set push-open for basin and bidet mixers
50100, -000, -140, -340, -670, -700, -990




Waste set push-open for basin and bidet mixers
50105, -000




Waste set non-closing for washbasins
50001, -000



Waste set pop-up for basin and bidet mixers
94139, -000



Angle valve E outlet G 3/8
13902, -000



Angle valve S outlet G 3/8
13901, -000



Angle valve with microfilter outlet G 3/8
13904, -000



Cover
13950, -000, -140, -340, -670, -700, -990


ShowerSelect: Design where everything fits

iBox universal


With the iBox universal, the mixer technology is concealed in the wall. This not only looks good, but also creates more space and thus greater shower pleasure. Another

advantage is the flexibility of the system and design. The iBox universal may be installed before the decision has been made for a shower system. As the basic set for any

hansgrohe standard and thermostatic solutions, it is easy to change or upgrade at any time.




Concealed installation: The basic set disappears completely into the wall. Mixers and shower finish sets from various ranges can be fitted to it.




Over the long term: The basic set is retained when the bathroom is refurbished. The functions block and finish set can then be easily replaced.

iBox universal: one for all



iBox universal: the perfect all-rounder




Advantages and benefits

- One basic set for 19 function solutions
- Suitable for over 200 hansgrohe and AXOR finish sets
- Pre-installation enhances decision making flexibility for mixers
- An attractive bathroom, as bulky technology is out of sight behind the wall
- Greater freedom of movement when showering
- Easy to replace with new mixers or finish set designs when renovating
- Concealed installation solutions tried and tested millions of times

Advantages and benefits specifically for project activities


- The iBox universal offers a high level of flexibility and lots of design options
- One basic set for all solutions, simplifying project planning
- The iBox is suitable for use in private or public facilities and complies with all the main international standards
- Covers any solution with up to 4 functions

iBox universal: the all-rounder with many strengths




Rotation-symmetrical installation

- Symmetrical construction; all the connections are the same
- It is important that cold water is connected on the right and hot water on the left
- The lower outlet has priority for bath mixers
- Either the upper or lower outlet can be connected for shower mixers




Safe and economical

- Basic set includes only the connection block. The valuable functions block is supplied later and mounted with the finish set
- Prevents problems like theft, dirt and frost damage occurring during the building phase and expensive warehousing becomes unnecessary




Many installation types

- Coordinated with to all the standard installation systems, connection types and mixers
- Patented flexible adjustment ring
- Attachment options on 2 levels and G $\frac{3}{4}$ connections for universal installation possibilities
- Also suitable for stronger wall constructions and dry wall installations as well as for pre-fabricated houses




Integrated safety combination

- Used in conjunction with Exafill baths with an outflow and overflow mixer, it eliminates the need for an external pipe breaker on concealed installation single lever bath mixers: lower installation costs and fewer functional parts in the wall




Perfect moisture protection

- Sealing sleeves on all 4 connections, sealing sleeve under the tiles and the carrier escutcheon that seals against splashes perfectly protect the masonry against moisture on all sides




Solutions for walls that are very deep or very shallow

- If the iBox universal is too deep in the wall, the basic set extension is inserted between the connection and functions block
- The extension set provides safety right up to the wall and perfectly protects the masonry against moisture
- The standard body of the iBox universal has become flatter and is therefore even more suitable for walls with shallow installation depths




Low noise levels

- Brass bodies on seals ensure that the noise of water-bearing parts is transferred to the masonry
- The carrier escutcheon is screwed to the housing of the iBox universal and not to the functions block, which means that the noise cannot be transmitted to the tiles



Collar extension


- Thanks to the extension, even shallow installation depths are no longer a problem
- The extension collar means that the iBox can be installed even in narrow walls





Easy rinsing

- Flush block included and can be mounted in various different positions. This means that pipes can be flushed through to the end just in front of the wall, as per DIN 1988/EN 1717 part 2



Installation options and dimension drawings iBox universal





Installation directly on the wall





Installation in front of the wall; here with variable spacers on hanger bolts M 10





Installation on carrier system




Installation on prefab house mounting panels or prefab shell



Installation directly in the wall



Installation with mounting rail set




Assembly aid for iBox universal
#93500000

Advantages and benefits

- Even faster, safer and more convenient installation of the iBox universal
- No more cumbersome use of a spirit level
- Easier installation for square pre-fab sets, at the perfect right angle
- Helps with tiling
- The installation aid is simply fitted to the iBox universal

Technical details, assembly tips and installation information



iBox universal, Front and side views

#01800180

Operating pressure:	max. 1 MPa
Recommended operating pressure:	0.1-0.5 MPa
Test pressure:	1.6 MPa (1 MPa = 10 bar = 147 psi)
Hot water temperature:	max. 80 °C
Recommended hot water temperature:	65 °C
Connection dimensions:	G 3/4
Connections:	cold right, warm left

Free flow at:	0.3 MPa
Bath mixer outlet bath:	31 l/min
Bath mixer outlet shower:	24 l/min
Shower mixer:	32 l/min
Thermostat:	43 l/min
Thermostat with shut-off valve:	26 l/min
Thermostat with shut-off and changeover valve:	26 l/min
Thermostat Highflow:	48 l/min
Test mark:	DVGW, SVGW

Tips for raw installation

Fit the basic set with the hot water connection on the left and the cold water connection on the right.

Installation depth: 80 mm to 108 mm.

Extension set 25 mm for too deep installation:

13595000

Extension set 22 mm for too low installation depths:

- # 13596000 for rosettes 170 mm diameter
- # 13597000 for rosettes 150 mm diameter
- # 15597000 for PuraVida measuring 155 x 155 mm
- # 13593000 for ShowerSelect
- # 13601000 for ShowerSelect including FixFit and holder
- # 13604000 for ShowerSelect glass


The basic set can be fitted to suit the structural conditions. The iBox universal is suitable for both bath and shower installation. With single lever basin mixers, the lower outlet (outlet 1) has priority. With shower installations, the outlet that is not required needs to be stopped with a plug.

The rotation-symmetrical base unit of the iBox universal can be used horizontally or vertically.


Exception: installation of basin mixers with safety combinations; only vertical installation is possible here.

Flushing

Complete installation as per DIN 1988/EN 1717, part 2, Flushing. The arrows on the flush block indicate which inlet is connected to which outlet pipe, for instance cold water to outlet 1 and hot water to outlet 2. If only outlet 1 is required, then the flush block needs to be rotated by 90° after the first flush.



Tips for the bath tub




iBox universal in combination with Exafill bath filler with outlet and overflow fitting:

switch off water to the Exafill during the construction stage!

Raw installation:

1. Install iBox universal
2. Lay pipes to Exafill and block (metal plug)
3. Flush and press pipe system



Place bath:

1. Switch off water
2. Install bath with Exafill and connect to mains water
3. Flush pipe to Exafill with sample filler necks and check for leaks
4. Switch off water at floor level
5. Remove flush block
6. Insert plug (A) in outlet for Exafill
7. Fit flush block
8. Switch on water

Practical hose coiling system for added convenience

sBox bath

Our sBox creates relaxed feel-good moments in the bath tub. The innovative shower hose solution has many smart benefits, such as an easy-access hose that offers plenty of freedom to move and convenient access to the

hand shower at all times. The neatly rolled up shower hose looks attractive and the smooth surfaces are easy to clean and available in two flange designs. Hand showers are sold separately, with free choice of placement

along the bath tub rim and the option of a tiled surface installation to enable you to furnish your bathroom however you like.


The sBox bath tub pre-fab set

G ½ hose connection for universal compatibility with all conventional hand showers

Translucent polypropylene box (hard, solid, able to withstand thermal stress, chemically resistant)




Two escutcheon designs, to suit every bathroom, are available in six different finishes: -000, -140, -340, -670, -700, -990



Metal flange for a high-end feel and long lifespan

Installation frame can be screwed to the bath tub rim/ edge of the tiles; four screws in each corner guarantee it will stay in place

Safe in accordance with EN1717



Advantages and benefits

- Concealed shower hose improves the appearance of the bath tub
- Choose between two stylish designs and six different finishes
- More flexibility with a long hose (1.45 m)

The sBox bath tub installation options



Installation example: tiled surface installation.

- Can be mounted on the bath tub rim or edge of the tiles
- Easy, hassle-free installation in two steps
- Extremely low maintenance, suitable for all age groups and needs
- For easy and neat tiled surface installation, we recommend the original hansgrohe installation bracket (# 28021, -000) and plate (# 28016, -000)

The sBox bath tub basic set



Plug for rinsing the connected pipeline

Place holder for the installation frame to be positioned here later

Cardboard place holder to simulate free space under the bath tub or tile so that this space is saved for the sBox

Hose to be connected to the mixed water pipe

Holder for the connection hose prevents the shower hose from falling behind the bath tub



- More freedom to move in the bath tub
- Position it anywhere along the bath tub rim

- Optimised workflow with two-step installation: basic and pre-fab sets


A basic kit for all installation scenarios

uBox universal **NEW**

The uBox universal is suitable for all shower channels and installation scenarios, meaning you can enjoy a simple and uncomplicated installation. The RainDrain shower channels are a modular system. A

shower channel order will only consist of the finish set (RainDrain) and the basic set (uBox universal), with or without an installation set. All you have to do is choose uBox universal for standard or uBox universal for flat installation.

A uBox universal with a vertical outlet is also available. Thanks to the low installation depth, the uBox universal is suitable for different installation scenarios, in new buildings as well as in renovation.




Advantages and benefits

- Pre-assembled seal prevents water damage
- Flexible installation: three connections fit almost any installation scenario, and ensuring it is level is easy thanks to three height adjustment plates
- Versatility: uBox universal is suitable for primary (standard) and secondary drainage
- The high quality of our products ensures safety on the construction site, as well as satisfied customers


Dryphon: higher drainage capacity with minimal cleaning effort



The innovative Dryphon siphon solution is included with every finish set (RainDrain) of the drainage channels and, on request, can replace the supplied siphon of the uBox universal (basic set) and its drainage capacity of up to 42 l/min. The patented design offers a significant improvement in drainage capacity, of up to 60 l/min. Thanks to the high flow rate, dirt and hair cannot stick, which reduces cleaning to a minimum.



Conventional siphon technology
Odour barrier created via water




Dryphon technology
Mechanical odour barrier

The Dryphon system permanently blocks sewer odour, even without water as a barrier. Since no water is used, the siphon will not dry out if it is not used for a while. Dryphon also regulates pressure differences in the sewer while blocking sewer gases.




uBox universal
Base set for finish sets for flat installation
01000180



Water seal height: 30 mm
Minimum height: 57 mm
Drainage capacity siphon: 33 l/min
Drainage capacity Dryphon: 55 l/min




uBox universal
Base set for finish sets for standard installation
01001180



Water seal height: 50 mm
Minimum height: 75 mm
Drainage capacity siphon: 42 l/min
(according to EN 1253)
Drainage capacity Dryphon: up to 60 l/min



uBox universal
Base set for finish sets for vertical installation
01002180




Water seal height: 50 mm
Minimum height: 0 mm
Drainage capacity siphon: 42 l/min
(according to EN 1253)
Drainage capacity Dryphon: up to 60 l/min

You can find videos and tips on installation at [youtube.com/hansgrohe](https://www.youtube.com/hansgrohe)


Concealed installation 1 function:

- (A) Raindance Select S**
Shower set 120 3jet
with shower bar 90 cm
and soap dish
26631, -000
- (B) ShowerSelect**
Thermostat for concealed installation
for 1 function
15762, -000
Basic set iBox universal (not shown)
01800180
- (C) FixFit**
Wall outlet Square
with non-return valve
26455, -000
- (D) Staro**
Complete set waste set 90
60056, -000



Flow diagram

Raindance Select S
Hand shower 120 3jet
26530, -000



Legend


- ① RainAir
- ② Rain
- ③ Whirl

• denotes minimum operating pressure

Exposed installation 1 function:

- (A) Pulsify Select S**
Shower set 105 3jet Relaxation
with shower bar 90 cm
24170, -000
- (B) ShowerTablet Select**
Shower thermostat 400
for exposed installation
24360, -000
- (C) RainDrain Flex**
Finish set shower drain 700 cuttable
56043, -000


Base set for finish sets
for standard installation (not shown)
01001180



Flow diagram

Pulsify Select S

Hand shower 105 3jet Relaxation
24110, -000



Legend


- ① Massage
- ② PowderRain
- ③ IntenseRain

• denotes minimum operating pressure

Concealed installation 2 functions:

- (A) Rainmaker Select**
Overhead shower 460 1jet
with shower arm
24003, -400
- (B) ShowerSelect Glas**
Thermostat for concealed installation
for 2 functions
15738, -400


Basic set iBox universal (not shown)
01800180
- (C) Raindance Select S**
Shower holder set 120 3jet
with shower hose 160 cm
26721, -000
- (D) FixFit**
Wall outlet Square
with non-return valve
26455, -000
- (E) Raindrain**
Complete set waste set 90 XXL
60067, -000



Flow diagram

Rainmaker Select


Overhead shower 460 1jet with shower arm
24003, -400



Flow diagram

Raindance Select S

Hand shower 120 3jet
26530, -000



Legend

- ① RainAir
- ② Rain
- ③ Whirl


• denotes minimum operating pressure

Concealed installation 2 functions:

- (A) Rainfinity**
Overhead shower 360 1jet
with wall connector
26230, -000
- (B) Rainfinity**
Shower holder set 100 1jet
with shower hose 160 cm
26856, -000
- (C) ShowerSelect**
Thermostat for concealed installation
for 2 functions
15763, -000


Basic set iBox universal (not shown)
01800180
- (D) FixFit**
Wall outlet Square
with non-return valve
26455, -000
- (E) RainDrain Flex**
Finish set shower drain 700 cuttable
56043, -000

Base set for finish sets for standard
installation (not shown)
01001180




Flow diagram

Rainfinity
Overhead shower 360 1jet with wall connector
26230, -700



Flow diagram

Rainfinity
Shower holder set 100 1jet with shower hose 160 cm
26856, -700



• denotes minimum operating pressure


Concealed installation 2 functions:

- (A) Raindance S**
Overhead shower 240 1jet
PowderRain with shower arm
27607, -000
- (B) Raindance Select S**
Shower set 120 3jet
with shower bar 110 cm right
26326, -000
- (C) ShowerSelect S**
Thermostat for concealed installation
for 2 functions
15743, -000
Basic set iBox universal (not shown)
01800180
- (D) FixFit**
Wall outlet S
without non-return valve
27453, -000
- (E) Unica**
Foot support Comfort
26329, -000
- (F) Raindrain**
Complete set waste set 90 XXL
60067, -000

Flow diagram

Raindance S


Overhead shower 240 1jet PowderRain with shower arm
27607, -000



Flow diagram


Raindance Select S

Hand shower 120 3jet
26530, -000



Legend

- ① RainAir
- ② Rain
- ③ Whirl




• denotes minimum operating pressure

Exposed/concealed installation 2 functions:

- (A) Rainmaker Select**
Overhead shower 460 1jet
with shower arm
24003, -400
- (B) ShowerTablet Select**
Thermostat 700 universal
for exposed installation
for 2 functions
13184, -400
- (C) Raindance Select S**
Hand shower 120 3jet
26530, -400
Shower holder Porter S
28331, -000
- (D) Isiflex**
Shower hose 160 cm
28276, -000
- (E) RainDrain Flex**
Finish set shower drain 700 cuttable
56043, -000


Base set for finish sets for standard
installation (not shown)
01001180



Flow diagram

Rainmaker Select


Overhead shower 460 1jet with shower arm
24003, -400



Flow diagram

Raindance Select S

Hand shower 120 3jet
26530, -400



• denotes minimum operating pressure

Concealed installation 3 functions:

- (A) Raindance Rainfall**
Overhead shower 180 2jet
28433, -000

Basic set iBox universal (not shown)
01800180
- (B) Raindance Select S**
Hand shower 120 3jet
26530, -400

Shower holder Porter S
28331, -000

Isiflex
Shower hose 160 cm
28276, -000
- (C) Shut-off/diverter valve S Trio/Quattro** for concealed installation
15932, -000

Basic set for Quattro four-way diverter valve for concealed installation (not shown)
15930180
- (D) Shut-off valve S** for concealed installation
15972, -000


Basic set 130 l/min for shut-off valve for concealed installation spindle (not shown)
15970180
- (E) Ecostat S**
Thermostat HighFlow for concealed installation
15756, -000

Basic set iBox universal (not shown)
01800180
- (F) FixFit**
Wall outlet S without non-return valve
27453, -000
- (G) Raindrain**
Complete set waste set 90 XXL
60067, -000

Flow diagram

Raindance Rainfall



Overhead shower 180 2jet
28433, -000



Flow diagram

Raindance Select S

Hand shower 120 3jet
26530, -400



• denotes minimum operating pressure

Concealed installation 3 functions:

- (A) Pulsify S**
Overhead shower 260 2jet
with wall connector
24150, -000

Basic set iBox universal (not shown)
01800180
- (B) Pulsify Select S**
Shower set 105 3jet Relaxation
with shower bar 90 cm
24170, -000

FixFit
Wall outlet Square
with non-return valve
26455, -000
- (C) ShowerSelect**
Valve for concealed installation
for 3 functions
15764, -000

Basic set iBox universal (not shown)
01800180
- (D) ShowerSelect**
Thermostat HighFlow
for concealed installation
15760, -000


Basic set iBox universal (not shown)
01800180
- (E) RainDrain Flex**
Finish set shower drain 700 cuttable
56043, -000

Base set for finish sets for standard
installation (not shown)
01001180

Flow diagram

Pulsify S

Overhead shower 260 2jet with wall connector
24150, -000




Legend

- ① Intense PowderRain
- ② PowderRain

Flow diagram


Pulsify Select S

Hand shower 105 3jet Relaxation
24110, -000



Legend

- ① Massage
- ② PowderRain
- ③ IntenseRain




• denotes minimum operating pressure

Concealed installation 3 functions:

- (A) Rainmaker Select**
Overhead shower 460 2jet
with shower arm
24005, -400

Basic set iBox universal (not shown)
01800180
- (B) Raindance Select S**
Hand shower 120 3jet
26530, -400
- (C) RainSelect**
Thermostat for concealed installation
for 3 functions with integrated
shower holder
15356, -400


Basic set for 3 functions (not shown)
15311180
- (D) Isiflex**
Shower hose 125 cm
28272, -000
- (E) Raindrain**
Complete set waste set 90 XXL
60067, -000



Flow diagram

Rainmaker Select

Overhead shower 460 2jet with shower arm
24005, -400




Legend

- ① Rain XL
- ② RainStream

Flow diagram

Raindance Select S

Hand shower 120 3jet
26530, -400



Legend

- ① RainAir
- ② Rain
- ③ Whirl

• denotes minimum operating pressure

Concealed installation 3 functions:

- (A) Rainfinity**
Overhead shower 360 1jet
26231, -700

Ceiling connector S 10 cm
27393, -700
- (B) Rainfinity**
Shoulder shower 500 1jet
with shower shelf
26243, -700


- (C) Rainfinity**
Hand shower 130 3jet
26864, -700

Rainfinity
Wall outlet Porter 500
with shower holder
and shower shelf left
26843, -700
- (D) RainSelect**
Thermostat for concealed installation
for 3 functions
15381, -700

Basic set for 3 functions (not shown)
15311180
- (E) Isiflex**
Shower hose 125 cm
28272, -700
- (F) Raindrain**
Complete set waste set 90 XXL
60067, -000


Flow diagram

Rainfinity
Overhead shower 360 1jet
26231, -700




Flow diagram

Rainfinity
Shoulder shower 500 1jet with shower shelf
26243, -700



Flow diagram


Rainfinity
Hand shower 130 3jet
26864, -700



Legend

- ① MonoRain
- ② Intense PowderRain
- ③ PowderRain

• denotes minimum operating pressure




Concealed installation 4 functions:

- (A) Rainmaker Select**
Overhead shower 460 3jet
with shower arm
24007, -600

Basic set iBox universal (not shown)
01800180
- (B) Raindance Select S**
Hand shower 120 3jet
26530, -000

Isiflex
Shower hose 125 cm
28272, -000
- (C) RainSelect**
Thermostat for concealed installation
for 4 functions with integrated
shower holder
15357, -600


Basic set for 4 functions (not shown)
15312180
- (D) Raindrain**
Complete set waste set 90 XXL
60067, -000



Flow diagram

Rainmaker Select

Overhead shower 460 3jet with shower arm
24007, -600




Legend

- ① RainAir
- ② RainStream
- ③ MonoRain

Flow diagram

Raindance Select S

Hand shower 120 3jet
26530, -000



Legend

- ① RainAir
- ② Rain
- ③ Whirl

• denotes minimum operating pressure

Concealed installation 4 functions:


- (A) Rainfinity**
Overhead shower 360 3jet
with wall connector
26234, -700

Basic set iBox universal (not shown)
01800180
- (B) Rainfinity**
Hand shower 130 3jet
26864, -700

FixFit
Wall outlet Porter 500
with shower holder
and shower shelf left
26843, -700

Isiflex
Shower hose 125 cm
28272, -700
- (C) RainSelect**
Thermostat for concealed installation
for 4 functions
15382, -700


Basic set for 4 functions (not shown)
15312180
- (D) Raindrain**
Complete set waste set 90 XXL
60067, -000



Flow diagram

Rainfinity

Overhead shower 360 3jet with wall connector
26234, -700




Legend

- ① Intense PowderRain
- ② PowderRain
- ③ RainStream

Flow diagram

Rainfinity

Hand shower 130 3jet
26864, -700



Legend

- ① MonoRain
- ② Intense PowderRain
- ③ PowderRain

• denotes minimum operating pressure

Concealed installation 4 functions:


- (A) Rainmaker Select**
Overhead shower 580 3jet
24001, -400
Basic set iBox universal (not shown)
01800180
- (B) Raindance Select S**
Hand shower 120 3jet
26530, -400
Shower holder Porter S
28331, -000
Isiflex
Shower hose 160 cm
28276, -000
- (C) ShowerSelect Glas**
Valve for concealed installation
for 3 functions
15736, -400
Basic set iBox universal (not shown)
01800180

- (D) ShowerSelect Glas**
Thermostat HighFlow
for concealed installation
for 1 function and additional outlet
15735, -400 34 l/min
Basic set iBox universal (not shown)
01800180
- (E) FixFit**
Wall outlet Square
with non-return valve
26455, -000
- (F) Raindrain**
Complete set waste set 90 XXL
60067, -000

Flow diagram

Rainmaker Select

Overhead shower 580 3jet
24001, -400




Legend

- ① Rain XL
- ② RainFlow
- ③ Mono

Flow diagram


Raindance Select S

Hand shower 120 3jet
26530, -400



Legend

- ① RainAir
- ② Rain
- ③ Whirl



• denotes minimum operating pressure

Concealed installation 5 functions:

- (A) Rainfinity**
Overhead shower 360 3jet with wall connector
26234, -700


Basic set iBox universal (not shown)
01800180
- (B) Rainfinity**
Shoulder shower 500 1jet with shower shelf
26243, -700
- (C) Rainfinity**
Hand shower 130 3jet
26864, -700
FixFit
Wall outlet Porter 500 with shower holder and shower shelf left
26843, -700
Isiflex
Shower hose 125 cm
28272, -700

- (D) RainSelect**
Thermostat for concealed installation for 5 functions
15384, -700

Basic set for 5 functions (not shown)
15313180
- (E) Raindrain**
Complete set waste set 90 XXL
60067, -000


Flow diagram

Rainfinity
Shoulder shower 500 1jet with shower shelf
26243, -700



Flow diagram

Rainfinity
Overhead shower 360 3jet with wall connector
26234, -700




Legend

- ① Intense PowderRain
- ② PowderRain
- ③ RainStream


Flow diagram

Rainfinity
Hand shower 130 3jet
26864, -700



Legend

- ① MonoRain
- ② Intense PowderRain
- ③ PowderRain




• denotes minimum operating pressure

Round tube Showerpipes – flexible in height


Regardless of the height of the room and the water connections, a number of round tube Showerpipes can always be placed in the optimum position. The round tube can only be cut to the right length on the underside, which

means that individual customer requirements can also be met. You will find additional information in the assembly instructions.

Room height A




Room height B



Versatile positioning


The swivelling spray makes the Showerpipes extremely versatile – perfect for use in any bath or shower situation.

Bath installation



Showerpipes can easily be installed on the front or long side of the bath, according to the positions of the water connections. The overhead shower can also be aligned individually.

Shower installation




Often, the existing water connections are not positioned in the middle of a shower. Thanks to the swivelling shower arm, the head shower can still be placed in the middle of the shower after installation.

Wall-mounted installation of Showerpipe

- (A) Pulsify S**
Showerpipe 260 1jet
with ShowerTablet Select 400
24220, -000
- (B) RainDrain Flex**
Finish set shower drain 700 cuttable
56043, -000


Base set for finish sets for standard
installation (not shown)
01001180



Flow diagram

Pulsify S

Showerpipe 260 1jet with ShowerTablet Select 400
24220, -000



Legend

- ① Hand shower
- ② Overhead shower


• denotes minimum operating pressure

Showerpipe concealed installation:

- (A) Rainfinity**
 Showerpipe 360 1jet
 for concealed installation
 # 26842, -700


 Basic set for Showerpipe 360 1jet
 for concealed installation
 # 26840180
- (B) RainSelect**
 Thermostat for concealed installation
 for 2 functions
 # 15380, -700

 Basic set for 2 functions (not shown)
 # 15310180
- (C) Raindrain**
 Complete set waste set 90 XXL
 # 60067, -000



Flow diagram


Rainfinity
 Showerpipe 360 1jet for concealed installation
 # 26842, -700



Legend

- ① Hand shower
- ② Overhead shower

• denotes minimum operating pressure



Exposed installation bath:

(A) ShowerTablet Select

Bath thermostat 700
for exposed installation
13183, -000

(B) Raindance Select S

Hand shower 120 3jet
26530, -000
Shower holder Porter S
28331, -000

Isiflex

Shower hose 125 cm
28272, -000


(C) Flexaplust S

Complete set waste and overflow set
for standard bath tubs
58150, -000

Flow diagram

ShowerTablet Select

Bath thermostat 700 for exposed installation
13183, -000




Legend

- ① Shower outflow with 1-B resistance
- ② Bath outflow

Flow diagram


Raindance Select S

Hand shower 120 3jet
26530, -000



Legend


- ① RainAir
- ② Rain
- ③ Whirl



• denotes minimum operating pressure

Exposed installation bath:


- (A) ShowerTablet Select**
Bath thermostat 400
for exposed installation
24340, -000
- (B) Pulsify Select S**
Hand shower 105 3jet Relaxation
24110, -000
Isiflex
Shower hose 125 cm
28272, -000
- (C) Flexaplust S**
Complete set waste and overflow set
for standard bath tubs
58150, -000



Flow diagram

Pulsify Select S

Hand shower 105 3jet Relaxation
24110, -000



Legend

- ① Massage
- ② RowderRain
- ③ IntenseRain

• denotes minimum operating pressure

Bath tub rim concealed installation:


- (A) Metropol**
Single lever bath mixer
for concealed installation
with lever handle and integrated
security combination according
to EN1717 for iBox universal
32546, -000

Basic set iBox universal (not shown)
01800180
- (B) sBox**
Finish set square
28010, -000

Rim and tile mounted bath basic set
13560180
- (C) Raindance Select E**
Hand shower 120 3jet
26520, -000
- (D) Exafill S**
Complete set bath filler, waste and
overflow set for standard bath tubs
58113, -000


Flow diagram

Raindance Select E
Hand shower 120 3jet
26520, -000



Legend

- ① RainAir
- ② Rain
- ③ Whirl



• denotes minimum operating pressure

Tile mounted concealed installation:


- Ⓐ **Metropol**
Single lever bath mixer
for concealed installation
with lever handle and integrated
security combination according
to EN1717 for iBox universal
32546, -000

Basic set iBox universal (not shown)
01800180
- Ⓑ **sBox**
Finish set square
28010, -000

Rim and tile mounted bath basic set
13560180
- Ⓒ **Raindance Select E**
Hand shower 120 3jet
26520, -000
- Ⓓ **Exafill S**
Complete set bath filler, waste and
overflow set for standard bath tubs
58113, -000
- Ⓔ Installation plate for tile mounted
installation
28016, -000
- Ⓕ Mounting angle set for installation
plate for tile mounted installation
28021, -000

Flow diagram


Raindance Select E
Hand shower 120 3jet
26520, -000



Legend


- ① RainAir
- ② Rain
- ③ Whirl

• denotes minimum operating pressure




Concealed installation bath:

- (A) Raindance Select S**
Shower set 120 3jet
with shower bar 110 cm right
26326, -000
- (B) FixFit**
Wall outlet S without non-return valve
27453, -000
- (C) Focus**
Single lever bath mixer
for concealed installation
with integrated security
combination according to
EN1717 for iBox universal
31946, -000
Basic set iBox universal (not shown)
01800180
- (D) Exafill**
Complete set bath filler, waste and
overflow set for standard bath tubs
58123, -000



Flow diagram

Raindance Select S
Hand shower 120 3jet
26530, -000



Legend

- ① RainAir
- ② Rain
- ③ Whirl

• denotes minimum operating pressure

hansgrohe kitchen tap

Product ranges at a glance

Aquno Select M81



Metris Select M71



Surface	-000, -670, -800	-000, -670, -800	-000, -340, -670, -800	-000, -800	-000, -800
Standard	■	■	■	■	■
EcoSmart					
sBox	■	■	■	■	■
For window installation					
Low pressure/open water heater					
Device shut-off valve					
CoolStart					
Multiple spray types	■	■	■		■
Pull-out function	■	■	■	■	■
Swivel spout	■	■	■	■	■
Select	■	■	■	■	■

Page 268

Page 270

Talis Select M51



Talis M51



Surface	-000, -800	-000, -800	-000, -800	-000, -800	-000, -800
Standard	■	■	■	■	■
EcoSmart		■	■	■	■
sBox	■	■		■	
For window installation					
Low pressure/open water heater					■
Device shut-off valve					■
CoolStart					
Multiple spray types	■			■	
Pull-out function	■	■		■	
Swivel spout	■	■	■	■	■
Select	■	■	■		

Page 274

Page 276

Metris M71



-000, -800

-000, -800

-000, -800

-000, -800

-000, -800

<input type="checkbox"/>				
<input type="checkbox"/>				
<input type="checkbox"/>				
<input type="checkbox"/>				
<input type="checkbox"/>				
<input type="checkbox"/>				
<input type="checkbox"/>				
<input type="checkbox"/>				
<input type="checkbox"/>				

Page 273

Talis M52



-000, -800

-000, -800

Talis M54



-000, -670, -800

-000, -670, -800

-000, -670, -800

-000, -670, -800

<input type="checkbox"/>					
<input type="checkbox"/>					
<input type="checkbox"/>					
<input type="checkbox"/>					
<input type="checkbox"/>					
<input type="checkbox"/>					
<input type="checkbox"/>					
<input type="checkbox"/>					
<input type="checkbox"/>					

Page 277

Page 278

hansgrohe kitchen tap

Product ranges at a glance

Talis M54



Surface	-000, -670, -800	-000, -670, -800
Standard	■	■
EcoSmart	■	
sBox	■	
For window installation		
Low pressure/open water heater		
Device shut-off valve		■
CoolStart		
Multiple spray types		
Pull-out function	■	
Swivel spout	■	■
Select		

Page 278

Focus M41

Surface	-000, -800	-000, -670, -800	-000, -670, -800
Standard	■	■	■
EcoSmart	■	■	■
sBox	■		
For window installation			
Low pressure/open water heater		■	
Device shut-off valve		■	
CoolStart			
Multiple spray types	■		
Pull-out function	■		
Swivel spout	■	■	■
Select			

Page 280

Zesis M33



Surface	-000, -670, -800	-000, -670, -800
Standard	■	■
EcoSmart		■
sBox		
For window installation		■
Low pressure/open water heater		■
Device shut-off valve		■
CoolStart		■
Multiple spray types	■	
Pull-out function	■	
Swivel spout	■	■
Select		

Page 284

Logis M31

Surface	-000	-000	-000
Standard	■	■	■
EcoSmart	■		■
sBox			
For window installation			■
Low pressure/open water heater			
Device shut-off valve			■
CoolStart			■
Multiple spray types			
Pull-out function			
Swivel spout	■	■	■
Select			

Page 286

Focus M42



-000, -800

-000, -800

-000, -800

-000, -800

-000, -800

-000, -800

<input type="checkbox"/>					
<input type="checkbox"/>					
<input type="checkbox"/>					
<input type="checkbox"/>					
<input type="checkbox"/>					
<input type="checkbox"/>					
<input type="checkbox"/>					
<input type="checkbox"/>					
<input type="checkbox"/>					

Page 282

Logis M32

Vernis M35



-000

-000

-000, -670

-000, -670

<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Page 287

Page 287

The future of intelligent kitchen workflow

Aquno Select M81



Multitask with the multi-function filter: Tailored perfectly to the dimensions of the splash-free SatinFlow spray, the included multifunctional filter makes it easy to gently wash and rinse food.



Pull out and switch spray types: Your customers get even more functionality with the pull-out spray. In combination with the innovative sBox, it extends the working radius at the sink by up to 76 cm. There's also the choice of different spray types.

Advantages and benefits


- The flat SatinFlow spray is ideal for rinsing food, hand washing and cleaning large objects without splashing, all at an economical 4 l/min.
- All-in-one concept for maximum water efficiency
- Multi-function filter included in delivery
- Easy installation on standard 35 mm tap hole
- Installation of the Aquno Select M81 is reco ended for all single basins. Due to the central bar, installations on double sinks must be checked separately.
- Extend the operating radius by up to 76 cm with the pull-out spout and sBox



Aquno Select M81

Single lever kitchen mixer 170,
pull-out spray, 3jet, sBox
73831, -000, -670, -800



Single lever kitchen mixer 170,
pull-out spray, 3jet
73837, -000, -670, -800



Aquno Select M81

Single lever kitchen mixer 250,
pull-out spout, 2jet, sBox
73830, -000, -670, -800


Single lever kitchen mixer 250,
pull-out spout, 2jet
73836, -000, -670, -800



A41 Soap-/lotion dispenser
40438, -000, -340, -670, -800

Easy operation is the best recipe

Metris M71



Flexible: Tasks blend seamlessly thanks to the combination of the intuitive Select button and the practical pull-out spout – for more comfort in the kitchen and beyond the sink. Extended working space with the help of the pull-out function and the sBox by up to 76 cm, and without the sBox by up to 50 cm.

Advantages and benefits


- Mixer easy to turn on and off at the touch of a button
- Intuitive control concept makes it ideal for all ages
- New spray design for easy handling with no irritating twisting of the wrist
- Ergonomic flat handle design for better adjustment of the water temperature and quantity
- Integrates harmoniously into the kitchen and sink area
- Greater range of up to 76 cm with the pull-out spout and sBox



Metris Select M71

2-hole single lever kitchen mixer 200,
pull-out spray, 2jet, sBox
73818, -000, -340, -670, -800


2-hole single lever kitchen mixer 200,
pull-out spray, 2jet
73819, -000, -800



Metris Select M71

2-hole single lever kitchen mixer 200,
pull-out spout, 1jet, sBox
73804, -000, -800


2-hole single lever kitchen mixer 200,
Eco, pull-out spout, 1jet, sBox
73825, -000



Metris Select M71

Single lever kitchen mixer 320,
pull-out spray, 2jet, sBox
73816, -000, -800


Single lever kitchen mixer 320,
pull-out spray, 2jet
73820, -000, -800



Metris Select M71

Single lever kitchen mixer 240,
pull-out spray, 2jet, sBox
73817, -000, -800

Single lever kitchen mixer 240,
pull-out spray, 2jet
73822, -000, -800




Metris Select M71

Single lever kitchen mixer 320,
pull-out spout, 1jet, sBox
73803, -000, -800

Single lever kitchen mixer 320,
Eco, pull-out spout, 1jet, sBox
73807, -000

Single lever kitchen mixer 320,
pull-out spout, 1jet
14884, -000, -800


Single lever kitchen mixer 320,
Eco, pull-out spout, 1jet
14786, -000



Metris Select M71

Single lever kitchen mixer 240,
pull-out spout, 1jet, sBox
73802, -000, -800

Single lever kitchen mixer 240,
pull-out spout, 1jet
14857, -000, -800






Metris Select M71


Single lever kitchen mixer 320, 1jet
14883, -000, -800

Single lever kitchen mixer 320, Eco, 1jet
14785, -000



Metris Select M71

Single lever kitchen mixer 260, 1jet
14847, -000, -800




Metris M71

Single lever kitchen mixer 320,
pull-out spray, 2jet, sBox
73801, -000, -800

Single lever kitchen mixer 320,
Eco, pull-out spray, 2jet, sBox
73824, -000

Single lever kitchen mixer 320,
pull-out spray, 2jet
14820, -000, -800

Single lever kitchen mixer 320,
Eco, pull-out spray, 2jet
14780, -000




Metris M71

Single lever kitchen mixer 220,
pull-out spray, 2jet, sBox
73800, -000, -800

Single lever kitchen mixer 220,
Eco, pull-out spray, 2jet, sBox
73823, -000

Single lever kitchen mixer 220,
pull-out spray, 2jet
14834, -000, -800






Metris M71

Single lever kitchen mixer 320,
pull-out spout, 1jet, sBox
73812, -000, -800

Single lever kitchen mixer 320,
Eco, pull-out spout, 1jet, sBox
73828, -000

Single lever kitchen mixer 320,
pull-out spout, 1jet
14821, -000, -800


Single lever kitchen mixer 320,
Eco, pull-out spout, 1jet
14781, -000



Metris M71

Single lever kitchen mixer 320, 1jet
14822, -000, -800



Single lever kitchen mixer 320, Eco, 1jet
14782, -000



Metris M71

Single lever kitchen mixer 320,
installation in front of a window, 1jet
14823, -000


Single lever kitchen mixer 320,
device shut-off valve, 1jet (not shown)
14888, -000



A71 Soap-/lotion dispenser
40468, -000, -670, -800

An all-rounder for the modern kitchen

Talis M51



Versatile: Even containers that are some distance away are easy to reach and fill without splashing thanks to the Select button and the pull-out hose – even with just one hand.



Robust: Whether on the pull-out spray or the 150° swivel spout, the Select button is purely mechanical, which makes it especially robust.

Advantages and benefits


- Select version with intuitive operation at the touch of a button
- Easy to clean: thanks to the large areas and precise transitions
- Select technology integrated harmoniously in the slender spout
- Two Select fittings available: with pull-out or swivel spout
- Conical basic shape radiates a luxurious elegance
- Greater range of up to 76 cm with the pull-out spout and sBox



Talis Select M51

Single lever kitchen mixer 300,
pull-out spray, 2jet, sBox
73867, -000, -800


Single lever kitchen mixer 300,
pull-out spray, 2jet
72823, -000, -800



Talis Select M51

Single lever kitchen mixer 220,
pull-out spray, 2jet, sBox
73868, -000, -800

Single lever kitchen mixer 220,
pull-out spray, 2jet
72824, -000, -800




Talis Select M51

Single lever kitchen mixer 300,
pull-out spout, 1jet, sBox
73853, -000, -800

Single lever kitchen mixer 300,
pull-out spout, 1jet
72821, -000, -800


Single lever kitchen mixer 300,
Eco, pull-out spout, 1jet
72826, -000



Talis Select M51

Single lever kitchen mixer 220,
pull-out spout, 1jet, sBox
73852, -000, -800

Single lever kitchen mixer 220,
pull-out spout, 1jet
72822, -000, -800



Talis Select M51

Single lever kitchen mixer 300, 1jet
72820, -000, -800

Single lever kitchen mixer 300, Eco, 1jet
72825, -000






Talis M51

Single lever kitchen mixer 200,
pull-out spray, 2jet, sBox
73851, -000, -800

Single lever kitchen mixer 200,
Eco, pull-out spray, 2jet, sBox
73876, -000

Single lever kitchen mixer 200,
pull-out spray, 2jet
72813, -000, -800


Single lever kitchen mixer 200,
Eco, pull-out spray, 2jet
72817, -000



Talis M51

Single lever kitchen mixer 160,
pull-out spray, 2jet, sBox
73850, -000, -800

Single lever kitchen mixer 160,
pull-out spray, 2jet
72815, -000, -800




Talis M51

Single lever kitchen mixer 260, 1jet
72810, -000, -800

Single lever kitchen mixer 260, Eco, 1jet
72816, -000



Single lever kitchen mixer 260,
LowPressure/vented hot water cylinders, 1jet
72812, -000



Talis M51

Single lever kitchen mixer 220, 1jet
72814, -000, -800

Single lever kitchen mixer 220,
device shut-off valve, 1jet (not shown)
72811, -000



A51 Soap-/lotion dispenser
40448, -000, -670, -800

Talis M52




Talis M52
Single lever kitchen mixer 170,
pull-out spray, 2jet, sBox
73860, -000, -800

Single lever kitchen mixer 170,
pull-out spray, 2jet
32841, -000



Single lever kitchen mixer 170,
Eco, pull-out spray, 2jet
32845, -000

Single lever kitchen mixer 170,
LowPressure/vented hot water cylinders,
pull-out spray, 2jet
32842, -000



Talis M52
Single lever kitchen mixer 170, 1jet
32851, -000

Single lever kitchen mixer 170, Eco, 1jet
32857, -000



A51 Soap-/lotion dispenser
40448, -000, -670, -800

Universal minimalism

Talis M54



Incrementally adjustable rotation
(60°/110°/150°/360°)



Flexible: Available in three shapes to suit your needs: arched, L-shaped and U-shaped.



Design: Available in chrome, stainless steel and matte black.



Variable: Two spray types: laminar or shower.

Advantages and benefits

- Available in three shapes to suit your needs: arched, L-shaped and U-shaped
- Three finishes to choose from: chrome, stainless steel and matte black
- The finish of all components, including the shower hose, are matched
- The sBox is available as an option for the versions with a pull-out spout or shower
- Extend the operating radius by up to 76 cm with the pull-out spout and sBox




Talis M54

Single lever kitchen mixer 210, pull-out spray, 2jet, sBox # 72801, -000, -670, -800

Single lever kitchen mixer 210, pull-out spray, 2jet # 72800, -000, -670, -800


Single lever kitchen mixer 210, Eco, pull-out spray, 2jet # 72842, -000, -670



Talis M54

Single lever kitchen mixer 210, pull-out spout, 1jet, sBox # 72803, -000, -670, -800

Single lever kitchen mixer 210, pull-out spout, 1jet # 72802, -000, -670, -800





Talis M54

Single lever kitchen mixer 220, 1jet # 72804, -000, -670, -800

Single lever kitchen mixer 220, Eco, 1jet # 72843, -000, -670

Single lever kitchen mixer 220, device shut-off valve, 1jet (not shown) # 72805, -000, -670, -800





Talis M54

Single lever kitchen mixer U 220, 1jet # 72806, -000, -670, -800

Single lever kitchen mixer U 220, Eco, 1jet # 72844, -000, -670

Single lever kitchen mixer U 220, device shut-off valve, 1jet (not shown) # 72807, -000, -670, -800




Talis M54

Single lever kitchen mixer 270, pull-out spout, 1jet, sBox # 72809, -000, -670, -800

Single lever kitchen mixer 270, pull-out spout, 1jet # 72808, -000, -670, -800



Single lever kitchen mixer 270, Eco, pull-out spout, 1jet # 72845, -000, -670



Talis M54

Single lever kitchen mixer 270, 1jet # 72840, -000, -670, -800

Single lever kitchen mixer 270, device shut-off valve, 1jet (not shown) # 72827, -000, -670, -800



A41 Soap-/lotion dispenser # 40438, -000, -340, -670, -800

More freedom to move about when cooking and washing up

Focus M41



QuickClean: Dirt and limescale deposits can be simply rubbed off with your finger – low effort with no need to use cleaning products.



ComfortZone: The ultra high spout offers plenty of space and is ideal for filling large containers and pots.

Advantages and benefits

- Ergonomic flat handle design for better adjustment of the water temperature and quantity
- Suitable for continuous-flow water heaters
- Swivel range 150°
- Mixer with 2 spray types (standard/shower spray)
- MagFit magnetic holder for spray
- Excellent value with a high level of comfort
- Extend your working radius at the sink by up to 76 cm using the pull-out spout and sBox




Focus M41

Single lever kitchen mixer 240, pull-out spray, 2jet, sBox # 73880, -000, -800

Single lever kitchen mixer 240, Eco, pull-out spray, 2jet, sBox # 73895, -000

Single lever kitchen mixer 240, pull-out spray, 2jet # 31815, -000, -670, -800

Single lever kitchen mixer 240, Eco, pull-out spray, 2jet # 31833, -000



Focus M41

Single lever kitchen mixer 260, 1jet # 31820, -000, -670, -800

Single lever kitchen mixer 260, Eco, 1jet # 31821, -000, -800

Single lever kitchen mixer 260, LowPressure/vented hot water cylinders, 1jet # 31822, -000


Single lever kitchen mixer 260, device shut-off valve, 1jet (not shown) # 31823, -000



Focus M41

Single lever kitchen mixer 280, 1jet # 31817, -000, -670, -800

Single lever kitchen mixer 280, Eco, 1jet # 31827, -000



Focus M41


Single lever kitchen mixer 160, 1jet # 31806, -000, -800

Single lever kitchen mixer 160, Eco, 1jet # 31826, -000

Single lever kitchen mixer 160, CoolStart, EcoSmart, 1jet # 31816, -000


Single lever kitchen mixer 160, LowPressure/vented hot water cylinders, 1jet # 31804, -000

Single lever kitchen mixer 200, device shut-off valve, 1jet (not shown) # 31803, -000



Focus M41

Single lever kitchen mixer, wall-mounted lowspout, 1jet # 31825, -000



A41 Soap-/lotion dispenser # 40438, -000, -340, -670, -800

Flexibility for the modern kitchen

Focus M42



More freedom to move with 120° swivel area: safely handle the water jet without it swivelling out of the sink

Modern, rounded design with organic, flowing shapes and an angled pull-out spout

Available in two high-quality surface finish variants: chrome and stainless steel

Precise control of the water flow thanks to the large handle with Boltic handle lock for sturdy operation

Easy to clean with anti-limescale function in the QuickClean aerator

The principle is simple, but ingenious. When you use your shower, air is sucked in via the spray disc, which literally stirs up the water. Freshly enriched with air, the resulting droplets are noticeably lighter and softer.

Lock the pull-out spout thanks to the MagFit magnetic holder



Flexible: The flexible pull-out spout offers plenty of freedom of movement.



Swivel range: 110° to 360° rotation range to make washing up easier.



Smart installation in front of the window: The tilt function is perfect for complicated constructions.

Advantages and benefits


- Wide product range at an attractive price
- Three different basic shapes and five different ComfortZone heights for individual requirements
- Modern design that will look great in any kitchen setting
- Choice of two surface finishes: chrome and stainless steel
- Large handle design for sturdy handling
- Greater range of up to 76 cm with the pull-out spout and sBox



Focus M42

Single lever kitchen mixer 220,
pull-out spray, 2jet, sBox
71820, -000, -800

Single lever kitchen mixer 220,
pull-out spray, 2jet
71800, -000, -800




Focus M42

Single lever kitchen mixer 180,
pull-out spray, 2jet, sBox
71821, -000, -800

Single lever kitchen mixer 180,
pull-out spray, 2jet
71801, -000, -800

Single lever kitchen mixer 180,
Eco, pull-out spray, 2jet
71862, -000



Focus M42

Single lever kitchen mixer 220, 1jet
71802, -000, -800

Single lever kitchen mixer 220,
device shut-off valve, 1jet (not shown)
71803, -000



Focus M42

Single lever kitchen mixer 120, 1jet
71806, -000, -800


Single lever kitchen mixer 120,
CoolStart, EcoSmart, 1jet
71805, -000

Single lever kitchen mixer 120,
CoolStart, Eco, 1jet
71864, -000

Single lever kitchen mixer 120,
LowPressure/vented hot water cylinders, 1jet
71804, -000

Single lever kitchen mixer 120,
installation in front of a window, 1jet (not shown)
71807, -000

Single lever kitchen mixer 180,
device shut-off valve, 1jet (not shown)
71813, -000




Focus M42

Single lever kitchen mixer 150,
pull-out spout, 1jet, sBox
71829, -000, -800

Single lever kitchen mixer 150,
pull-out spout, 1jet
71814, -000, -800

Single lever kitchen mixer 150,
Eco, pull-out spout, 1jet
71865, -000





Focus M42

Single lever kitchen mixer 100, 1jet
71808, -000, -800

Single lever kitchen mixer 100,
CoolStart, EcoSmart, 1jet
71809, -000

Single lever kitchen mixer 100,
CoolStart, Eco, 1jet
71866, -000



A41 Soap-/lotion dispenser
40438, -000, -340, -670, -800

For a balanced life

Zesis M33 **NEW**



Individual: Choice of three finishes: chrome, stainless steel and matte black.



Variable: Switch between two spray types at the touch of a button: laminar and shower.



sBox lite: Installation with the sBox lite ensures safe hose routing and keeps things neat under the sink.

Advantages and benefits


- Minimalist design with extensive functionality
- Saves time, water and energy, speeding up work at the sink
- Attractive price/performance ratio
- One click installation of the retractable hose weight
- More flexibility thanks to the sBox lite



Zesis M33

Single lever kitchen mixer, 160,
pull-out spray, 2jet, sBox lite
74804, -000, -670, -800

Single lever kitchen mixer 160,
pull-out spray, 2jet
74801, -000, -670, -800





Zesis M33

Single lever kitchen mixer 150,
pull-out spray, 2jet, sBox lite
74803, -000, -670, -800

Single lever kitchen mixer 150,
pull-out spray, 2jet
74800, -000, -670, -800

Single lever kitchen mixer 150,
Eco, pull-out spray, 2jet
74810, -000




Zesis M33

Single lever kitchen mixer 150, 1jet
74802, -000, -670, -800

Single lever kitchen mixer 150, Eco, 1jet
74811, -000

Single lever kitchen mixer 150,
CoolStart, EcoSmart, 1jet
74813, -000

Single lever kitchen mixer 150,
LowPressure/vented hot water cylinders, 1jet
74806, -000





Zesis M33

Single lever kitchen mixer 160,
installation in front of a window, 1jet
74805, -000

Single lever kitchen mixer 200,
device shut-off valve, 1jet (not shown)
74808, -000

Single lever kitchen mixer 200,
device shut-off valve, CoolStart, 1jet (not shown)
74807, -000



A41 Soap-/lotion dispenser
40438, -000, -340, -670, -800


Logis M31



Logis M31

Single lever kitchen mixer 260, 1jet
71835, -000

Single lever kitchen mixer 260, Eco, 1jet
71861, -000



Logis M31

2-handle kitchen mixer 220, 1jet
71280, -000



Logis M31


Single lever kitchen mixer 160, 1jet
71832, -000

Single lever kitchen mixer 160, Eco, 1jet
71860, -000

Single lever kitchen mixer 160,
CoolStart, EcoSmart, 1jet
71839, -000

Single lever kitchen mixer 160,
installation in front of a window, 1jet (not shown)
71833, -000

Single lever kitchen mixer 220,
device shut-off valve, 1jet (not shown)
71834, -000




Logis M31

Single lever kitchen mixer 120, 1jet
71830, -000


Single lever kitchen mixer 120,
CoolStart, EcoSmart, 1jet
71837, -000

Single lever kitchen mixer 120,
LowPressure/vented hot water cylinders, 1jet
71831, -000



Logis M31

Single lever kitchen mixer,
wall-mounted lowspout, 1jet
71836, -000




A41 Soap-/lotion dispenser
40438, -000, -340, -670, -800


Logis M32



Logis M32
2-handle kitchen mixer 220, 1jet
71285, -000
2-handle kitchen mixer 220, Eco, 1jet
71283, -000



Logis M32
2-handle kitchen mixer,
wall-mounted, highspout, 1jet
71286, -000
2-handle kitchen mixer, Eco,
wall-mounted highspout, 1jet
71284, -000



Logis M32
2-handle kitchen mixer,
wall-mounted lowspout, 1jet
71287, -000




Vernis M35 NEW



Vernis Shape M35
Single lever kitchen mixer 210
with swivel spout
71871, -000, -670



Vernis Blend M35
Single lever kitchen mixer 210
with swivel spout
71870, -000, -670



A41 Soap-/lotion dispenser
40438, -000, -340, -670, -800

Accessories



A71 Soap-/lotion dispenser
40468, -000, -670, -800




A51 Soap-/lotion dispenser
40448, -000, -670, -800



A41 Soap-/lotion dispenser
40438, -000, -340, -670, -800



Kitchen device shut-off valve
10823, -000, -800



Talis M54
F21 Shut-off valve for concealed installation
72841, -000, -670, -800



F12 compensating element for sBox
43333000




F15 Cutting board walnut
40960000



F16 Cutting board oak
40961000



F14 Multifunctional strainer
40963000



F17 Mobile drainboard
40962000

All products are subject to availability. Availability can be temporarily reduced by material shortages, interruptions in the supply chain or other events of force majeure. Please contact us for further details.

Headquarters

Hansgrohe SE · P.O. Box 1145 · D-77757 Schiltach
Tel. +49 7836 51-0 · Fax +49 7836 51-1300
info@hansgrohe.com · hansgrohe-int.com

Australia

Hansgrohe Pty Ltd · Unit 4/71 Victoria Crescent · Abbotsford · VIC 3067 · Australia
Tel. +61 03 8319 5753 · info@hansgrohe.com.au · hansgrohe.com.au

Baltics

Hansgrohe Eesti · Mäealuse 2/1 · 12618 Tallinn
Tel. +372 6826829 · info@hansgrohe.ee · hansgrohe.ee

India

Hansgrohe India (pvt.) Ltd. · Office Nos. 601 – 604 · Sky Station · Viman Nagar · 411 016 Pune · Maharashtra · India
Tel. +91 20 6625 9595 · info@hansgrohe.in

Singapore

Hansgrohe Pte. Ltd. · 69 Mohamed Sultan Road · Singapore 239015
Tel. +65 6884 5060 · Fax +65 6884 5070 · info@hansgrohe.com.sg · hansgrohe.com.sg

United Kingdom

Hansgrohe · Unit D1 · Sandown Park Trading Estate · Royal Mills · Esher · Surrey · KT10 8BL
Tel. +44 1372 472001 · Fax +44 1372 470670 · enquiries@hansgrohe.co.uk · hansgrohe.co.uk · pro.hansgrohe.co.uk

Please bear in mind that we can present only a selection of our products in this sales manual.
Our full range can be found at www.hansgrohe-int.com.



Find hansgrohe online and on social media.

