hansgrohe



Price Book 2020/2021

hansgrohe assortment kitchen

Hansgrohe contact

Hansgrohe Headquarters



The Hansgrohe Master Service - Headquarters

Service hours:

Monday-Thursday: 8:00 am - 4:00 pm

Friday: 8:00 am-3:00 pm

Phone: +49 7836 51-1282 Fax: +49 7836 51-1440

info@hansgrohe.com

You will also find technical information at **pro.hansgrohe-int.com**



Global Projects Services - Headquarters

gpservices@hansgrohe.com

You will also find tender texts and planning details at

pro.hansgrohe-int.com/planning-data



Hansgrohe Aquademie - Headquarters

Monday-Friday: 7:30 am-7:00 pm Saturday-Sunday: 10:00 am-4:00 pm Hansgrohe SE

Hansgrohe Aquademie

Auestr. 9

77761 Schiltach/Germany
Phone: +49 7836 51-3272
Fax: +49 7836 51-1505

The Aquademie is our adventure centre on all aspects of water.

pro.hansgrohe-int.com/aquademie

The prices quoted are recommended retail prices and do not include VAT. Errors and omissions excepted.

This Price Book renders all preceding ones void.

Measurements within scale drawings are in mm.

You will find further information and sales arguments on the individual products in the sales manual or at pro.hansgrohe-int.com

Price Book 2020/2021

hansgrohe



hansgrohe Sponsoring

Maximum performance on a bike and in the kitchen


In order for a team to perform at its absolute best, every single component has to match the others and work with absolute precision. Just like mixer taps and sinks by hansgrohe which, thanks to the innovative control concept, make a perfectly matched team in the kitchen. Experience the loveliest


moments with water with hansgrohe. That is why hansgrohe is the official title sponsor of BORA-hansgrohe, the first-class cycling team. A sport that is as efficient and as innovative as our hansgrohe products. To find out where and when you can see our cyclists in action, go to **BORA-hansgrohe.com** or follow them on

the team app and on social media for daily updates:



borahansgroheofficial hansgrohe PeterSagan







Left-hand page: Peter Sagan, three-time UCI cycling world champion - picture from the BORA-HANSGROHE team training camp in Mallorca. Right page: Peter Sagan, World Cycling Champion 2015, 2016 & 2017.

Code Numbers and Trade Prices

brand	code no.	Euro	EAN	page	brand	code no.	Euro	EAN	page
10					40				
AX	10823000	139.20	4011097693712	95	HG	40418000	101.80	4011097191669	94
AX	10823800	208.80	4011097694566	95	HG	40418800	152.70	4011097304342	94
14					HG	40438000	57.00	4059625131589	94
HG	14780000	470.00	4059625195970	46	HG	40438340	82.50	4059625297469	94
HG	14781000	379.50	4059625197110	47	HG	40438670	77.00	4059625297452	94
HG	14782000	321.10	4059625198100	48	HG	40438800	74.20	4059625131596	94
HG	14785000	407.90	4059625197998	45	HG	40448000	77.80	4059625131602	94
HG	14786000	481.20	4059625195994	42	HG	40448670	105.00	4059625297445	94
HG	14806000	362.10	4011097732992	63	HG	40448800	101.10	4059625131619	94
HG	14820000	470.00	4011097718378	46	HG	40468000	77.80	4059625131626	94
HG	14820800	610.70	4011097718361	46	HG	40468670	105.00	4059625297438	94
HG	14821000	3 <i>7</i> 9.50	4011097718354	47	HG	40468800	101.10	4059625131633	94
HG	14821800	494.00	4011097718347	47	HG	40952800	11.80	4059625027134	93
HG	14822000	321.10	4011097718170	48	HG	40953670	30.00	4059625325148	93
HG	14822800	417.60	4011097718330	48	HG	40953800	1 <i>7</i> .10	4059625027141	93
HG	14823000	3 <i>7</i> 9.50	4011097718323	49	HG	40960000	124.50	4059625175194	95
HG	14834000	418.70	4011097823690	46	HG	40961000	93.40	4059625175200	95
HG	14834800	544.20	4011097823683	46	HG	40962800	81.00	4059625189276	95
HG	14847000	357.60	4011097823676	45	HG	40963000	20.30	4059625189269	95
HG	14847800	465.40	4011097823669	45	HG	40964000	14.20	4059625189252	96
HG	14857000	429.60	4011097823652	44	HG	40965000	23.30	4059625189245	96
HG	14857800	558.50	4011097823645	44	HG	40966000	116.60	4059625189238	96
HG	14870000	277.90	4011097386898	57	43				
HG	14872000	412.00	4011097405032	57	HG	43201000	1,053.70	4059625006887	78
HG	14875000	360.20	4011097391236	58	HG	43201800	1,211.80	4059625025413	78
HG	14877000	487.10	4011097405049	56	HG	43202000	1,138.00	4059625007006	81
HG	14883000	407.90	4011097748559	45	HG	43202800	1,296.10	4059625025505	81
HG	14883800	519.70	4011097748566	45	HG	43203000	1,580.50	4059625007020	83
HG	14884000	481.20	4011097772783	42	HG	43203800	1,738.70	4059625025499	83
HG	14884800	625.50	4011097772790	42	HG	43205000	1,331.20	4059625006894	79
HG	14888000	434.00	4011097752631	49	HG	43205800	1,484.80	4059625025482	79
31					HG	43206000	1,475.20	4059625007013	82
HG	31780000	127.20	4011097503264	66	HG	43206800	1,633.30	4059625025475	82
HG	31784000	149.30	4011097605876	66	HG	43217000	788.50	4059625100509	84
HG	31803000	281.00	4011097641881	66	HG	43218000	860.20	4059625100493	87
HG	31804000	136.60	4011097641898	65	HG	43219000	942.10	4059625100486	85
HG	31806000	121.10	4011097641904	65	HG	43220000	880.60	4059625100479	88
HG	31806800	157.30	4011097654829	65	HG	43221000	942.10	4059625100462	89
HG	31815000	255.00	4011097718187	64	HG	43228000	942.10	4059625173589	86
HG	31815670	357.00	4059625231180	64	HG	43230000	1,331.20	4059625177839	80
HG	31815800	331.70	4011097718309	64	HG	43230800	1,484.80	4059625177846	80
HG	31816000	124.90	4011097646312	65	HG	43301800	611.10	4059625007082	14
HG	31817000	196.70	4011097718194	64	HG	43302800	663.90	4059625007129	17
HG	31817670	275.40	4059625231197	64	HG	43303800	1,138.00	4059625007167	19
HG	31817800	256.20	4011097726717	64	HG	43305800	611.10	4059625007099	14
HG	31820000	171.60	4011097679464	65	HG	43306800	870.40	4059625007105	15
HG	31820670	240.20	4059625231203	65	HG	43307800	870.40	4059625007112	15
HG	31820800	223.80	4011097679471	65	HG	43308800	663.90	4059625007136	17
HG	31821000	171.60	4059625196700	65	HG	43309800	1,032.60	4059625007143	18
HG	31821800	223.80	4059625197974	65	HG	43310800	1,032.60	4059625007150	18
HG	31822000	189.40	4011097679488	65	HG	43311800	1,138.00	4059625007174	19
HG	31823000	281.10	4011097708027	65	HG	43312170	288.80	4059625104781	28
HG	31825000	163.30	4011097708041	66	HG	43312290	288.80	4059625104774	28
HG	31826000	121.10	4059625196694	65	HG	43312380	288.80	4059625104767	28
HG	31827000	196.70	4059625196786	64	HG	43313170	368.60	4059625104750	29
HG	31833000	255.00	4059625196717	64	HG	43313290	368.60	4059625104743	29
32	22041000	221.00	4011007501545	FO	HG	43313380	368.60	4059625104736	29
HG HG	32841000 32842000	331.80 353.60	4011097521565 4011097523071	58 59	HG HG	43314170 43314290	448.50 448.50	4059625104729 4059625104712	28 28
HG	32842000	333.60	4059625195956	58	HG	43314290	448.50	4059625104705	28
HG	32845000	236.90	4011097521558	58 59	HG	43314380	368.60	4059625104699	30
HG	32857000	236.90	4059625195987	59 59	HG	43315170	368.60	4059625104682	30
110	32037000	250.70	700/02017070/	37	HG	43315380	368.60	4059625104941	30
					110	-001000	500.00	-100/020104741	30

HG 43316170 430.10 4059625104934 30 HG 71806000 124.50 405962508500 HG 43316380 430.10 4059625104927 30 HG 71806000 151.56 405962508500 HG 433316380 430.10 4059625173572 29 HG 71806000 103.70 405962508500 HG 43330290 448.50 4059625173552 29 HG 71806000 103.70 405962508400 HG 433303080 448.50 4059625173558 29 HG 71809000 103.70 405962508400 HG 433303080 448.50 4059625177792 16 HG 71809000 103.70 405962508400 HG 433331800 870.40 4059625177792 16 HG 718109000 171.20 405962508400 HG 43333800 870.40 4059625177792 16 HG 718109000 171.20 405962508400 HG 43333800 870.40 4059625177808 16 HG 71814800 254.20 405962508400 HG 43333800 21.40 4059625024003 93 HG 71814800 222.60 405962509830 HG 43333800 250.00 4059625217511 25 HG 71820000 332.70 405962509830 HG 43333880 250.00 4059625217408 25 HG 71820000 323.70 405962509830 HG 433338800 360.00 4059625217481 23 HG 71821800 364.10 405962509840 HG 433338800 340.00 4059625217442 24 HG 71829000 222.60 405962509840 HG 433338800 340.00 4059625217442 24 HG 71829000 225.10 405962509840 HG 43334800 320.00 4059625217443 23 HG 71830000 927.60 405962509840 HG 43342800 340.00 4059625217443 23 HG 71830000 927.60 405962509840 HG 43342800 340.00 4059625217443 23 HG 71830000 927.00 4011097776644 HG 433425800 421.50 4059625007188 20 HG 71833000 107.70 4011097776644 HG 43425800 472.00 405962500718 20 HG 71833000 138.00 4011097776644 HG 43426800 453.10 405962500718 20 HG 71834000 247.70 4011097776644 HG 434278800 474.20 4059625007242 21 HG 71830000 107.70 4011097776644 HG 434278900 474.20 405962500724 21 HG 71830000 107.70 4011097776644 HG 434278900 474.20 405962500718 20 HG 71834000 247.70 4011097776644 HG 434278900 475.00 4059625007248 20 HG 71834000 247.70 4011097776644 HG 434278900 475.20 405962500728 21 HG 71830000 107.70 4011097776644 HG 434327800 474.20 405962500728 22 HG 71830000 107.70 4011097776644 HG 43432880 435.20 4059625104860 31 HG 71860000 139.00 4011097776644 HG 43432930 435.20 4059625104860 31 HG 71860000 139.00 4059625255544 HG 43433390 435.20 4059625104873 31 HG 71860000 390.0	8 68 1 69 4 70 1 70 4 70 9 69 6 69 3 69 0 67 7 67 4 67 7 70 4 70 8 72 1 72
HG	1 69 4 70 1 70 4 70 9 69 6 69 3 69 0 67 7 67 4 67 0 67 7 70 4 70 8 72 1 72
HG	4 70 1 70 4 70 9 69 6 69 3 69 0 67 7 67 4 67 0 67 7 70 4 70 8 72 1 72
HG	1 70 4 70 9 69 6 69 3 69 0 67 7 67 4 67 0 67 7 70 4 70 8 72 1 72
HG 4333080 448.50 4059625173558 29 HG 71809000 103.70 40596250849! HG 43331800 870.40 4059625177808 16 HG 71813000 254.20 40596250849! HG 43332800 870.40 405962517808 16 HG 71814000 171.20 40596250983! HG 43333800 21.40 405962517511 25 HG 7182000 323.70 40596250983! HG 43333800 220.00 4059625217504 25 HG 7182080 404.60 40596250983! HG 43333800 250.00 4059625217498 25 HG 7182080 404.60 40596250983! HG 43338800 340.00 4059625217478 23 HG 71821800 364.10 40596250983! HG 43338800 340.00 4059625217474 24 HG 71829000 292.60 40596250983! HG 43338800 340.00 4059625217474 24 HG 71829800 276.50 40596250984! HG 43334800 320.00 4059625217467 24 HG 71829800 276.50 40596250984! HG 4334800 320.00 4059625217467 24 HG 7183000 94.70 40110977664! HG 43342800 390.00 4059625217436 23 HG 71831000 113.20 40110977664! HG 43342800 340.00 4059625217436 23 HG 7183000 107.70 40110977664! HG 433425800 421.50 4059625007181 20 HG 71833000 107.70 401109777664! HG 43427800 474.20 4059625007204 21 HG 71833000 138.00 401109777664! HG 43428800 832.40 4059625007204 21 HG 71833000 139.00 401109777664! HG 43428800 832.40 405962500721 21 HG 71830000 139.00 401109777664! HG 43428800 832.40 405962500721 21 HG 71830000 107.70 401109777664! HG 43428800 832.40 405962500721 21 HG 71830000 107.70 401109777664! HG 43428800 832.40 405962500721 21 HG 71830000 139.00 401109777664! HG 43428800 832.40 405962500721 21 HG 71830000 107.70 401109777664! HG 43431170 355.30 4059625104897 31 HG 71860000 107.70 401109777664! HG 43431170 355.30 4059625104897 31 HG 71860000 107.70 401109777564! HG 43433170 355.30 4059625104897 31 HG 71860000 107.70 401109777664! HG 43433170 355.30 4059625104897 31 HG 71860000 107.70 40109777575! HG 43433170 435.20 4059625104869 31 HG 71860000 107.70 40109777564! HG 43433170 435.20 4059625104897 31 HG 71860000 103.70 40596251985! HG 43433380 435.20 4059625104893 31 HG 71860000 103.70 40596251985! HG 434343170 496.60 4059625104893 31 HG 72800000 300.00 40596252554! HG 43434380 496.60 4059625104893 32 HG 72800000 300.00 40596252554! HG 434343	4 70 9 69 6 69 3 69 0 67 7 67 4 67 0 67 7 70 4 70 8 72 1 72
HG 43333800 870.40 4059625173792 16 HG 7181000 103.70 405962508491 HG 43333800 870.40 4059625173792 16 HG 71813000 254.20 405962508491 HG 43333800 21.40 4059625173808 16 HG 71814800 222.60 405962509831 HG 43333800 21.40 405962517510 25 HG 7182000 323.70 405962509831 HG 43333800 250.00 4059625217504 25 HG 71820800 404.60 405962509831 HG 43333800 260.00 4059625217364 25 HG 71820800 404.60 405962509831 HG 43333800 360.00 4059625217498 25 HG 71820800 404.60 405962509831 HG 43333800 360.00 4059625217474 24 HG 71829000 292.60 405962509831 HG 43333800 360.00 4059625217474 24 HG 71829800 276.50 405962509841 HG 43334800 330.00 4059625217476 24 HG 71829800 276.50 405962509841 HG 4334800 320.00 4059625217467 24 HG 71829800 276.50 405962509841 HG 4334800 320.00 4059625217467 24 HG 71829800 276.50 405962509841 HG 43342800 340.00 4059625217443 23 HG 71831000 113.20 4011097776644 HG 43342800 340.00 4059625217443 23 HG 71831000 113.20 4011097776644 HG 43425800 421.50 4059625007181 20 HG 71833000 107.70 4011097776644 HG 43427800 474.20 4059625007198 20 HG 71833000 138.00 4011097776644 HG 43427800 474.20 4059625007204 21 HG 71833000 138.00 4011097776644 HG 43427800 832.40 4059625007204 21 HG 71833000 139.00 4011097776644 HG 43427800 832.40 4059625007211 21 HG 71830000 107.70 4011097776644 HG 43427800 832.40 4059625007218 20 HG 71833000 139.00 4011097776644 HG 43427800 832.40 4059625007218 20 HG 71830000 107.70 4011097776644 HG 43431170 355.30 4059625104897 31 HG 71860000 107.70 4011097775644 HG 43431170 355.30 4059625104897 31 HG 71860000 107.70 4011097775644 HG 43431170 355.30 4059625104897 31 HG 71860000 107.70 4011097775644 HG 43431170 355.30 4059625104897 31 HG 71860000 107.70 4011097775644 HG 43431170 355.30 4059625104897 31 HG 71860000 107.70 4011097775644 HG 43431170 355.30 4059625104897 31 HG 71860000 107.70 4011097775644 HG 43431170 355.30 4059625104897 31 HG 71860000 107.70 4011097775644 HG 43431170 355.30 4059625104897 31 HG 71860000 103.70 405962519854 HG 43433380 435.20 4059625104893 31 HG 71860000 103.70 4059625198	4 70 9 69 6 69 3 69 0 67 7 67 4 67 0 67 7 70 4 70 8 72 1 72
HG 43331800 870.40 4059625177792 16 HG 71813000 254.20 405962508493 HG 43332800 21.40 405962504003 93 HG 71814800 222.60 405962509833 HG 433334800 240.00 4059625217511 25 HG 71820000 323.70 405962509833 HG 43334800 250.00 4059625217504 25 HG 71820800 404.60 405962509833 HG 43335800 250.00 4059625217498 25 HG 71821000 292.60 405962509833 HG 43337800 340.00 4059625217498 25 HG 71821000 292.60 405962509833 HG 43338800 360.00 4059625217498 23 HG 71821800 364.10 405962509843 HG 43338800 340.00 4059625217474 24 HG 71829800 276.50 405962509843 HG 43338800 300.00 4059625217467 24 HG 71829800 276.50 405962509843 HG 4334800 320.00 4059625217467 24 HG 71829800 276.50 405962509844 HG 4334800 390.00 4059625217443 23 HG 71830000 94.70 401109776644 HG 4334800 390.00 4059625217443 23 HG 71830000 94.70 401109776644 HG 43425800 421.50 4059625007181 20 HG 71833000 113.20 401109776644 HG 43427800 474.20 4059625007181 20 HG 71833000 138.00 4011097776644 HG 43427800 475.20 4059625007204 21 HG 71833000 138.00 4011097776644 HG 43427800 475.20 4059625007211 21 HG 71836000 24.770 4011097776644 HG 43427800 475.20 4059625007211 21 HG 71836000 139.00 4011097776644 HG 43427800 475.20 4059625007211 21 HG 71836000 139.00 4011097776644 HG 43427800 475.20 4059625007211 21 HG 71836000 139.00 4011097776644 HG 43427800 475.20 4059625007211 21 HG 71836000 139.00 4011097776644 HG 43439800 495.20 4059625104903 31 HG 71860000 107.70 4011097776644 HG 43431170 355.30 4059625104903 31 HG 71860000 107.70 4011097776644 HG 43431290 355.30 4059625104803 31 HG 71860000 107.70 4011097776644 HG 43433170 435.20 4059625104803 31 HG 71860000 107.70 4011097776644 HG 43433170 435.20 4059625104803 31 HG 71860000 107.70 405962519854 HG 43433170 435.20 4059625104803 31 HG 71860000 107.70 405962519854 HG 43433170 435.20 4059625104803 31 HG 71860000 107.70 405962519854 HG 43433170 435.20 4059625104804 32 HG 72800000 300.00 405962515854 HG 43433170 405.00 4059625104804 32 HG 72800000 300.00 4059625255544 HG 434343170 496.60 4059625104804 32 HG 72800000 300.00 405962525554	6 69 3 69 0 67 7 67 4 67 0 67 7 70 4 70 8 72 1 72
HG 43332800 870.40 4059625177808 16 HG 71814000 171.20 405962509838 HG 43333000 21.40 4059625024003 93 HG 71814000 322.60 405962509838 HG 43334800 240.00 4059625217511 25 HG 71820000 323.70 405962509838 HG 43335800 250.00 4059625217504 25 HG 71820000 40.460 405962509838 HG 43336800 260.00 4059625217481 23 HG 71821800 364.10 405962509848 HG 43337800 340.00 4059625217481 23 HG 71821800 364.10 405962509848 HG 43338900 340.00 4059625217467 24 HG 71829000 275.50 40596250984 HG 43334800 320.00 4059625217467 24 HG 71829000 276.50 40596250984 HG 43340800 320.00 4059625217450 23 HG 71830000 94.70 401109776644 HG 43342800 390.00 4059625217433 23 HG 71831000 113.20 401109776644 HG 43425800 421.50 4059625007181 20 HG 71833000 139.00 4011097776644 HG 43427800 474.20 4059625007204 21 HG 71833000 139.00 4011097776644 HG 43428800 832.40 4059625007204 21 HG 71836000 139.00 4011097776644 HG 43428800 390.00 4059625007203 21 HG 71836000 139.00 4011097776644 HG 43427800 474.20 4059625007201 21 HG 71836000 139.00 4011097776644 HG 43428800 832.40 4059625007208 22 HG 71836000 139.00 4011097776644 HG 43428800 832.40 4059625007208 22 HG 71836000 139.00 4011097776644 HG 43428800 832.40 4059625007218 12 HG 71836000 139.00 4011097776644 HG 43428800 832.40 4059625007228 22 HG 71836000 139.00 4011097776644 HG 43431170 355.30 4059625104897 31 HG 71860000 107.70 4011097776644 HG 43431170 355.30 4059625104897 31 HG 71860000 107.70 4011097776644 HG 43431170 355.30 4059625104897 31 HG 71860000 107.70 405962519675 HG 434313100 355.30 4059625104897 31 HG 71860000 103.70 405962519675 HG 43431300 355.30 4059625104898 31 HG 71860000 103.70 405962519855 HG 43433170 435.20 4059625104866 31 HG 71860000 139.00 405962519855 HG 43433170 435.20 4059625104898 32 HG 72800000 300.00 405962525546 HG 43433180 435.20 4059625104898 32 HG 72800000 300.00 405962525546 HG 434343100 496.60 4059625104898 32 HG 72800000 300.00 405962525546 HG 434343100 496.60 4059625104898 32 HG 72800000 300.00 405962525546 HG 434343100 496.60 4059625104890 31 HG 72800000 350.00 40596252	3 69 0 67 7 67 4 67 0 67 7 70 4 70 8 72 1 72
HG 43333000 21.40 4059625024003 93 HG 71814800 222.60 40596250983. HG 43334800 240.00 4059625217511 25 HG 71820800 404.60 40596250983. HG 43335800 250.00 4059625217498 25 HG 71821800 364.10 40596250983. HG 43337800 340.00 4059625217481 23 HG 71821800 364.10 40596250983. HG 43338900 360.00 4059625217467 24 HG 71829000 225.10 40596250984. HG 43339800 410.00 4059625217467 24 HG 71829800 276.50 40596250984. HG 43341800 320.00 4059625217467 24 HG 71829000 225.10 40596250984. HG 43341800 340.00 4059625217467 24 HG 71830000 94.70 401109777664. HG 43341800 340.00 4059625217430 23 HG 71831000 107.70 401109777664. HG 43342800 390.00 4059625217435 24 HG 71832000 107.70 401109777664. HG 43425800 421.50 4059625007181 20 HG 71833000 138.00 401109777664. HG 43427800 474.20 4059625007204 21 HG 71835000 139.00 401109777664. HG 4342800 495.20 4059625007212 21 HG 71835000 139.00 40110977664. HG 43434800 90.610 4059625007218 22 HG 71839000 107.70 401109777664. HG 43439800 495.20 4059625007218 22 HG 71839000 107.70 401109777664. HG 43439800 495.20 4059625007218 21 HG 71839000 107.70 401109777664. HG 43439800 355.30 4059625104893 31 HG 71860000 107.70 401109777664. HG 43431380 355.30 4059625104893 31 HG 71860000 107.70 401109777664. HG 43431380 355.30 4059625104893 31 HG 71860000 107.70 40109777664. HG 43431380 355.30 4059625104893 31 HG 71860000 107.70 40109777664. HG 43431380 355.30 4059625104893 31 HG 71860000 139.00 40596251984. HG 43431380 355.30 4059625104893 31 HG 71860000 139.00 40596251984. HG 43431380 355.30 4059625104893 31 HG 71860000 139.00 40596251984. HG 43431380 355.30 4059625104893 31 HG 71860000 139.00 40596251984. HG 43431380 435.20 4059625104893 31 HG 71860000 139.00 40596251984. HG 43431380 435.20 4059625104893 31 HG 71860000 139.00 40596251984. HG 43433290 435.20 4059625104893 31 HG 71860000 300.00 40596251985. HG 43433380 435.20 4059625104893 31 HG 72800000 300.00 40596251985. HG 43433380 435.20 4059625104894 32 HG 72800000 300.00 40596252554. HG 434334300 496.60 4059625104894 32 HG 72800000 300.00 40596252554	3 69 0 67 7 67 4 67 0 67 7 70 4 70 8 72 1 72
HG 43334800 240.00 4059625217511 25 HG 7182000 323.70 40596250983; HG 43335800 250.00 405962517504 25 HG 71821000 292.60 40596250983; HG 43336800 340.00 405962517489 25 HG 71821000 292.60 40596250984; HG 43337800 340.00 4059625217481 23 HG 71821800 364.10 40596250984; HG 43338800 360.00 4059625217474 24 HG 71829000 225.10 40596250984; HG 43339800 410.00 4059625217467 24 HG 71829000 276.50 40596250984; HG 43340800 320.00 4059625217467 24 HG 71829000 276.50 40596250984; HG 43341800 340.00 4059625217443 23 HG 71830000 94.70 40110977664; HG 43342800 390.00 4059625217433 23 HG 71831000 113.20 401109776644; HG 43342800 390.00 4059625217433 23 HG 71830000 107.70 401109776644; HG 43342800 421.50 4059625007181 20 HG 71833000 138.00 4011097776644; HG 43426800 471.50 4059625007181 20 HG 71833000 138.00 4011097776644; HG 43428800 495.20 4059625007204 21 HG 71835000 139.00 401109776644; HG 43428800 495.20 4059625007204 21 HG 71835000 139.00 401109776644; HG 43428800 495.20 4059625007204 21 HG 71835000 139.00 401109776644; HG 43429800 832.40 4059625007228 22 HG 71837000 94.70 4011097776644; HG 434313170 355.30 4059625104903 31 HG 71860000 107.70 4011097776644; HG 43431170 355.30 4059625104893 31 HG 71860000 107.70 4011097775644; HG 43431270 435.20 4059625104893 31 HG 71860000 107.70 405962519716 HG 43431270 435.20 4059625104893 31 HG 71860000 107.70 405962519716 HG 43432170 435.20 4059625104893 31 HG 71860000 107.70 40596251985; HG 43433290 435.20 4059625104880 31 HG 71860000 103.70 40596251985; HG 43433290 435.20 4059625104853 32 HG 72800000 300.00 405962525545; HG 43433380 435.20 4059625104883 32 HG 72800000 300.00 405962525545; HG 43433380 435.20 4059625104883 32 HG 72800000 300.00 405962525545; HG 43433380 435.20 4059625104883 32 HG 72800000 300.00 405962525545; HG 43433380 435.20 4059625104883 32 HG 72800000 300.00 405962525545; HG 43433380 435.20 4059625104883 32 HG 72800000 300.00 405962525545; HG 43433380 496.60 4059625104893 32 HG 72800000 300.00 40596252555545; HG 43922800 41.70 4059625104893 32 HG 72800000 300.00	0 67 7 67 4 67 0 67 7 70 4 70 8 72 1 72
HG 43335800 250.00 4059625217504 25 HG 71820800 404.60 405962509831 HG 43335800 260.00 4059625217498 25 HG 71821000 292.60 405962509831 HG 43337800 340.00 4059625217474 24 HG 71829000 225.10 405962509841 HG 43338800 360.00 4059625217474 24 HG 71829000 225.10 405962509841 HG 43339800 410.00 4059625217467 24 HG 71829800 276.50 405962509841 HG 43340800 320.00 4059625217450 23 HG 7183000 94.70 4011097766120 HG 43341800 340.00 4059625217432 23 HG 7183000 94.70 401109776642 HG 43342800 390.00 4059625217433 23 HG 7183000 113.20 401109776644 HG 43342800 390.00 4059625217436 24 HG 71832000 107.70 401109776644 HG 43426800 453.10 4059625007198 20 HG 71834000 138.00 401109776644 HG 43426800 474.20 4059625007204 21 HG 71835000 139.00 401109776644 HG 43428800 495.20 4059625007204 21 HG 71836000 139.00 401109776644 HG 43428800 495.20 4059625007211 21 HG 71836000 139.00 401109776644 HG 43428800 495.20 4059625007212 22 HG 71837000 94.70 401109776644 HG 43428800 495.20 4059625007228 22 HG 71837000 94.70 401109776644 HG 43431380 355.30 4059625104893 31 HG 71860000 107.70 401109777664 HG 43431380 355.30 4059625104893 31 HG 71860000 107.70 405962519716 HG 43431380 355.30 4059625104893 31 HG 71860000 107.70 405962519716 HG 43431380 355.30 4059625104893 31 HG 71860000 107.70 405962519716 HG 43433180 355.30 4059625104893 31 HG 71860000 107.70 405962519716 HG 43433180 355.30 4059625104893 31 HG 71860000 107.70 40596251985 HG 43433290 435.20 4059625104880 31 HG 71866000 107.70 40596251985 HG 43433380 435.20 4059625104883 31 HG 71866000 103.70 40596251985 HG 43433380 435.20 4059625104883 32 HG 72800000 300.00 405962525546 HG 43433380 435.20 4059625104883 32 HG 72800000 300.00 405962525546 HG 43433380 435.20 4059625104880 31 HG 71866000 139.00 40596251985 HG 43433380 435.20 4059625104894 32 HG 72800000 300.00 405962525546 HG 43433380 435.20 4059625104894 32 HG 72800000 300.00 405962525546 HG 43434380 496.60 4059625104894 32 HG 72800000 300.00 405962525546 HG 43434380 496.60 4059625104894 32 HG 72800000 300.00 405962525546 HG 43922000 41.7	7 67 4 67 0 67 7 70 4 70 8 72 1 72
HG 43336800 260.00 4059625217498 25 HG 71821000 292.60 405962509836 HG 43337800 340.00 4059625217481 23 HG 71821000 364.10 405962509846 HG 43338800 360.00 4059625217467 24 HG 71829000 225.10 405962509846 HG 43339800 410.00 4059625217467 24 HG 71829000 276.50 405962509846 HG 43340800 320.00 4059625217450 23 HG 71830000 94.70 401109776126 HG 43341800 340.00 4059625217443 23 HG 71831000 113.20 401109776646 HG 43342800 390.00 4059625217443 23 HG 71832000 107.70 401109776646 HG 43342800 421.50 4059625007181 20 HG 71833000 138.00 401109777664 HG 43427800 474.20 4059625007204 21 HG 71835000 139.00 40110977664 HG 43427800 474.20 4059625007204 21 HG 71835000 139.00 40110977664 HG 43428800 832.40 4059625007211 21 HG 71835000 139.00 40110977664 HG 43429800 832.40 4059625007228 22 HG 71837000 94.70 40110977664 HG 43430800 906.10 4059625007228 22 HG 71837000 94.70 40110977664 HG 4343170 355.30 4059625007235 22 HG 71839000 107.70 401109777664 HG 43431170 355.30 4059625104903 31 HG 71860000 107.70 401109777664 HG 43431170 355.30 4059625104897 31 HG 71860000 107.70 401109777564 HG 43431170 355.30 4059625104897 31 HG 71860000 107.70 40110977564 HG 43431270 435.20 4059625104880 31 HG 71860000 107.70 405962519678 HG 4343290 435.20 4059625104880 31 HG 71860000 107.70 405962519678 HG 4343290 435.20 4059625104880 31 HG 71866000 107.70 405962519678 HG 4343290 435.20 4059625104880 31 HG 71866000 107.70 405962519684 HG 4343290 435.20 4059625104880 31 HG 71866000 107.70 405962519858 HG 43433170 435.20 4059625104859 31 HG 71866000 107.70 405962519858 HG 43433290 435.20 4059625104880 31 HG 71866000 107.70 405962519858 HG 43433290 435.20 4059625104880 31 HG 72800800 390.00 405962515858 HG 43433290 435.20 4059625104880 31 HG 72800800 390.00 405962515858 HG 43433290 496.60 4059625104835 32 HG 72800000 300.00 405962515858 HG 43434380 496.60 4059625104830 32 HG 72800800 390.00 405962525544 HG 43434380 496.60 4059625104880 32 HG 72800800 390.00 405962525554 HG 43434380 496.60 4059625104880 32 HG 72800000 350.00 405962525554 HG 43434380 496.60 4	4 67 0 67 7 70 4 70 8 72 1 72
HG 43337800 340.00 4059625217481 23 HG 71821800 364.10 405962509840 HG 43338800 360.00 4059625217474 24 HG 71829800 275.50 405962509840 HG 43339800 410.00 4059625217467 24 HG 71829800 276.50 405962509840 HG 43340800 320.00 4059625217450 23 HG 71830000 94.70 401109776640 HG 43341800 340.00 4059625217443 23 HG 71831000 113.20 401109776640 HG 43342800 390.00 4059625217436 24 HG 71832000 107.70 401109776640 HG 43425800 421.50 4059625007181 20 HG 71833000 138.00 4011097776640 HG 43426800 453.10 4059625007182 20 HG 71833000 138.00 401109776640 HG 43427800 474.20 4059625007204 21 HG 71835000 139.00 401109776640 HG 43428800 495.20 4059625007211 21 HG 71835000 139.00 401109776640 HG 43429800 832.40 4059625007228 22 HG 71837000 94.70 401109776640 HG 43430800 906.10 4059625007235 22 HG 71837000 107.70 401109776640 HG 43431170 355.30 4059625104897 31 HG 71860000 107.70 405962519710 HG 43431170 355.30 4059625104880 31 HG 71864000 124.50 405962519850 HG 43433290 435.20 4059625104887 31 HG 71864000 124.50 405962519850 HG 43433280 435.20 4059625104887 31 HG 71864000 124.50 405962519850 HG 43433280 435.20 4059625104887 31 HG 71864000 124.50 405962519850 HG 43433170 435.20 4059625104887 31 HG 71864000 124.50 405962519850 HG 43433280 435.20 4059625104887 31 HG 71864000 124.50 405962519850 HG 43433280 435.20 4059625104887 31 HG 71864000 124.50 405962519850 HG 43433280 435.20 4059625104887 31 HG 71864000 124.50 405962519850 HG 43433280 435.20 4059625104887 31 HG 71866000 103.70 405962519850 HG 43433280 435.20 4059625104887 31 HG 71866000 103.70 405962519850 HG 43433170 435.20 4059625104889 31 HG 71866000 103.70 405962519850 HG 43433170 496.60 4059625104889 31 HG 72800000 300.00 405962555440 HG 43434380 436.00 4059625104880 32 HG 72800000 300.00 405962555540 HG 43434380 496.60 4059625104880 32 HG 72800000 300.00 4059625255440 HG 43434380 496.60 4059625104811 32 HG 72800800 390.00 4059625255440 HG 43928000 41.70 4059625104996 91 HG 72802000 255.00 4059625255540 HG 43928000 41.70 4059625104996 91 HG 72802000 350.00 4059625255540 HG 43	0 67 7 70 4 70 8 72 1 72
HG 43338800 360.00 4059625217474 24 HG 71829000 225.10 40596250984 HG 43339800 410.00 4059625217467 24 HG 71829800 276.50 40596250984 HG 43340800 320.00 4059625217467 23 HG 71830000 94.70 401109776644 HG 43341800 340.00 4059625217433 23 HG 71831000 113.20 401109776644 HG 43342800 390.00 4059625217436 24 HG 71832000 107.70 401109776644 HG 43262800 421.50 4059625007181 20 HG 71833000 138.00 401109776644 HG 43426800 453.10 4059625007181 20 HG 71833000 138.00 401109776644 HG 43427800 474.20 4059625007204 21 HG 71835000 139.00 401109776644 HG 43428800 495.20 4059625007204 21 HG 71835000 139.00 401109776644 HG 43429800 832.40 4059625007228 22 HG 71837000 94.70 401109776644 HG 43429800 832.40 4059625007228 22 HG 71837000 107.70 401109776644 HG 43430800 906.10 4059625007238 22 HG 71837000 107.70 4011097775645 HG 43431170 355.30 4059625104903 31 HG 71860000 107.70 401109777575 HG 43431170 355.30 4059625104897 31 HG 71860000 107.70 405962519716 HG 43431290 355.30 4059625104897 31 HG 71860000 139.00 405962519716 HG 43431180 355.30 4059625104897 31 HG 71860000 107.70 405962519855 HG 43432170 435.20 4059625104880 31 HG 71860000 124.50 405962519855 HG 43432380 435.20 4059625104839 31 HG 71860000 177.00 405962519855 HG 43433170 435.20 4059625104839 31 HG 71860000 107.70 405962519855 HG 43433170 435.20 4059625104839 31 HG 71860000 107.70 405962519855 HG 43433170 435.20 4059625104842 32 HG 72800000 300.00 4059625519855 HG 43433170 496.60 4059625104839 31 HG 72800800 390.00 40596255545 HG 43433170 496.60 4059625104839 31 HG 72800800 390.00 40596255545 HG 43434170 496.60 4059625104804 32 HG 72800800 390.00 40596255554 HG 43434170 496.60 4059625104804 32 HG 72800800 390.00 40596255554 HG 43434170 496.60 4059625104804 32 HG 72800800 390.00 405962525554 HG 43434170 496.60 4059625104804 32 HG 72800800 390.00 405962525554 HG 43434170 496.60 4059625104804 32 HG 72800800 390.00 405962525554 HG 43921800 25.00 4059625104804 32 HG 72800800 350.00 405962525554 HG 43921800 25.00 4059625105009 91 HG 72802000 255.00 40596252554 HG 43921800 41.	7 70 4 70 8 72 1 72
HG 43339800 410.00 4059625217467 24 HG 71829800 276.50 405962509842 HG 43340800 320.00 40596252174430 23 HG 71830000 94.70 401109776642 HG 43341800 340.00 40596252174436 23 HG 71830000 107.70 401109776644 HG 433425800 390.00 4059625217436 24 HG 71832000 107.70 401109776644 HG 43425800 421.50 4059625007181 20 HG 71833000 138.00 401109776644 HG 43426800 453.10 4059625007204 21 HG 71835000 139.00 401109776644 HG 43427800 474.20 4059625007204 21 HG 71835000 139.00 401109776644 HG 43428800 495.20 4059625007211 21 HG 71836000 139.00 401109776644 HG 43429800 832.40 4059625007228 22 HG 71837000 94.70 401109776644 HG 43431170 355.30 4059625007235 22 HG 71839000 107.70 401109776644 HG 43431170 355.30 4059625104893 31 HG 71860000 107.70 405962519676 HG 43431380 355.30 4059625104897 31 HG 71860000 107.70 405962519676 HG 43432290 435.20 4059625104880 31 HG 71860000 124.50 405962519846 HG 43432290 435.20 4059625104873 31 HG 71866000 124.50 405962519856 HG 43431370 435.20 4059625104866 31 HG 71865000 171.20 405962519856 HG 43433280 435.20 4059625104859 31 HG 71866000 107.70 405962519865 HG 43433170 435.20 4059625104866 31 HG 71866000 171.20 405962519856 HG 43433280 435.20 4059625104859 31 HG 71866000 103.70 405962519856 HG 43433380 435.20 4059625104868 31 HG 71866000 171.20 405962519856 HG 43433380 435.20 4059625104868 31 HG 72800000 300.00 40596255546 HG 43433170 435.20 4059625104868 32 HG 72800000 300.00 405962555546 HG 43433170 435.20 4059625104888 32 HG 72800000 300.00 405962525546 HG 434343170 496.60 4059625104804 32 HG 72800000 300.00 405962525546 HG 43434170 496.60 4059625104804 32 HG 72800000 350.00 405962525546 HG 43434380 496.60 4059625104804 32 HG 72800000 350.00 405962525546 HG 43921800 25.00 4059625104804 32 HG 72800000 350.00 405962525546 HG 43921800 25.00 4059625104804 32 HG 72800000 350.00 405962525546 HG 43921800 25.00 4059625104909 91 HG 72802000 255.00 405962525546 HG 43921800 41.50 4059625105009 91 HG 72802000 350.00 4059625255536 HG 43928000 41.50 4059625105009 91 HG 72802000 332.00 4059625255536 HG 43928	4 70 8 72 1 72
HG 43340800 320.00 4059625217450 23 HG 71830000 94.70 4011097766126 HG 43341800 340.00 4059625217433 23 HG 71831000 113.20 401109776644. HG 43342800 390.00 4059625217436 24 HG 71833000 107.70 401109776644. HG 43425800 421.50 4059625007181 20 HG 71833000 138.00 401109776644. HG 43427800 474.20 4059625007204 21 HG 71835000 139.00 401109776644. HG 43428800 495.20 4059625007204 21 HG 71835000 139.00 401109776644. HG 43428800 495.20 4059625007211 21 HG 71835000 139.00 401109776644. HG 43429800 832.40 4059625007228 22 HG 71837000 94.70 401109776644. HG 43431170 355.30 4059625104903 31 HG 71860000 107.70 40110977575. HG 434311290 355.30 4059625104897 31 HG 71860000 107.70 405962519675. HG 43431290 355.30 4059625104880 31 HG 71860000 139.00 405962519675. HG 43431380 355.30 4059625104880 31 HG 71864000 124.50 405962519675. HG 43432290 435.20 4059625104883 31 HG 71865000 771.20 405962519855. HG 434332380 435.20 40596251048842 32 HG 71839000 107.70 405962519855. HG 43433170 435.20 4059625104884 32 HG 71866000 103.70 405962519855. HG 43433170 435.20 4059625104884 32 HG 71866000 103.70 405962519855. HG 43433170 435.20 4059625104883 32 HG 71866000 103.70 405962519855. HG 43433170 435.20 4059625104883 32 HG 72800000 300.00 405962551585. HG 43433170 435.20 4059625104883 32 HG 72800000 300.00 40596255544. HG 43433170 435.20 4059625104883 32 HG 72800000 300.00 40596255544. HG 43433170 435.20 4059625104813 32 HG 72800000 300.00 405962525544. HG 43433180 496.60 4059625104813 32 HG 72800000 300.00 405962525544. HG 43433180 496.60 4059625104813 32 HG 72801000 350.00 405962525544. HG 43434170 496.60 4059625104813 32 HG 72801000 350.00 405962525544. HG 43434380 496.60 4059625104804 32 HG 72801000 350.00 405962525544. HG 43434380 496.60 4059625104804 32 HG 72801000 350.00 405962525544. HG 43921800 25.00 4059625104804 32 HG 72801000 350.00 405962525544. HG 43921800 25.00 4059625104896 91 HG 72801800 455.00 405962525534. HG 43921800 41.70 4059625104996 91 HG 72802800 305.00 405962525534. HG 43921800 41.50 4059625104996 91 HG 72803000 305	8 72 1 72
HG 43341800 340.00 4059625217443 23 HG 71831000 113.20 4011097766446 HG 43342800 390.00 4059625217436 24 HG 71832000 107.70 4011097766446 HG 43425800 421.50 4059625007181 20 HG 71833000 138.00 4011097775644 HG 43426800 453.10 4059625007188 20 HG 71834000 247.70 401109776644 HG 43427800 474.20 4059625007204 21 HG 71835000 139.00 401109776644 HG 43429800 832.40 4059625007228 22 HG 71837000 94.70 401109776644 HG 43429800 832.40 4059625007228 22 HG 71837000 94.70 401109776644 HG 43430800 906.10 4059625007235 22 HG 71839000 107.70 40110977564 HG 43431170 355.30 4059625104903 31 HG 71860000 107.70 40110977564 HG 43431290 355.30 4059625104897 31 HG 71860000 107.70 405962519716 HG 43431380 355.30 4059625104897 31 HG 71860000 107.70 40596251985 HG 43432290 435.20 4059625104873 31 HG 71864000 124.50 40596251985 HG 43432290 435.20 4059625104863 31 HG 71866000 17.20 40596251985 HG 43433380 435.20 4059625104869 31 HG 71866000 17.20 40596251985 HG 43433380 435.20 4059625104869 31 HG 71866000 17.20 40596251985 HG 43433380 435.20 4059625104869 31 HG 71866000 17.20 40596251985 HG 43433380 435.20 4059625104869 31 HG 71866000 17.20 40596251985 HG 43433380 435.20 4059625104889 31 HG 71866000 17.20 40596251985 HG 43433380 435.20 4059625104889 31 HG 71866000 17.20 40596251985 HG 43433380 435.20 4059625104889 31 HG 71866000 103.70 40596251985 HG 43433380 435.20 4059625104883 32 HG 72800000 300.00 405962525544 HG 43433380 435.20 4059625104883 32 HG 72800000 300.00 405962525544 HG 43433380 435.20 4059625104883 32 HG 72800000 300.00 405962525544 HG 43434470 496.60 4059625104811 32 HG 72800000 300.00 405962525544 HG 43434380 496.60 4059625104804 32 HG 72801000 350.00 405962525544 HG 43921800 25.00 4059625104804 32 HG 72801000 350.00 405962525544 HG 43921800 25.00 4059625104894 32 HG 72801600 455.00 405962525544 HG 43921800 25.00 4059625104798 32 HG 72801600 455.00 405962525544 HG 43921800 25.00 4059625248737 90 HG 72802800 332.00 405962525534 HG 43922800 41.70 4059625104996 91 HG 72802800 332.00 405962525534 HG 43922800 41.50 40596251049	1 72
HG 43342800 390.00 40596252174366 24 HG 71832000 107.70 401109776644. HG 43425800 421.50 4059625007181 20 HG 71833000 138.00 401109777548 HG 43426800 453.10 4059625007188 20 HG 71833000 138.00 4011097776644. HG 43427800 474.20 4059625007204 21 HG 71835000 139.00 401109776644. HG 43428800 495.20 4059625007211 21 HG 71835000 139.00 401109776644. HG 43428800 495.20 4059625007228 22 HG 71837000 94.70 401109776644. HG 43430800 906.10 4059625007228 22 HG 71837000 107.70 4011097776644. HG 43431170 355.30 4059625104903 31 HG 71860000 107.70 401109777575. HG 43431170 355.30 4059625104897 31 HG 71860000 107.70 405962519716. HG 43431290 355.30 4059625104880 31 HG 71860000 139.00 405962519845. HG 43432170 435.20 4059625104880 31 HG 71864000 124.50 405962519845. HG 43432380 435.20 4059625104866 31 HG 71865000 171.20 405962519855. HG 43433170 435.20 4059625104859 31 HG 71866000 103.70 405962519855. HG 43433170 435.20 4059625104859 31 HG 71866000 103.70 405962519855. HG 43433170 435.20 4059625104859 31 HG 71866000 103.70 405962519855. HG 43433170 495.60 4059625104842 32 72. HG 43433170 495.60 4059625104882 32 HG 72800000 300.00 405962525544. HG 43434170 496.60 4059625104883 32 HG 72800000 300.00 405962525544. HG 43434380 496.60 4059625104883 32 HG 72800000 300.00 405962525544. HG 43434380 496.60 4059625104883 32 HG 72800000 300.00 405962525544. HG 43434380 496.60 4059625104804 32 HG 72800670 390.00 405962525544. HG 43434380 496.60 4059625104804 32 HG 72800600 390.00 405962525544. HG 43434380 496.60 4059625104804 32 HG 72800670 390.00 405962525544. HG 43921800 25.00 4059625104804 32 HG 72800670 390.00 405962525544. HG 43921800 25.00 4059625104804 32 HG 72800670 390.00 405962525544. HG 43921800 25.00 4059625104804 32 HG 72800670 390.00 405962525544. HG 43921800 25.00 4059625104804 32 HG 72800670 390.00 405962525544. HG 43921800 25.00 4059625248737 90 HG 72802800 332.00 405962525544. HG 43928000 41.70 4059625248730 90 HG 72802800 332.00 405962525534. HG 43928000 41.50 4059625104996 91 HG 72802800 332.00 4059625255364. HG 4392800	
HG 43425800 421.50 4059625007181 20 HG 71833000 138.00 401109777544 HG 43426800 453.10 4059625007198 20 HG 71834000 247.70 401109776644 HG 43427800 474.20 4059625007204 21 HG 71835000 139.00 401109776644 HG 4342800 832.40 4059625007211 21 HG 71836000 139.00 401109776644 HG 43429800 832.40 4059625007228 22 HG 71837000 94.70 401109776644 HG 43430800 906.10 4059625007235 22 HG 71837000 107.70 401109776644 HG 43431170 355.30 4059625104903 31 HG 71860000 107.70 405962519716 HG 43431290 355.30 4059625104897 31 HG 71860000 139.00 405962519845 HG 43431380 355.30 4059625104880 31 HG 71862000 238.60 405962519845 HG 43432290 435.20 4059625104866 31 HG 71865000 171.20 405962519855 HG 43432380 435.20 4059625104866 31 HG 71866000 103.70 405962519855 HG 43433290 435.20 4059625104866 31 HG 71866000 171.20 405962519855 HG 43433380 435.20 4059625104859 31 HG 71866000 103.70 405962519855 HG 43433380 435.20 4059625104842 32 72 HG 43433380 435.20 4059625104842 32 HG 72800000 300.00 40596255544 HG 434334170 496.60 4059625104811 32 HG 72800000 300.00 40596255544 HG 43434290 496.60 4059625104811 32 HG 72800000 300.00 405962525544 HG 43434380 496.60 4059625104804 32 HG 72800000 300.00 405962525544 HG 43434380 496.60 4059625104811 32 HG 72800000 300.00 405962525544 HG 43434380 496.60 4059625104804 32 HG 72800000 300.00 405962525544 HG 43434380 496.60 4059625104804 32 HG 72801000 350.00 405962525544 HG 43434380 496.60 4059625104804 32 HG 72801000 350.00 405962525544 HG 43434380 496.60 4059625104811 32 HG 72801000 350.00 405962525544 HG 43434380 496.60 4059625104804 32 HG 72801000 350.00 405962525544 HG 4392800 41.50 4059625104909 91 HG 72802000 255.00 405962525544 HG 4392800 41.50 4059625104996 91 HG 72803000 305.00 4059625255534 HG 43928000 41.50 4059625248713 90 HG 72803000 305.00 4059625255534 HG 43928000 41.50 4059625248713 90 HG 72803000 305.00 4059625255534	- /
HG 43426800 453.10 4059625007198 20 HG 71834000 247.70 401109776644 HG 43427800 474.20 4059625007204 21 HG 71835000 139.00 401109776644 HG 43428800 495.20 4059625007211 21 HG 71836000 139.00 401109776644 HG 43429800 832.40 4059625007228 22 HG 71837000 94.70 401109776644 HG 43430800 906.10 4059625007235 22 HG 71839000 107.70 401109777575 HG 43431170 355.30 4059625104903 31 HG 71860000 107.70 4059625104903 HG 43431290 355.30 4059625104897 31 HG 71860000 139.00 405962519673 HG 43431270 435.20 4059625104880 31 HG 71864000 124.50 405962519673 HG 43432290 435.20 4059625104866 31 HG 71865000 171.20 40596251985 HG 43433280 435.20 4059625104864 31 HG 71865000 171.20 40596251985 HG 43433170 435.20 4059625104864 32 HG 71866000 103.70 40596251985 HG 43433290 435.20 4059625104842 32 HG 71866000 103.70 4059625104897 HG 43433170 435.20 4059625104842 32 HG 71866000 300.00 405962515485 HG 43433290 435.20 4059625104835 32 HG 72800000 300.00 40596251585 HG 43433380 435.20 4059625104842 32 HG 72800000 300.00 405962525544 HG 43433170 496.60 4059625104828 32 HG 72800000 300.00 405962525544 HG 43434470 496.60 4059625104828 32 HG 72800670 390.00 405962525544 HG 43434380 496.60 4059625104804 32 HG 72801000 350.00 405962525544 HG 43434380 496.60 4059625104804 32 HG 72801000 350.00 405962525544 HG 43434380 496.60 4059625104804 32 HG 72801000 350.00 405962525544 HG 43434380 496.60 4059625104804 32 HG 72801000 350.00 405962525544 HG 43434380 496.60 4059625104804 32 HG 72801000 350.00 405962525544 HG 43921800 25.00 4059625104804 32 HG 72801000 350.00 405962525544 HG 43921800 25.00 4059625104804 32 HG 72801000 350.00 405962525544 HG 43921800 25.00 405962510490 91 HG 72802000 255.00 405962525544 HG 43921800 25.00 4059625105009 91 HG 72802000 255.00 405962525534 HG 43922800 41.70 4059625248720 90 HG 72802000 255.00 405962525534 HG 43928000 41.50 4059625104996 91 HG 72802000 350.00 405962525534 HG 43928000 41.50 4059625104996 91 HG 72802000 350.00 405962525530 HG 43928000 41.50 4059625104996 91 HG 72802000 350.00 405962525530 HG 43928000 41.50	
HG 43427800 474.20 4059625007204 21 HG 71835000 139.00 401109776641 HG 43428800 495.20 4059625007211 21 HG 71836000 139.00 401109776641 HG 43429800 832.40 4059625007228 22 HG 71837000 94.70 401109776641 HG 43430800 906.10 4059625007228 22 HG 71837000 107.70 401109777654 HG 43431170 355.30 4059625104903 31 HG 71860000 107.70 405962519710 HG 43431290 355.30 4059625104897 31 HG 71861000 139.00 405962519670 HG 43431290 355.30 4059625104880 31 HG 71862000 238.60 405962519670 HG 43432170 435.20 4059625104873 31 HG 71864000 124.50 405962519850 HG 43432290 435.20 4059625104866 31 HG 71865000 171.20 405962519850 HG 43433170 435.20 4059625104859 31 HG 71866000 103.70 405962519850 HG 43433380 435.20 4059625104859 31 HG 71866000 103.70 405962519850 HG 43433380 435.20 4059625104859 31 HG 72800000 300.00 40596255540 HG 43433380 435.20 4059625104842 32 HG 43433380 435.20 4059625104828 32 HG 72800000 300.00 405962525540 HG 43434170 496.60 4059625104811 32 HG 72800800 390.00 405962525540 HG 43434380 496.60 4059625104804 32 HG 72801000 350.00 405962525540 HG 43434380 496.60 4059625104804 32 HG 72801000 350.00 405962525540 HG 43434380 496.60 4059625104804 32 HG 72801000 350.00 405962525540 HG 43921800 25.00 4059625104873 90 HG 72801800 455.00 405962525540 HG 43922800 41.70 4059625105009 91 HG 72802800 332.00 405962525530 HG 43928000 41.50 4059625105009 91 HG 72802800 332.00 405962525530 HG 43928000 41.50 4059625105009 91 HG 72802800 332.00 405962525530 HG 43928000 41.50 4059625105009 91 HG 72802800 332.00 405962525530 HG 43928000 41.50 4059625105009 91 HG 72802800 332.00 405962525530 HG 43928000 41.50 4059625105009 91 HG 72802800 332.00 405962525530 HG 43928000 41.50 4059625105009 91 HG 72802800 332.00 405962525530 HG 43928000 41.50 4059625105009 91 HG 72802800 332.00 405962525530 HG 43928000 41.50 4059625105009 91 HG 72802800 332.00 405962525530 HG 43928000 41.50 4059625105009 91 HG 72802800 332.00 405962525530 HG 43931800 43.80 4059625248713 90 HG 72803000 305.00 4059625	
HG 43428800 495.20 4059625007211 21 HG 71836000 139.00 401109776641 HG 43429800 832.40 4059625007228 22 HG 71837000 94.70 401109776641 HG 43430800 906.10 4059625007235 22 HG 71839000 107.70 401109777573 HG 43431170 355.30 4059625104897 31 HG 71860000 107.70 405962519710 HG 43431380 355.30 4059625104880 31 HG 71860000 238.60 405962519844 HG 43432170 435.20 4059625104873 31 HG 71864000 124.50 405962519844 HG 43432290 435.20 4059625104866 31 HG 71864000 171.20 405962519853 HG 43432380 435.20 4059625104859 31 HG 71866000 171.20 405962519853 HG 43433380 435.20 4059625104859 31 HG 71866000 103.70 405962519853 HG 43433390 435.20 4059625104842 32 T2 HG 43433380 435.20 4059625104842 32 HG 72800000 300.00 405962525544 HG 43434170 496.60 4059625104811 32 HG 72800800 390.00 405962525544 HG 43434380 496.60 4059625104804 32 HG 72801000 350.00 405962525544 HG 43434380 496.60 4059625104804 32 HG 72801000 350.00 405962525544 HG 43434380 496.60 4059625104804 32 HG 72801000 350.00 405962525544 HG 43434380 496.60 4059625104804 32 HG 72801000 350.00 405962525544 HG 43921800 25.00 4059625104804 32 HG 72801000 350.00 405962525544 HG 43921800 25.00 4059625104904 32 HG 72801000 350.00 405962525544 HG 43921800 25.00 4059625104904 32 HG 72801000 350.00 405962525544 HG 43921800 25.00 4059625104904 31 HG 72801000 255.00 405962525544 HG 43921800 25.00 4059625104904 91 HG 72802000 255.00 405962525544 HG 43922800 41.70 4059625248730 90 HG 72802000 255.00 405962525544 HG 43922800 41.50 4059625105009 91 HG 72802000 255.00 4059625255544 HG 43922800 41.50 4059625105009 91 HG 72802000 305.00 4059625255534 HG 43922800 41.50 4059625105009 91 HG 72802000 305.00 40596252555364 HG 43922800 41.50 4059625105009 91 HG 72802000 305.00 40596252555364 HG 43922800 41.50 4059625105009 91 HG 72802000 305.00 40596252555364 HG 43928000 41.50 4059625248730 90 HG 72802000 305.00 40596252555364	
HG 43429800 832.40 4059625007228 22 HG 71837000 94.70 40110977664 HG 43430800 906.10 4059625007235 22 HG 71839000 107.70 401109777575 HG 43431170 355.30 4059625104903 31 HG 71860000 107.70 405962519710 HG 43431290 355.30 4059625104897 31 HG 71861000 139.00 405962519675 HG 43431380 355.30 4059625104880 31 HG 71862000 238.60 405962519849 HG 43432170 435.20 4059625104873 31 HG 71864000 124.50 40596251985 HG 43432290 435.20 4059625104866 31 HG 71865000 171.20 40596251985 HG 43432380 435.20 4059625104859 31 HG 71866000 103.70 40596251985 HG 434333170 435.20 4059625104842 32 T2 HG 43433390 435.20 4059625104835 32 HG 72800000 300.00 405962525544 HG 43434170 496.60 4059625104828 32 HG 72800000 300.00 405962525544 HG 434344170 496.60 4059625104804 32 HG 72800800 390.00 405962525544 HG 43434380 496.60 4059625104804 32 HG 72801000 350.00 405962525544 HG 43434380 496.60 4059625104804 32 HG 72801000 350.00 405962525544 HG 43921800 25.00 4059625104879 32 HG 72801000 350.00 405962525544 HG 43921800 25.00 4059625248737 90 HG 72801000 350.00 405962525544 HG 43922800 41.70 4059625248720 90 HG 72802000 255.00 405962525544 HG 43928000 41.50 4059625104996 91 HG 72802800 332.00 405962525534 HG 43928000 41.50 4059625104996 91 HG 72803000 305.00 405962525533	
HG 43430800 906.10 4059625007235 22 HG 71839000 107.70 401109777575 HG 43431170 355.30 4059625104903 31 HG 71860000 107.70 405962519710 HG 43431290 355.30 4059625104897 31 HG 71861000 139.00 405962519675 HG 43431380 355.30 4059625104880 31 HG 71862000 238.60 405962519849 HG 43432170 435.20 4059625104873 31 HG 71864000 124.50 40596251985 HG 43432290 435.20 4059625104866 31 HG 71865000 171.20 40596251985 HG 43432380 435.20 4059625104859 31 HG 71866000 103.70 40596251985 HG 43433170 435.20 4059625104842 32 72 HG 43433380 435.20 4059625104842 32 HG 7280000 300.00 405962525544 HG 43433170 495.20 4059625104828 32 HG 7280000 390.00 405962525544 HG 43434170 496.60 4059625104828 32 HG 72800800 390.00 405962525544 HG 43434430 496.60 4059625104804 32 HG 72801000 350.00 405962525544 HG 43434380 496.60 4059625104804 32 HG 72801000 350.00 405962525544 HG 43434380 496.60 4059625104804 32 HG 72801000 350.00 405962525544 HG 43921800 25.00 4059625104798 32 HG 72801670 455.00 405962525544 HG 43922800 41.70 4059625248737 90 HG 72801800 455.00 405962525544 HG 43922800 41.70 4059625248737 90 HG 72802000 255.00 405962525544 HG 43922800 41.70 4059625248737 90 HG 72802000 255.00 405962525544 HG 43922800 41.70 4059625248737 90 HG 72802000 255.00 405962525544 HG 43922800 41.70 4059625248737 90 HG 72802000 255.00 405962525545 HG 43922800 41.70 4059625248737 90 HG 72802000 255.00 405962525545 HG 43922800 41.70 4059625248737 90 HG 72802000 255.00 405962525545 HG 43922800 41.70 4059625248737 90 HG 72802000 255.00 405962525545 HG 43922800 41.50 4059625104996 91 HG 72802800 332.00 405962525533 HG 43928000 41.50 4059625104996 91 HG 72802800 332.00 405962525533 HG 43928000 41.50 4059625248713 90 HG 72803000 305.00 405962525533	
HG 43431170 355.30 4059625104903 31 HG 71860000 107.70 405962519710 HG 43431290 355.30 4059625104897 31 HG 71861000 139.00 405962519673 HG 43431380 355.30 4059625104880 31 HG 71862000 238.60 405962519849 HG 43432170 435.20 4059625104873 31 HG 71864000 124.50 405962519857 HG 43432290 435.20 4059625104866 31 HG 71865000 171.20 405962519857 HG 43432380 435.20 4059625104859 31 HG 71866000 103.70 405962519857 HG 434333170 435.20 4059625104842 32 TZ HG 434333380 435.20 4059625104835 32 HG 72800000 300.00 405962525544 HG 434343170 496.60 4059625104828 32 HG 72800670 390.00 405962525544 HG 434343490 496.60 4059625104804	
HG 43431290 355.30 4059625104897 31 HG 71861000 139.00 405962519673 HG 43431380 355.30 4059625104880 31 HG 71862000 238.60 405962519849 HG 43432170 435.20 4059625104873 31 HG 71864000 124.50 40596251985 HG 43432290 435.20 4059625104866 31 HG 71865000 171.20 40596251985 HG 43432380 435.20 4059625104859 31 HG 71866000 103.70 40596251985 HG 434333170 435.20 4059625104842 32 72 HG 43433380 435.20 4059625104828 32 HG 72800000 300.00 405962525544 HG 434343170 496.60 4059625104811 32 HG 72800800 390.00 405962525544 HG 4343434290 496.60 4059625104804 32 HG 72801000 350.00	
HG 43431380 355.30 4059625104880 31 HG 71862000 238.60 405962519849 HG 43432170 435.20 4059625104873 31 HG 71864000 124.50 40596251985 HG 43432290 435.20 4059625104866 31 HG 71865000 171.20 405962519853 HG 43432380 435.20 4059625104859 31 HG 71866000 103.70 405962519853 HG 434333170 435.20 4059625104824 32 TC HG 434333380 435.20 4059625104828 32 HG 72800000 300.00 405962525544 HG 4343433380 435.20 4059625104828 32 HG 72800670 390.00 405962525544 HG 434343170 496.60 4059625104804 32 HG 72800800 390.00 405962525544 HG 43434380 496.60 4059625104798 32 HG 72801670 455.00	
HG 43432170 435.20 4059625104873 31 HG 71864000 124.50 40596251985 HG 43432290 435.20 4059625104866 31 HG 71865000 171.20 40596251985 HG 43432380 435.20 4059625104859 31 HG 71866000 103.70 40596251985 HG 43433170 435.20 4059625104842 32 72 HG 43433380 435.20 4059625104835 32 HG 72800000 300.00 405962525544 HG 434333380 435.20 4059625104828 32 HG 72800670 390.00 405962525544 HG 4343434170 496.60 4059625104811 32 HG 72800800 390.00 405962525544 HG 4343434380 496.60 4059625104804 32 HG 72801000 350.00 405962525544 HG 43921800 25.00 4059625248737 90 HG 72801800 455.00 405962525533 HG 43922800 41.70 4059625105009 <t< td=""><td></td></t<>	
HG 43432290 435.20 4059625104866 31 HG 71865000 171.20 405962519853 HG 43432380 435.20 4059625104859 31 HG 71866000 103.70 405962519853 HG 43433170 435.20 4059625104842 32 72 HG 43433380 435.20 4059625104835 32 HG 72800000 300.00 405962525544 HG 434343170 496.60 4059625104811 32 HG 72800800 390.00 405962525544 HG 43434380 496.60 4059625104804 32 HG 72801000 350.00 405962525544 HG 43921800 25.00 4059625104798 32 HG 72801670 455.00 405962525544 HG 43922800 41.70 4059625248737 90 HG 72801800 25.00 4059625248720 90 HG 72802000 255.00 4059625255334 HG 43922800 41.50 4059625105009 91 HG 72802000 32.50 4059625255334	
HG 43432380 435.20 4059625104859 31 HG 71866000 103.70 405962519853 HG 43433170 435.20 4059625104842 32 72 HG 43433290 435.20 4059625104835 32 HG 72800000 300.00 405962525544 HG 43433380 435.20 4059625104828 32 HG 72800670 390.00 405962525544 HG 43434170 496.60 4059625104811 32 HG 72800800 390.00 405962525544 HG 43434380 496.60 4059625104804 32 HG 72801000 350.00 405962525544 HG 43921800 25.00 4059625104798 32 HG 72801670 455.00 405962525544 HG 43922800 41.70 4059625248737 90 HG 72802800 25.00 405962525533 HG 43928000 41.50 4059625105009 91 HG 72802670 332.00 405962525533 HG 43928000 41.50 4059625104996 91<	
HG 43433170 435.20 4059625104842 32 72 HG 43433290 435.20 4059625104835 32 HG 72800000 300.00 405962525544 HG 43433380 435.20 4059625104828 32 HG 72800670 390.00 405962525544 HG 43434170 496.60 4059625104811 32 HG 72800800 390.00 405962525544 HG 43434380 496.60 4059625104804 32 HG 72801000 350.00 405962525544 HG 43921800 25.00 4059625104798 32 HG 72801670 455.00 405962525544 HG 43922800 41.70 4059625248737 90 HG 72801800 455.00 405962525534 HG 43927000 24.90 4059625105009 91 HG 72802670 332.00 405962525533 HG 43928000 41.50 4059625104996 91 HG 72802800 332.00 405962525533 HG 43931800 43.80 4059625248713 90<	
HG 43433290 435.20 4059625104835 32 HG 72800000 300.00 405962525544 HG 43433380 435.20 4059625104828 32 HG 72800670 390.00 405962525544 HG 43434170 496.60 4059625104811 32 HG 72800800 390.00 405962525544 HG 43434290 496.60 4059625104804 32 HG 72801000 350.00 405962525544 HG 43434380 496.60 4059625104798 32 HG 72801670 455.00 405962525544 HG 43921800 25.00 4059625248737 90 HG 72801800 455.00 405962525534 HG 43922800 41.70 4059625248720 90 HG 72802000 255.00 405962525533 HG 43928000 41.50 4059625105009 91 HG 72802800 332.00 405962525533 HG 43931800 43.80 4059625248713 90 HG 72803000 305.00 4059625255533	, , ,
HG 43433380 435.20 4059625104828 32 HG 72800670 390.00 405962525544 HG 43434170 496.60 4059625104811 32 HG 72800800 390.00 405962525544 HG 43434290 496.60 4059625104804 32 HG 72801000 350.00 405962525544 HG 43434380 496.60 4059625104798 32 HG 72801670 455.00 405962525544 HG 43921800 25.00 4059625248737 90 HG 72801800 455.00 405962525534 HG 43922800 41.70 4059625248720 90 HG 72802000 255.00 405962525533 HG 43928000 41.50 4059625105009 91 HG 72802670 332.00 405962525533 HG 43931800 43.80 4059625248713 90 HG 72803000 305.00 4059625255533	2 59
HG 43434170 496.60 4059625104811 32 HG 72800800 390.00 405962525543 HG 43434290 496.60 4059625104804 32 HG 72801000 350.00 405962525543 HG 43434380 496.60 4059625104798 32 HG 72801670 455.00 405962525543 HG 43921800 25.00 4059625248737 90 HG 72801800 455.00 405962525543 HG 43922800 41.70 4059625248720 90 HG 72802000 255.00 405962525533 HG 43928000 41.50 4059625105009 91 HG 72802800 332.00 405962525533 HG 43931800 43.80 4059625248713 90 HG 72803000 305.00 405962525553	
HG 43434290 496.60 4059625104804 32 HG 72801000 350.00 405962525542 HG 43434380 496.60 4059625104798 32 HG 72801670 455.00 405962525542 HG 43921800 25.00 4059625248737 90 HG 72801800 455.00 405962525540 HG 43922800 41.70 4059625248720 90 HG 72802000 255.00 405962525533 HG 43927000 24.90 4059625105009 91 HG 72802670 332.00 405962525533 HG 43928000 41.50 4059625104996 91 HG 72802800 332.00 405962525533 HG 43931800 43.80 4059625248713 90 HG 72803000 305.00 405962525533	
HG 43434380 496.60 4059625104798 32 HG 72801670 455.00 40596252554 HG 43921800 25.00 4059625248737 90 HG 72801800 455.00 405962525540 HG 43922800 41.70 4059625248720 90 HG 72802000 255.00 405962525530 HG 43927000 24.90 4059625105009 91 HG 72802670 332.00 405962525530 HG 43928000 41.50 4059625104996 91 HG 72802800 332.00 405962525530 HG 43931800 43.80 4059625248713 90 HG 72803000 305.00 405962525530	
HG 43921800 25.00 4059625248737 90 HG 72801800 455.00 405962525540 HG 43922800 41.70 4059625248720 90 HG 72802000 255.00 405962525533 HG 43927000 24.90 4059625105009 91 HG 72802670 332.00 405962525533 HG 43928000 41.50 4059625104996 91 HG 72802800 332.00 405962525533 HG 43931800 43.80 4059625248713 90 HG 72803000 305.00 405962525533	
HG 43922800 41.70 4059625248720 90 HG 72802000 255.00 405962525533 HG 43927000 24.90 4059625105009 91 HG 72802670 332.00 405962525533 HG 43928000 41.50 4059625104996 91 HG 72802800 332.00 405962525533 HG 43931800 43.80 4059625248713 90 HG 72803000 305.00 405962525533	
HG 43927000 24.90 4059625105009 91 HG 72802670 332.00 405962525533 HG 43928000 41.50 4059625104996 91 HG 72802800 332.00 405962525533 HG 43931800 43.80 4059625248713 90 HG 72803000 305.00 405962525533	
HG 43928000 41.50 4059625104996 91 HG 72802800 332.00 405962525533 HG 43931800 43.80 4059625248713 90 HG 72803000 305.00 405962525533	
HG 43931800 43.80 4059625248713 90 HG 72803000 305.00 405962525533	
HG 43932800 67.80 4059625248706 90 HG 72803670 397.00 405962525533	
HG 43937000 43.60 4059625104989 92 HG 72803800 397.00 405962525534	
HG 43938000 67.50 4059625104972 92 HG 72804000 205.00 405962525533	
HG 43941800 30.20 4059625248690 91 HG 72804670 267.00 405962525532	
HG 43942800 47.90 4059625248683 91 HG 72804800 267.00 40596252553	
HG 43947000 30.10 4059625104965 92 HG 72805000 250.00 405962527776	
HG 43948000 47.70 4059625104958 92 HG 72805670 325.00 405962527777	
71 HG 72805800 325.00 405962527778	
HG 71280000 121.90 4011097741451 71 HG 72806000 180.00 405962525530	
HG 71283000 155.20 4059625215531 72 HG 72806670 234.00 405962525529	
HG 71284000 182.90 4059625215555 73 HG 72806800 234.00 405962525526	
HG 71285000 155.20 4011097738369 72 HG 72807000 225.00 40596252778	
HG 71286000 182.90 4011097754024 73 HG 72807670 292.50 405962527786	
HG 71287000 182.90 4011097754017 73 HG 72807800 292.50 405962527783	4 62
HG 71800000 269.70 4059625085127 66 HG 72808000 205.00 405962525527	
HG 71800800 350.60 4059625085110 66 HG 72808670 267.00 405962525526	8 62
HG 71801000 238.60 4059625085103 67 HG 72808800 267.00 405962525525	8 62 1 62
HG 71801800 310.20 4059625085097 67 HG 72809000 255.00 405962525524	8 62 1 62 4 62
HG 71802000 171.20 4059625085080 68 HG 72809670 332.00 405962525523	8 62 1 62 4 62 7 62
HG 71802800 222.60 4059625085073 68 HG 72809800 332.00 405962525522	8 62 1 62 4 62 7 62 0 62
HG 71803000 269.70 4059625085066 68 HG 72810000 255.30 401109777245	8 62 1 62 4 62 7 62 0 62 3 62
HG 71804000 134.80 4059625085059 68 HG 72810800 332.00 401109777240	8 62 1 62 4 62 7 62 0 62 3 62 5 55
HG 71805000 124.50 4059625085042 68 HG 72811000 298.80 401109782363	8 62 1 62 4 62 7 62 0 62 3 62 5 55 2 55

Code Numbers and Trade Prices

HG 72812000 386.00 4011097772479 55 HG 72813000 366.70 4011097772479 53 HG 72813000 366.70 4011097772479 53 HG 72814000 224.20 4011097823621 54 HG 72814800 291.30 4011097823611 54 HG 72815800 415.30 4011097823607 54 HG 72815800 415.30 4011097823591 54 HG 72816000 255.30 4059625198155 55 HG 72817000 366.670 4059625197881 53 HG 72820000 366.80 4011097772721 53 HG 72820800 479.60 4011097772721 53 HG 72821800 580.90 4011097772725 50 HG 72821800 580.90 40110977772738 53 HG 72822000 379.60 4011097772738 53 HG 72822000 396.60 4011097772759 50 HG 72822800 515.50 4011097772769 50 HG 72822800 515.50 4011097823584 52 HG 72823000 447.20 4059625255667 49 HG 72823800 581.70 4059625255665 49 HG 72824800 515.80 4059625255636 51 HG 72824800 515.80 4059625255636 51 HG 72824800 446.70 4059625255636 51 HG 72824800 397.20 4059625255636 51 HG 72824800 446.70 4059625255636 51 HG 72824800 446.70 4059625255636 51 HG 72825000 368.80 4059625257992 63 HG 72827000 225.00 4059625277928 63 HG 72827000 225.00 4059625277928 63 HG 72827000 225.00 4059625277928 63 HG 72827600 412.00 405962527793 63 HG 72827600 412.00 405962527793 63 HG 72827600 412.00 405962527793 63 HG 72824000 175.00 405962527793 63 HG 72840600 412.00 4059625255514 63 HG 72840600 175.00 4059625255514 63 HG 72840600 175.00 405962527793 63 HG 72840600 292.50 405962527793 63 HG 72840600 300.00 4059625269640 63 HG 72840600 300.00 4059625269640 63 HG 72840600 300.00 4059625267969 59 HG 72840600 292.50 4059625279314 95 HG 72840600 300.00 4059625279314 95 HG 73800000 464.30 405962517630 47 HG 73800000 464.30 405962517630 47 HG 73803000 555.00 4059625277500 46 HG 73804000 500.00 4059625277500 46 HG 73804000 500.00 405962517630 47 HG 73804000 500.00 405962517630 47 HG 73806000 597.70 4059625017544 48 HG 73818000 534.30 4059625176160 40 HG 73	brand	code no.	Euro	EAN	pago
HG 72813000 366.70 4011097772493 53 HG 72813800 476.50 40110978723621 HG 72814800 224.20 4011097823621 HG 72814800 291.30 4011097823607 54 HG 72815800 415.30 4011097823607 54 HG 72815800 415.30 4011097823591 54 HG 72816000 255.30 4059625198155 55 HG 72817000 366.670 4059625198155 55 HG 72812000 368.80 4011097772721 53 HG 72820800 479.60 4011097772721 53 HG 72820800 479.60 4011097772725 50 HG 72821800 580.90 4011097772725 50 HG 72822800 396.60 4011097772725 50 HG 72822000 396.60 4011097772759 50 HG 72822000 396.60 4011097772769 50 HG 72822000 396.60 4011097772769 50 HG 72822000 396.60 4011097823584 52 HG 72822000 396.60 4011097823587 52 HG 72823800 581.70 4059625255607 49 HG 72823800 581.70 4059625255603 51 HG 72824000 397.20 405962525563 51 HG 72824000 397.20 405962525563 51 HG 72825000 368.80 4059625198186 53 HG 72827000 225.00 4059625277928 63 HG 72827600 292.50 4059625277928 63 HG 72827600 292.50 4059625277942 63 HG 72827800 292.50 4059625277942 63 HG 72827800 292.50 4059625277942 63 HG 72827800 292.50 4059625277942 63 HG 7282800 412.00 4059625277942 63 HG 7284000 175.00 4059625277942 63 HG 7284000 175.00 405962525519 63 HG 7284000 175.00 405962525519 63 HG 7284000 175.00 405962525519 63 HG 72841000 65.00 4059625255216 63 HG 72841000 65.00 4059625293232 95 HG 72841607 84.50 4059625293232 95 HG 72841607 84.50 4059625293232 95 HG 72841600 180.00 4059625269688 61 HG 72843670 266.50 4059625293232 95 HG 72844000 180.00 4059625269664 61 HG 72843670 266.50 4059625269657 61 HG 72845000 275.00 405962517630 47 HG 73803000 464.30 4059625017556 43 HG 73803000 586.00 4059625017555 41 HG 73804800 599.90 4059625017553 41 HG 73804800 599.90 4059625017551 41 HG 73804800 599.90 4059625017551 41 HG 73804800 599.90 4059625017550 41 HG 73806800 77.10 4059625017517 42 HG 73816800 661.60 4059625017560 42 HG 73816800 679.70 4059625017514 44 HG 73818000 534.30 4059625176160 40					page
HG 72813800 476.50 401109772707 53 HG 72814800 224.20 4011097823621 54 HG 72814800 291.30 4011097823607 54 HG 72815000 319.50 4011097823607 54 HG 72815000 319.50 4011097823591 54 HG 72816000 255.30 4059625198155 55 HG 72817000 366.70 4059625197981 53 HG 72820000 368.80 4011097772721 53 HG 72820000 446.70 4011097772738 53 HG 72821800 445.70 4011097772738 53 HG 72821800 580.90 4011097772759 50 HG 72821800 580.90 4011097772759 50 HG 72822800 515.50 4011097823584 52 HG 72823800 515.50 4011097823587 52 HG 72823800 581.70 4059625255667 49 HG 72824800 515.50 4059625255663 51 HG 72824800 515.80 4059625255643 51 HG 72824800 515.80 4059625255643 51 HG 72827670 292.50 405962527935 63 HG 72827000 446.70 4059625255636 51 HG 72827000 225.00 405962527993 63 HG 72827000 472.00 4059625255636 51 HG 72827000 368.80 4059625255636 51 HG 7282800 515.50 4059625255636 51 HG 7282800 515.80 4059625255636 51 HG 7282800 515.80 4059625255636 51 HG 7282800 515.80 4059625255636 51 HG 72827000 368.80 405962527923 63 HG 72827000 225.00 4059625277935 63 HG 72827000 412.00 4059625277935 63 HG 72827000 412.00 4059625203149 57 HG 72840670 228.00 4059625277935 63 HG 72840800 272.50 4059625277935 63 HG 72840600 487.10 4059625203149 57 HG 72840600 487.10 4059625203149 57 HG 72840600 175.00 405962525516 63 HG 72840800 228.00 405962525516 63 HG 72840800 228.00 405962525516 63 HG 72840800 228.00 405962525516 63 HG 72841800 84.50 4059625293129 59 HG 72841800 84.50 4059625293129 59 HG 72843000 205.00 4059625269607 61 HG 72843000 205.00 4059625269607 61 HG 72843000 300.00 4059625269667 61 HG 72843000 40590625017503 47 HG 73800800 586.00 405962517553 41 HG 73800800 586.00 4059625017550 41 HG 73804800 599.90 4059625017503 47 HG 73804800 599.90 4059625017504 48 HG 73805800 77.10 4059625017503 49 HG 73805800 77.10 4059625017504 48 HG 73818000 597.70 4059625017504 48 HG 73818000 597.70 4059625017504 48 HG 73818000 598.40 4059625017514 44 HG 73818000 598.4					
HG 72814000 224.20 4011097823621 54 HG 72814000 291.30 4011097823614 54 HG 72815000 319.50 4011097823607 54 HG 72815000 415.30 4011097823597 54 HG 72816000 255.30 4059625197815 55 HG 72817000 366.70 405962519781 53 HG 72820000 368.80 4011097772721 53 HG 72820000 446.70 4011097772723 53 HG 72821800 580.90 4011097772755 50 HG 72821800 580.90 4011097772755 50 HG 72822800 479.60 4011097772759 50 HG 72822800 396.60 4011097772769 50 HG 72822800 515.50 4011097823584 52 HG 72822800 515.50 4011097823587 52 HG 72823800 581.70 4059625255667 49 HG 72823800 581.70 4059625255643 51 HG 72824000 397.20 4059625255643 51 HG 72824000 397.20 4059625255636 51 HG 72825000 368.80 4059625198186 53 HG 72827600 225.00 4059625277928 63 HG 72827800 225.00 4059625277928 63 HG 72827800 292.50 4059625277942 63 HG 72827800 292.50 4059625277942 63 HG 72827800 292.50 405962527944 63 HG 7282800 292.50 405962527994 63 HG 72827800 292.50 405962527994 63 HG 72827800 292.50 405962527993 63 HG 72827800 292.50 405962527994 63 HG 72827800 292.50 405962527994 63 HG 72840000 175.00 4059625255109 63 HG 72840000 487.10 4059625203156 56 HG 72840000 175.00 4059625255209 63 HG 7284000 292.80 405962527994 63 HG 72841000 65.00 4059625293223 95 HG 72841000 65.00 4059625293232 95 HG 72844000 180.00 4059625293223 95 HG 72844000 180.00 4059625293232 95 HG 72844000 180.00 4059625293232 95 HG 72844000 180.00 4059625299323 95 HG 72844000 180.00 405962529969 59 HG 72844000 180.00 4059625299664 61 HG 72843000 205.00 4059625299657 61 HG 72844000 180.00 4059625017630 47 HG 73803800 586.00 405962517630 47 HG 73804800 595.00 405962517630 47 HG 73805800 77.10 4059625017531 39 HG 73805800 77.10 4059625017534 48 HG 73805800 77.10 4059625017544 48 HG 73818000 555.00 405962517620 42 HG 73818000 554.30 4059625176180 40 HG 73818000 595.30 4					
HG 72814800 291.30 4011097823614 54 HG 72815800 319.50 4011097823607 54 HG 72815800 255.30 4059625198155 55 HG 72816000 255.30 4059625198155 55 HG 72817000 366.670 4059625197881 53 HG 72820000 368.80 4011097772721 53 HG 72820800 479.60 4011097772721 53 HG 72821800 446.70 4011097772725 50 HG 72822800 479.60 4011097772752 50 HG 72822800 580.90 4011097772769 50 HG 72822800 515.50 4011097823577 52 HG 72823800 447.20 4059625255667 49 HG 72823800 581.70 4059625255667 49 HG 72824000 397.20 4059625255663 51 HG 72824000 397.20 4059625255643 51 HG 72824000 397.20 4059625255643 51 HG 72824000 416.70 4059625198186 53 HG 72827000 225.00 4059625277928 63 HG 72827000 425.00 4059625277928 63 HG 72827800 492.50 4059625277942 63 HG 72827800 412.00 4059625203149 57 HG 728404000 175.00 405962525516 HG 72824000 412.00 405962525516 HG 72824000 412.00 405962525519 HG 72840670 228.00 4059625279318 95 HG 72840670 228.00 4059625279318 95 HG 72840670 228.00 4059625279318 95 HG 72840670 228.00 4059625293119 56 HG 72840670 228.00 4059625279318 95 HG 72840670 390.00 4059625293218 95 HG 72840670 390.00 4059625293218 95 HG 72840670 280.00 4059625293218 95 HG 72840670 280.00 405962529323 95 HG 72840670 300.00 405962529323 95 HG 72840670 300.00 405962529323 95 HG 72840670 280.00 405962529323 95 HG 72840670 280.00 405962529323 95 HG 72840670 300.00 4059625296968 61 HG 72843600 205.00 4059625296968 61 HG 72844500 205.00 4059625296963 47 HG 72844670 300.00 4059625269668 61 HG 72844500 205.00 405962517630 47 HG 73801000 464.30 4059625017530 42 HG 73801000 475.00 4059625017530 45 HG 73804000 552.00 4059625017531 39 HG 73804000 552.00 4059625017534 49 HG 73806000 577.70 4059625017534 49 HG 73806000 597.70 4059625017544 48 HG 73816000 552.00 4059625017544 48 HG 7381600					
HG 72815000 319.50 4011097823507 54 HG 72815800 415.30 4011097823591 54 HG 72816000 255.30 4059625198155 55 HG 72817000 366.70 4059625197981 53 HG 72820000 368.80 4011097772721 53 HG 72820000 479.60 4011097772738 53 HG 72821000 446.70 4011097772738 53 HG 72821000 446.70 4011097772759 50 HG 72821800 580.90 4011097772769 50 HG 72822000 396.60 4011097823584 52 HG 72822000 396.60 4011097823584 52 HG 72823000 472.00 4059625255667 49 HG 72823000 447.20 4059625255667 49 HG 72823000 581.70 4059625255665 49 HG 72824000 397.20 4059625255663 51 HG 72824000 397.20 4059625255636 51 HG 72824000 40.46.70 4059625255636 51 HG 72824000 40.46.70 4059625198186 53 HG 72827000 225.00 4059625277928 63 HG 72827000 425.00 4059625277928 63 HG 72827800 492.50 4059625277942 63 HG 72831000 487.10 4059625203156 56 HG 72832000 412.00 4059625277942 63 HG 72840000 175.00 405962525516 63 HG 72840000 175.00 405962525516 63 HG 72840000 175.00 4059625255193 63 HG 72841000 65.00 4059625275193 63 HG 72841000 65.00 4059625293218 95 HG 72841000 84.50 4059625293225 95 HG 72841000 46.50 4059625293225 95 HG 72843000 205.00 4059625293225 95 HG 72844000 175.00 4059625293225 95 HG 72841000 65.00 4059625293225 95 HG 72841000 84.50 4059625293225 95 HG 72844000 180.00 4059625269668 61 HG 72843000 205.00 4059625269668 61 HG 72843000 205.00 4059625269657 61 HG 72844000 180.00 4059625269657 61 HG 72844000 180.00 4059625269657 61 HG 72844000 51.41 405962517630 47 HG 73800000 56.00 4059625269657 61 HG 73800000 56.00 405962517630 47 HG 73800000 56.00 405962517630 47 HG 73800000 56.00 405962517650 49 HG 73803000 575.00 405962517554 41 HG 73803000 575.00 405962517650 43 HG 73804000 555.00 4059625017554 43 HG 73804000 555.00 4059625017564 43 HG 73804000 555.00 4059625017564 44 HG 73803000 577.10 4059625017564 44 HG 73803000 577.10 4059625017564 48 HG 73803000 577.10 4059625017564 48 HG 73816000 597.70 4059625017564 48 HG 73816000 598.00 4059625017564 48 HG 73816000 598.00 4059625017640 48 HG 73816000 598.00 4059625017640 49 HG 73816000 598.00 4059625017640 49 HG 738160					
HG 72815800 415.30 4011097823591 54 HG 72816000 255.30 40596251978155 55 HG 72817000 366.70 4059625197981 53 HG 72820000 368.80 4011097772752 53 HG 72820800 479.60 4011097772738 53 HG 72821800 446.70 4011097772752 50 HG 72821800 580.90 4011097772769 50 HG 72822800 515.50 4011097823584 52 HG 72823000 447.20 4059625255667 49 HG 72823800 581.70 4059625255667 49 HG 72823800 581.70 4059625255663 49 HG 72824000 397.20 4059625255633 51 HG 72824000 397.20 4059625255633 51 HG 72825000 368.80 4059625198186 53 HG 72827000 225.00 4059625277928 63 HG 72827000 225.00 4059625277928 63 HG 72827000 446.70 4059625277928 63 HG 72827800 492.50 4059625277942 63 HG 72831000 487.10 4059625203156 56 HG 72840600 175.00 4059625203149 57 HG 72840600 175.00 405962525510 63 HG 72840600 175.00 4059625255193 63 HG 72840600 28.00 405962525529 63 HG 72841800 65.00 4059625293218 95 HG 72841800 84.50 4059625293218 95 HG 72844000 180.00 4059625293218 95 HG 72841600 84.50 4059625293225 95 HG 72841800 84.50 4059625293225 95 HG 72841800 84.50 4059625293218 95 HG 72841600 84.50 4059625293218 95 HG 72841600 84.50 405962529323 63 HG 72841600 85.00 4059625259320 95 HG 72844000 180.00 4059625269664 61 HG 72843670 266.50 4059625293218 95 HG 72844000 180.00 4059625269657 61 HG 72843670 266.50 4059625269657 61 HG 72843000 205.00 4059625269667 61 HG 72843000 586.00 4059625269667 61 HG 72843000 586.00 4059625269667 61 HG 73803000 464.30 4059625269667 61 HG 73803000 586.00 4059625017600 46 HG 73803000 585.00 4059625017600 46 HG 73803000 585.00 4059625017650 47 HG 73803000 555.00 4059625017550 43 HG 73803000 555.00 4059625017550 43 HG 73804000 533.80 4059625017550 43 HG 73805000 555.00 4059625017500 39 HG 73805000 555.00 4059625017500 39 HG 73806000 777.10 4059625017501 44 HG 73806000 552.00 4059625017560 44 HG 73806000 552.00 4059625017560 49 HG 73806000 777.10 4059625017504 48 HG 73816000 552.00 4059625017561 40 HG 73816000 552.00 4059625017560 42 HG 73816000 552.00 4059625017561 44 HG 73816000 552.00 4059625017561 44 HG 73816000 552.00 4059625017561 44 HG 73					
HG 72816000 255.30 4059625198155 55 HG 72817000 366.70 4059625197981 53 HG 72820000 368.80 4011097772721 53 HG 72820800 479.60 4011097772752 50 HG 72821800 580.90 4011097772759 50 HG 72822000 396.60 4011097823577 52 HG 72823800 581.70 4059625255667 49 HG 72823800 581.70 4059625255667 49 HG 72823800 581.70 4059625255650 49 HG 72824800 515.50 4011097823577 52 HG 72824800 515.80 4059625255665 49 HG 72824800 515.80 4059625255665 49 HG 72824800 397.20 4059625255636 51 HG 72825000 368.80 4059625255636 51 HG 72826000 446.70 405962527982 63 HG 72827000 225.00 4059625277928 63 HG 72827000 225.00 4059625277928 63 HG 72827000 225.00 4059625277942 63 HG 72831000 487.10 4059625203156 56 HG 72840800 175.00 4059625255636 51 HG 72840800 175.00 4059625255299 63 HG 72840800 175.00 405962525793 63 HG 72840800 175.00 4059625255299 63 HG 72840800 228.00 405962527932 63 HG 72840800 228.00 405962527932 63 HG 72840800 175.00 4059625255209 63 HG 72840800 228.00 4059625255299 63 HG 72841800 84.50 4059625255299 63 HG 72841800 84.50 4059625255299 63 HG 72841800 84.50 4059625293225 95 HG 72841800 84.50 4059625293218 95 HG 72843000 205.00 4059625269695 59 HG 72843000 205.00 4059625269695 59 HG 72843000 180.00 4059625269671 61 HG 72843670 266.50 4059625269664 61 HG 72843670 205.00 40596252696657 61 HG 72843000 514.10 4059625269657 61 HG 73803000 464.30 4059625269665 61 HG 73803000 465.00 4059625269657 61 HG 73803000 586.00 4059625017659 45 HG 73803000 586.00 4059625017659 45 HG 73803000 586.00 4059625017659 45 HG 73803000 597.70 4059625017559 43 HG 73803000 555.00 4059625017559 43 HG 73804000 552.00 4059625017551 49 HG 73804000 552.00 4059625017551 49 HG 73805000 577.70 4059625017551 49 HG 73806000 577.70 4059625017551 49 HG 73806000 577.70 4059625017544 48 HG 73806000 577.70 4059625017544 48 HG 73816000 525.00 4059625017640 44 HG 73816000 525.00 4059625017640 44 HG 73816000 525.00 4059625017640 44 H					
HG 72817000 366.70 4059625197981 53 HG 72820000 368.80 4011097772721 53 HG 72820800 479.60 4011097772738 53 HG 72821000 446.70 4011097772752 50 HG 72821800 580.90 4011097772759 50 HG 728212000 396.60 4011097823584 52 HG 72822800 515.50 4011097823577 52 HG 72823000 447.20 4059625255667 49 HG 72823800 581.70 4059625255667 49 HG 72824000 397.20 4059625255643 51 HG 72824800 515.80 4059625255636 51 HG 72824000 397.20 4059625255636 51 HG 72825000 368.80 4059625198186 53 HG 72827000 225.00 4059625277928 63 HG 72827000 225.00 4059625277928 63 HG 72827800 292.50 4059625277935 63 HG 72831000 487.10 4059625203149 57 HG 7284000 175.00 4059625255210 63 HG 7284000 175.00 4059625255210 63 HG 7284000 288.00 405962527319 63 HG 7284000 4059625279321 63 HG 7284000 487.10 4059625203129 57 HG 7284000 487.10 4059625233129 57 HG 7284000 292.50 4059625277932 63 HG 7284000 487.10 4059625203129 57 HG 72840000 175.00 4059625255210 63 HG 7284000 288.00 4059625255210 63 HG 72841670 84.50 4059625253218 95 HG 72841670 84.50 40596252932218 95 HG 72841600 65.00 4059625293222 95 HG 72841600 84.50 4059625293223 95 HG 72843000 205.00 4059625293223 95 HG 72844000 180.00 4059625269685 61 HG 72843000 205.00 4059625269686 61 HG 72843000 205.00 4059625269657 61 HG 72843000 205.00 4059625269684 61 HG 72844000 180.00 4059625269657 61 HG 72844000 180.00 4059625269664 61 HG 72844000 55.00 4059625269684 61 HG 72844000 55.00 4059625269664 61 HG 72844000 55.00 4059625269657 61 HG 73803000 586.00 4059625017650 47 HG 73803000 595.00 4059625017550 43 HG 73803000 555.00 4059625017552 43 HG 73804000 533.80 4059625017552 43 HG 73804000 552.00 4059625017552 43 HG 73804000 555.00 4059625017550 43 HG 73805000 555.00 4059625017550 43 HG 73805000 555.00 4059625017550 43 HG 73805000 555.00 4059625017550 43 HG 73806800 777.10 4059625017514 44 HG 73816000 552.80 4059625176160 40					
HG 72820000 479.60 4011097772721 53 HG 72820800 479.60 4011097772738 53 HG 72821000 446.70 4011097772752 50 HG 72821800 580.90 4011097772759 50 HG 72822800 515.50 4011097823584 52 HG 72822800 515.50 4011097823577 52 HG 72823000 447.20 4059625255667 49 HG 72823800 581.70 4059625255667 49 HG 72824000 397.20 4059625255663 51 HG 72824000 397.20 4059625255633 51 HG 72825000 368.80 4059625198186 53 HG 72825000 446.70 4059625198180 53 HG 72827000 225.00 4059625277928 63 HG 72827000 225.00 4059625277928 63 HG 72827000 425.00 4059625277935 63 HG 72827000 125.00 4059625277942 63 HG 72827800 487.10 4059625203149 57 HG 72840670 292.50 405962527516 63 HG 72840670 292.50 4059625279321 63 HG 72840670 288.00 405962525510 63 HG 72840670 288.00 405962525510 63 HG 72841800 84.50 405962525510 63 HG 72841670 84.50 405962525510 63 HG 72841670 84.50 405962525931 65 HG 72841600 65.00 405962525510 63 HG 72841600 85.00 405962525510 63 HG 72841600 85.00 405962525510 63 HG 72841600 85.00 4059625259321 95 HG 72841670 84.50 4059625259323 95 HG 72842000 300.00 4059625269605 59 HG 72843000 205.00 4059625269605 59 HG 72843000 205.00 4059625269605 61 HG 72843000 205.00 4059625269605 59 HG 72844000 180.00 4059625269665 61 HG 72843000 205.00 4059625269665 61 HG 72843000 205.00 4059625269665 61 HG 72843000 205.00 4059625269665 61 HG 72843000 586.00 4059625269665 61 HG 72843000 586.00 4059625017609 46 HG 73802000 475.00 4059625017650 45 HG 73803000 586.00 4059625017550 43 HG 73803000 585.00 4059625017550 43 HG 73803000 585.00 4059625017550 43 HG 73803000 595.00 4059625017550 43 HG 73804000 533.80 4059625017552 43 HG 73804000 555.00 4059625017550 43 HG 73805000 577.00 4059625017550 43 HG 73806000 777.10 4059625017511 39 HG 73806000 777.10 4059625017514 44 HG 73816000 525.80 4059625176207 42 HG 73816000 525.80 4059625176600 40					
HG 72820800 479.60 4011097772738 53 HG 72821000 446.70 4011097772752 50 HG 72821800 580.90 4011097772769 50 HG 72822000 396.60 4011097823584 52 HG 72823000 447.20 4059625255667 49 HG 72823800 581.70 4059625255650 49 HG 72823800 581.70 4059625255650 49 HG 72824000 397.20 4059625255636 51 HG 72824800 515.80 4059625255636 51 HG 72825000 368.80 4059625255636 51 HG 72825000 368.80 40596252579318 53 HG 72827000 225.00 4059625277928 63 HG 72827000 225.00 4059625277928 63 HG 72827800 292.50 4059625277942 63 HG 72831000 487.10 4059625203156 56 HG 72832000 175.00 4059625203149 57 HG 7284000 175.00 4059625255520 63 HG 7284000 175.00 4059625255209 63 HG 7284000 175.00 4059625255193 63 HG 72841000 65.00 4059625293225 95 HG 72841670 84.50 4059625293225 95 HG 72842670 390.00 4059625293225 95 HG 72843670 300.00 4059625293225 95 HG 72841670 84.50 4059625293225 95 HG 72844670 300.00 4059625293225 95 HG 72844670 300.00 4059625293225 95 HG 72844670 300.00 4059625269909 59 HG 72844670 300.00 4059625269664 61 HG 72844670 234.00 4059625269664 61 HG 728445670 205.00 4059625269664 61 HG 728445670 266.50 4059625269664 61 HG 72844500 205.00 4059625269664 61 HG 72844500 205.00 4059625269664 61 HG 72844500 205.00 4059625269663 62 HG 7380000 586.00 4059625269664 61 HG 72844500 205.00 4059625269664 61 HG 72844500 205.00 4059625269664 61 HG 72844500 205.00 4059625269664 61 HG 73801000 514.10 4059625017650 47 HG 73800000 586.00 4059625017653 47 HG 73800000 599.90 4059625017653 47 HG 73800000 599.90 4059625017551 49 HG 73804800 693.90 4059625017551 49 HG 73805000 555.00 4059625017551 39 HG 73806800 777.10 4059625017551 39 HG 73806800 777.10 4059625017561 44 HG 73806800 777.10 4059625017561 44 HG 73816800 651.60 4059625017562 43 HG 73816800 6525.80 4059625017551 49 HG 73816800 6525.80 4059625017551 49 HG 73816800 6525.80 4059625017561 44 HG 73816800 6525.80 4059625017561 44 HG 73816800 555.80 4059625017561 44 HG 73816800 555.80 4059625017561 44 HG 73816800 558.80 4059625017616 44 HG 73816800 558.80 4059625017616 44 HG 73816800 558.80 40596250176					
HG 72821000 446.70 4011097772752 50 HG 72821800 580.90 4011097772759 50 HG 72822000 396.60 4011097823584 52 HG 72822000 396.60 4011097823587 52 HG 72823000 447.20 4059625255667 49 HG 72823800 581.70 4059625255667 49 HG 72824000 397.20 4059625255663 51 HG 72825000 368.80 4059625255636 51 HG 72825000 368.80 4059625198186 53 HG 72826000 446.70 4059625198209 50 HG 72827000 225.00 4059625277928 63 HG 72827000 225.00 4059625277928 63 HG 72827000 427.00 4059625277935 63 HG 72827000 487.10 4059625237942 63 HG 72831000 487.10 405962523136 56 HG 72832000 175.00 4059625255216 63 HG 72840000 175.00 4059625255216 63 HG 72840000 4059625255216 63 HG 72840000 4059625255216 63 HG 72840000 4059625255216 63 HG 72841000 65.00 4059625255216 63 HG 72841000 65.00 4059625293218 95 HG 72841000 84.50 4059625293218 95 HG 72841670 84.50 4059625293218 95 HG 72842670 390.00 4059625293225 95 HG 72843000 205.00 4059625269688 61 HG 72843600 180.00 4059625269688 61 HG 72844670 234.00 4059625269688 61 HG 72844670 234.00 4059625269688 61 HG 72844500 205.00 4059625269664 61 HG 72844500 205.00 4059625269667 61 HG 72844500 205.00 4059625269664 61 HG 72844500 514.10 4059625269663 62 HG 73803000 464.30 4059625269664 61 HG 72844500 205.00 4059625269663 62 HG 73803000 586.00 4059625269663 62 HG 73803000 586.00 4059625269663 62 HG 73804000 571.00 4059625017630 47 HG 73804000 580.00 4059625017630 47 HG 73804000 590.00 4059625017630 47 HG 73805000 580.00 4059625017653 47 HG 73805000 571.00 4059625017555 41 HG 73805000 571.00 4059625017555 41 HG 73806800 599.90 4059625017554 41 HG 73806800 599.90 4059625017554 41 HG 73806800 599.90 4059625017554 41 HG 73806800 597.70 4059625017548 41 HG 73806000 597.70 4059625017544 48 HG 73806000 597.70 4059625017544 48 HG 73818000 598.60 4059625017616 44 HG 73818000 598.60 4059625017616 44 HG 73818000 598.60 4059625017616 44 HG 73818000 598.80 4059625176160 40					
HG 72821800 580.90 4011097772769 50 HG 72822000 396.60 4011097823584 52 HG 72822800 515.50 4011097823577 52 HG 72823800 581.70 4059625255667 49 HG 72823800 581.70 4059625255665 49 HG 72824000 397.20 4059625255636 51 HG 72824800 515.80 4059625255636 51 HG 72825000 368.80 4059625198209 50 HG 72827000 225.00 4059625198209 50 HG 72827670 292.50 4059625277928 63 HG 72827670 292.50 4059625277942 63 HG 72831000 487.10 405962503156 56 HG 72834000 175.00 4059625233149 57 HG 72840000 175.00 405962525516 63 HG 72840670 228.00 4059625275216 63 HG 72841000 65.00 405962525519 33 HG 72841000 459.00 405962525519 63 HG 72841000 459.00 4059625293218 95 HG 72841000 450.00 4059625293218 95 HG 72841000 450.00 4059625293225 95 HG 72841800 84.50 4059625293225 95 HG 72842670 390.00 4059625269695 59 HG 72843670 228.00 4059625269664 61 HG 72843000 205.00 4059625269664 61 HG 72843670 234.00 4059625269663 62 HG 72843670 266.50 4059625269663 62 HG 72843670 266.50 4059625269663 62 HG 72843670 266.50 4059625269663 62 HG 72843670 256.50 4059625269663 62 HG 72843670 256.50 4059625269663 62 HG 72843670 256.50 4059625269663 62 HG 73843000 205.00 4059625269663 62 HG 73843000 556.50 4059625269663 62 HG 73843000 586.00 4059625269663 62 HG 73845000 599.90 4059625269663 62 HG 73803000 464.30 4059625269663 62 HG 73803000 555.00 4059625017650 45 HG 73803000 555.00 4059625017590 45 HG 73804800 599.90 4059625017593 45 HG 73804800 693.90 4059625017594 45 HG 73805000 555.00 4059625017594 41 HG 73806800 599.90 4059625017594 41 HG 73806800 777.10 4059625017544 41 HG 73818000 534.30 4059625176160 40					
HG 72822000 396.60 4011097823584 52 HG 72822800 515.50 4011097823577 52 HG 72823000 447.20 4059625255667 49 HG 72824000 397.20 4059625255650 49 HG 72824000 397.20 4059625255650 51 HG 72825000 368.80 4059625255636 51 HG 72825000 346.70 4059625198186 53 HG 72827000 225.00 4059625277928 63 HG 72827670 292.50 4059625277928 63 HG 72827800 292.50 4059625277942 63 HG 72827800 292.50 4059625277942 63 HG 72830000 412.00 40596252031149 57 HG 72840000 175.00 405962525516 63 HG 72840000 175.00 4059625255216 63 HG 72841000 65.00 405962525529 63 HG 72841000 65.00 4059625293218 95 HG 72841000 65.00 4059625293225 95 HG 72841000 45.00 4059625293218 95 HG 72841000 180.00 4059625293218 95 HG 72841000 45.00 4059625293225 95 HG 72841800 84.50 4059625293232 95 HG 72842670 390.00 4059625269695 59 HG 72843670 205.00 4059625269695 59 HG 72843670 205.00 4059625269664 61 HG 72843670 205.00 4059625269664 61 HG 72843670 205.00 4059625269665 61 HG 72843670 205.00 4059625269664 61 HG 72843670 205.00 4059625269665 61 HG 72843600 205.00 4059625269665 61 HG 72843600 205.00 4059625269664 61 HG 72843600 205.00 4059625269664 61 HG 72843600 205.00 4059625269663 62 HG 72845000 205.00 4059625269664 61 HG 73803800 664.80 4059625017630 47 HG 73802000 475.00 4059625017630 47 HG 73803800 664.80 4059625017555 41 HG 73804000 555.00 4059625017552 43 HG 73804000 555.00 4059625017552 43 HG 73804000 555.00 4059625017552 43 HG 73804000 555.00 4059625017562 43 HG 73804000 555.00 4059625017554 41 HG 73804000 555.00 4059625017500 39 HG 73805000 555.00 4059625017500 39 HG 73806000 597.70 4059625017500 39 HG 73806000 597.70 4059625017500 39 HG 73816000 525.80 4059625017500 39 HG 73816000 525.80 4059625017500 39 HG 73805000 555.00 4059625017500 39 HG 73806000 597.70 4059625017500 39 HG 73806000 597.70 4059625017500 39 HG 73806000 597.70 4059625017500 40 HG 73816000 525.80 4059625176100 40					
HG 72822800 515.50 4011097823577 52 HG 72823000 447.20 4059625255667 49 HG 72823800 581.70 4059625255667 49 HG 72824000 397.20 4059625255663 51 HG 72824800 515.80 4059625255633 51 HG 72825000 368.80 4059625198186 53 HG 72827000 225.00 4059625277928 63 HG 72827000 225.00 4059625277935 63 HG 72827800 292.50 4059625277942 63 HG 72827800 412.00 4059625277942 63 HG 72831000 487.10 405962523156 56 HG 72832000 112.00 4059625255516 63 HG 72840000 175.00 4059625255516 63 HG 72840000 175.00 4059625255516 63 HG 72841000 65.00 4059625255193 63 HG 72841000 65.00 4059625293218 95 HG 72841800 84.50 4059625293225 95 HG 72843000 205.00 4059625293225 95 HG 72844800 180.00 4059625269664 61 HG 72845670 236.00 4059625269664 61 HG 72844000 180.00 4059625269664 61 HG 72844000 180.00 4059625269664 61 HG 72844570 234.00 4059625269664 61 HG 72844000 180.00 4059625269664 61 HG 72844000 180.00 4059625269664 61 HG 72844570 236.00 4059625269664 61 HG 72844000 180.00 4059625269664 61 HG 72844000 180.00 4059625269664 61 HG 72844000 180.00 4059625269664 61 HG 72844500 205.00 4059625269664 61 HG 72845670 266.50 4059625269664 61 HG 73804800 588.00 4059625269664 61 HG 73804800 588.00 4059625269664 61 HG 73804800 558.00 4059625269664 61 HG 73804800 558.00 4059625269664 61 HG 73804800 588.00 4059625269664 61 HG 73804800 588.00 405962517650 45 HG 73804800 580.00 405962517650 45 HG 73804800 599.90 4059625017552 43 HG 73804800 693.90 4059625017552 43 HG 73804800 693.90 4059625017552 43 HG 73805800 771.00 4059625017554 43 HG 73806800 777.10 4059625017544 48 HG 73818000 525.80 4059625017544 48 HG 73818000 598.80 4059625017544 48 HG 73818000 598.80 4059625017544 48 HG 73818000 598.80 4059625017616 44 HG 73818000 598.80 4059625017544 48 HG 73818000 598.80 4059625017616					
HG 72823000 447.20 4059625255667 49 HG 72823800 581.70 4059625255650 49 HG 72824000 397.20 4059625255643 51 HG 72824000 397.20 4059625255636 51 HG 72825000 386.80 4059625198209 50 HG 72827000 225.00 4059625277928 63 HG 72827670 292.50 4059625277935 63 HG 72827670 292.50 4059625277942 63 HG 72831000 487.10 4059625203156 56 HG 72832000 412.00 4059625203156 56 HG 72834000 175.00 4059625203149 57 HG 72840000 175.00 4059625203149 57 HG 72840000 65.00 405962525516 63 HG 72841670 84.50 4059625293218 95 HG 72841800 84.50 4059625293225 95 HG 72841800 84.50 4059625293232 95 HG 72842000 300.00 4059625269909 59 HG 72843000 205.00 4059625269664 61 HG 72844000 180.00 4059625269664 61 HG 72844670 234.00 4059625269664 61 HG 72844670 180.00 4059625269664 61 HG 72844670 234.00 4059625269664 61 HG 72844670 234.00 4059625269664 61 HG 72845670 266.50 4059625269663 62 HG 72845670 266.50 4059625269664 61 HG 72845000 205.00 4059625269664 61 HG 73803800 586.00 4059625269664 61 HG 73803800 586.00 4059625017630 47 HG 73804000 514.10 4059625017630 47 HG 73804000 552.00 4059625017562 43 HG 73805800 599.90 4059625017562 43 HG 73804000 555.00 4059625017562 43 HG 73804000 533.80 4059625017562 43 HG 73804000 555.00 4059625017555 41 HG 73804000 525.00 4059625017562 43 HG 73805800 751.60 4059625017562 43 HG 73806000 597.70 4059625017584 48 HG 73806000 597.70 4059625017584 48 HG 73818000 525.80 4059625017544 48 HG 73818000 525.80 4059625017544 48 HG 73818000 598.80 4059625017640 40 HG 73818000 597.70 4059625017544 48 HG 73818000 598.80 4059625017616 44 HG 73818000 598.80 4059625017616 44 HG 73818000 598.80 4059625017616 44 HG 73818000 598.80 40596250176160 40					
HG 72824800 581.70 4059625255650 49 HG 72824000 397.20 4059625255643 51 HG 72824800 515.80 4059625255636 51 HG 72825000 368.80 4059625198186 53 HG 72826000 446.70 4059625198209 50 HG 72827000 225.00 4059625277928 63 HG 72827670 292.50 4059625277935 63 HG 72827800 292.50 4059625277942 63 HG 72831000 487.10 40596252031165 56 HG 72832000 112.00 4059625255216 63 HG 72840670 228.00 4059625255216 63 HG 72840800 228.00 4059625255216 63 HG 72841000 65.00 4059625255219 63 HG 72841000 65.00 4059625255219 63 HG 72841000 84.50 4059625293218 95 HG 72841000 84.50 4059625293223 95 HG 72842000 300.00 4059625293223 95 HG 72843000 205.00 4059625269668 61 HG 72843670 266.50 4059625269666 61 HG 72844670 234.00 4059625269666 61 HG 72843670 266.50 4059625269664 61 HG 72843670 266.50 4059625269663 62 HG 72844500 205.00 4059625269663 62 HG 73845670 266.50 4059625269663 62 HG 73803000 464.30 4059625269663 62 HG 73803000 514.10 4059625216963 47 HG 73803000 514.10 4059625017616 46 HG 73803000 525.00 4059625017616 46 HG 73803000 525.00 4059625017652 43 HG 73803000 525.00 4059625017552 43 HG 73804000 533.80 4059625017552 43 HG 73804000 533.80 4059625017552 43 HG 73805000 597.70 4059625017554 41 HG 73805000 597.70 4059625017554 41 HG 73805000 597.70 4059625017551 39 HG 73806000 597.70 4059625017504 48 HG 73805000 597.70 4059625017504 48 HG 73816000 525.80 4059625017616 46 HG 73816000 651.60 4059625017616 44 HG 73816000 651.60 40596250176504 49 HG 73816000 597.70 4059625017504 48 HG 73816000 597.70 4059625017504 48 HG 73816000 597.70 4059625017616 44 HG 73816000 597.70 4059625017616 44 HG 73816000 598.80 4059625017616 44 HG 73816000 598.80 4059625017616 44 HG 73817000 477.10 4059625017616					
HG 72824000 397.20 4059625255643 51 HG 72824800 515.80 4059625255636 51 HG 72825000 368.80 4059625198186 53 HG 72825000 225.00 4059625198209 50 HG 72827000 225.00 4059625277928 63 HG 72827800 292.50 4059625277942 63 HG 72831000 487.10 4059625203156 56 HG 72832000 175.00 4059625203156 56 HG 72840000 175.00 405962525216 63 HG 72840670 228.00 4059625255216 63 HG 72840670 228.00 4059625255216 63 HG 72841000 65.00 405962525529 63 HG 72841000 459.00 40596252323 95 HG 72841670 84.50 4059625293225 95 HG 72842000 300.00 4059625293223 95 HG 72843000 205.00 4059625293232 95 HG 72843000 205.00 4059625269695 59 HG 72843000 105.00 4059625269695 61 HG 72844670 206.50 4059625269664 61 HG 72844670 234.00 4059625269664 61 HG 72845670 256.50 4059625269664 61 HG 72845670 256.50 4059625269663 62 HG 72845000 205.00 4059625269664 61 HG 72845000 205.00 4059625269664 61 HG 72845670 256.50 4059625269657 61 HG 72845000 205.00 4059625269664 62 HG 72845670 256.50 4059625269664 62 HG 72845000 205.00 4059625269664 62 HG 73803000 464.30 4059625269663 62 T3 HG 73804000 514.10 4059625017630 47 HG 73803000 525.00 4059625017653 47 HG 73803000 586.00 4059625017654 46 HG 73803800 586.00 4059625017658 45 HG 73803800 599.90 4059625017558 45 HG 73803800 599.90 4059625017554 43 HG 73803800 599.90 4059625017554 43 HG 73803800 599.90 4059625017554 43 HG 73803800 597.70 4059625017554 43 HG 73803800 597.70 4059625017554 43 HG 73804800 597.70 4059625017554 43 HG 73804800 597.70 4059625017554 43 HG 73804800 597.70 4059625017554 43 HG 73805800 721.60 4059625017554 43 HG 73805800 721.60 4059625017548 41 HG 73806800 777.10 4059625017544 48 HG 73816800 597.70 4059625017544 48 HG 73816800 525.80 4059625017447 48 HG 73816800 525.80 4059625017447 48 HG 73816800 598.60 4059625176027 42 HG 73817000 477.10 4059625176160 40					
HG 72824800 515.80 4059625255636 51 HG 72825000 368.80 4059625198186 53 HG 72826000 446.70 4059625198209 50 HG 72827000 225.00 4059625277928 63 HG 72827670 292.50 4059625277935 63 HG 72827800 292.50 4059625277942 63 HG 72831000 487.10 4059625203156 56 HG 72832000 412.00 4059625203156 56 HG 72832000 412.00 4059625203149 57 HG 72840670 228.00 4059625255216 63 HG 72840670 228.00 4059625255216 63 HG 72841000 65.00 4059625255219 63 HG 72841000 65.00 405962525209 63 HG 72841670 84.50 4059625293218 95 HG 72841670 84.50 4059625293225 95 HG 72842000 300.00 4059625293225 95 HG 72842000 300.00 4059625293225 95 HG 72843670 266.50 4059625269695 59 HG 72843670 266.50 4059625269664 61 HG 72844670 234.00 4059625269664 61 HG 72845000 205.00 4059625269664 61 HG 72845000 205.00 4059625269663 62 HG 72845000 205.00 4059625269663 62 HG 72845000 205.00 4059625269663 62 HG 72845000 505.00 4059625269663 62 HG 73800000 464.30 4059625269663 62 HG 73800000 464.30 4059625269663 62 HG 73800000 514.10 4059625017630 47 HG 73800800 586.00 4059625269663 62 HG 73803800 599.90 4059625017630 47 HG 73804000 514.10 4059625017616 46 HG 73804000 533.80 4059625017555 41 HG 73804000 533.80 4059625017554 43 HG 73804000 555.00 4059625017554 43 HG 73805800 77.10 4059625017554 41 HG 73805800 77.10 4059625017554 41 HG 73805800 77.10 4059625017554 41 HG 73806800 77.10 4059625017554 41 HG 73806800 77.10 4059625017554 41 HG 73806800 77.10 4059625017514 48 HG 73806800 77.10 4059625017548 41 HG 73806800 77.10 4059625017544 48 HG 73812800 537.40 4059625017548 41 HG 73812800 537.40 4059625017544 48 HG 73812800 537.40 4059625017644 48 HG 73812800 537.40 40596250175184 44 HG 73816800 661.60 4059625176027 42 HG 73816800 6525.00 40596250175184 44 HG 73816800 661.60 4059625176174 44 HG 73818000 534.30 4059625176174 44 HG 73818000 534.30 4059625176174 44 HG 73818000 534.30 4059625176160 40					
HG 72825000 368.80 4059625198186 53 HG 72826000 446.70 4059625198209 50 HG 72827000 225.00 4059625277935 63 HG 72827800 292.50 4059625277935 63 HG 72827800 487.10 4059625277942 63 HG 72831000 487.10 4059625203156 56 HG 72832000 412.00 4059625203156 56 HG 728340670 228.00 4059625253149 57 HG 72840800 175.00 40596252523149 57 HG 72840800 228.00 4059625255193 63 HG 72841000 65.00 4059625255193 63 HG 72841000 65.00 4059625255193 63 HG 72841000 48.50 4059625255193 63 HG 72841000 45.00 4059625255193 63 HG 72841000 45.00 4059625255193 63 HG 72843000 228.00 4059625255193 63 HG 72843800 84.50 4059625253193 95 HG 72843800 84.50 4059625253128 95 HG 72843670 84.50 4059625293225 95 HG 72843000 4059625293232 95 HG 72843000 4059625269695 59 HG 72843670 266.50 4059625269695 61 HG 72844670 234.00 4059625269664 61 HG 72844670 234.00 4059625269664 61 HG 72844500 205.00 4059625269664 61 HG 72844500 205.00 4059625269664 61 HG 72845000 205.00 4059625269663 62 73 HG 73800000 464.30 4059625269663 62 HG 73803000 586.00 4059625269663 62 HG 73803000 586.00 4059625217630 47 HG 73803000 511.10 4059625017609 46 HG 73803000 555.00 4059625017593 45 HG 73803000 525.00 4059625017593 45 HG 73803000 555.00 4059625017555 41 HG 73804000 533.80 4059625017554 43 HG 73805800 757.10 4059625017554 41 HG 73805800 777.10 4059625017514 49 HG 73805800 777.10 4059625017514 48 HG 73812000 426.50 4059625017514 48 HG 7380600 597.70 4059625017514 48 HG 73812000 426.50 4059625017514 44 HG 73818000 534.30 4059625176217 44 HG 73818000 534.30 4059625176217 44 HG 73818000 534.30 4059625176217 44					
HG 72826000 446.70 4059625198209 50 HG 72827000 225.00 4059625277928 63 HG 72827670 292.50 4059625277942 63 HG 72827800 292.50 4059625277942 63 HG 72831000 487.10 4059625203156 56 HG 72832000 412.00 4059625203149 57 HG 72840000 175.00 4059625255216 63 HG 72840800 228.00 4059625255216 63 HG 72840800 228.00 4059625255216 63 HG 72840800 28.00 4059625255219 63 HG 72841000 65.00 4059625255193 63 HG 72841670 84.50 4059625293218 95 HG 72841800 84.50 4059625293218 95 HG 72842000 300.00 4059625293212 95 HG 72842000 300.00 4059625293225 95 HG 72843000 205.00 4059625293232 95 HG 72842670 390.00 4059625269695 59 HG 72843000 180.00 4059625269695 61 HG 72844000 180.00 4059625269664 61 HG 72844670 234.00 4059625269667 61 HG 72845670 266.50 4059625269657 61 HG 72845670 266.50 4059625269657 61 HG 72845670 266.50 4059625269657 61 HG 73800000 464.30 4059625269664 62 HG 73801800 586.00 4059625217663 47 HG 73802000 475.00 4059625017669 46 HG 73802000 475.00 4059625017553 45 HG 73803000 555.00 4059625017555 41 HG 73803000 555.00 4059625017554 43 HG 73805800 777.10 4059625017554 41 HG 73805800 777.10 4059625017504 39 HG 7380600 597.70 4059625017504 39 HG 73805800 777.10 4059625017504 48 HG 73805800 777.10 4059625017504 48 HG 73812800 577.00 4059625017504 48 HG 73812800 577.00 4059625017504 48 HG 73812800 577.00 4059625017504 49 HG 73805800 777.10 4059625017504 48 HG 7380600 577.10 4059625017504 48 HG 73812800 577.10 4059625017604 48 HG 73812800 577.10 4059625017504 48 HG 73816800 661.60 4059625176184 44 HG 73818000 578.60 4059625176174 44 HG 73818000 534.30 4059625176160 40					
HG 72827000 225.00 4059625277928 63 HG 72827670 292.50 4059625277935 63 HG 72827800 292.50 4059625277942 63 HG 72831000 487.10 4059625203156 56 HG 72832000 412.00 4059625203136 56 HG 72840000 175.00 405962525216 63 HG 72840800 228.00 405962552516 63 HG 72840800 228.00 4059625255209 63 HG 72841000 65.00 4059625255209 63 HG 72841000 65.00 4059625255209 63 HG 72841670 84.50 4059625293218 95 HG 72841800 84.50 4059625293225 95 HG 72842000 300.00 4059625293222 95 HG 72842000 300.00 4059625293232 95 HG 72843000 205.00 4059625293232 95 HG 72843000 205.00 4059625269695 59 HG 72843670 266.50 4059625269664 61 HG 72844670 234.00 4059625269664 61 HG 72844670 234.00 4059625269664 62 HG 72845000 205.00 4059625269664 62 HG 72845000 505.00 4059625269664 62 HG 72845000 505.00 4059625269664 62 HG 73803000 464.30 4059625269664 62 HG 73803000 464.30 4059625017630 47 HG 7380000 464.30 4059625017663 47 HG 7380800 586.00 4059625017663 47 HG 7380800 586.00 4059625017653 47 HG 7380800 586.00 4059625017653 47 HG 7380800 599.90 4059625017654 46 HG 73803800 599.90 4059625017593 45 HG 73803800 599.90 4059625017593 45 HG 73804000 533.80 4059625017555 41 HG 73804000 533.80 4059625017554 43 HG 73804000 597.70 4059625017554 41 HG 73805800 721.60 4059625017551 39 HG 73804000 597.70 4059625017517 39 HG 73816000 597.70 4059625017517 39 HG 73816000 597.70 4059625017518 48 HG 73816000 597.70 4059625017500 39 HG 73816000 597.70 4059625017518 44 HG 73818000 598.60 4059625176207 42					
HG 72827670 292.50 4059625277935 63 HG 72827800 292.50 4059625277942 63 HG 72831000 487.10 4059625203156 56 HG 72832000 412.00 4059625203149 57 HG 72840000 175.00 4059625255216 63 HG 72840670 228.00 4059625255209 63 HG 72840800 228.00 4059625255209 63 HG 72841600 65.00 4059625255193 63 HG 72841670 84.50 4059625293218 95 HG 72841800 84.50 4059625293225 95 HG 72842670 300.00 4059625293225 95 HG 72842670 390.00 4059625269695 59 HG 72842670 390.00 4059625269695 59 HG 72843600 205.00 4059625269664 61 HG 72844670 234.00 4059625269664 61 HG 72844670 205.00 4059625269664 61 HG 72845670 266.50 4059625269664 62 HG 72845670 266.50 4059625269664 62 HG 73800000 464.30 4059625269663 62 T3 HG 73800000 464.30 4059625017630 47 HG 73801800 514.10 4059625017630 47 HG 73802000 475.00 4059625017659 45 HG 73803800 586.00 4059625017659 45 HG 73803800 599.90 4059625017659 45 HG 73803800 599.90 4059625017553 45 HG 73803800 533.80 4059625017554 43 HG 73804000 555.00 4059625017554 43 HG 73804000 555.00 4059625017554 43 HG 73805000 597.70 4059625017554 49 HG 73805000 597.70 4059625017517 39 HG 73805000 597.70 4059625017514 48 HG 73816000 598.60 4059625017610 44					
HG 72827800 292.50 4059625277942 63 HG 72831000 487.10 4059625203156 56 HG 72832000 412.00 4059625203149 57 HG 72840000 175.00 4059625255216 63 HG 72840670 228.00 4059625255216 63 HG 72840800 228.00 4059625255219 63 HG 72841000 65.00 4059625255219 63 HG 72841000 65.00 4059625293218 95 HG 72841800 84.50 4059625293225 95 HG 72842000 300.00 4059625293225 95 HG 72842670 390.00 4059625269695 59 HG 72843670 266.50 4059625269688 61 HG 72844000 180.00 4059625269688 61 HG 72844570 266.50 4059625269664 61 HG 72844000 180.00 4059625269664 61 HG 72844570 234.00 4059625269664 62 HG 72845670 266.50 4059625269633 62 73 HG 73800000 464.30 4059625017630 47 HG 73801800 650.70 4059625017616 46 HG 73801800 650.70 4059625017562 47 HG 73802800 599.90 4059625017555 41 HG 73803800 664.80 4059625017554 45 HG 73804000 555.00 4059625017554 43 HG 73805800 771.00 4059625017554 43 HG 73805800 771.00 4059625017551 39 HG 73806800 777.10 405962501751 39 HG 73806800 777.10 4059625017500 39 HG 73812800 597.70 4059625017500 39 HG 73812800 597.70 4059625017500 39 HG 73812800 597.70 4059625017544 48 HG 73812800 597.70 4059625017547 48 HG 73816800 651.60 4059625017547 48 HG 73812800 597.70 4059625017547 48 HG 73812800 597.70 4059625017548 41 HG 73812800 597.70 4059625017548 41 HG 73806800 777.10 4059625017548 41 HG 73816800 651.60 4059625017548 48 HG 73816800 651.60 4059625017548 48 HG 73816800 651.60 4059625017548 48 HG 73816800 651.60 4059625017548 44 HG 73817800 598.60 40596250176160 40					
HG 72831000 487.10 4059625203156 56 HG 72832000 412.00 4059625203149 57 HG 72840000 175.00 4059625255216 63 HG 72840670 228.00 4059625255209 63 HG 72840800 228.00 4059625255209 63 HG 72841000 65.00 405962525318 95 HG 72841670 84.50 4059625293218 95 HG 72841800 84.50 4059625293225 95 HG 72842000 300.00 4059625293232 95 HG 72842670 390.00 4059625269909 59 HG 72843670 266.50 4059625269909 59 HG 72843670 266.50 4059625269668 61 HG 72844670 234.00 4059625269664 61 HG 72844670 234.00 4059625269664 61 HG 72845670 266.50 4059625269664 62 HG 72845670 266.50 4059625269663 62 T3 T3 HG 73800000 464.30 4059625017630 47 HG 73801800 596.00 4059625017650 47 HG 73802800 599.90 4059625017659 45 HG 73803800 664.80 4059625017555 41 HG 73804800 593.30 4059625017555 41 HG 73805800 597.70 4059625017551 39 HG 73805800 721.60 4059625017513 39 HG 73805800 597.70 4059625017513 39 HG 73805800 721.60 4059625017513 39 HG 73805800 597.70 4059625017513 39 HG 73805800 721.60 4059625017513 39 HG 73805800 597.70 4059625017514 41 HG 73805800 721.60 4059625017514 41 HG 73805800 597.70 4059625017514 48 HG 73805800 721.60 4059625017544 41 HG 73812800 537.40 4059625017544 48 HG 73812800 597.70 4059625017544 48 HG 73812800 537.40 4059625017644 48 HG 73816800 661.60 4059625017618 44 HG 73817800 598.60 4059625176174 44 HG 73817800 598.60 4059625176160 40					
HG 72832000 412.00 4059625203149 57 HG 72840000 175.00 4059625255216 63 HG 72840670 228.00 4059625255209 63 HG 72840800 228.00 4059625255193 63 HG 72841000 65.00 4059625255193 63 HG 72841670 84.50 4059625293225 95 HG 72841800 84.50 4059625293225 95 HG 72842000 300.00 4059625269909 59 HG 72842000 300.00 405962569909 59 HG 72843670 390.00 4059625269909 59 HG 72843670 266.50 4059625269668 61 HG 72844000 180.00 4059625269664 61 HG 72844670 234.00 4059625269664 61 HG 72844570 266.50 4059625269664 61 HG 72845670 266.50 4059625269664 62 HG 72845670 266.50 4059625269663 62 T3 HG 73800000 464.30 4059625017630 47 HG 73800800 586.00 4059625017630 47 HG 73801800 514.10 4059625017616 46 HG 73801800 599.90 4059625017609 46 HG 73802800 599.90 4059625017559 43 HG 73803800 664.80 4059625017552 43 HG 73804800 533.80 4059625017554 41 HG 73805800 721.60 4059625017513 39 HG 73805800 721.60 4059625017513 39 HG 73805800 721.60 4059625017514 39 HG 73805800 721.60 4059625017514 39 HG 73805800 721.60 4059625017514 39 HG 73805800 721.60 4059625017517 39 HG 73805800 555.00 4059625017517 39 HG 73805800 721.60 4059625017517 39 HG 73805800 721.60 4059625017517 39 HG 73805800 721.60 4059625017548 41 HG 73805800 721.60 4059625017544 41 HG 73805800 552.80 4059625017544 48 HG 73805800 777.10 4059625017547 48 HG 73812800 537.40 4059625017548 41 HG 73812800 537.40 4059625017548 48 HG 73812800 525.80 4059625017548 48 HG 73812800 537.40 4059625017548 48 HG 73816800 651.60 4059625017618 44 HG 73816800 651.60 4059625017618 44 HG 73817800 598.60 4059625176170 42					
HG 72840000 175.00 4059625255216 63 HG 72840670 228.00 4059625255209 63 HG 72840800 228.00 40596252555209 63 HG 72841000 65.00 4059625293218 95 HG 72841670 84.50 4059625293225 95 HG 72841800 84.50 4059625293232 95 HG 72842000 300.00 4059625269909 59 HG 72842670 390.00 4059625269909 59 HG 72843670 266.50 4059625269695 59 HG 72843670 266.50 4059625269664 61 HG 72843670 234.00 4059625269664 61 HG 72844670 234.00 4059625269664 61 HG 72844670 234.00 4059625269667 61 HG 72844670 234.00 4059625269664 62 HG 728455670 266.50 4059625269664 62 HG 7380000 464.30 4059625269633 62 73 HG 7380000 464.30 4059625017630 47 HG 73801800 514.10 4059625017616 46 HG 73802800 599.90 4059625017669 46 HG 73803800 525.00 4059625017593 45 HG 73803800 599.90 4059625017586 45 HG 73803800 604.80 4059625017555 41 HG 73804800 533.80 4059625017552 43 HG 73805000 555.00 4059625017552 43 HG 73805000 577.00 4059625017552 43 HG 73805800 721.60 4059625017500 39 HG 73805800 777.10 4059625017500 39 HG 73806800 597.70 4059625017500 39 HG 73806800 777.10 4059625017487 48 HG 73812800 525.80 4059625017484 48 HG 73812800 525.80 4059625017500 39 HG 73816800 525.80 4059625017500 39 HG 73816800 525.80 4059625017500 39 HG 73816800 525.80 4059625017484 48 HG 73818000 525.80 4059625017500 39 HG 73806800 777.10 4059625017500 39 HG 73816800 525.80 4059625017500 39 HG 73816800 525.80 4059625017548 48 HG 73816800 525.80 4059625017548 48 HG 73816800 525.80 4059625017500 39 HG 73816800 525.80 4059625017500 39 HG 73816800 525.80 4059625017548 48 HG 73816800 661.60 4059625017487 48 HG 73816800 525.80 4059625017487 48 HG 73817800 598.60 4059625176184 44 HG 73817800 598.60 4059625176184 44 HG 73817800 598.60 4059625176160 40					
HG 72840670 228.00 4059625255209 63 HG 72840800 228.00 4059625255193 63 HG 72841000 65.00 4059625293218 95 HG 72841670 84.50 4059625293225 95 HG 72841800 84.50 4059625293232 95 HG 72842000 300.00 4059625269909 59 HG 72842670 390.00 4059625269695 59 HG 72843670 266.50 40596252696671 61 HG 72844670 234.00 4059625269667 61 HG 72844670 234.00 4059625269657 61 HG 72844670 234.00 4059625269664 62 HG 72845670 266.50 4059625269664 62 HG 72845670 266.50 4059625269664 62 HG 72845670 266.50 4059625269664 62 HG 73800000 464.30 4059625269664 62 HG 73800000 464.30 4059625269663 62 HG 73800000 464.30 4059625269664 64 HG 73801800 586.00 4059625017630 47 HG 73802000 475.00 4059625017609 46 HG 73803800 599.90 4059625017593 45 HG 73803800 599.90 4059625017596 43 HG 73803800 525.00 4059625017556 43 HG 73804800 533.80 4059625017555 41 HG 73805800 79.90 4059625017552 43 HG 73805800 79.90 4059625017552 43 HG 73805800 597.70 4059625017552 43 HG 73805800 79.90 4059625017552 43 HG 73805800 597.70 4059625017500 39 HG 73805800 77.10 4059625017500 39 HG 73806800 777.10 4059625017500 39 HG 73816800 525.80 4059625017500 39 HG 73816800 525.80 4059625017484 48 HG 73816800 525.80 4059625017484 48 HG 73816800 525.80 4059625017548 48 HG 73816800 525.80 4059625017544 48					
HG 72840800 228.00 4059625255193 63 HG 72841000 65.00 4059625293218 95 HG 72841670 84.50 4059625293225 95 HG 72841800 84.50 4059625293232 95 HG 72842000 300.00 4059625269909 59 HG 72842670 390.00 4059625269695 59 HG 72843000 205.00 4059625269688 61 HG 72843670 266.50 4059625269664 61 HG 72844670 234.00 4059625269667 61 HG 72844500 205.00 4059625269667 61 HG 72844500 205.00 4059625269664 62 HG 72845670 266.50 4059625269663 62 T3 HG 73800000 464.30 4059625269640 62 HG 73801800 586.00 4059625017630 47 HG 73802800 599.90 4059625017593 45 HG 73803800 525.00 4059625017596 45 HG 73803800 664.80 4059625017555 41 HG 73804800 533.80 4059625017554 43 HG 73805800 721.60 4059625017517 39 HG 73805800 757.70 4059625017517 39 HG 73805800 777.10 4059625017517 39 HG 73806800 597.70 4059625017517 39 HG 73806800 597.70 4059625017517 39 HG 73805800 771.00 4059625017517 39 HG 73805800 757.70 4059625017554 41 HG 73805800 597.70 4059625017548 41 HG 73805800 555.00 4059625017554 49 HG 73805800 771.00 4059625017517 39 HG 73805800 757.70 4059625017517 39 HG 73806800 597.70 4059625017517 39 HG 73806800 597.70 4059625017517 39 HG 73806800 777.10 4059625017517 39 HG 73816800 651.60 4059625017548 48 HG 73816000 525.80 4059625017548 41 HG 73816800 597.70 4059625017517 39 HG 73806800 777.10 4059625017517 39 HG 73816800 597.70 4059625017548 41 HG 73816800 597.70 4059625017548 48 HG 73816800 597.70 4059625017549 48 HG 73816800 597.70 4059625017549 48					
HG 72841000 65.00 4059625293218 95 HG 72841670 84.50 4059625293225 95 HG 72841800 84.50 4059625293232 95 HG 72842000 300.00 4059625269909 59 HG 72842670 390.00 4059625269695 59 HG 72843000 205.00 4059625269688 61 HG 72843670 266.50 4059625269664 61 HG 72844670 234.00 4059625269657 61 HG 72845670 205.00 4059625269667 HG 72845670 205.00 4059625269667 HG 72845670 205.00 4059625269667 HG 73800000 464.30 4059625269633 62 73 HG 73800000 464.30 4059625017630 47 HG 73801800 586.00 4059625017609 46 HG 73802800 599.90 4059625017593 45 HG 73803000 525.00 4059625017593 45 HG 73803000 525.00 4059625017556 43 HG 73804800 533.80 4059625017555 41 HG 73804800 693.90 4059625017524 39 HG 73805800 721.60 4059625017500 39 HG 73806800 597.70 4059625017517 39 HG 73805800 721.60 4059625017500 39 HG 73806800 597.70 4059625017517 39 HG 73806800 777.10 4059625017500 39 HG 73807000 525.00 4059625017500 39 HG 73816000 592.80 4059625017500 39 HG 73806800 777.10 4059625017500 39 HG 73816000 525.80 4059625017500 39 HG 73816000 525.80 4059625017500 39 HG 73807000 525.00 4059625017500 39 HG 73806800 777.10 4059625017500 39 HG 73807000 525.00 4059625017500 39 HG 73816000 597.70 4059625017487 48 HG 73816000 525.80 4059625017487 48 HG 73816000 525.80 4059625176174 44 HG 73817000 477.10 4059625176174 44 HG 73817000 598.60 4059625176177 44 HG 73818000 534.30 4059625176160 40					
HG 72841670 84.50 4059625293225 95 HG 72841800 84.50 4059625293232 95 HG 72842000 300.00 4059625269909 59 HG 72842670 390.00 4059625269695 59 HG 72843000 205.00 4059625269688 61 HG 72843670 266.50 4059625269664 61 HG 72844670 234.00 4059625269664 61 HG 728445000 205.00 4059625269664 61 HG 72845670 266.50 4059625269664 62 HG 72845670 266.50 4059625269664 62 HG 72845670 266.50 4059625269633 62 73 HG 73800000 464.30 4059625269633 62 74 HG 73801800 586.00 4059625017630 47 HG 73802800 475.00 4059625017609 46 HG 73803000 475.00 4059625017586 45 HG 73803000 525.00 4059625017562 43 HG 73804800 693.90 4059625017555 41 HG 73805800 721.60 4059625017517 39 HG 73805800 721.60 4059625017517 39 HG 73805800 721.60 4059625017517 39 HG 73805800 721.60 4059625017500 39 HG 73806800 777.10 4059625017500 39 HG 73806800 777.10 4059625017500 39 HG 73812800 597.70 4059625017500 39 HG 73816800 525.80 4059625017600 42 HG 73816800 525.80 4059625017600 42 HG 73816800 525.80 4059625017600 42 HG 73817800 598.60 4059625176170 44 HG 73817800 598.60 4059625176170 44					
HG 72841800 84.50 4059625293232 95 HG 72842000 300.00 4059625269909 59 HG 72842670 390.00 4059625269695 59 HG 72843000 205.00 4059625269688 61 HG 72843670 266.50 4059625269664 61 HG 72844000 180.00 4059625269664 61 HG 72844670 234.00 4059625269657 61 HG 72845000 205.00 4059625269640 62 HG 72845670 266.50 4059625269633 62 73 HG 73800000 464.30 4059625269633 62 73 HG 73801800 514.10 4059625017630 47 HG 73802800 475.00 4059625017699 46 HG 73803800 599.90 4059625017586 45 HG 73803800 525.00 4059625017555 41 HG 73804800 693.90 4059625017551 39 HG 73805800 721.60 4059625017524 39 HG 73805800 721.60 4059625017500 39 HG 73806800 777.10 4059625017500 39 HG 73806800 777.10 4059625017500 39 HG 73812800 597.70 4059625017500 39 HG 73812800 597.70 4059625017500 39 HG 73806800 777.10 4059625017500 39 HG 73806800 555.00 4059625017500 39 HG 73816000 525.80 4059625017500 39 HG 73816000 525.80 4059625017500 39 HG 73816000 525.80 4059625017624 48 HG 73816800 661.60 4059625017600 42 HG 73816800 661.60 4059625017600 42 HG 73817800 598.60 4059625176170 44 HG 73817800 598.60 4059625176170 44 HG 73817800 598.60 4059625176170 44					
HG 72842000 300.00 4059625269909 59 HG 72842670 390.00 4059625269695 59 HG 72843000 205.00 4059625269688 61 HG 72843670 266.50 4059625269664 61 HG 72844670 234.00 4059625269664 61 HG 728445000 205.00 4059625269664 62 HG 72845670 266.50 4059625269664 62 HG 72845670 266.50 4059625269633 62 73 HG 73800000 464.30 4059625269633 62 73 HG 73801000 514.10 4059625017630 47 HG 73802000 475.00 4059625017609 46 HG 73802800 599.90 4059625017593 45 HG 73803000 525.00 4059625017562 43 HG 73804000 533.80 4059625017562 43 HG 73804000 533.80 4059625017555 41 HG 73804800 693.90 4059625017531 39 HG 73805800 721.60 4059625017500 39 HG 73806000 597.70 4059625017570 39 HG 73806000 597.70 4059625017570 39 HG 73806000 597.70 4059625017550 39 HG 73806000 597.70 4059625017500 39 HG 73806000 597.70 4059625017500 39 HG 73807000 525.00 4059625017500 39 HG 73806000 597.70 4059625017622 43 HG 73816000 525.80 4059625017494 48 HG 73816000 525.80 40596251766221 42 HG 73816000 525.80 4059625176620 42 HG 73817000 477.10 4059625176184 44 HG 73817800 598.60 4059625176177 44 HG 73818000 534.30 4059625176160 40					
HG 72842670 390.00 4059625269695 59 HG 72843000 205.00 4059625269688 61 HG 72843670 266.50 4059625269671 61 HG 72844000 180.00 4059625269664 61 HG 72844670 234.00 4059625269657 61 HG 72845000 205.00 4059625269640 62 HG 72845670 266.50 4059625269633 62 73 HG 73800000 464.30 4059625269633 47 HG 73801000 514.10 4059625017623 47 HG 73801800 650.70 4059625017609 46 HG 73802000 475.00 4059625017593 45 HG 73803000 525.00 4059625017593 45 HG 73803000 525.00 4059625017555 41 HG 73804000 533.80 4059625017548 41 HG 73805000 555.00 4059625017531 39 HG 73805800 721.60 4059625017524 39 HG 73806000 597.70 4059625017500 39 HG 73806000 597.70 4059625017500 39 HG 73806000 597.70 4059625017517 39 HG 73806000 597.70 4059625017500 39 HG 73812800 537.40 4059625017444 48 HG 73816000 525.80 4059625017487 48 HG 73816800 661.60 4059625176221 42 HG 73817800 598.60 4059625176184 44 HG 73817800 598.60 4059625176177 44 HG 73818000 534.30 4059625176177 44 HG 73818000 534.30 4059625176177 44					
HG 72843000 205.00 4059625269688 61 HG 72843670 266.50 4059625269671 61 HG 72844000 180.00 4059625269664 61 HG 72844670 234.00 4059625269657 61 HG 72845000 205.00 4059625269640 62 HG 72845670 266.50 4059625269633 62 73 HG 73800000 464.30 4059625017630 47 HG 73801000 514.10 4059625017664 46 HG 73801800 650.70 4059625017699 46 HG 73802000 475.00 4059625017593 45 HG 73803000 525.00 4059625017586 45 HG 73803000 525.00 4059625017555 41 HG 73804800 693.90 4059625017524 39 HG 73805800 771.60 4059625017524 39 HG 73806800 777.10 4059625017500 39 HG 73806800 777.10 4059625017500 39 HG 73812000 426.50 4059625017494 48 HG 73812800 593.60 4059625017494 48 HG 73816800 661.60 4059625176221 42 HG 73816800 650.70 4059625176221 42 HG 73817800 598.60 4059625176177 44 HG 73818000 534.30 4059625176177 44					
HG 72843670 266.50 4059625269671 61 HG 72844000 180.00 4059625269664 61 HG 72844670 234.00 40596252696657 61 HG 72845000 205.00 4059625269640 62 HG 72845670 266.50 4059625269633 62 73 HG 73800000 464.30 4059625017630 47 HG 73801000 514.10 4059625017616 46 HG 73802000 477.10 4059625017550 42 HG 73803800 586.00 4059625017517 39 HG 73804800 597.70 4059625017517 39 HG 73804800 533.80 4059625017524 39 HG 73804000 514.10 4059625017593 45 HG 73803000 525.00 4059625017555 41 HG 73803800 664.80 4059625017555 41 HG 73804800 693.90 4059625017531 39 HG 73805000 555.00 4059625017524 39 HG 73806800 777.10 4059625017500 39 HG 73807000 525.00 4059625017500 39 HG 73812800 597.70 4059625017500 39 HG 73812800 597.70 4059625017500 39 HG 73812800 537.40 4059625017487 48 HG 73816800 661.60 4059625176221 42 HG 73817800 598.60 4059625176184 44 HG 73817800 598.60 4059625176177 44 HG 73817800 598.60 4059625176177 44 HG 73817800 598.60 4059625176177 44					
HG 72844000 180.00 4059625269664 61 HG 72844670 234.00 4059625269657 61 HG 72845000 205.00 4059625269640 62 HG 72845670 266.50 4059625269633 62 73 HG 73800000 464.30 4059625017630 47 HG 73801000 514.10 4059625017616 46 HG 73801800 650.70 4059625017609 46 HG 73802800 599.90 4059625017593 45 HG 73803000 525.00 4059625017586 45 HG 73803800 664.80 4059625017579 43 HG 73804800 693.90 4059625017555 41 HG 73805800 721.60 4059625017517 39 HG 73805000 555.00 4059625017524 39 HG 73806800 777.10 4059625017500 39 HG 73806800 777.10 4059625017500 39 HG 73812800 525.80 4059625017548 41 HG 73812800 597.70 4059625017517 39 HG 73806800 777.10 4059625017517 48 HG 73812800 537.40 4059625017494 48 HG 73812800 525.80 4059625017494 48 HG 73816800 661.60 4059625176221 42 HG 73817800 525.80 4059625176221 42 HG 73817800 598.60 4059625176177 44					
HG 72844670 234.00 4059625269657 61 HG 72845000 205.00 4059625269640 62 HG 72845670 266.50 4059625269633 62 73 HG 73800000 464.30 4059625017630 47 HG 73801000 514.10 4059625017616 46 HG 73801800 650.70 4059625017609 46 HG 73802800 599.90 4059625017593 45 HG 73803000 525.00 4059625017579 43 HG 73803800 664.80 4059625017555 41 HG 73804800 693.90 4059625017531 39 HG 73805800 721.60 4059625017524 39 HG 73806800 777.10 4059625017500 39 HG 73806800 777.10 4059625017500 39 HG 73812800 525.80 4059625017494 48 HG 73816800 661.60 4059625176221 42 HG 73816800 661.60 405962517627 42 HG 73817800 598.60 4059625176177 44					
HG 72845000 205.00 4059625269640 62 HG 72845670 266.50 4059625269633 62 73 HG 73800000 464.30 4059625017630 47 HG 73800800 586.00 4059625017623 47 HG 73801800 550.70 4059625017616 46 HG 73801800 650.70 4059625017609 46 HG 73802000 475.00 4059625017593 45 HG 73802800 599.90 4059625017593 45 HG 73803800 599.90 4059625017586 45 HG 73803800 525.00 4059625017562 43 HG 73803800 664.80 4059625017555 41 HG 73804800 693.90 4059625017548 41 HG 73805000 555.00 4059625017531 39 HG 73806800 777.10 4059625017500 39 HG					
HG 72845670 266.50 4059625269633 62 73 HG 73800000 464.30 4059625017630 47 HG 73800800 586.00 4059625017623 47 HG 73801000 514.10 4059625017616 46 HG 73801800 650.70 4059625017609 46 HG 73802000 475.00 4059625017593 45 HG 73802800 599.90 4059625017586 45 HG 73803000 525.00 4059625017579 43 HG 73803800 664.80 4059625017562 43 HG 73804800 533.80 4059625017555 41 HG 73804800 693.90 4059625017531 39 HG 73805800 721.60 4059625017524 39 HG 73806800 777.10 4059625017500 39 HG 73812000 426.50 4059625017494 48 HG					
HG 73800000 464.30 4059625017630 47 HG 73800800 586.00 4059625017623 47 HG 73801800 514.10 4059625017616 46 HG 73801800 650.70 4059625017609 46 HG 73802800 475.00 4059625017593 45 HG 73803800 599.90 4059625017586 45 HG 73803800 525.00 4059625017579 43 HG 73804800 533.80 4059625017555 41 HG 73805800 599.90 4059625017555 41 HG 73804800 693.90 4059625017548 41 HG 73805800 721.60 4059625017524 39 HG 73806800 777.10 4059625017500 39 HG 73807000 525.00 4059625017500 39 HG 73812800 426.50 4059625017494 48 HG 73816800 661.60 4059625176221 42 HG 73817800 598.60 4059625176170 44 HG 73817800 598.60 4059625176170 44 HG 73817800 598.60 4059625176170 44					
HG 73800000 464.30 4059625017630 47 HG 73800800 586.00 4059625017623 47 HG 73801000 514.10 4059625017616 46 HG 73801800 650.70 4059625017609 46 HG 73802000 475.00 4059625017593 45 HG 73802800 599.90 4059625017586 45 HG 73803000 525.00 4059625017579 43 HG 73803800 664.80 4059625017562 43 HG 73804800 593.90 4059625017555 41 HG 73804800 693.90 4059625017548 41 HG 73805800 721.60 4059625017531 39 HG 73806800 777.10 4059625017517 39 HG 73806800 777.10 4059625017500 39 HG 73812800 537.40 4059625017494 48 HG 73816800 537.40		/28456/0	266.50	4059625269633	62
HG 73800800 586.00 4059625017623 47 HG 73801000 514.10 4059625017616 46 HG 73801800 650.70 4059625017609 46 HG 73802000 475.00 4059625017593 45 HG 73802800 599.90 4059625017586 45 HG 73803000 525.00 4059625017579 43 HG 73803800 664.80 4059625017562 43 HG 73804000 533.80 4059625017555 41 HG 73804800 693.90 4059625017531 39 HG 73805800 721.60 4059625017531 39 HG 73806000 597.70 4059625017517 39 HG 73806800 777.10 4059625017500 39 HG 73812000 426.50 4059625017494 48 HG 73816800 537.40 4059625176221 42 HG 73816800 661.60		72000000	44.4.20	4050405017400	47
HG 73801000 514.10 4059625017616 46 HG 73801800 650.70 4059625017609 46 HG 73802000 475.00 4059625017593 45 HG 73802800 599.90 4059625017586 45 HG 73803000 525.00 4059625017579 43 HG 73803800 664.80 4059625017562 43 HG 73804000 533.80 4059625017555 41 HG 73805000 555.00 4059625017548 41 HG 73805800 721.60 4059625017531 39 HG 73806000 597.70 4059625017517 39 HG 73806800 777.10 4059625017500 39 HG 73812000 426.50 4059625017494 48 HG 73812800 537.40 4059625017487 48 HG 73816800 525.80 4059625176221 42 HG 73817800 598.60					
HG 73801800 650.70 4059625017609 46 HG 73802000 475.00 4059625017593 45 HG 73802800 599.90 4059625017586 45 HG 73803000 525.00 4059625017579 43 HG 73803800 664.80 4059625017562 43 HG 73804000 533.80 4059625017555 41 HG 73804800 693.90 4059625017548 41 HG 73805000 555.00 4059625017531 39 HG 73806800 721.60 4059625017524 39 HG 73806800 777.10 4059625017517 39 HG 73806800 777.10 4059625017500 39 HG 73812000 426.50 4059625017494 48 HG 73812800 537.40 4059625017487 48 HG 73816800 525.80 4059625176221 42 HG 73817800 598.60					
HG 73802000 475.00 4059625017593 45 HG 73802800 599.90 4059625017586 45 HG 73803000 525.00 4059625017579 43 HG 73803800 664.80 4059625017562 43 HG 73804000 533.80 4059625017555 41 HG 73804800 693.90 4059625017548 41 HG 73805000 555.00 4059625017531 39 HG 73805800 721.60 4059625017524 39 HG 73806800 777.10 4059625017517 39 HG 73806800 777.10 4059625017500 39 HG 73812000 426.50 4059625017494 48 HG 73812800 537.40 4059625017487 48 HG 73816800 525.80 4059625176221 42 HG 73817000 477.10 4059625176184 44 HG 73817800 598.60					
HG 73802800 599.90 4059625017586 45 HG 73803000 525.00 4059625017579 43 HG 73803800 664.80 4059625017562 43 HG 73804000 533.80 4059625017555 41 HG 73804800 693.90 4059625017548 41 HG 73805000 555.00 4059625017531 39 HG 73805800 721.60 4059625017524 39 HG 73806000 597.70 4059625017517 39 HG 73806800 777.10 4059625017500 39 HG 73807000 525.00 4059625017500 39 HG 73812000 426.50 4059625017494 48 HG 73816000 537.40 4059625017487 48 HG 73816000 525.80 4059625176221 42 HG 73817000 477.10 4059625176184 44 HG 73817800 598.60					
HG 73803000 525.00 4059625017579 43 HG 73803800 664.80 4059625017562 43 HG 73804000 533.80 4059625017555 41 HG 73804800 693.90 4059625017548 41 HG 73805000 555.00 4059625017531 39 HG 73805800 721.60 4059625017524 39 HG 73806000 597.70 4059625017517 39 HG 73806800 777.10 4059625017500 39 HG 73807000 525.00 4059625017500 39 HG 73812000 426.50 4059625017494 48 HG 73812800 537.40 4059625017487 48 HG 73816800 525.80 4059625176221 42 HG 73817000 477.10 4059625176184 44 HG 73817800 598.60 4059625176160 40 HG 73818000 534.30					
HG 73803800 664.80 4059625017562 43 HG 73804000 533.80 4059625017555 41 HG 73804800 693.90 4059625017548 41 HG 73805000 555.00 4059625017531 39 HG 73805800 721.60 4059625017524 39 HG 73806000 597.70 4059625017517 39 HG 73806800 777.10 4059625017500 39 HG 73807000 525.00 4059625017500 39 HG 73812000 426.50 4059625017494 48 HG 73812800 537.40 4059625017487 48 HG 73816800 525.80 4059625176221 42 HG 73817000 477.10 4059625176207 42 HG 73817800 598.60 4059625176177 44 HG 73818000 534.30 4059625176160 40					
HG 73804000 533.80 4059625017555 41 HG 73804800 693.90 4059625017548 41 HG 73805000 555.00 4059625017531 39 HG 73805800 721.60 4059625017524 39 HG 73806000 597.70 4059625017517 39 HG 73806800 777.10 4059625017500 39 HG 73807000 525.00 405962517500 49 HG 73812000 426.50 4059625017494 48 HG 73812800 537.40 4059625017487 48 HG 73816800 525.80 4059625176221 42 HG 73816800 661.60 4059625176207 42 HG 73817800 598.60 4059625176184 44 HG 73818000 534.30 4059625176160 40					
HG 73804800 693.90 4059625017548 41 HG 73805000 555.00 4059625017531 39 HG 73805800 721.60 4059625017524 39 HG 73806000 597.70 4059625017517 39 HG 73806800 777.10 4059625017500 39 HG 73807000 525.00 4059625178292 43 HG 73812000 426.50 4059625017494 48 HG 73812800 537.40 4059625017487 48 HG 73816000 525.80 4059625176221 42 HG 73816800 661.60 4059625176207 42 HG 73817000 477.10 4059625176184 44 HG 73818000 598.60 4059625176160 40					
HG 73805000 555.00 4059625017531 39 HG 73805800 721.60 4059625017524 39 HG 73806000 597.70 4059625017517 39 HG 73806800 777.10 4059625017500 39 HG 73807000 525.00 4059625198292 43 HG 73812000 426.50 4059625017494 48 HG 73812800 537.40 4059625017487 48 HG 73816000 525.80 4059625176221 42 HG 73816800 661.60 4059625176207 42 HG 73817800 598.60 4059625176184 44 HG 73818000 534.30 4059625176160 40					
HG 73805800 721.60 4059625017524 39 HG 73806000 597.70 4059625017517 39 HG 73806800 777.10 4059625017500 39 HG 73807000 525.00 4059625198292 43 HG 73812000 426.50 4059625017494 48 HG 73812800 537.40 4059625017487 48 HG 73816000 525.80 4059625176221 42 HG 73816800 661.60 4059625176207 42 HG 73817000 477.10 4059625176184 44 HG 73817800 598.60 4059625176177 44 HG 73818000 534.30 4059625176160 40					
HG 73806000 597.70 4059625017517 39 HG 73806800 777.10 4059625017500 39 HG 73807000 525.00 4059625198292 43 HG 73812000 426.50 4059625017494 48 HG 73812800 537.40 4059625017487 48 HG 73816000 525.80 4059625176221 42 HG 73816800 661.60 4059625176207 42 HG 73817000 477.10 4059625176184 44 HG 73817800 598.60 4059625176167 44 HG 73818000 534.30 4059625176160 40					
HG 73806800 777.10 4059625017500 39 HG 73807000 525.00 4059625198292 43 HG 73812000 426.50 4059625017494 48 HG 73812800 537.40 4059625017487 48 HG 73816000 525.80 4059625176221 42 HG 73816800 661.60 4059625176207 42 HG 73817000 477.10 4059625176184 44 HG 73817800 598.60 4059625176167 44 HG 73818000 534.30 4059625176160 40					
HG 73807000 525.00 4059625198292 43 HG 73812000 426.50 4059625017494 48 HG 73812800 537.40 4059625017487 48 HG 73816000 525.80 4059625176221 42 HG 73816800 661.60 4059625176207 42 HG 73817000 477.10 4059625176184 44 HG 73818000 598.60 4059625176160 40 HG 73818000 534.30 4059625176160 40					
HG 73812000 426.50 4059625017494 48 HG 73812800 537.40 4059625017487 48 HG 73816000 525.80 4059625176221 42 HG 73816800 661.60 4059625176207 42 HG 73817000 477.10 4059625176184 44 HG 73817800 598.60 4059625176177 44 HG 73818000 534.30 4059625176160 40					
HG 73812800 537.40 4059625017487 48 HG 73816000 525.80 4059625176221 42 HG 73816800 661.60 4059625176207 42 HG 73817000 477.10 4059625176184 44 HG 73817800 598.60 4059625176177 44 HG 73818000 534.30 4059625176160 40					
HG 73816000 525.80 4059625176221 42 HG 73816800 661.60 4059625176207 42 HG 73817000 477.10 4059625176184 44 HG 73817800 598.60 4059625176177 44 HG 73818000 534.30 4059625176160 40					
HG 73816800 661.60 4059625176207 42 HG 73817000 477.10 4059625176184 44 HG 73817800 598.60 4059625176177 44 HG 73818000 534.30 4059625176160 40					
HG 73817000 477.10 4059625176184 44 HG 73817800 598.60 4059625176177 44 HG 73818000 534.30 4059625176160 40					
HG 73817800 598.60 4059625176177 44 HG 73818000 534.30 4059625176160 40					
HG 73818000 534.30 4059625176160 40					
110 / 30 10340 00 1.30 403 70 23 22 73 70 40					
	110	, 5515540	501.50	-00/020227070	40

brand	code no.	Euro	EAN	page
HG	73818670	748.00	4059625232514	40
HG	73818800	689.90	4059625176153	40
HG	73819000	476.10	4059625255629	40
HG	73819800	618.90	4059625255612	40
HG	73820000	482.00	4059625255605	41
HG	73820800	626.50	4059625255599	41
HG	73822000	430.00	4059625255582	43
HG	73822800	559.30	4059625255575	43
HG	73823000	464.30	4059625198254	47
HG	73824000	514.10	4059625198230	46
HG	73825000	533.80	4059625198223	41
HG	73826000	555.00	4059625198261	39
HG	73827000	597.70	4059625198247	39
HG	73828000	426.50	4059625198278	48
HG	73830000	600.00	4059625255568	38
HG	73830670	840.00	4059625255186	38
HG	73830800	780.00	4059625255551	38
HG	73831000	650.00	4059625255179	38
HG	73831670	910.00	4059625255162	38
HG	73831800	850.00	4059625255155	38
HG	73836000	550.00	4059625269442	38
HG	73836670	770.00	4059625278093	38
HG	73836800	720.00	4059625269435	38
HG	73837000	600.00	4059625269428	38
HG	73837670	840.00	4059625278123	38
HG	73837800	780.00	4059625269411	38
HG	73850000	368.20	4059625017456	55
HG	73850800	461.10	4059625017449	55
HG	<i>7</i> 3851000	414.00	4059625017432	54
HG	73851800	520.40	4059625017425	54
HG	73852000	443.00	4059625017418	53
HG	73852800	558.30	4059625017401	53
HG	73853000	491.70	4059625017395	51
HG	73853800	621.60	4059625017388	51
HG	73860000	380.20	4059625017364	58
HG	73860800	476.70	4059625017357	58
HG	73863000	530.60	4059625017319	56
HG	<i>7</i> 3863800	672.20	4059625017302	56
HG	73864000	457.90	4059625017296	57
HG	73864800	577.70	4059625017289	57
HG	73867000	493.30	4059625176085	50
HG	73867800	619.60	4059625176078	50
HG	<i>7</i> 3868000	446.00	4059625176061	52
HG	<i>7</i> 3868800	558.10	4059625176054	52
HG	<i>7</i> 3869000	380.20	4059625198315	58
HG	73876000	414.00	4059625198339	54
HG	73878000	457.90	4059625198353	57
HG	73879000	530.60	4059625198377	56
HG	73880000	304.10	4059625017210	64
HG	73880800	378.50	4059625017203	64
HG	73895000	304.10	4059625198438	64

Kitchen mixers and sinks



Stainless-steel sinks	page 12	SilicaTec sinks	page 26	
Aquno Select M81	page 38	Metris Select M71	page 39	
Metris M71	page 46	Talis Select M51	page 49	
Talis M51	page 53	Talis M52	page 56	
Talis M54	page 59	Focus M41	page 64	
Focus M42	page 66	Logis M31	page 70	
Logis M32	page 72	Sink combis	page 74	

hansgrohe Stainless steel sinks


Stainless steel sinks at a glance

	sink cabinet	4	5 cm	50 cm		
	\$7 1					
Versions	Standard with tap hole Standard with 2 tap holes					
Installation options	Surface-mounted installation Flush-mounted installation Under-mounted installation					
	S71					
Versions Installation options	Standard Surface-mounted installation Flush-mounted installation Under-mounted installation				43425, -800	
	S41					
Versions	Standard Standard with 2 tap holes	43334, -800	43340, -800 43337, -800	43335, -800	43341, -800 43338, -800	
Installation options	Surface-mounted installation Flush-mounted installation Under-mounted installation	•	•	•	•	

60	0 cm	80	90 cm	
43301, -800	43306, -800 43331, -800	43302, -800	43309, -800	43303, -800
43305, -800	43307, -800 43332, -800	43308, -800	43310, -800	43311, -800
•	•	•	•	
43426, -800	43427, -800	43428, -800	43429, -800	43430, -800
	•	•	•	•
	423.42, 200			
	43342, -800			
43336, -800 –	43339, -800			

Stainless steel built-in sinks





S711-F450 Built-in sink 450

- cut-out dimensions: 530 x 480 mm
- material: stainless steel
- number of bowls: 1 main bowl
- predrilled tap hole
- sink depth: 190 mm
- cabinet size: 60 cm
- type of installation: flat on the countertop (self-rimming) or flush-mount installation
- position overflow: on the right side of the bowl
- tap ledge reinforcing for a tight and stable seating of the kitchen mixer
- corner radius: 10 mm
- waste set not included please order one waste set from the required parts

Required parts:

D14-10 Manual waste and overflow set for single bowl

finish

Stainless Steel

Optional parts:

- F15 Cutting board walnut F16 Cutting board oak F17 Mobile drainboard
- F14 Multifunctional strainer

43921800 Stainless Steel

Stainless Steel

40960000 124.50 40961000 93.40

code no.

43301800

Euro

611.10

25.00

611.10


43.80

40962800 Stainless Steel 81.00 Matt Black 40963000 20.30

43305800

100/000





S712-F450 Built-in sink 450

- cut-out dimensions: 530 x 480 mm
- material: stainless steel
- number of bowls: 1 main bowl
- tap hole and hole for pop-up waste control are pre-drilled sink depth: 190 mm
- cabinet size: 60 cm
- type of installation: flat on the countertop (self-rimming) or flush-mount installation
- position overflow: on the right side of the bowl
- tap ledge reinforcing for a tight and stable seating of the kitchen mixer
- corner radius: 10 mm
- waste set not included please order one waste set from the required parts


Required parts:

D14-11 Automatic waste and overflow set Stainless Steel 43931800 for single bowl

· F15 Cutting board walnut		40960000	124.50
F16 Cutting board oak		40961000	93.40
F17 Mobile drainboard	Stainless Steel	40962800	81.00
F14 Multifunctional strainer	Matt Black	40963000	20.30

870.40





S715-F450 Built-in sink 450 with drainboard left

- cut-out dimensions: 1025 x 490 mm
- for installation in worktops from 25 mm
- material: stainless steel
- number of bowls: 1 main bowl
- with drainage
- predrilled tap hole orientation: bowl right
- sink depth: 190 mm
- cabinet size: 60 cm
- type of installation: flat on the countertop (self-rimming) or flush-mount installation
- position overflow: on the right side of the
- tap ledge reinforcing for a tight and stable seating of the kitchen mixer
- corner radius: 10 mm
- waste set not included please order one waste set from the required parts

Required parts:

D14-10 Manual waste and overflow set for single bowl

43921800 Stainless Steel

Stainless Steel

finish

Stainless Steel

code no.

43306800

25.00

Optional parts:

F14 Multifunctional strainer


Matt Black 40963000

43307800

20.30

870.40





S717-F450 Built-in sink 450 with drainboard left

- cut-out dimensions: 1025 x 490 mm
- for installation in worktops from 25 mm
- material: stainless steel
- number of bowls: 1 main bowl
- with drainage
- tap hole and hole for pop-up waste control are pre-drilled
- orientation: bowl right
- sink depth: 190 mm
- cabinet size: 60 cm
- type of installation: flat on the countertop (self-rimming) or flush-mount installation
- position overflow: on the right side of the
- tap ledge reinforcing for a tight and stable seating of the kitchen mixer
- corner radius: 10 mm
- waste set not included please order one waste set from the required parts

Required parts:

D14-11 Automatic waste and overflow set Stainless Steel for single bowl

Optional parts: F14 Multifunctional strainer 43931800


43.80

40963000

Matt Black

20.30





S716-F450 Built-in sink 450 with drainboard right

cut-out dimensions: 1025 x 490 mm

for installation in worktops from 25 mm

material: stainless steel

number of bowls: 1 main bowl

with drainage

predrilled tap hole orientation: bowl left

sink depth: 190 mm

cabinet size: 60 cm

type of installation: flat on the countertop (self-rimming) or flush-mount installation

position overflow: on the left side of the

tap ledge reinforcing for a tight and stable seating of the kitchen mixer

corner radius: 10 mm

waste set not included - please order one waste set from the required parts

Required parts:

D14-10 Manual waste and overflow set for single bowl

43921800 Stainless Steel

40963000

43332800

code no.

43331800

25.00

20.30

Euro

870.40

Optional parts:

F14 Multifunctional strainer

Matt Black


Stainless Steel

finish

Stainless Steel

870.40





S718-F450 Built-in sink 450 with drainboard right

cut-out dimensions: 1025 x 490 mm

for installation in worktops from 25 mm

material: stainless steel

number of bowls: 1 main bowl

with drainage

tap hole and hole for pop-up waste

control are pre-drilled

orientation: bowl left

sink depth: 190 mm cabinet size: 60 cm

type of installation: flat on the countertop (self-rimming) or flush-mount installation

position overflow: on the left side of the

tap ledge reinforcing for a tight and stable seating of the kitchen mixer

corner radius: 10 mm

waste set not included - please order one waste set from the required parts

Required parts:

D14-11 Automatic waste and overflow set Stainless Steel 43931800 for single bowl

Optional parts:

F14 Multifunctional strainer


Matt Black 40963000

43.80

20.30

663.90





S711-F660 Built-in sink 660

cut-out dimensions: 740 x 480 mm

material: stainless steel

number of bowls: 1 main bowl

predrilled tap hole

sink depth: 190 mm

cabinet size: 80 cm

type of installation: flat on the countertop (self-rimming) or flush-mount installation

position overflow: on the right side of the bowl

tap ledge reinforcing for a tight and stable seating of the kitchen mixer

corner radius: 10 mm

waste set not included - please order one waste set from the required parts

Required parts:

D14-10 Manual waste and overflow set for single bowl

43921800 Stainless Steel

finish

Stainless Steel

25.00

124.50

663.90

Optional parts:

F15 Cutting board walnut F16 Cutting board oak

F17 Mobile drainboard

F14 Multifunctional strainer

40961000 93.40 40962800 81.00 Stainless Steel Matt Black 40963000 20.30


40960000

43308800

code no.

43302800





S712-F660 Built-in sink 660

cut-out dimensions: 740 x 480 mm

material: stainless steel

number of bowls: 1 main bowl

tap hole and hole for pop-up waste control are pre-drilled sink depth: 190 mm

cabinet size: 80 cm

type of installation: flat on the countertop (self-rimming) or flush-mount installation

position overflow: on the right side of the

tap ledge reinforcing for a tight and stable seating of the kitchen mixer

corner radius: 10 mm

waste set not included - please order one waste set from the required parts

Required parts:

D14-11 Automatic waste and overflow set Stainless Steel for single bowl

43931800

Stainless Steel


124.50 93.40 81.00 20.30

43.80

Optional parts: F15 Cutting board walnut

40960000 F16 Cutting board oak 40961000 F17 Mobile drainboard Stainless Steel 40962800 F14 Multifunctional strainer Matt Black 40963000





S711-F655 Built-in sink 180/450

- cut-out dimensions: 735 x 480 mm
- material: stainless steel
- number of bowls: 1 main bowl and 1 additional bowl
- predrilled tap hole
- sink depth: 190 mm depth half sink: 135 mm
- cabinet size: 80 cm
- type of installation: flat on the countertop (self-rimming) or flush-mount installation
- position overflow: on the right side of the main bowl
- tap ledge reinforcing for a tight and stable seating of the kitchen mixer
- corner radius: 10 mm
- waste set not included please order one waste set from the required parts

Req	vir	ed	р	ari	ts:

Di for

	et
double bowl	

Optional parts:

F15 Cutting board walnut F16 Cutting board oak F17 Mobile drainboard

F14 Multifunctional strainer

Stainless Steel

Stainless Steel

finish

Stainless Steel

40960000 124.50 40961000 Stainless Steel 40962800 Matt Black 40963000

43922800

43310800

code no.

43309800

93.40 81.00 20.30


1,032.60

41.70

Euro

1,032.60





S712-F655 Built-in sink 180/450

- cut-out dimensions: 735 x 480 mm
- material: stainless steel
- number of bowls: 1 main bowl and 1 additional bowl
- tap hole and hole for pop-up waste
- control are pre-drilled sink depth: 190 mm
- depth half sink: 135 mm
- cabinet size: 80 cm
- type of installation: flat on the countertop (self-rimming) or flush-mount installation
- position overflow: on the right side of the main bowl
- tap ledge reinforcing for a tight and stable seating of the kitchen mixer
- corner radius: 10 mm
- waste set not included please order one waste set from the required parts

Required parts:

D15-11 Automatic waste and overflow set Stainless Steel


for double bowl

Optional parts: F15 Cutting board walnut

43932800

67.80

40960000 124.50 F16 Cutting board oak 40961000 93.40 F17 Mobile drainboard Stainless Steel 40962800 81.00 F14 Multifunctional strainer Matt Black 40963000 20.30



F14 Multifunctional strainer

Matt Black

40963000

20.30

finish code no. Euro Stainless steel undermount sinks S719-U400 Under-mount sink Stainless Steel 43425800 421.50 400 cut-out dimensions: 398 x 398 mm material: stainless steel number of bowls: 1 main bowl sink depth: 190 mm cabinet size: 50 cm type of installation: undermount, flat on the countertop (self-rimming) or flushmount installation position overflow: on the right side of the bowl corner radius: 10 mm waste set not included - please order one waste set from the required parts Required parts (choose one) D14-10 Manual waste and overflow set Stainless Steel 43921800 25.00 for single bowl D14-11 Automatic waste and overflow set Stainless Steel 43931800 43.80 for single bowl D14-12 Automatic waste and overflow set Stainless Steel 43941800 30.20 **Ы**4 8**4** for single bowl Select **Optional parts:** 40960000 124.50 F15 Cutting board walnut F16 Cutting board oak 40961000 93.40 40962800 F17 Mobile drainboard Stainless Steel 81.00 F14 Multifunctional strainer Matt Black 40963000 20.30 S719-U450 Under-mount sink Stainless Steel 43426800 453.10 450 cut-out dimensions: 448 x 398 mm material: stainless steel number of bowls: 1 main bowl sink depth: 190 mm cabinet size: 60 cm type of installation: undermount, flat on the countertop (self-rimming) or flushmount installation position overflow: on the right side of the bowl corner radius: 10 mm waste set not included - please order one waste set from the required parts Required parts (choose one) 25.00 D14-10 Manual waste and overflow set Stainless Steel 43921800 for single bowl D14-11 Automatic waste and overflow set Stainless Steel 43931800 43.80 for single bowl -500 D14-12 Automatic waste and overflow set Stainless Steel 43941800 30.20 for single bowl Select **Optional parts:** F15 Cutting board walnut 40960000 124.50 40961000 F16 Cutting board oak 93.40 F17 Mobile drainboard Stainless Steel 40962800 81.00 F14 Multifunctional strainer Matt Black 40963000 20.30

474.20


25.00

43.80

30.20

495.20







- cut-out dimensions: 498 x 398 mm
- please note, when installing in a 60 cm sink cabinet the side panel must be cut out
- material: stainless steel
- · number of bowls: 1 main bowl
- · sink depth: 190 mm
- · cabinet size: 60 cm
- type of installation: undermount, flat on the countertop (self-rimming) or flushmount installation
- position overflow: on the right side of the
- · corner radius: 10 mm
- waste set not included please order one waste set from the required parts

Required parts (choose one)

D 14-10 Manual waste and overflow set of single bowl

D 14-11 Automatic waste and overflow set of single bowl

D 14-12 Automatic waste and overflow set of single bowl

D 14-12 Automatic waste and overflow set of single bowl Select

ioi single botti coloci			
Optional parts:			
F15 Cutting board walnut		40960000	124.50
F16 Cutting board oak		40961000	93.40
F17 Mobile drainboard	Stainless Steel	40962800	81.00
F14 Multifunctional strainer	Matt Black	40963000	20.30

Stainless Steel

finish


Stainless Steel

code no.

43427800

43428800





S719-U660 Under-mount sink 660


- · cut-out dimensions: 658 x 398 mm
- · material: stainless steel
- number of bowls: 1 main bowl
- · sink depth: 190 mm
- cabinet size: 80 cm
- type of installation: undermount, flat on the countertop (self-rimming) or flushmount installation
- position overflow: on the right side of the bowl
- · corner radius: 10 mm
- waste set not included please order one waste set from the required parts

Required parts (choose one)

D14-10 Manual waste and overflow set	Stainless Steel	43921800	25.00
for single bowl			
D14-11 Automatic waste and overflow set	Stainless Steel	43931800	43.80
for single bowl	C I C. I	420 41 000	20.00
 D14-12 Automatic waste and overflow set for single bowl Select 	Stainless Steel	43941800	30.20

F15 Cutting board walnut		40960000	124.50
F16 Cutting board oak		40961000	93.40
· F17 Mobile drainboard	Stainless Steel	40962800	81.00
F14 Multifunctional strainer	Matt Black	40963000	20.30





S719-U655 Under-mount sink 180/450

- · cut-out dimensions: 653 x 398 mm
- material: stainless steel
- number of bowls: 1 main bowl and 1 additional bowl
- sink depth: 190 mm
- depth half sink: 135 mm
- cabinet size: 80 cm
- type of installation: undermount, flat on the countertop (self-rimming) or flushmount installation
- position overflow: on the right side of the main bowl
- corner radius: 10 mm
- waste set not included please order one waste set from the required parts

Required	d parts (choose one)	
D15-10	Manual waste and overflow set	
for doub	le howl	

	TOT GOODIE DOWI			
	D15-11 Automatic waste and overflow set	Stainless Steel	43932800	67.80
	for double bowl			
	D15-12 Automatic waste and overflow set	Stainless Steel	43942800	47.90
	for double bowl Select			

Stainless Steel

finish

Stainless Steel

code no.

43429800

43922800

43430800

Euro

832.40

41.70


906.10

Optional parts:

Opiloliai paris.			
· F15 Cutting board walnut		40960000	124.50
F16 Cutting board oak		40961000	93.40
· F17 Mobile drainboard	Stainless Steel	40962800	81.00
· F14 Multifunctional strainer	Matt Black	40963000	20.30

Stainless Steel





S719-U765 Under-mount sink 370/370

- cut-out dimensions: 763 x 398 mm
- material: stainless steel
- number of bowls: 2 main bowls
- sink depth: 190 mm
- cabinet size: 90 cm
- type of installation: undermount, flat on the countertop (self-rimming) or flushmount installation
- corner radius: 10 mm
- waste set not included please order one waste set from the required parts

Required parts (choose one) D15-10 Manual waste and overflow set

D15-10 Manual waste and overflow set	Stainless Steel	43922800	41.70
for double bowl	Curt Cul	42020000	/700
 D15-11 Automatic waste and overflow set for double bowl 	Stainless Steel	43932800	67.80
· D15-12 Automatic waste and overflow set	Stainless Steel	43942800	47.90
for double bowl Salact			


Ontional nauto

Opnonal paris:			
F15 Cutting board walnut		40960000	124.50
· F16 Cutting board oak		40961000	93.40
F14 Multifunctional strainer	Matt Black	40963000	20.30
· F17 Mobile drainboard	Stainless Steel	40962800	81.00

320.00

S41 stainless steel built-in sinks






S4111-F340 Built-in sink 340/400 with drainboard

- · cut-out dimensions: 895 x 485 mm
- Manual waste set included
- material: stainless steel
- · number of bowls: 1 main bowl
- · with drainage
- tap hole for drilling is predefined (see scale drawing)
- orientation: reversible
- sink depth: 210 mm
- cabinet size: 45 cm
- · type of installation: flat on the countertop (self-rimming) or flush-mount installation
- position overflow: on the side of the bowl under drainboard
- tap ledge reinforcing for a tight and stable seating of the kitchen mixer
- · corner radius: 70 mm





S4113-F340 Built-in sink 340/400 with drainboard

- cut-out dimensions: 895 x 485 mm
- · Automatic waste set included
- · material: stainless steel
- number of bowls: 1 main bowl
- · with drainage
- tap hole and hole for pop-up waste control are pre-drilled
- orientation: reversible
- · sink depth: 210 mm
- cabinet size: 45 cm
- type of installation: flat on the countertop (self-rimming) or flush-mount installation
- position overflow: on the side of the bowl under drainboard
- tap ledge reinforcing for a tight and stable seating of the kitchen mixer
- corner radius: 70 mm

Stainless Steel

Stainless Steel

finish

Stainless Steel

43337800

43341800

code no.

43340800

340.00


340.00

S4111-F400 Built-in sink 400/400 with drainboard




- · Manual waste set included
- · material: stainless steel
- number of bowls: 1 main bowl
- · with drainage
- tap hole for drilling is predefined (see scale drawing)
- orientation: reversible
- sink depth: 210 mm
- cabinet size: 50 cm
- type of installation: flat on the countertop (self-rimming) or flush-mount installation
- position overflow: on the side of the bowl under drainboard
- tap ledge reinforcing for a tight and stable seating of the kitchen mixer
- corner radius: 70 mm





Measurements within scale drawings are in mm.





S4113-F400 Built-in sink 400/400 with drainboard

cut-out dimensions: 955 x 485 mm

Automatic waste set included

material: stainless steel

number of bowls: 1 main bowl

with drainage

tap hole and hole for pop-up waste control are pre-drilled

orientation: reversible

sink depth: 210 mm

cabinet size: 50 cm

type of installation: flat on the countertop (self-rimming) or flush-mount installation

position overflow: on the side of the bowl under drainboard

tap ledge reinforcing for a tight and stable seating of the kitchen mixer

corner radius: 70 mm



S4111-F540 Built-in sink 340/150/400 with drainboard

cut-out dimensions: 1055 x 485 mm

finish

Stainless Steel

Stainless Steel

43342800


code no.

43338800

390.00

Euro

360.00



number of bowls: 1 main bowl and 1 additional bowl

Manual waste set included

with drainage

tap hole for drilling is predefined (see scale drawing)

orientation: reversible

sink depth: 210 mm

depth half sink: 160 mm

cabinet size: 60 cm


type of installation: flat on the countertop (self-rimming) or flush-mount installation

position overflow: on the side of the bowl under drainboard

tap ledge reinforcing for a tight and stable seating of the kitchen mixer

corner radius: 70 mm






S4113-F540 Built-in sink 340/150/400 with drainboard

Stainless Steel

43339800

410.00





- cut-out dimensions: 1055 x 485 mm
- Automatic waste set included
- material: stainless steel
- number of bowls: 1 main bowl and 1 additional bowl

with drainage

- tap hole and hole for pop-up waste control are pre-drilled
- orientation: reversible
- sink depth: 210 mm
- depth half sink: 160 mm
- cabinet size: 60 cm
- type of installation: flat on the countertop (self-rimming) or flush-mount installation
- position overflow: on the side of the bowl under drainboard
- tap ledge reinforcing for a tight and stable seating of the kitchen mixer
- corner radius: 70 mm

				J20
		finish	code no.	Euro
000 · 000 ·	S412-F340 Built-in sink 340/400 cut-out dimensions: 410 x 510 mm Automatic waste set included material: stainless steel number of bowls: 1 main bowl tap hole and hole for pop-up waste control are pre-drilled sink depth: 210 mm cabinet size: 45 cm type of installation: flat on the countertop (self-rimming) or flush-mount installation position overflow: on the side of the bowl tap ledge reinforcing for a tight and stable seating of the kitchen mixer corner radius: 70 mm	Stainless Steel	43334800	240.00
930 - 600 940 - 600	S412-F400 Built-in sink 400/400 cut-out dimensions: 470 x 510 mm Automatic waste set included material: stainless steel number of bowls: 1 main bowl tap hole and hole for pop-up waste control are pre-drilled sink depth: 210 mm cabinet size: 50 cm type of installation: flat on the countertop (self-rimming) or flush-mount installation position overflow: on the side of the bowl tap ledge reinforcing for a tight and stable seating of the kitchen mixer corner radius: 70 mm	Stainless Steel	43335800	250.00
200 · 000	S412-F500 Built-in sink 500/400 cut-out dimensions: 570 x 510 mm Automatic waste set included material: stainless steel number of bowls: 1 main bowl tap hole and hole for pop-up waste control are pre-drilled sink depth: 210 mm cabinet size: 60 cm type of installation: flat on the countertop (self-rimming) or flush-mount installation position overflow: on the side of the bowl tap ledge reinforcing for a tight and stable seating of the kitchen mixer corner radius: 70 mm	Stainless Steel	43336800	260.00

hansgrohe SilicaTec


SilicaTec sinks at a glance


	sink cabinet	60 cm	
	\$51		
Versions	Standard	43312, -170, -290, -380	43314, -170, -290, -380 43330, -170, -290, -380
Installation options	Surface-mounted installation Flush-mounted installation Under-mounted installation	•	•
	\$51		
Versions	Standard		43431, -170, -290, -380
Installation options	Surface-mounted installation Flush-mounted installation Under-mounted installation		-

80	cm	90 cm
43313, -170, -290, -380	43315, -170, -290, -380	43316, -170, -290, -380
•		
43432, -170, -290, -380	43433, -170, -290, -380	43434, -170, -290, -380
•	•	•

Sinks finish code no. SilicaTec built-in sinks \$510-F450 Built-in sink 450 Graphiteblack 43312170 Stonegrey 43312290 cut-out dimensions: 540 x 490 mm Concretegrey 43312380 material: SilicaTec number of bowls: 1 main bowl tap hole for drilling is predefined (see scale drawing) sink depth: 190 mm cabinet size: 60 cm type of installation: topmount position overflow: on the right side of the bowl

waste set not included - please order one waste set from the required parts





Chrome	43927000	24.90
Chrome	43937000	43.60
Chrome	43947000	30.10
	40960000	124.50
	40961000	93.40
Stainless Steel	40962800	81.00
Matt Black	40963000	20.30
	Chrome Chrome Stainless Steel	Chrome 43937000 Chrome 43947000 40960000 40961000 40962800


Euro


288.80

288.80

288.80









S514-F450 Built-in sink 450 with drainboard left cut-out dimensions: 1030 x 490 mm for installation in worktops from 20 mm material: SilicaTec number of bowls: 1 main bowl with drainage tap hole for drilling is predefined (see scale drawing) orientation: bowl right sink depth: 190 mm cabinet size: 60 cm type of installation: topmount position overflow: on the right side of the bowl waste set not included - please order one waste set from the required parts	Graphiteblack Stonegrey Concretegrey	43314170 43314290 43314380	448.50 448.50 448.50
Required parts (choose one) D16-10 Manual waste and overflow set for single bowl granite	Chrome	43927000	24.90
 D16-11 Automatic waste and overflow set for single bowl granite 	Chrome	43937000	43.60
		100 17000	00.10

D16-12 Automatic waste and overflow set Chrome

43947000

30.10

448.50

448.50


448.50


368.60

368.60

368.60









S5110-F450 Built-in sink 450 with drainboard right

- cut-out dimensions: 1030 x 490 mm
- for installation in worktops from 20 mm
- material: SilicaTec
- number of bowls: 1 main bowl
- with drainage
- tap hole for drilling is predefined (see scale drawing)
- orientation: bowl left
- sink depth: 190 mm
- cabinet size: 60 cm
- type of installation: topmount
- position overflow: on the left side of the bowl
- waste set not included please order one waste set from the required parts

24.90
43.60
30.10

finish

Graphiteblack

Concretegrey

Stonegrey

code no.

43330170

43330290

43330380

43313170

43313290

43313380


Optional parts:						
· F15 Cutting board walnut		40960000	124.50			
F16 Cutting board oak		40961000	93.40			
· F14 Multifunctional strainer	Matt Black	40963000	20.30			

Graphiteblack

Concretegrey

Stonegrey






- cut-out dimensions: 750 x 490 mm
- material: SilicaTec
- number of bowls: 1 main bowl
- tap hole for drilling is predefined (see scale drawing) sink depth: 190 mm
- cabinet size: 80 cm
- type of installation: topmount
- position overflow: on the right side of the bowl
- waste set not included please order one waste set from the required parts

Required parts (choose one)

Required parts (choose one)			
D16-10 Manual waste and overflow set	Chrome	43927000	24.90
for single bowl granite D16-11 Automatic waste and overflow set	Chrome	43937000	43.60
for single bowl granite D16-12 Automatic waste and overflow set	Chrome	43947000	30.10
for single bowl granite Select			

Ophonai paris.						
F15 Cutting board walnut		40960000	124.50			
F16 Cutting board oak		40961000	93.40			
· F17 Mobile drainboard	Stainless Steel	40962800	81.00			
F14 Multifunctional strainer	Matt Black	40963000	20.30			







· cut-out dimensions: 750 x 490 mm

material: SilicaTec

number of bowls: 1 main bowl and 1 additional bowl

tap hole for drilling is predefined (see

scale drawing) sink depth: 190 mm

depth half sink: 140 mm

cabinet size: 80 cm

type of installation: topmount

position overflow: on the right side of the

waste set not included - please order one waste set from the required parts

Req	uired	parts	(choose	one)
· Di	7-10 A	Janual	waste and	Overf

43928000 41.50 Chrome e and overflow set for double bowl granite D17-11 Automatic waste and overflow set Chrome 43938000 67.50 for double bowl granite 43948000 47.70 D17-12 Automatic waste and overflow set Chrome for double bowl granite Select

finish

Graphiteblack

Concretegrey

Stonegrey

code no.

43315170

43315290

43315380

43316170

43316290

43316380

Euro

368.60

368.60

368.60

430.10

430.10

430.10

O-4:----


Optional parts:			
· F15 Cutting board walnut		40960000	124.50
· F16 Cutting board oak		40961000	93.40
· F17 Mobile drainboard	Stainless Steel	40962800	81.00
· F14 Multifunctional strainer	Matt Black	40963000	20.30


Graphiteblack

Concretegrey

Stonegrey









S510-F770 Built-in sink 370/370

cut-out dimensions: 860 x 490 mm

material: SilicaTec

number of bowls: 2 main bowls

tap hole for drilling is predefined (see scale drawing)

sink depth: 190 mm

cabinet size: 90 cm

type of installation: topmount

position overflow: on the right side of the

waste set not included - please order one waste set from the required parts

Required parts (choose one) D17-10 Manual waste and overf

D17-10 Manual waste and overflow set	Chrome	43928000	41.50
for double bowl granite D17-11 Automatic waste and overflow set	Chrome	43938000	67.50
for double bowl granite D17-12 Automatic waste and overflow set for double bowl granite Select	Chrome	43948000	47.70

F15 Cutting board walnut		40960000	124.50
· F16 Cutting board oak		40961000	93.40
· F17 Mobile drainboard	Stainless Steel	40962800	81.00
· F14 Multifunctional strainer	Matt Black	40963000	20.30

355.30

355.30

355.30


435.20


435.20

435.20

SilicaTec undermount sinks







S510-U450 Under-mount sink 450

cut-out dimensions: 448 x 398 mm

material: SilicaTec

number of bowls: 1 main bowl

sink depth: 190 mm

cabinet size: 60 cm

type of installation: undermount

position overflow: on the right side of the

waste set not included - please order one waste set from the required parts

R	equi	ired	parts	(c	hoc	se (one)
	D16-	10 /	Manual	W	aste	and	over

43927000 24.90 rflow set Chrome for single bowl granite D16-11 Automatic waste and overflow set Chrome 43937000 43.60 for single bowl granite
D16-12 Automatic waste and overflow set Chrome 43947000 30.10 for single bowl granite Select

finish

Graphiteblack

Concretegrey

Stonegrey

code no.

43431170

43431290

43431380

43432170

43432290

43432380


	40960000	124.50
	40961000	93.40
Stainless Steel	40962800	81.00
Matt Black	40963000	20.30
		40961000 Stainless Steel 40962800


Graphiteblack

Concretegrey

Stonegrey







S510-U660 Under-mount sink 660

cut-out dimensions: 658 x 398 mm

material: SilicaTec

number of bowls: 1 main bowl

sink depth: 190 mm

cabinet size: 80 cm

type of installation: undermount

position overflow: on the right side of the


waste set not included - please order one waste set from the required parts

Required parts (choose one)

D16-10 Manual waste and overflow set	Chrome	43927000	24.90
for single bowl granite D16-11 Automatic waste and overflow set	Chrome	43937000	43.60
for single bowl granite			
 D16-12 Automatic waste and overflow set for single bowl granite Select 	Chrome	43947000	30.10

F15 Cutting board walnut		40960000	124.50
· F16 Cutting board oak		40961000	93.40
· F17 Mobile drainboard	Stainless Steel	40962800	81.00
F14 Multifunctional strainer	Matt Black	40963000	20.30





S510-U635 Under-mount sink 180/450

· cut-out dimensions: 658 x 398 mm

material: SilicaTec

number of bowls: 1 main bowl and 1 additional bowl

sink depth: 190 mm

depth half sink: 140 mm

cabinet size: 80 cm

type of installation: undermount

position overflow: on the right side of the main bowl

waste set not included - please order one waste set from the required parts

Required parts (choose one)	
D17-10 Manual waste and overflow set	

Chrome 43928000 41.50 for double bowl granite D17-11 Automatic waste and overflow set Chrome 43938000 67.50 for double bowl granite 43948000 47.70 D17-12 Automatic waste and overflow set Chrome for double bowl granite Select

finish

Graphiteblack Stonegrey

Concretegrey

code no.

43433170

43433290

43433380

43434170

43434290

43434380

Euro

435.20

435.20

435.20

496.60

496.60

496.60

Optional parts:


- p p			
F15 Cutting board walnut		40960000	124.50
F16 Cutting board oak		40961000	93.40
· F17 Mobile drainboard	Stainless Steel	40962800	81.00
· F14 Multifunctional strainer	Matt Black	40963000	20.30


Graphiteblack

Concretegrey

Stonegrey







S510-U770 Under-mount sink 370/370

cut-out dimensions: 768 x 398 mm

material: SilicaTec

number of bowls: 2 main bowls

sink depth: 190 mm

cabinet size: 90 cm

type of installation: undermount

position overflow: on the right side of the

waste set not included - please order one waste set from the required parts

Required parts (choose one)

D17-10 Manual waste and overflow set	Chrome	43928000	41.50
for double bowl granite D17-11 Automatic waste and overflow set	Chrome	43938000	67.50
for double bowl granite • D17-12 Automatic waste and overflow set	Chrome	43948000	47.70
for double bowl granite Select			

F15 Cutting board walnut		40960000	124.50
· F16 Cutting board oak		40961000	93.40
· F17 Mobile drainboard	Stainless Steel	40962800	81.00
· F14 Multifunctional strainer	Matt Black	40963000	20.30

hansgrohe Kitchen mixers

Selected kitchen taps at a glance

		Aquno S	elect M81			
	Standard (with sBox)	73831, -000, -670, -800	73830, -000, -670, -800	73805, -000, -800 73806, -000, -800	73818, -000, -340, -670, -800	
	Standard (without sBox)	73837, -000, -670, -800	73836, -000, -670, -800		73819, -000, -800	
	For window installation					
Versions	For LowPressure / vented hot water cylinders					
	With shut-off valve					
	CoolStart					
	Eco			73826, -000 73827, -000		
	Wall mounting					
	Select					
Features	Change spray type	•	•	•	•	
. 5010103	With pull-out function					
	With swivel spout					

		Metris M71	Talis Select M51		
	Standard (with sBox)		73867, -000, -800 73868, -000, -800	73852, -000, -800 73853, -000, -800	
	Standard (without sBox)	14822, -000, -800	72823, -000, -800 72824, -000, -800	72821, -000, -800 72822, -000, -800	72820, -000, -800
	For window installation	14823, -000			
Versions	For LowPressure / vented hot water cylinders				
	With shut-off valve	14888, -000			
	CoolStart				
	Eco	14782,-000		72826, -000	72825, -000
	Wall mounting				
	Select				•
Merkmale	Change spray type				
MEINIMIE	With pull-out function				
	With swivel spout			•	

^{,-000 =} Chrome

^{,-340 =} Brushed Black Chrome

^{,-670 =} Matt Black

^{,- 800 =} Stainless Steel Finish

Metris Select M71				Metri	s M71
73804, -000, -800	73816, -000, -800 73817, -000, -800	73802, -000, -800 73803, -000, -800		73800, -000, -800 73801, -000, -800	73812, -000, -800
	73820, -000, -800 73822, -000, -800	14857, -000, -800 14884, -000, -800	14847, -000, -800 14883, -000, -800	14820, -000, -800 14834, -000, -800	14821, -000, -800
73825, -000		14786, -000 73807, -000 sBox	14785, -000	14780, -000 73823, -000 sBox 73824, -000 sBox	14781, -000 73828, -000 sBox
	_	_	_		
•	•	•	•	•	
	•	•		•	
•				•	•

Talis	M51		Talis	M52	
73850, -000, -800 73851, -000, -800		73863, -000, -800	73864, -000, -800		73860, -000, -800
72813, -000, -800 72815, -000, -800	72810, -000, -800 72814, -000, -800	14877, -000	14872, -000	14870, -000	32841, -000
		14877, -000 73863, -000, -800	14872, -000 73864, -000, -800		
	72812, -000				32842, -000 73861, -000 sBox
	72811, -000			14875, -000	
72817, -000 73876, -000 sBox	72816, -000	72831, -000 73879, -000 sBox	72832, -000 73878, -000 sBox		73869, 000 sBox
_		_			_
		-	-		-

hansgrohe Kitchen mixers

Selected kitchen taps at a glance

		Talis M52	Talis M54			
	Standard (with sBox)		72801, -000, -670, -800	72803, -000, -670, -800		
Versions	Standard (without sBox)	32851, -000	72800, -000, -670, -800	72802, -000, -670, -800	72804, -000, -670, -800	
	For window installation					
	For LowPressure / vented hot water cylinders					
VE1310113	With shut-off valve		72805, -000, -670, -800			
	CoolStart					
	Eco	32857, -000	72842, -000, -670		72843, -000, -670	
	Wall mounting					
Features	Select					
	Change spray type		•			
	With pull-out function		•	•		
	With swivel spout	•		•		

		Focus M41			Focus M42
Versions	Standard (with sBox)		71820, -000, -800 71821, -000, -800		71829, -000, -800
	Standard (without sBox)	31780, -000 31806, -000, -800	71800, -000, -800 71801, -000, -800	71802, -000, -800	71814, -000, -800
	For window installation				
	For LowPressure / vented hot water cylinders	31784, -000 31804, -000			
	With shut-off valve	31803, -000		71803, -000	
	CoolStart	31816, -000			
	Eco	31826, 000	71862, -000		71865, -000 71866, -000 CoolStart
	Wall mounting	31825, -000			
Features	Select				
	Change spray type		•		
	With pull-out function				•
	With swivel spout				


	Talis M54			Focus M41	
	72809, -000, -670, -800		73880, -000, -800		
72806, -000, -670, -800	72808, -000, -670, -800	72840, -000, -670, -800	31815, -000, -670, -800	31817, -000, -670, -800	31820, -000, -670, -800
					31822, -000
72807, -000, -670, -800	72827, -000, -670, -800				31823, -000
72844, -000, -670	72845, -000, -670		31833, -000 73895, -000 sBox	31827, -000	31821, -000, -800
			•		

	Logis M31		Logis M32
71806, -000, -800 71808, -000, -800	71280, -000 71835, -000	71830, -000 71832, -000	71285, -000
71807, -000		71833, -000	
71804, -000		71831, -000	
71813, -000		71834, -000	
71805, -000 EcoSmart 71809, -000 EcoSmart		71837, -000 71839, -000	
71864, -000 CoolStart	71861, -000	71860, -000	71283, -000
		71836, -000	71284, -000 71286, -000 71287, -000
•	•	•	•

Aguno Select M81







Aquno Select M81

Single lever kitchen mixer 170, pull-out spray, 3 jet, sBox

consists of: single lever kitchen mixer, hose

box, multifunctional strainer

finish

Chrome

NEW Matt Black

code no.

73831000

73831670

Stainless Steel Finish 73831800

Euro

650.00

910.00

850.00

- ComfortZone 170
- swivel range adjustable in 3 steps 60°, 110° or 150°
- laminar spray and shower spray, SatinFlow
- change between SatinFlow and pull-out spray at the touch of a button
- lockable shower spray, spray returns through pressing spray diverter
- MagFit magnetic shower support
- connection dimension: DN15
- maximum flow rate at 3 bar: 6 l/min
- ceramic cartridge
- connection type: G 3/8 connections
- integrated non-return valve
- sBox for quiet, smooth and protected hose guidance in the cabinet, under the countertop, with extension length up to
- tap hole with Ø 35 mm required, recommendation: the middle of tap hole drilling should be max. 45 mm from the back side of of the bowl

Alternative products:

Aquno Select M81 Single lever kitchen mixer 170, pull-out spray, 3jet

73837000 600.00 Chrome **NEW** Matt Black 840.00 73837670 Stainless Steel Finish 73837800 780.00

Stainless Steel Finish 73830800

73830000

73830670

600.00

840.00

780.00

Chrome

NEW Matt Black

Aquno Select M81

Single lever kitchen mixer 250, pull-out spout, 2jet, sBox

- consists of: single lever kitchen mixer, hose box, multifunctional strainer
- ComfortZone 250
- I-spout
- swivel range adjustable in 3 steps 60°, 110° or 150°
- laminar spray, SatinFlow
- change between SatinFlow and pull-out spout at the touch of a button
- MagFit magnetic shower support
- connection dimension: DN15
- maximum flow rate at 3 bar: 6 l/min
- ceramic cartridge
- connection type: G 3/8 connections
- integrated non-return valve
- sBox for quiet, smooth and protected hose guidance in the cabinet, under the countertop, with extension length up to
- tap hole with Ø 35 mm required, recommendation: the middle of tap hole drilling should be max. 45 mm from the back side of of the bowl


Alternative products:

Aquno Select M81 Single lever kitchen mixer 250, pull-out spout, 2jet


Chrome 73836000 550.00 **NEW** Matt Black 770.00 73836670 Stainless Steel Finish 73836800 720.00














597.70

777.10


code no.

73806000

Stainless Steel Finish 73806800

Metris Select M71





Metris Select M71 2-hole single lever kitchen mixer 320, pull-out spray, 2jet, sBox

finish

Chrome


consists of: 2-hole single lever kitchen mixer, control unit, hose box

- ComfortZone 320
- swivel range adjustable in 2 steps to 110° or 150°
- flexible position of faucet controls, 2 tap holes with Ø 35 mm required
- push of control unit: intuitive start and stop function of the water flow, turn: automatic drain operation
- laminar spray and shower spray
- lockable shower spray, spray returns automatically through handle closing
- MagFit magnetic shower support
- · connection dimension: DN15
- maximum flow rate at 3 bar: 7 l/min
- · ceramic cartridge
- · connection type: G 3/8 connections
- integrated non-return valve
- · suitable for continuous flow water heaters
- sBox for quiet, smooth and protected hose guidance in the cabinet, under the countertop, with extension length up to 76 cm


Alternative products:

Metris Select M71 2-hole single lever kitchen mixer 320, Eco, pull-out spray, 2jet, sBox Chrome 73827000 597.70





Metris Select M71 2-hole single lever kitchen mixer 220, pull-out spray, 2jet, sBox



- · ComfortZone 220
- swivel range adjustable in 2 steps to 110° or 150°
- flexible position of faucet controls, 2 tap holes with Ø 35 mm required
- push of control unit: intuitive start and stop function of the water flow, turn: automatic drain operation
- · laminar spray and shower spray
- lockable shower spray, spray returns automatically through handle closing
- MagFit magnetic shower support
- · connection dimension: DN15
- maximum flow rate at 3 bar: 7 l/min
- · ceramic cartridge
- connection type: G 3/8 connections
- integrated non-return valve
- suitable for continuous flow water heaters
- sBox for quiet, smooth and protected hose guidance in the cabinet, under the countertop, with extension length up to 76 cm

Alternative products:

Metris Select M71 2-hole single lever kitchen mixer 220, Eco, pull-out spray, 2jet, sBox Chrome 73805000 Stainless Steel Finish 73805800








555.00

721.60

Chrome 73826000



Metris Select M71 2-hole single lever kitchen mixer 200, pull-out spray, 2jet

- ComfortZone 200
- swivel range adjustable in 2 steps to 110° or 150°
- flexible position of faucet controls, 2 tap holes with Ø 35 mm required
- laminar spray and shower spray
- lockable shower spray, spray returns through pressing spray diverter and spray returns automatically through handle closing
- Select button for a comfortable start/stop of the water flow
- MagFit magnetic shower support
- quick connect hose
- connection dimension: DN15
- maximum flow rate at 3 bar: 6.8 l/min
- ceramic cartridge
- connection type: G 3/8 connections
- integrated non-return valve
- suitable for continuous flow water heaters



finish




code no.





Euro





Metris Select M71 2-hole single lever kitchen mixer 200, pull-out spray, 2jet, sBox

- consists of: 2-hole single lever kitchen mixer, control unit, hose box
- ComfortZone 200
- swivel range adjustable in 2 steps to 110° or 150°
- flexible position of faucet controls, 2 tap holes with Ø 35 mm required
- laminar spray and shower spray
- lockable shower spray, spray returns through pressing spray diverter and spray returns automatically through handle closing
- Select button for a comfortable start/stop of the water flow
- MagFit magnetic shower support
- connection dimension: DN15
- maximum flow rate at 3 bar: 8 l/min
- ceramic cartridge
- connection type: G 3/8 connections
- integrated non-return valve
- suitable for continuous flow water heaters
- sBox for quiet, smooth and protected hose guidance in the cabinet, under the countertop, with extension length up to 76 cm

Alternative products:

Metris Select M71 2-hole single lever kitchen mixer 200, pull-out spout, 1 jet,

Chrome	73818000	534.30
Brushed Black	73818340	801.50
Chrome		
Matt Black	73818670	748.00
Stainless Steel Finish	73818800	689.90







73804000 533.80 Chrome 693.90 Stainless Steel Finish 73804800

533.80


693.90

code no.

73804000

Stainless Steel Finish 73804800





Metris Select M71 2-hole single lever kitchen mixer 200, pull-out spout, 1 jet, sBox

finish

Chrome

consists of: 2-hole single lever kitchen mixer, control unit, hose box

ComfortZone 200

swivel range adjustable in 2 steps to 110° or 150°

flexible position of faucet controls, 2 tap holes with Ø 35 mm required

· normal spray


- Select button for a comfortable start/stop of the water flow
- MagFit magnetic shower support
- connection dimension: DN15
- · maximum flow rate at 3 bar: 8 l/min
- · ceramic cartridge
- · connection type: G 3/4 connections
- integrated non-return valve
- · suitable for continuous flow water heaters
- sBox for quiet, smooth and protected hose guidance in the cabinet, under the countertop, with extension length up to 76 cm

Alternative products:

Metris Select M71 2-hole single lever kitchen mixer 200, Eco, pull-out spout, 1 jet, sBox

Metris Select M71 2-hole single lever kitchen mixer 200, pull-out spray, 2jet, sBox

Chrome	73023000	333.00
Chrome Brushed Black Chrome Matt Black	73818000 73818340 73818670	534.30 801.50 748.00
Stainless Steel Finish	/3818800	689.90



Metris Select M71 Single lever kitchen mixer 320, pull-out spray, 2jet

· ComfortZone 320

swivel range adjustable in 2 steps to 110° or 150°

· laminar spray and shower spray

- lockable shower spray, spray returns through pressing spray diverter and spray returns automatically through handle closing
- Select button for a comfortable start/stop of the water flow
- · MagFit magnetic shower support
- · quick connect hose
- connection dimension: DN15
- · maximum flow rate at 3 bar: 7.7 l/min
- · ceramic cartridge
- connection type: G 3/8 connections
- integrated non-return valve
- · suitable for continuous flow water heaters

Alternative products:

Metris Select M71 Single lever kitchen mixer 320, pull-out spout, 1 jet

 Chrome
 73820000
 482.00

 Stainless Steel Finish
 73820800
 626.50








Chrome	14884000	481.20
Stainless Steel Finish	14884800	625.50





Metris Select M71 Single lever kitchen mixer 320, pull-out spray, 2jet, sBox

· consists of: single lever kitchen mixer, hose

- · ComfortZone 320
- swivel range adjustable in 2 steps to 110° or 150°
- · laminar spray and shower spray
- lockable shower spray, spray returns through pressing spray diverter and spray returns automatically through handle closing
- Select button for a comfortable start/stop of the water flow
- · MagFit magnetic shower support
- connection dimension: DN15
 - · maximum flow rate at 3 bar: 8 l/min
 - · ceramic cartridge
 - connection type: G 3/8 connections
 - · integrated non-return valve
 - suitable for continuous flow water heaters
 - sBox for quiet, smooth and protected hose guidance in the cabinet, under the countertop, with extension length up to 76 cm
- · tap hole with Ø 35 mm required

Alternative products:

Metris Select M71 Single lever kitchen mixer 320, pull-out spout, 1 jet, sBox

 Chrome
 73803000
 525.00

 Stainless Steel Finish
 73803800
 664.80

14884000

Stainless Steel Finish 14884800

481.20

625.50

Chrome

 Chrome
 73816000
 525.80

 Stainless Steel Finish
 73816800
 661.60

code no.




finish





Euro





Metris Select M71 Single lever kitchen mixer 320, pull-out spout, 1 jet

- · ComfortZone 320
- swivel range adjustable in 2 steps to 110° or 150°
- laminar spray
- Select button for a comfortable start/stop of the water flow
- · MagFit magnetic shower support
- · quick connect hose
- connection dimension: DN15
- maximum flow rate at 3 bar: 8 l/min
- ceramic cartridge
- · connection type: G 3/8 connections
- · integrated non-return valve
- · suitable for continuous flow water heaters
- significantly reduced splashing by soft start of the water flow

Alternative products:

Metris Select M71 Single lever kitchen mixer 320, Eco, pull-out spout, 1 jet

Metris Select M71 Single lever kitchen mixer 320, pull-out spray, 2jet

Chrome	14786000	481.20
~ I	7000000	400.00

 Chrome
 73820000
 482.00

 Stainless Steel Finish
 73820800
 626.50

525.00


664.80

code no.

73803000

Stainless Steel Finish 73803800





Metris Select M71 Single lever kitchen mixer 320, pull-out spout, 1 jet, sBox

finish

Chrome

consists of: single lever kitchen mixer, hose

- ComfortZone 320
- swivel range adjustable in 2 steps to 110° or 150°
- laminar spray
- Select button for a comfortable start/stop of the water flow
- MagFit magnetic shower support
- connection dimension: DN15 maximum flow rate at 3 bar: 8 l/min
- ceramic cartridge
- connection type: G 3/8 connections
- integrated non-return valve
- suitable for continuous flow water heaters
- sBox for quiet, smooth and protected hose guidance in the cabinet, under the countertop, with extension length up to
- significantly reduced splashing by soft start of the water flow

Alternative products:


Metris Select M71 Single lever kitchen mixer 320, Eco, pull-out spout, 1 jet, sBox

Metris Select M71 Single lever kitchen mixer 320, pull-out spray, 2jet, sBox

73807000 525.00 Chrome 525.80 Chrome 73816000

Stainless Steel Finish 73816800





Metris Select M71 Single lever kitchen mixer 240, pull-out spray, 2jet

- ComfortZone 240
- I-spout
- swivel range adjustable in 2 steps to 110° or 150°
- laminar spray and shower spray
- lockable shower spray, spray returns through pressing spray diverter and spray returns automatically through handle
- closing
 Select button for a comfortable start/stop of the water flow
- MagFit magnetic shower support
- quick connect hose
- connection dimension: DN15
- maximum flow rate at 3 bar: 7.3 l/min
- ceramic cartridge
- connection type: G 3/8 connections
- integrated non-return valve
- suitable for continuous flow water heaters

Alternative products:

Metris Select M71 Single lever kitchen mixer 240, pull-out spout, 1 jet

Chrome 73822000 73822800 Stainless Steel Finish








430.00

559.30

661.60

429.60 Chrome 14857000 Stainless Steel Finish 14857800 558.50



Metris Select M71 Single lever kitchen mixer 240, pull-out spray, 2jet, sBox

consists of: single lever kitchen mixer, hose

- ComfortZone 240
- l-spout
- swivel range adjustable in 2 steps to 110° or 150°
- laminar spray and shower spray
- lockable shower spray, spray returns through pressing spray diverter and spray returns automatically through handle
- Select button for a comfortable start/stop of the water flow
- MagFit magnetic shower support
- connection dimension: DN15
- maximum flow rate at 3 bar: 8 l/min
- ceramic cartridge
- connection type: G 3/8 connections
- integrated non-return valve
- suitable for continuous flow water heaters
- sBox for quiet, smooth and protected hose guidance in the cabinet, under the countertop, with extension length up to 76 cm

Alternative products:

Metris Select M71 Single lever kitchen mixer 240, pull-out spout, 1 jet, sBox

73802000 475.00 Chrome Stainless Steel Finish 73802800 599.90

code no.

73817000

Stainless Steel Finish 73817800

finish

Chrome

Chrome

Stainless Steel Finish






Euro

477.10

598.60





Metris Select M71 Single lever kitchen mixer 240, pull-out

spout, 1 jet

- ComfortZone 240
- swivel range adjustable in 2 steps to 110° or 150°
- laminar spray
- Select button for a comfortable start/stop of the water flow
- MagFit magnetic shower support
- quick connect hose
- connection dimension: DN15
- maximum flow rate at 3 bar: 8 l/min
- ceramic cartridge
- connection type: G 3/8 connections
- integrated non-return valve
- suitable for continuous flow water heaters
- significantly reduced splashing by soft start of the water flow

Alternative products:

Metris Select M71 Single lever kitchen mixer 240, pull-out spray, 2jet

73822000 430.00 Stainless Steel Finish 73822800 559.30

148570 148578	
	SELECT



429.60


475.00

599.90

code no.

73802000

Stainless Steel Finish 73802800



Metris Select M71 Single

lever kitchen mixer 240, pull-out spout, 1 jet, sBox

finish

Chrome

Chrome

consists of: single lever kitchen mixer, hose

ComfortZone 240

swivel range adjustable in 2 steps to 110° or 150°

laminar spray

Select button for a comfortable start/stop of the water flow

MagFit magnetic shower support

connection dimension: DN15 maximum flow rate at 3 bar: 8 l/min

ceramic cartridge

connection type: G 3/8 connections

integrated non-return valve

suitable for continuous flow water heaters

sBox for quiet, smooth and protected hose guidance in the cabinet, under the countertop, with extension length up to

significantly reduced splashing by soft start of the water flow

Alternative products:

Metris Select M71 Single lever kitchen mixer 240, pull-out spray, 2jet, sBox

> 14883000 Chrome

Stainless Steel Finish 73817800

73817000


407.90 Stainless Steel Finish 14883800 519.70





477.10

598.60



ComfortZone 320

swivel range adjustable in 3 steps 110°, 150° or 360°

laminar spray

Select button for a comfortable start/stop of the water flow

connection dimension: DN15

maximum flow rate at 3 bar: 8 1/min

ceramic cartridge

connection type: G 3/8 connections

integrated non-return valve


suitable for continuous flow water heaters

significantly reduced splashing by soft start of the water flow

Alternative products:

Metris Select M71 Single lever kitchen mixer 320, Eco, 1 jet

Chrome 14785000 407.90



Metris Select M71 Single lever kitchen mixer 260, 1 jet

ComfortZone 260

swivel range adjustable in 3 steps 110°, 150° or 360°

laminar spray

Select button for a comfortable start/stop of the water flow

connection dimension: DN15

maximum flow rate at 3 bar: 10 l/min

ceramic cartridge

connection type: G 3/8 connections

integrated non-return valve

suitable for continuous flow water heaters

significantly reduced splashing by soft start of the water flow

Stainless Steel Finish 14847800

Chrome




14847000



357.60

Metris M71



Metris M71 Single lever kitchen mixer 320, pull-out spray, 2jet

ComfortZone 320

swivel range adjustable in 2 steps to 110° or 150°

laminar spray and shower spray

lockable shower spray, spray returns automatically through handle closing

MagFit magnetic shower support

quick connect hose

connection dimension: DN15

maximum flow rate at 3 bar: 10 l/min

ceramic cartridge

connection type: G 3/8 connections

integrated non-return valve

suitable for continuous flow water heaters

Alternative products:

Metris M71 Single lever kitchen mixer 320, Eco, pull-out spray, 2jet

finish

Chrome

Chrome

14780000

code no.

14820000

Stainless Steel Finish 14820800

73801000 514.10 Stainless Steel Finish 73801800 650.70






470.00

Euro

470.00

610.70



Metris M71 Single lever kitchen Chrome mixer 320, pull-out spray, 2jet, sBox

consists of: single lever kitchen mixer, hose

ComfortZone 320

swivel range adjustable in 2 steps to $110\,^\circ$ or $150\,^\circ$

laminar spray and shower spray

lockable shower spray, spray returns automatically through handle closing

MagFit magnetic shower support

connection dimension: DN15 maximum flow rate at 3 bar: 8 l/min

ceramic cartridge

connection type: G 3/8 connections

integrated non-return valve

suitable for continuous flow water heaters sBox for quiet, smooth and protected

hose guidance in the cabinet, under the countertop, with extension length up to 76 cm

Alternative products:

Metris M71 Single lever kitchen mixer 320, Eco, pull-out spray, 2jet, sBox

Chrome 73824000 514.10

Metris M71 Single lever kitchen mixer 220, pull-out spray, 2jet

ComfortZone 220

swivel range adjustable in 2 steps to 110° or 150°

laminar spray and shower spray

lockable shower spray, spray returns automatically through handle closing

MagFit magnetic shower support

quick connect hose

connection dimension: DN15

maximum flow rate at 3 bar: 9 1/min

ceramic cartridge

connection type: G 3/8 connections

integrated non-return valve

suitable for continuous flow water heaters

14834000 418.70 Stainless Steel Finish 14834800 544.20





464.30


586.00

code no.

73800000

Stainless Steel Finish 73800800





Metris M71 Single lever kitchen mixer 220, pull-out spray, 2jet, **sBox**

consists of: single lever kitchen mixer, hose box

- ComfortZone 220
- swivel range adjustable in 2 steps to $110\,^\circ$ or $150\,^\circ$
- laminar spray and shower spray
- lockable shower spray, spray returns automatically through handle closing
- MagFit magnetic shower support
- connection dimension: DN15 maximum flow rate at 3 bar: 8 l/min
- ceramic cartridge
- connection type: G 3/8 connections
- integrated non-return valve
- suitable for continuous flow water heaters
- sBox for quiet, smooth and protected hose guidance in the cabinet, under the countertop, with extension length up to

Alternative products:

Metris M71 Single lever kitchen mixer 220, Eco, pull-out spray, 2jet, sBox


Chrome 73823000

finish

Chrome

464.30





Metris M71 Single lever kitchen mixer 320, pull-out spout, 1 jet

ComfortZone 320

swivel range adjustable in 2 steps to 110° or 150°

laminar spray

- MagFit magnetic shower support
- quick connect hose
- connection dimension: DN15
- maximum flow rate at 3 bar: 10 l/min
- ceramic cartridge
- connection type: G 3/8 connections
- integrated non-return valve
- suitable for continuous flow water heaters
- significantly reduced splashing by soft start of the water flow

Alternative products:

Metris M71 Single lever kitchen mixer 320, Eco, pull-out spout, 1 jet Chrome

Chrome 14821000 Stainless Steel Finish 14821800


379.50 494.00





14781000





Metris M71 Single lever kitchen mixer 320, pull-out spout, 1 jet, sBox

consists of: single lever kitchen mixer, hose box

- · ComfortZone 320
- swivel range adjustable in 2 steps to 110° or 150°
- · laminar spray
- MagFit magnetic shower support
- connection dimension: DN 15
- · maximum flow rate at 3 bar: 10 l/min
- · ceramic cartridge
- connection type: G 3/8 connections
- integrated non-return valve
- suitable for continuous flow water heaters
- sBox for quiet, smooth and protected hose guidance in the cabinet, under the countertop, with extension length up to 76 cm
- significantly reduced splashing by soft start of the water flow

Alternative products:

Metris M71 Single lever kitchen mixer 320, Eco, pull-out spout, 1 jet, sBox

Chrome 73828000

14822000

finish

Chrome

code no.

73812000

Stainless Steel Finish 73812800

426.50

321.10


417.60

Euro

426.50

537.40





Metris M71 Single lever kitchen Chrome mixer 320, 1 jet

· ComfortZone 320

swivel range adjustable in 3 steps 110°, 150° or 360°

laminar spray

- connection dimension: DN15
- maximum flow rate at 3 bar: 13 l/min
- ceramic cartridge
- connection type: G 3/8 connections
- suitable for continuous flow water heaters
- significantly reduced splashing by soft start of the water flow

Alternative products:

Metris M/I	Single	lever	kitchen	mixer
320, Eco, 1je	et			

Metris M71 Single lever kitchen mixer 320, installation in front of a window, 1 jet


Chrome 14782000

Stainless Steel Finish 14822800

Chrome 14823000

379.50

379.50



Metris M71 Single lever kitchen Chrome mixer 320, installation in front of a window, 1 jet

ComfortZone 320

swivel range adjustable in 3 steps 110°, 150° or 360°

installation in front of the window, can be laid flat, base height 57 mm

laminar spray

connection dimension: DN15

maximum flow rate at 3 bar: 15 l/min

ceramic cartridge

connection type: G 3/8 connections

suitable for continuous flow water heaters

significantly reduced splashing by soft start of the water flow

Alternative products:

Metris M71 Single lever kitchen mixer 320, 1jet

14888000

14822000

Stainless Steel Finish 14822800

code no.

14823000

434.00

321.10

417.60

Metris M71 Single lever kitchen Chrome mixer 320, device shut-off

finish

Chrome

Chrome

valve, 1 jet

ComfortZone 320

swivel range adjustable in 3 steps 110°, 150° or 360°

laminar spray

with integrated shut-off valve

connection dimension: DN15

maximum flow rate at 3 bar: 13 l/min


ceramic cartridge

connection type: G 3/8 connections

suitable for continuous flow water heaters significantly reduced splashing by soft

start of the water flow

Talis Select M51



Talis Select M51 Single lever kitchen mixer 300, pull-out spray, 2jet

ComfortZone 300

swivel range adjustable in 2 steps to

110° or 150°

laminar spray and shower spray lockable shower spray, spray returns through pressing spray diverter and spray returns automatically through handle closing

Select button for a comfortable start/stop

of the water flow

MagFit magnetic shower support

quick connect hose

connection dimension: DN15

maximum flow rate at 3 bar: 8 l/min

ceramic cartridge

connection type: G 3/8 connections

integrated non-return valve

suitable for continuous flow water heaters

Alternative products:

Talis Select M51 Single lever kitchen mixer 300, pull-out spout, 1 jet

72821000 Chrome

Stainless Steel Finish 72821800


72823000

Stainless Steel Finish 72823800

446.70 580.90

447.20





Talis Select M51 Single lever kitchen mixer 300, pull-out spray, 2jet, sBox

consists of: single lever kitchen mixer, hose

- ComfortZone 300
- swivel range adjustable in 2 steps to $110\,^\circ$ or $150\,^\circ$
- laminar spray and shower spray
- lockable shower spray, spray returns through pressing spray diverter and spray returns automatically through handle closing
- Select button for a comfortable start/stop of the water flow
- MagFit magnetic shower support
- connection dimension: DN15
- maximum flow rate at 3 bar: 8 l/min
- ceramic cartridge
- connection type: G 3/8 connections
- integrated non-return valve
- suitable for continuous flow water heaters
- sBox for quiet, smooth and protected hose guidance in the cabinet, under the countertop, with extension length up to 76 cm

Alternative products:

Talis Select M51 Single lever kitchen mixer 300, pull-out spout, 1 jet, sBox

Chrome 73867000 493.30 Stainless Steel Finish 73867800 619.60

code no.



finish






Euro

491.70 Chrome 73853000 Stainless Steel Finish 73853800 621.60





Talis Select M51 Single lever kitchen mixer 300, pull-out spout, ljet

- ComfortZone 300
- swivel range adjustable in 2 steps to 110° or 150°
- normal spray
- Select button for a comfortable start/stop of the water flow
- MagFit magnetic shower support
- quick connect hose
- connection dimension: DN15
- maximum flow rate at 3 bar: 8 l/min
- ceramic cartridge
- connection type: G 3/8 connections
- integrated non-return valve
- suitable for continuous flow water heaters

Alternative products:

Talis Select M51 Single lever kitchen mixer 300. Eco, pull-out spout, 1 jet

Talis Select M51 Single lever kitchen mixer 300, pull-out spray, 2jet

Chrome 72821000 446.70 Stainless Steel Finish 72821800 580.90










Chrome	72826000	446.70
Chrome	72823000	447.20
Stainless Steel Finish	72823800	581.70

491.70

621.60





Talis Select M51 Single lever kitchen mixer 300, pull-out spout, 1 jet, sBox

consists of: single lever kitchen mixer, hose

- ComfortZone 300
- swivel range adjustable in 2 steps to $110\,^\circ$ or $150\,^\circ$
- normal spray
- Select button for a comfortable start/stop of the water flow
- MagFit magnetic shower support
- connection dimension: DN15 maximum flow rate at 3 bar: 8 l/min
- ceramic cartridge
- connection type: G 3/8 connections
- integrated non-return valve
- suitable for continuous flow water heaters
- sBox for quiet, smooth and protected hose guidance in the cabinet, under the countertop, with extension length up to

Alternative products:

Talis Select M51 Single lever kitchen mixer 300, pull-out spray, 2jet, sBox

Chrome 73853000 Stainless Steel Finish 73853800



finish




code no.



73867000 493.30 Stainless Steel Finish 73867800 619.60





Talis Select M51 Single lever kitchen mixer 220, pull-out spray, 2jet

- ComfortZone 220
- swivel range adjustable in 2 steps to 110° or 150°
- laminar spray and shower spray
- lockable shower spray, spray returns through pressing spray diverter and spray returns automatically through handle closing
- Select button for a comfortable start/stop of the water flow
- MagFit magnetic shower support
- quick connect hose
- connection dimension: DN15
- maximum flow rate at 3 bar: 7.3 l/min
- ceramic cartridge
- connection type: G 3/8 connections
- integrated non-return valve
- suitable for continuous flow water heaters

Alternative products:

Talis Select M51 Single lever kitchen mixer 220, pull-out spout, 1 jet

Chrome 72824000 72824800 Stainless Steel Finish








397.20

515.80

Chrome 72822000 396.60 Stainless Steel Finish 72822800 515.50





Talis Select M51 Single lever kitchen mixer 220, pull-out spray, 2jet, sBox

· consists of: single lever kitchen mixer, hose

- · ComfortZone 220
- · swivel range adjustable in 2 steps to 110° or 150°
- · laminar spray and shower spray
- lockable shower spray, spray returns through pressing spray diverter and spray returns automatically through handle closing
- Select button for a comfortable start/stop of the water flow
- · MagFit magnetic shower support
- connection dimension: DN15
- · maximum flow rate at 3 bar: 8 l/min
- · ceramic cartridge
- connection type: G 3/8 connections
- · integrated non-return valve
- · suitable for continuous flow water heaters
- sBox for quiet, smooth and protected hose guidance in the cabinet, under the countertop, with extension length up to 76 cm

Alternative products:

Talis Select M51 Single lever kitchen mixer 220, pull-out spout, 1 jet, sBox

 Chrome
 73852000
 443.00

 Stainless Steel Finish
 73852800
 558.30

code no.

73868000


Stainless Steel Finish 73868800

Euro

446.00

558.10





Talis Select M51 Single lever kitchen mixer 220, pull-out spout, 1 jet

- · ComfortZone 220
- swivel range adjustable in 2 steps to 110° or 150°
- normal spray
- Select button for a comfortable start/stop of the water flow
- · MagFit magnetic shower support
- · quick connect hose
- connection dimension: DN15
- maximum flow rate at 3 bar: 10 l/min
- ceramic cartridge
- · connection type: G 3/8 connections
- · integrated non-return valve
- · suitable for continuous flow water heaters

Alternative products:

Talis Select M51 Single lever kitchen mixer 220, pull-out spray, 2jet

 Chrome
 72822000
 396.60

 Stainless Steel Finish
 72822800
 515.50



finish

Chrome







 Chrome
 72824000
 397.20

 Stainless Steel Finish
 72824800
 515.80



Talis Select M51 Single lever kitchen mixer 220, pull-out spout, 1 jet, sBox

consists of: single lever kitchen mixer, hose

ComfortZone 220

swivel range adjustable in 2 steps to 110° or 150°

normal spray

Select button for a comfortable start/stop of the water flow

MagFit magnetic shower support

connection dimension: DN15 maximum flow rate at 3 bar: 20 l/min

ceramic cartridge

connection type: G 3/8 connections

integrated non-return valve

suitable for continuous flow water heaters

sBox for quiet, smooth and protected hose guidance in the cabinet, under the countertop, with extension length up to

Alternative products:

Talis Select M51 Single lever kitchen mixer 220, pull-out spray, 2jet, sBox

Chrome 73852000 Stainless Steel Finish 73852800

finish






code no.



Euro

443.00

73868000 446.00 Chrome Stainless Steel Finish 73868800 558.10



Talis Select M51 Single lever kitchen mixer 300, 1 jet

ComfortZone 300

swivel range adjustable in 3 steps 110°, 150° or 360°

normal spray

Select button for a comfortable start/stop of the water flow

connection dimension: DN15

maximum flow rate at 3 bar: 8 1/min

ceramic cartridge

connection type: G 3/8 connections

integrated non-return valve

suitable for continuous flow water heaters

Alternative products:

Talis Select M51 Single lever kitchen mixer 300, Eco, 1 jet

Stainless Steel Finish 72820800

Chrome



72820000



368.80

479.60

366.70


476.50

Chrome 72825000 368.80

72813000

Stainless Steel Finish 72813800

Talis M51



Talis M51 Single lever kitchen mixer 200, pull-out spray, 2jet

ComfortZone 200

swivel range adjustable in 2 steps to 110° or 150°

laminar spray and shower spray

lockable shower spray, spray returns through pressing spray diverter

MagFit magnetic shower support

quick connect hose

connection dimension: DN15

maximum flow rate at 3 bar: 11 l/min

ceramic cartridge

connection type: G 3/8 connections

integrated non-return valve


suitable for continuous flow water heaters

Alternative products:

Talis M51 Single lever kitchen mixer 200, Chrome Eco, pull-out spray, 2jet

Chrome

72817000



Talis M51 Single lever kitchen mixer 200, pull-out spray, 2jet, sBox

finish

Chrome

consists of: single lever kitchen mixer, hose box

ComfortZone 200

swivel range adjustable in 2 steps to $110\,^\circ$ or $150\,^\circ$

laminar spray and shower spray

lockable shower spray, spray returns through pressing spray diverter

MagFit magnetic shower support

connection dimension: DN15

maximum flow rate at 3 bar: 8 l/min

ceramic cartridge

connection type: G 3/8 connections

integrated non-return valve

suitable for continuous flow water heaters

sBox for quiet, smooth and protected hose guidance in the cabinet, under the countertop, with extension length up to

Alternative products:

Talis M51 Single lever kitchen mixer 200, Chrome Eco, pull-out spray, 2jet, sBox

> 72814000 224.20 Chrome Stainless Steel Finish 72814800 291.30

73876000

code no.

73851000

Stainless Steel Finish 73851800

Euro

414.00


520.40







414.00



Talis M51 Single lever kitchen mixer 220, 1jet

ComfortZone 220

swivel range adjustable in 3 steps 110°, 150° or 360°

normal spray

connection dimension: DN15

maximum flow rate at 3 bar: 10 l/min

ceramic cartridge

connection type: G 3/8 connections

suitable for continuous flow water heaters

Talis M51 Single lever kitchen mixer 160, pull-out spray, 2jet

ComfortZone 160

swivel range adjustable in 2 steps to 110° or 150°

laminar spray and shower spray

lockable shower spray, spray returns through pressing spray diverter MagFit magnetic shower support

quick connect hose

connection dimension: DN15 maximum flow rate at 3 bar: 11 l/min

ceramic cartridge connection type: G 3/8 connections


integrated non-return valve

suitable for continuous flow water heaters

Chrome 72815000 319.50 Stainless Steel Finish 72815800 415.30







Talis M51 Single lever kitchen mixer 160, pull-out spray, 2jet, **sBox**

consists of: single lever kitchen mixer, hose

ComfortZone 160

swivel range adjustable in 2 steps to

laminar spray and shower spray

lockable shower spray, spray returns through pressing spray diverter

MagFit magnetic shower support

connection dimension: DN15 maximum flow rate at 3 bar: 8 l/min

ceramic cartridge

connection type: G 3/8 connections

integrated non-return valve


suitable for continuous flow water heaters

sBox for quiet, smooth and protected hose guidance in the cabinet, under the countertop, with extension length up to

finish code no. Euro Chrome 73850000 368.20 Stainless Steel Finish 73850800 461.10







Talis M51 Single lever kitchen mixer 260, 1 jet

ComfortZone 260

swivel range adjustable in 3 steps 110°, 150° or 360°

normal spray

connection dimension: DN15

maximum flow rate at 3 bar: 10 l/min

ceramic cartridge

connection type: G 3/8 connections

suitable for continuous flow water heaters

Alternative products:

Talis M51 Single lever kitchen mixer 260, Chrome

Talis M51 Single lever kitchen mixer 260, Chrome LowPressure/vented hot water cylinders,

Chrome

Chrome

72811000

72816000

72812000

72810000

Stainless Steel Finish 72810800





255.30

288.60

298.80

255.30

332.00



ComfortZone 220

swivel range adjustable in 3 steps 110°, 150° or 360°

normal spray

with integrated shut-off valve


connection dimension: DN15

maximum flow rate at 3 bar: 10 l/min

ceramic cartridge

connection type: G 3% connections


suitable for continuous flow water heaters







Talis M52



Talis M52 Single lever kitchen mixer 220, installation in front of a window, pull-out spray, 2jet

14877000

code no.

finish

Chrome

487.10

Euro

- ComfortZone 220
- swivel range 150°
- installation in front of the window, can be laid flat, base height 70 mm
- normal and spray jet
- non-lockable shower spray
- MagFit magnetic shower support
- quick connect hose
- connection dimension: DN15
- maximum flow rate at 3 bar: 11 l/min
- ceramic cartridge
- connection type: G 3/8 connections
- integrated non-return valve
- suitable for continuous flow water heaters


Alternative products:

Talis M52 Single lever kitchen mixer 220, Eco, pull-out spray, 2jet

72831000 Chrome

487.10





Talis M52 Single lever kitchen mixer 220, installation in front of a window, pull-out spray, 2jet, sBox



- ComfortZone 220
- swivel range 150°
- installation in front of the window, can be laid flat, base height 70 mm
- normal and spray jet
- non-lockable shower spray
- MagFit magnetic shower support
- connection dimension: DN15 maximum flow rate at 3 bar: 11 l/min
- ceramic cartridge
- connection type: G 3/8 connections
- integrated non-return valve
- suitable for continuous flow water heaters
- sBox for quiet, smooth and protected hose guidance in the cabinet, under the countertop, with extension length up to

Alternative products:

Talis M52 Single lever kitchen mixer 220, Eco, pull-out spray, 2jet, sBox

Chrome 73863000 Stainless Steel Finish 73863800







530.60

672.20

73879000 Chrome



Talis M52 Single lever kitchen mixer 260, installation in front of a window, pull-out spout, 1 jet

Air Power

code no.

14872000

finish

Chrome

Chrome





Euro

412.00

- ComfortZone 260
- swivel range 150°
- installation in front of the window, can be laid flat, base height 70 mm
- · normal spray
- MagFit magnetic shower support
- quick connect hose
- connection dimension: DN15
- · maximum flow rate at 3 bar: 9 l/min
- ceramic cartridge
- connection type: G 3/8 connections
- integrated non-return valve
- · suitable for continuous flow water heaters

Alternative products:

Talis M52 Single lever kitchen mixer 260, Eco, pull-out spout, 1 jet

Chrome 72832000

Stainless Steel Finish 73864800

73864000


412.00

457.90

577.70



Talis M52 Single lever kitchen mixer 260, installation in front of a window, pull-out spout, 1 jet, sBox



- ComfortZone 260
- · swivel range 150°
- · installation in front of the window, can be laid flat, base height 70 mm
- normal spray
- · MagFit magnetic shower support
- · connection dimension: DN 15
- maximum flow rate at 3 bar: 9 l/min
- ceramic cartridge
- connection type: G 3/8 connections
- · integrated non-return valve
- · suitable for continuous flow water heaters
- sBox for quiet, smooth and protected hose guidance in the cabinet, under the countertop, with extension length up to 76 cm

Alternative products:

• **Talis M52** Single lever kitchen mixer 260, Eco, pull-out spout, 1 jet, sBox

Chrome 73878000 457.90

Ø 28 178 178 123 123 0 30 0 31

Talis M52 Single lever kitchen mixer 270, 1 jet

ComfortZone 270

swivel range adjustable in 3 steps 110°, 150° or 360°

· normal spray

connection dimension: DN15

maximum flow rate at 3 bar: 10 l/min

· ceramic cartridge

connection type: G 3/8 connections

suitable for continuous flow water heaters

14870000


277.90



Chrome







Talis M52 Single lever kitchen mixer 270, device shut-off valve, 1 jet

ComfortZone 270

swivel range adjustable in 3 steps 110°, 150° or 360°

normal spray

with integrated shut-off valve

connection dimension: DN15

maximum flow rate at 3 bar: 10 l/min

ceramic cartridge

connection type: G 3/8 connections

suitable for continuous flow water heaters

Chrome 14875000

finish




code no.





Euro

360.20



Talis M52 Single lever kitchen mixer 170, pull-out spray, 2jet

ComfortZone 170

swivel range 150°

normal and spray jet

lockable shower spray, spray returns automatically through handle closing

quick connect hose

connection dimension: DN15

maximum flow rate at 3 bar: 10 l/min

ceramic cartridge

connection type: G 3/8 connections

integrated non-return valve

suitable for continuous flow water heaters

Alternative products:

Talis M52 Single lever kitchen mixer 170, LowPressure/vented hot water

170, Eco, pull-out spray, 2jet

32841000

331.80









cylinders, pull-out spray, 2jet **Talis M52** Single lever kitchen mixer


Chrome 32842000

Chrome 32845000

331.80

353.60





Talis M52 Single lever kitchen mixer 170, pull-out spray, 2jet,

consists of: single lever kitchen mixer, hose box

ComfortZone 170

swivel range 150°

normal and spray jet

lockable shower spray, spray returns automatically through handle closing

connection dimension: DN15

maximum flow rate at 3 bar: 10 l/min

ceramic cartridge

connection type: G 3/8 connections

integrated non-return valve

suitable for continuous flow water heaters

sBox for quiet, smooth and protected hose guidance in the cabinet, under the countertop, with extension length up to 76 cm

Alternative products:

Talis M52 Single lever kitchen mixer 170, Eco, pull-out spray, 2jet, sBox

Chrome 73860000 Stainless Steel Finish 73860800








380.20

476.70

Chrome

73869000

		finish	code no.	Euro
30 30 30 30 30 30 30 30 30 30 30 30 30 3	Talis M52 Single lever kitchen mixer 170, LowPressure/vented hot water cylinders, pull-out spray, 2jet for vented hot water cylinders (no pressure) ComfortZone 170 swivel range 150° normal and spray jet non-lockable shower spray quick connect hose connection dimension: DN15 maximum flow rate at 3 bar: 5 l/min ceramic cartridge connection type: G 3/8 connections integrated non-return valve not suitable for continuous flow water heaters Alternative products: Talis M52 Single lever kitchen mixer 170, pull-out spray, 2jet	Chrome	32842000 Quick (Cleon) 32841000	353.60 Comfort
95 2 2 2 4 3 4 4 3 7 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	Talis M52 Single lever kitchen mixer 170, 1 jet ComfortZone 170 swivel range 150° normal spray connection dimension: DN15 maximum flow rate at 3 bar: 16 l/min ceramic cartridge connection type: G 3/8 connections suitable for continuous flow water heaters Alternative products: Talis M52 Single lever kitchen mixer 170, Eco, 1 jet	Chrome Air Pow Chrome	32851000 Quick Clean 32857000	236.90 Comfort
Talis M54	Talis M54 Single lever kitchen mixer 210, pull-out spray, 2jet ComfortZone 210 swivel range adjustable in 4 steps 60°, 110°, 150° or 360° laminar spray and shower spray lockable shower spray, spray returns through pressing spray diverter and spray returns automatically through handle closing quick connect hose connection dimension: DN15 maximum flow rate at 3 bar: 8 l/min ceramic cartridge connection type: G 3/s connections integrated non-return valve suitable for continuous flow water heaters Alternative products: Talis M54 Single lever kitchen mixer 210, Eco, pull-out spray, 2jet	Chrome Matt Black Stainless Steel Finish Chrome Matt Black	72800000 72800670 72800800 Quick Clean	300.00 390.00 390.00 Comfort 7



Talis M54 Single lever kitchen mixer 210, pull-out spray, 2jet, sBox

consists of: single lever kitchen mixer, hose box

· ComfortZone 210

swivel range adjustable in 4 steps 60°, 110°, 150° or 360°

laminar spray and shower spray

lockable shower spray, spray returns through pressing spray diverter and spray returns automatically through handle closing

connection dimension: DN15

· maximum flow rate at 3 bar: 7 l/min

· ceramic cartridge

connection type: G 3/8 connections

· integrated non-return valve

· suitable for continuous flow water heaters

 sBox for quiet, smooth and protected hose guidance in the cabinet, under the countertop, with extension length up to 76 cm
 finish
 code no.
 Euro


 Chrome
 72801000
 350.00

 Matt Black
 72801670
 455.00

 Stainless Steel Finish
 72801800
 455.00







Talis M54 Single lever kitchen mixer 210, pull-out spout, 1 jet

ComfortZone 210

swivel range adjustable in 4 steps 60°, 110°, 150° or 360°

normal spray

quick connect hose

· connection dimension: DN15

· maximum flow rate at 3 bar: 7 l/min

ceramic cartridge

· connection type: G 3/8 connections

integrated non-return valve

suitable for continuous flow water heaters

 Chrome
 72802000
 255.00

 Matt Black
 72802670
 332.00

 Stainless Steel Finish
 72802800
 332.00









Talis M54 Single lever kitchen mixer 210, pull-out spout, 1 jet, sBox

consists of: single lever kitchen mixer, hose

· ComfortZone 210

swivel range adjustable in 4 steps 60°, 110°, 150° or 360°

· normal spray

connection dimension: DN15

· maximum flow rate at 3 bar: 7 l/min

· ceramic cartridge

connection type: G 3/8 connections

· integrated non-return valve

suitable for continuous flow water heaters

 sBox for quiet, smooth and protected hose guidance in the cabinet, under the countertop, with extension length up to 76 cm
 Chrome
 72803000

 Matt Black
 72803670

 Stainless Steel Finish
 72803800








305.00

397.00



Talis M54 Single lever kitchen mixer 220, 1 jet

ComfortZone 220

swivel range adjustable in 4 steps 60°, 110°, 150° or 360°

laminar spray

connection dimension: DN15

maximum flow rate at 3 bar: 9 l/min

ceramic cartridge

connection type: G 3/8 connections

suitable for continuous flow water heaters

Alternative products:

Talis M54 Single lever kitchen mixer 220, Eco, 1 jet

Chrome	72804000	205.00
Matt Black	72804670	267.00
Stainless Steel Finish	72804800	267.00

code no.


finish





Euro

Chrome	72843000	205.00
Matt Black	72843670	266.50



Talis M54 Single lever kitchen mixer 220, device shut-off valve, 1 jet

ComfortZone 220

swivel range adjustable in 4 steps 60° , 110° , 150° or 360°

laminar spray

with integrated shut-off valve

connection dimension: DN15

maximum flow rate at 3 bar: 9 l/min

ceramic cartridge

connection type: G 3/8 connections


suitable for continuous flow water heaters

72805000 Chrome Matt Black 72805670 Stainless Steel Finish 72805800



250.00

325.00



Talis M54 Single lever kitchen mixer U 220, 1jet

ComfortZone 220

swivel range adjustable in 4 steps 60° , 110° , 150° or 360°

laminar spray

connection dimension: DN15

maximum flow rate at 3 bar: 9 l/min

ceramic cartridge

connection type: G 3/8 connections

suitable for continuous flow water heaters

Alternative products:

Talis M54 Single lever kitchen mixer U 220, Eco, 1 jet

Chrome 72806000 Matt Black 72806670 Stainless Steel Finish 72806800






180.00

234.00

234.00

Chrome 72844000 180.00

Matt Black 72844670 234.00




Talis M54 Single lever kitchen mixer U 220, device shut-off valve, 1 jet

- · ComfortZone 220
- swivel range adjustable in 4 steps 60°, 110°, 150° or 360°
- · laminar spray
- with integrated shut-off valve
- device connection DN20
- connection dimension: DN15
- · maximum flow rate at 3 bar: 8 l/min
- · ceramic cartridge
- connection type: G 3/8 connections
- · suitable for continuous flow water heaters

finish	code no.	Euro
Chrome	72807000	225.00
Matt Black	72807670	292.50
Stainless Steel Finish	72807800	292.50







Talis M54 Single lever kitchen mixer 270, pull-out spout, 1 jet

- · ComfortZone 270
- swivel range adjustable in 4 steps 60°, 110°, 150° or 360°
- laminar spray
- quick connect hose
- connection dimension: DN15
- · maximum flow rate at 3 bar: 8 l/min
- · ceramic cartridge
- connection type: G 3/8 connections
- integrated non-return valve
- suitable for continuous flow water heaters

Alternative products:

Talis M54 Single lever kitchen mixer 270, Eco, pull-out spout, 1 jet

 Chrome
 72808000
 205.00

 Matt Black
 72808670
 267.00


 Stainless Steel Finish
 72808800
 267.00





 Chrome
 72845000
 205.00

 Matt Black
 72845670
 266.50



Talis M54 Single lever kitchen mixer 270, pull-out spout, 1 jet, sBox

- consists of: single lever kitchen mixer, hose box
- · ComfortZone 270
- · I-spout
- swivel range adjustable in 4 steps 60°, 110°, 150° or 360°
- · laminar spray

76 cm

- connection dimension: DN15
- · maximum flow rate at 3 bar: 7 l/min
- · ceramic cartridge
- connection type: G 3/8 connections
- integrated non-return valve
- suitable for continuous flow water heaters
 sBox for quiet, smooth and protected hose guidance in the cabinet, under the countertop, with extension length up to

 Chrome
 72809000

 Matt Black
 72809670

 Stainless Steel Finish
 72809800





255.00

332.00

Talis M54 Single lever kitchen mixer 270, 1 jet

- ComfortZone 270
- I-spout
- swivel range adjustable in 4 steps 60°, 110°, 150° or 360°
- laminar spray
- connection dimension: DN15
- maximum flow rate at 3 bar: 8.4 l/min
- ceramic cartridge
- connection type: G 3/8 connections
- suitable for continuous flow water heaters

Chrome 72840000 175.00 Matt Black 72840670 228.00 Stainless Steel Finish 72840800 228.00


code no.

finish





Euro



Talis M54 Single lever kitchen mixer 270, device shut-off valve,

1 jet

- ComfortZone 270
- swivel range adjustable in 4 steps 60°, 110°, 150° or 360°
- laminar spray
- with integrated shut-off valve
- connection dimension: DN15
- maximum flow rate at 3 bar: 8 l/min
- ceramic cartridge
- connection type: G 3/8 connections
- suitable for continuous flow water heaters

Chrome 72827000 225.00 Matt Black 72827670 292.50 Stainless Steel Finish 72827800









Cento Single lever kitchen mixer Chrome XXL, Semi-Pro, 2jet




- normal and spray jet
- lockable shower spray, spray returns through pressing spray diverter
- connection dimension: DN15
- maximum flow rate at 3 bar: 11 l/min
- ceramic cartridge with Eco handle position for a reduced flowrate by up to
- connection type: G 3/8 connections
- integrated non-return valve
- suitable for continuous flow water heaters


14806000







finish code no. Focus M41 Focus M41 Single lever kitchen Chrome 31815000 Matt Black 31815670 mixer 240, pull-out spray, 2jet Stainless Steel Finish 31815800 ComfortZone 240 swivel range adjustable in 2 steps to 110° or 150° laminar spray and shower spray lockable shower spray, spray returns through pressing spray diverter MagFit magnetic shower support quick connect hose connection dimension: DN15 maximum flow rate at 3 bar: 9.5 l/min ceramic cartridge connection type: G 3/8 connections



Focus M41 Single lever kitchen mixer 240, pull-out spray, 2jet, sBox


integrated non-return valve

240, Eco, pull-out spray, 2jet

Alternative products:

suitable for continuous flow water heaters

Focus M41 Single lever kitchen mixer



- · ComfortZone 240
- swivel range adjustable in 2 steps to 110° or 150°
- · laminar spray and shower spray
- lockable shower spray, spray returns through pressing spray diverter
- · MagFit magnetic shower support
- connection dimension: DN15
- · maximum flow rate at 3 bar: 9.5 l/min
- · ceramic cartridge
- connection type: G 3/8 connections
- integrated non-return valve
- · suitable for continuous flow water heaters
- sBox for quiet, smooth and protected hose guidance in the cabinet, under the countertop, with extension length up to 76 cm

Alternative products:

Focus M41 Single lever kitchen mixer 240, Eco, pull-out spray, 2jet, sBox

 Chrome
 73880000
 304.10

 Stainless Steel Finish
 73880800
 378.50

31833000

Chrome





255.00

Euro

255.00

357.00

331.70

Chrome 73895000 304.10

227

Focus M41 Single lever kitchen mixer 280, 1 jet

· handle can be positioned on the right or left

- lett ComfortZone 280
- · swivel range adjustable in 3 steps 110°,
- 150° or 360°
- · normal spray
- connection dimension: DN15
 maximum flow rate at 3 bar: 12 l/min
- · ceramic cartridge
- connection type: G 3/8 connections
- · suitable for continuous flow water heaters

Alternative products:

Focus M41 Single lever kitchen mixer 280, Eco, 1 jet

Chrome 31817000 Matt Black 31817670 Stainless Steel Finish 31817800





196.70

275.40

196.70

Chrome 31827000

171.60


240.20

223.80

189.40

171.60

223.80



Focus M41 Single lever kitchen mixer 260, 1 jet

handle can be positioned on the right or

ComfortZone 260

swivel range adjustable in 3 steps 110°, 150° or 360°

normal spray connection dimension: DN15

maximum flow rate at 3 bar: 12 l/min

ceramic cartridge

connection type: G 3/8 connections

suitable for continuous flow water heaters

Alternative products:

Focus M41 Single lever kitchen mixer 260, LowPressure/vented hot water cylinders, 1 jet

Focus M41 Single lever kitchen mixer 260, Eco, 1 jet

Stainless Steel Finish 31821800

finish

Chrome

Chrome

Chrome

Chrome

Matt Black

31823000

31822000

31821000

code no.

31820000

31820670

Stainless Steel Finish 31820800

281.10



handle can be positioned on the right or

Focus M41 Single lever kitchen

ComfortZone 260

swivel range adjustable in 3 steps 110°, 150° or 360°

normal spray

with integrated shut-off valve

connection dimension: DN15

maximum flow rate at 3 bar: 12 l/min

ceramic cartridge


connection type: G 3/8 connections

suitable for continuous flow water heaters









Focus M41 Single lever kitchen mixer 160, 1 jet

ComfortZone 160

swivel range 360°

normal spray

connection dimension: DN15

maximum flow rate at 3 bar: 12 l/min

ceramic cartridge

connection type: G 3/8 connections

suitable for continuous flow water heaters

Alternative products:

Focus M41 Single lever kitchen mixer 160, CoolStart, EcoSmart, 1jet

Focus M41 Single lever kitchen mixer 160, Eco, 1jet

Focus M41 Single lever kitchen mixer 160, LowPressure/vented hot water cylinders, 1 jet


Chrome 31806000 121.10 Stainless Steel Finish 31806800 157.30







Chrome	31816000	124.90
Chrome	31826000	121.10
Chrome	31804000	136.60



Focus M41 Single lever kitchen mixer 200, device shut-off valve, 1 jet

ComfortZone 200

swivel range 120°

with integrated shut-off valve

connection dimension: DN15

maximum flow rate at 3 bar: 12 l/min

ceramic cartridge

connection type: G 3/8 connections

suitable for continuous flow water heaters

finish Chrome

31803000

code no.

281.00

Euro









Focus M41 Single lever kitchen Chrome mixer, wall-mounted lowspout, 1 jet

swivel range 180°

normal spray

centre distance 150 ± 12 mm

connection dimension: DN15

maximum flow rate at 3 bar: 12 l/min

ceramic cartridge

connection type: s-shaped connections


suitable for continuous flow water heaters

31825000

163.30







Focus M41 Single lever kitchen Chrome mixer E, 160, 1jet

ComfortZone 160 swivel range 360°

normal spray

connection dimension: DN15

maximum flow rate at 3 bar: 12 l/min

ceramic cartridge

connection type: G 3/8 connections

suitable for continuous flow water heaters

Alternative products:

Focus M41 Single lever kitchen mixer E, 160, LowPressure/vented hot water cylinders, 1 jet

31780000

127.20








Chrome

31784000

149.30

Focus M42



Focus M42 Single lever kitchen mixer 220, pull-out spray, 2jet

ComfortZone 220

swivel range 360°

laminar spray and shower spray lockable shower spray, spray returns through pressing spray diverter and spray returns automatically through handle

MagFit magnetic shower support

quick connect hose

connection dimension: DN15

maximum flow rate at 3 bar: 8 l/min ceramic cartridge

connection type: G 3/8 connections

integrated non-return valve

suitable for continuous flow water heaters

71800000 269.70

Stainless Steel Finish 71800800 350.60





Focus M42 Single lever kitchen mixer 220, pull-out spray, 2jet, **sBox**

consists of: single lever kitchen mixer, hose

ComfortZone 220

swivel range 360°

laminar spray and shower spray

lockable shower spray, spray returns through pressing spray diverter and spray returns automatically through handle closing

MagFit magnetic shower support connection dimension: DN15

maximum flow rate at 3 bar: 8 l/min

ceramic cartridge

connection type: G 3/8 connections

integrated non-return valve


suitable for continuous flow water heaters

sBox for quiet, smooth and protected hose guidance in the cabinet, under the countertop, with extension length up to 76 cm

finish code no. Euro Chrome 71820000 323.70 Stainless Steel Finish 71820800 404.60







laminar spray and shower spray

lockable shower spray, spray returns through pressing spray diverter and spray returns automatically through handle closing

MagFit magnetic shower support

quick connect hose

connection dimension: DN15

maximum flow rate at 3 bar: 8 l/min

ceramic cartridge

connection type: G 3/8 connections

integrated non-return valve

suitable for continuous flow water heaters

Alternative products:

Focus M42 Single lever kitchen mixer

Chrome Stainless Steel Finish 71801800

71801000 238.60 310.20








180, Eco, pull-out spray, 2jet

Chrome 71862000 238.60



Focus M42 Single lever kitchen mixer 180, pull-out spray, 2jet, sBox

consists of: single lever kitchen mixer, hose

ComfortZone 180

swivel range 360°

laminar spray and shower spray

lockable shower spray, spray returns through pressing spray diverter and spray returns automatically through handle closing

MagFit magnetic shower support

connection dimension: DN15

maximum flow rate at 3 bar: 8 l/min

ceramic cartridge

connection type: G 3/8 connections

integrated non-return valve

suitable for continuous flow water heaters

sBox for quiet, smooth and protected hose guidance in the cabinet, under the countertop, with extension length up to 76 cm

Chrome 71821000 Stainless Steel Finish 71821800



292.60

Focus M42 Single lever kitchen mixer 220, 1jet

- ComfortZone 220
- swivel range 360°
- normal spray
- connection dimension: DN15
- maximum flow rate at 3 bar: 10 l/min
- ceramic cartridge
- connection type: G 3/8 connections
- suitable for continuous flow water heaters

Chrome 71802000 Stainless Steel Finish 71802800

finish




code no.





Euro

171.20





- normal spray
- with integrated shut-off valve
- connection dimension: DN15
- maximum flow rate at 3 bar: 10 l/min
- ceramic cartridge
- connection type: G 3/8 connections
- suitable for continuous flow water heaters


71803000

269.70









- swivel range adjustable in 2 steps 110° or 360°

Focus M42 Single lever kitchen mixer 120, 1jet

- ComfortZone 120
- swivel range 360°
- normal spray
- connection dimension: DN15
- maximum flow rate at 3 bar: 12 l/min
- ceramic cartridge
- connection type: G 3/8 connections
- suitable for continuous flow water heaters

Alternative products:

Focus M42 Single lever kitchen mixer 120, CoolStart, EcoSmart,

Focus M42 Single lever ki 120, CoolStart, Eco, 1jet

Focus M42 Single lever ki 120, LowPressure/vented h cylinders, 1 jet

71806000 Chrome Stainless Steel Finish 71806800







124.50

itchen mixer	Chrome	71805000	124.50
, 1 jet itchen mixer	Chrome	71864000	124.50
itchen mixer hot water	Chrome	71804000	134.80



Focus M42 Single lever kitchen mixer 120, installation in front of a window, 1 jet

ComfortZone 120

swivel range 360°

installation in front of the window, can be laid flat, base height 51 mm

normal spray

connection dimension: DN15

maximum flow rate at 3 bar: 12 l/min

ceramic cartridge

connection type: G 3/8 connections

suitable for continuous flow water heaters

Chrome 71807000

finish




code no.





Euro

155.60



Focus M42 Single lever kitchen Chrome mixer 180, device shut-off valve, 1 jet

ComfortZone 180

swivel range adjustable in 2 steps 120° or 360°

normal spray

with integrated shut-off valve

connection dimension: DN15

maximum flow rate at 3 bar: 12 l/min

ceramic cartridge

connection type: G 3/8 connections

suitable for continuous flow water heaters


71813000

254.20









Focus M42 Single lever kitchen mixer 150, pull-out spout, 1 jet

ComfortZone 150

swivel range 120° normal spray

MagFit magnetic shower support

quick connect hose

connection dimension: DN15

maximum flow rate at 3 bar: 10 l/min

ceramic cartridge

connection type: G 3 % connections

integrated non-return valve

suitable for continuous flow water heaters

Alternative products:

Focus M42 Single lever kitchen mixer 150, Eco, pull-out spout, 1 jet

Chrome 71814000 Stainless Steel Finish 71814800







171.20

222.60

Chrome 71865000



Focus M42 Single lever kitchen mixer 150, pull-out spout, 1 jet, sBox

consists of: single lever kitchen mixer, hose box


- ComfortZone 150
- swivel range 120°
- normal spray
- MagFit magnetic shower support
- connection dimension: DN15
- maximum flow rate at 3 bar: 10 l/min
- ceramic cartridge
- connection type: G 3/8 connections
- integrated non-return valve
- suitable for continuous flow water heaters
- sBox for quiet, smooth and protected hose guidance in the cabinet, under the countertop, with extension length up to 76 cm

finish code no. Euro Chrome 71829000 225.10 Stainless Steel Finish 71829800 276.50









Focus M42 Single lever kitchen mixer 100, 1jet

- ComfortZone 100
- swivel range 360°
- normal spray
 - connection dimension: DN15
- maximum flow rate at 3 bar: 12 l/min
- ceramic cartridge
- connection type: G 3/8 connections
- suitable for continuous flow water heaters

Alternative products:

- Focus M42 Single lever kitchen mixer 100, CoolStart, EcoSmart, 1jet

Chrome 71808000 103.70 Stainless Steel Finish 71808800 134.80







Focus M42 Single lever kitchen mixer 100, CoolStart, Eco, 1jet


Chrome 71809000 103.70 103.70

Chrome 71866000

Chrome

Chrome

Logis M31



Logis M31 Single lever kitchen mixer 260, 1 jet

- handle can be positioned on the right or left
- ComfortZone 260
- swivel range adjustable in 3 steps 110°, 150° or 360°
- normal spray
- connection dimension: DN15
- maximum flow rate at 3 bar: 12 l/min
- ceramic cartridge
- connection type: G 3/8 connections
- suitable for continuous flow water heaters

Alternative products:

Logis M31 Single lever kitchen mixer 260, Eco, 1jet

71835000

71861000

139.00



finish code no. Euro Logis M31 2-handle kitchen Chrome 71280000 121.90

Chrome

Chrome

Chrome



mixer 220, 1 jet

- ComfortZone 220
- swivel range adjustable in 3 steps 110°, 150° or 360°
- normal spray
- connection dimension: DN15
- maximum flow rate at 3 bar: 12 l/min
- ceramic valves hot/cold 90°
- connection type: G 3/8 connections
- suitable for continuous flow water heaters



Logis M31 Single lever kitchen mixer 160, 1 jet

- ComfortZone 160
- swivel range 360°
- normal spray
- connection dimension: DN15
- maximum flow rate at 3 bar: 12 l/min
- ceramic cartridge
- connection type: G 3/8 connections
- suitable for continuous flow water heaters

- Logis M31 Single lever kitchen mixer 160, installation in front of a window, 1 jet
- 160, Eco, 1 jet

71832000

107.70







Logis M31 Single lever kitchen mixer

71833000 Chrome

Chrome 71860000 107.70

138.00



Logis M31 Single lever kitchen mixer 160, CoolStart, EcoSmart, 1 jet



- cold water in middle position
- swivel range 360°
- normal spray
- connection dimension: DN15
- maximum flow rate at 3 bar: 12 l/min
- ceramic cartridge
- connection type: G 3/8 connections
- suitable for continuous flow water heaters

71839000







107.70






Logis M31 Single lever kitchen mixer 220, device shut-off valve, 1 jet


- ComfortZone 220
- swivel range 120°
- normal spray
- connection dimension: DN15
- maximum flow rate at 3 bar: 12 l/min
- ceramic cartridge
- connection type: G 3/8 connections
- suitable for continuous flow water heaters

71834000









Logis M31 Single lever kitchen mixer 120, 1jet

ComfortZone 120

swivel range 360° normal spray

connection dimension: DN15

maximum flow rate at 3 bar: 12 l/min

ceramic cartridge

connection type: G 3/8 connections

suitable for continuous flow water heaters

Alternative products:

Logis M31 Single lever kitchen mixer 120, LowPressure/vented hot water cylinders, 1 jet

Chrome

71831000


code no.

71830000

113.20

Euro

94.70



Logis M31 Single lever kitchen mixer 120, CoolStart, EcoSmart,

1 jet

ComfortZone 120

cold water in middle position

swivel range 360°

normal spray

connection dimension: DN15

maximum flow rate at 3 bar: 12 l/min

ceramic cartridge

connection type: G 3/8 connections

suitable for continuous flow water heaters



Chrome

finish

Chrome

71837000

94.70





Logis M31 Single lever kitchen mixer, wall-mounted lowspout,

1 jet

swivel range 220°

normal spray

centre distance 150 ± 12 mm

connection dimension: DN15

maximum flow rate at 3 bar: 13 l/min

ceramic cartridge

connection type: s-shaped connections

suitable for continuous flow water heaters

71836000

139.00







Logis M32 2-handle kitchen

mixer 220, 1jet

ComfortZone 220

swivel range adjustable in 3 steps 110°, 150° or 360°

normal spray

connection dimension: DN15

maximum flow rate at 3 bar: 12 l/min

ceramic valves 90°

connection type: G 3/8 connections

suitable for continuous flow water heaters

Alternative products:

Logis M32 2-handle kitchen mixer 220, Eco, 1 jet


Chrome

71283000

71285000

155.20

182.90



Logis M32 2-handle kitchen mixer, wall-mounted, highspout, 1 jet

swivel range 360°

normal spray

- centre distance $150 \pm 12 \text{ mm}$
- connection dimension: DN15
- maximum flow rate at 3 bar: 12 l/min
- ceramic valves 90°
- connection type: s-shaped connections
- suitable for continuous flow water heaters

Alternative products:
Logis M32 2-handle kitchen mixer, Eco, wall-mounted highspout, 1 jet

Chrome

Chrome

finish

Chrome


71284000

code no.

71286000

182.90





Logis M32 2-handle kitchen mixer, wall-mounted lowspout, 1 jet

- normal spray
- centre distance 150 ± 12 mm
- connection dimension: DN15
- maximum flow rate at 3 bar: 12 l/min
- ceramic valves 90°
- connection type: s-shaped connections suitable for continuous flow water heaters

71287000

182.90




hansgrohe Sink combis

Stainless steel sink combinations at a glance

	sink cabinet	60) cm
Versions	Standard with sBox	43201, -000, -800	43205, -000, -800 43230, -000, -800
	Surface-mounted installation		
Installation options	Flush-mounted installation	•	
opiions	Substructure-mounted installation		
	Kitchen mixer	73818, -000, -800	73818, -000, -800
	Select	•	•
Features	Change spray type	•	
	With pull-out function	•	•
	With swivel spout	•	•

■ Available




hansgrohe Sink combis

SilicaTec sink combinations at a glance

	sink cabinet	60	cm
Versions	Standard with sBox	43217 -000	43219, -000 43228, -000
	Surface-mounted installation		
Installation options	Flush-mounted installation		
орнонз	Substructure-mounted installation		
	Kitchen mixer	<i>7</i> 3818, -000	73818, -000
	Select		
Features	Change spray type		
	With pull-out function		
	With swivel spout		


■ Available




Stainless steel sink combis









C71-F450-06 Sink combi 450

Select

- consists of: built-in sink, 2-hole single lever kitchen mixer, control unit, hose box, manual waste and overflow set
- material sink: stainless steel
- number of bowls: 1 main bowl
- tap hole and hole for control unit are pre-drilled
- sink depth: 190 mm
- cut-out dimensions: 530 x 480 mm
- cabinet size: 60 cm
- type of installation: flat on the countertop (self-rimming) or flush-mount installation
- position overflow: on the right side of the bowl
- tap ledge reinforcing for a tight and stable seating of the kitchen mixer
- corner radius: 10 mm
- connection type: G 3/8 connections
- connection dimension: DN15
- flow rate 8 I/min
- suitable for continuous flow water heaters
- ceramic cartridge
- MagFit magnetic shower support
- integrated non-return valve
- swivel range 150°
- normal spray
- ComfortŻone 200
- Select button for a comfortable start/stop of the water flow
- sBox for quiet, smooth and protected hose guidance in the cabinet, under the countertop, with extension length up to 76 cm

Consisting of:

- 2-hole single lever kitchen mixer 200, pull-out spray, 2jet, sBox (# 73818XXX) D14-10 Manual waste and overflow set
- for single bowl (# 43921800)

Optional parts:

F15 Cutting board walnut		40960000	124.50
F16 Cutting board oak		40961000	93.40
F17 Mobile drainboard	Stainless Steel	40962800	81.00
F14 Multifunctional strainer	Matt Black	40963000	20.30



1,053.70 1,211.80



finish



code no.







Euro

1,331.20

1,484.80







C71-F450-07 Sink combi 450 Select with drainboard left

- consists of: built-in sink, 2-hole single lever kitchen mixer, control unit, hose box, manual waste and overflow set
- · for installation in worktops from 25 mm
- material sink: stainless steel
- · number of bowls: 1 main bowl
- with drainage
- tap hole and hole for control unit are
- pre-drilled
- orientation: bowl right sink depth: 190 mm
- cut-out dimensions: 1025 x 490 mm
- cabinet size: 60 cm
- type of installation: flat on the countertop (self-rimming) or flush-mount installation
- position overflow: on the right side of the bowl
- tap ledge reinforcing for a tight and stable seating of the kitchen mixer
- corner radius: 10 mm
- · connection type: G 3/8 connections
- connection dimension: DN15
- · flow rate 8 1/min
- suitable for continuous flow water heaters
- · ceramic cartridge
- · MagFit magnetic shower support
- · integrated non-return valve
- swivel range 150°
- · normal spray
- · ComfortŻone 200
- Select button for a comfortable start/stop of the water flow
- sBox for quiet, smooth and protected hose guidance in the cabinet, under the countertop, with extension length up to 76 cm

Consisting of:

- · 2-hole single lever kitchen mixer 200, pull-out spray, 2jet, sBox (# 73818XXX)
- D14-10 Manual waste and overflow set for single bowl (# 43921800)

Optional parts:

F14 Multifunctional strainer

Matt Black

finish

Chrome

code no.


43205000


Stainless Steel Finish 43205800

40963000

20.30







C71-F450-12 Sink combi 450 Select with drainboard right

consists of: built-in sink, 2-hole single lever kitchen mixer, control unit, hose box, manual waste and overflow set

for installation in worktops from 25 mm

material sink: stainless steel

number of bowls: 1 main bowl

with drainage tap hole and hole for control unit are

pre-drilled

orientation: bowl left sink depth: 190 mm

cut-out dimensions: 1025 x 490 mm

cabinet size: 60 cm

type of installation: flat on the countertop (self-rimming) or flush-mount installation

position overflow: on the left side of the bowl

tap ledge reinforcing for a tight and stable seating of the kitchen mixer

corner radius: 10 mm

connection type: G 3/8 connections

connection dimension: DN15

flow rate 8 1/min

suitable for continuous flow water heaters

ceramic cartridge

MagFit magnetic shower support

integrated non-return valve

swivel range 150°

normal spray

ComfortZone 200

Select button for a comfortable start/stop of the water flow

sBox for quiet, smooth and protected hose guidance in the cabinet, under the countertop, with extension length up to 76 cm

Consisting of:

2-hole single lever kitchen mixer 200, pull-out spray, 2jet, sBox (# 73818XXX)

D14-10 Manual waste and overflow set for single bowl (# 43921800)

Optional parts:

F14 Multifunctional strainer

Chrome 43230000 Stainless Steel Finish 43230800

finish



code no.





1,331.20


Euro


Matt Black 40963000 20.30

1,138.00

1,296.10







C71-F660-08 Sink combi 660

Select

consists of: built-in sink, 2-hole single lever kitchen mixer, control unit, hose box, manual waste and overflow set

- material sink: stainless steel
- number of bowls: 1 main bowl
- tap hole and hole for control unit are pre-drilled
- sink depth: 190 mm
- cut-out dimensions: 740 x 480 mm
- cabinet size: 80 cm
- type of installation: flat on the countertop
- (self-rimming) or flush-mount installation position overflow: on the right side of the
- tap ledge reinforcing for a tight and stable seating of the kitchen mixer
- corner radius: 10 mm
- connection type: G 3/8 connections
- connection dimension: DN15
- flow rate 8 l/min
- suitable for continuous flow water heaters
- ceramic cartridge
- MagFit magnetic shower support
- integrated non-return valve
- swivel range 150°
- normal spray
- ComfortZone 200
- Select button for a comfortable start/stop of the water flow
- sBox for quiet, smooth and protected hose guidance in the cabinet, under the countertop, with extension length up to 76 cm

Consisting of:

- 2-hole single lever kitchen mixer 200, pull-out spray, 2 jet, sBox (# 73818XXX) D14-10 Manual waste and overflow set
- for single bowl (# 43921800)

Optional parts:

F15 Cutting board walnut		40960000	124.50
F16 Cutting board oak		40961000	93.40
F17 Mobile drainboard	Stainless Steel	40962800	81.00
F14 Multifunctional strainer	Matt Black	40963000	20.30

finish


Chrome


code no.

43202000

Stainless Steel Finish 43202800







C71-F655-09 Sink combi 180/450 Select

- consists of: built-in sink, 2-hole single lever kitchen mixer, control unit, hose box, manual waste and overflow set
- · material sink: stainless steel
- number of bowls: 1 main bowl and
 1 additional bowl
- tap hole and hole for control unit are pre-drilled
- sink depth: 190 mm
- cut-out dimensions: 735 x 480 mm
- · cabinet size: 80 cm
- type of installation: flat on the countertop (self-rimming) or flush-mount installation position overflow: on the right side of the main bowl
- tap ledge reinforcing for a tight and stable seating of the kitchen mixer
- corner radius: 10 mm
- connection type: G 3/8 connections
- connection dimension: DN15
- · flow rate 8 l/min
- suitable for continuous flow water heaters
- · ceramic cartridge
- MagFit magnetic shower support
- · integrated non-return valve
- · swivel range 150°
- · normal spray
- ComfortZone 200
- Select button for a comfortable start/stop of the water flow
- sBox for quiet, smooth and protected hose guidance in the cabinet, under the countertop, with extension length up to 76 cm

Consisting of:

- 2-hole single lever kitchen mixer 200, pull-out spray, 2jet, sBox (# 73818XXX)
- D15-10 Manual waste and overflow set for double bowl (# 43922800)

Optional parts:

1 13 Coming board wanter
F16 Cutting board oak
· F17 Mobile drainboard
· F14 Multifunctional strainer

Chrome	43206000
Stainless Steel Finish	43206800

finish





code no.



1,475.20

Euro

40960000 124.50 40961000 93.40 Stainless Steel 40962800 81.00 Matt Black 40963000 20.30

1,580.50



C71-F765-10 Sink combi 370/370 Select

- consists of: built-in sink, 2-hole single lever kitchen mixer, control unit, hose box, manual waste and overflow set
- · material sink: stainless steel
- · number of bowls: 2 main bowls
- tap hole and hole for control unit are pre-drilled
- · sink depth: 190 mm
- cut-out dimensions: 840 x 480 mm
- cabinet size: 90 cm
- · type of installation: flat on the countertop (self-rimming) or flush-mount installation
- tap ledge reinforcing for a tight and stable seating of the kitchen mixer
- corner radius: 10 mm
- connection type: G 3/8 connections
- connection dimension: DN15
- flow rate 8 l/min
- suitable for continuous flow water heaters
- ceramic cartridge
- · MagFit magnetic shower support
- integrated non-return valve
- · swivel range 150°
- · normal spray
- · ComfortZone 200
- Select button for a comfortable start/stop of the water flow
- sBox for quiet, smooth and protected hose guidance in the cabinet, under the countertop, with extension length up to 76 cm

Consisting of:

- 2-hole single lever kitchen mixer 200, pull-out spray, 2jet, sBox (# 73818XXX)
- D15-10 Manual waste and overflow set for double bowl (# 43922800)

Optional parts:

F15 Cutting board walnut		40960000
F16 Cutting board oak		40961000
F17 Mobile drainboard	Stainless Steel	40962800
F14 Multifunctional strainer	Matt Black	40963000

Chrome 43203000 Stainless Steel Finish 43203800



finish



code no.





124.50

93.40

81.00


20.30


SilicaTec sink combis











C51-F450-06 Sink combi 450

Select

consists of: built-in sink, 2-hole single lever kitchen mixer, control unit, hose box, manual waste and overflow set

- material sink: SilicaTec
- number of bowls: 1 main bowl
- tap hole for drilling is predefined (see scale drawing)
- sink depth: 190 mm
- cut-out dimensions: 540 x 490 mm
- cabinet size: 60 cm
- type of installation: topmount
- position overflow: on the right side of the bowl
- connection type: G 3/8 connections
- connection dimension: DN15
- flow rate 8 I/min
- suitable for continuous flow water heaters
- ceramic cartridge
- MagFit magnetic shower support
- integrated non-return valve swivel range 150°
- normal spray
- ComfortZone 200
- Select button for a comfortable start/stop of the water flow
- sBox for quiet, smooth and protected hose guidance in the cabinet, under the countertop, with extension length up to

Consisting of:

- S510-F450 Built-in sink 450 (# 43312XXX)
- 2-hole single lever kitchen mixer 200, pull-out spray, 2jet, sBox (# 73818XXX)
- D16-10 Manual waste and overflow set for single bowl granite (# 43927000)

Optional parts:

F13 Cutting board walnut		40960000	124.50
F16 Cutting board oak		40961000	93.40
F17 Mobile drainboard	Stainless Steel	40962800	81.00
F14 Multifunctional strainer	Matt Black	40963000	20.30

finish

code no. 43217000

Euro 788.50



















C51-F450-08 Sink combi 450 Select with drainboard left

- consists of: built-in sink, 2-hole single lever kitchen mixer, control unit, hose box, manual waste and overflow set
- for installation in worktops from 20 $\ensuremath{\mathsf{mm}}$
- material sink: SilicaTec
- number of bowls: 1 main bowl
- with drainage
- tap hole for drilling is predefined (see scale drawing)
- orientation: bowl right sink depth: 190 mm
- cut-out dimensions: 1030 x 490 mm
- cabinet size: 60 cm
- type of installation: topmount
- position overflow: on the right side of the
- connection type: G 3/8 connections
- connection dimension: DN15
- flow rate 8 1/min
- suitable for continuous flow water heaters
- ceramic cartridge
- MagFit magnetic shower support
- integrated non-return valve swivel range 150°
- normal spray
- ComfortZone 200
- Select button for a comfortable start/stop of the water flow
- sBox for quiet, smooth and protected hose guidance in the cabinet, under the countertop, with extension length up to 76 cm


Consisting of:


- S514-F450 Built-in sink 450
- with drainboard left (# 43314XXX)
- 2-hole single lever kitchen mixer 200, pull-out spray, 2jet, sBox (# 73818XXX)
- D16-10 Manual waste and overflow set for single bowl granite (# 43927000)

Optional parts:

٠	F15 Cutting board walnut		40960000	124.50
	F16 Cutting board oak		40961000	93.40
	F14 Multifunctional strainer	Matt Black	40963000	20.30







C51-F450-12 Sink combi 450 Select with drainboard right

 consists of: built-in sink, 2-hole single lever kitchen mixer, control unit, hose box, automatic waste and overflow set

· material sink: SilicaTec

· number of bowls: 1 main bowl

with drainage

tap hole for drilling is predefined (see scale drawing)

orientation: bowl left sink depth: 190 mm

cut-out dimensions: 1030 x 490 mm

· cabinet size: 60 cm

· type of installation: topmount

position overflow: on the left side of the bowl

· connection type: G 3/8 connections

connection dimension: DN15

flow rate 8 I/min

suitable for continuous flow water heaters

ceramic cartridge

· MagFit magnetic shower support

· integrated non-return valve

· swivel range 150°

normal spray

· ComfortŻone 200

 Select button for a comfortable start/stop of the water flow

sBox for quiet, smooth and protected hose guidance in the cabinet, under the countertop, with extension length up to 76 cm

Consisting of:

S711-F450 Built-in sink 450 (# 43301800)

2-hole single lever kitchen mixer 200, pull-out spray, 2jet, sBox (# 73818XXX)

 D16-10 Manual waste and overflow set for single bowl granite (# 43927000)

Optional parts:

 F15 Cutting board walnut
 40960000
 124.50

 F16 Cutting board oak
 40961000
 93.40

 F14 Multifunctional strainer
 Matt Black
 40963000
 20.30

Chrome

finish

43228000

code no.

942.10

Euro



















C51-F660-07 Sink combi 660 Select

- consists of: built-in sink, 2-hole single lever kitchen mixer, control unit, hose box, manual waste and overflow set
- material sink: SilicaTec
- number of bowls: 1 main bowl
- tap hole for drilling is predefined (see scale drawing)
- sink depth: 190 mm
- cut-out dimensions: 750 x 490 mm
- cabinet size: 80 cm
- type of installation: topmount
- position overflow: on the right side of the bowl
- connection type: G 3/8 connections
- connection dimension: DN15
- flow rate 8 I/min
- suitable for continuous flow water heaters
- ceramic cartridge
- MagFit magnetic shower support
- integrated non-return valve swivel range 150°
- normal spray
- ComfortZone 200
- Select button for a comfortable start/stop of the water flow
- sBox for quiet, smooth and protected hose guidance in the cabinet, under the countertop, with extension length up to


Consisting of:


- S510-F660 Built-in sink 660 (# 43313XXX)
- 2-hole single lever kitchen mixer 200, pull-out spray, 2jet, sBox (# 73818XXX)
- D16-10 Manual waste and overflow set for single bowl granite (# 43927000)

Optional parts:

F15 Cutting board walnut		40960000	124.50
· F16 Cutting board oak		40961000	93.40
· F17 Mobile drainboard	Stainless Steel	40962800	81.00
F14 Multifunctional strainer	Matt Black	40963000	20.30







C51-F635-09 Sink combi 180/450 Select

consists of: built-in sink, 2-hole single lever kitchen mixer, control unit, hose box, manual waste and overflow set

material sink: SilicaTec

number of bowls: 1 main bowl and 1 additional bowl

tap hole for drilling is predefined (see scale drawing)

sink depth: 190 mm

cut-out dimensions: 750 x 490 mm

cabinet size: 80 cm

type of installation: topmount

position overflow: on the right side of the main bowl

connection type: G 3/8 connections connection dimension: DN15

flow rate 8 I/min

suitable for continuous flow water heaters

ceramic cartridge

MagFit magnetic shower support

integrated non-return valve

swivel range 150°

normal spray

ComfortZone 200

Select button for a comfortable start/stop of the water flow

sBox for quiet, smooth and protected hose guidance in the cabinet, under the countertop, with extension length up to 76 cm

Consisting of:

\$510-F635 Built-in sink 180/450 (# 43315XXX)

2-hole single lever kitchen mixer 200, pull-out spray, 2jet, sBox (# 73818XXX) D17-10 Manual waste and overflow set

for double bowl granite (# 43928000)

Optional parts:

· F15 Cutting board walnut		40960000	124.50
F16 Cutting board oak		40961000	93.40
· F17 Mobile drainboard	Stainless Steel	40962800	81.00
F14 Multifunctional strainer	Matt Black	40963000	20.30



finish




code no.



Euro







- consists of: built-in sink, 2-hole single lever kitchen mixer, control unit, hose box,
- manual waste and overflow set
- material sink: SilicaTec

370/370 Select

number of bowls: 2 main bowls

C51-F770-10 Sink combi

- tap hole for drilling is predefined (see scale drawing)
- sink depth: 190 mm
- cut-out dimensions: 860 x 490 mm
- cabinet size: 90 cm
- type of installation: topmount
- position overflow: on the right side of the
- connection type: G 3/8 connections
- connection dimension: DN15
- flow rate 8 I/min
- suitable for continuous flow water heaters
- ceramic cartridge
- MagFit magnetic shower support
- integrated non-return valve swivel range 150°
- normal spray
- ComfortZone 200
- Select button for a comfortable start/stop of the water flow
- sBox for quiet, smooth and protected hose guidance in the cabinet, under the countertop, with extension length up to

Consisting of:

- S510-F770 Built-in sink 370/370 (# 43316XXX)
- 2-hole single lever kitchen mixer 200, pull-out spray, 2jet, sBox (# 73818XXX)
- D17-10 Manual waste and overflow set for double bowl granite (# 43928000)

Optional parts:

	F15 Cutting board walnut		40960000	124.50
•	r 13 Culling board walnut		40900000	124.50
	F16 Cutting board oak		40961000	93.40
	F17 Mobile drainboard	Stainless Steel	40962800	81.00
	F14 Multifunctional strainer	Matt Black	40963000	20.30

		finish	code no.	Euro
Optional parts for stainless steel sinks	D14-10 Manual waste and overflow set for single bowl consists of: waste and overflow set, screen basket, trap drain system: drain operation via pushing/pulling screen basket diameter 40 / 50 1 1/2" with space-saving drain pipe and odor trap screen basket: 3 1/2"	Stainless Steel	43921800	25.00
	D15-10 Manual waste and overflow set for double bowl consists of: waste and overflow set, screen basket, trap drain system: drain operation of main bowl and additional bowl via pushing/pulling screen basket diameter 40 / 50 1 1/2" with space-saving drain pipe and odor trap screen basket: 3 1/2"	Stainless Steel	43922800	41.70
	D14-11 Automatic waste and overflow set for single bowl turning handle for eccentric operation in chrome consists of: waste and overflow set, pop-up waste set, trap drain system: drain operation via turning pop-up handle diameter 40 / 50 1 1/2" with space-saving drain pipe and odor trap screen basket: 3 1/2"	Stainless Steel	43931800	43.80
	Optional parts: All turning handle for eccentric operation NEW	Stainless Steel Finish Matt Black	40953800 40953670	17.10 30.00
	D15-11 Automatic waste and overflow set for double bowl turning handle for eccentric operation in chrome consists of: waste and overflow set, pop-up waste set, trap drain system: drain operation of main bowl via turning pop-up handle and additional bowl via pushing/pulling screen basket diameter 40 / 50 1 1/2" with space-saving drain pipe and odor trap screen basket: 3 1/2"	Stainless Steel	43932800	67.80
	Optional parts: All turning handle for eccentric operation NEW	Stainless Steel Finish Matt Black	40953800 40953670	17.10 30.00


		finish	code no.	Euro
	D14-12 Automatic waste and overflow set for single bowl Select consists of: waste and overflow set, pop-up waste set, trap drain system: drain operation via turning pop-up handle diameter 40 / 50 1 1/2" with space-saving drain pipe and odor trap screen basket: 3 1/2"	Stainless Steel	43941800	30.20
	Optional parts: All turning handle for eccentric operation NEW	Stainless Steel Finish Matt Black	40953800 40953670	17.10 30.00
	D15-12 Automatic waste and overflow set for double bowl Select consists of: waste and overflow set, pop-up waste set, trap drain system: drain operation of main bowl via turning pop-up handle and additional bowl via pushing/pulling screen basket diameter 40 / 50 1 1/2" with space-saving drain pipe and odor trap screen basket: 3 1/2"	Stainless Steel	43942800	47.90
	Optional parts: All turning handle for eccentric operation NEW	Stainless Steel Finish Matt Black	40953800 40953670	17.10 30.00
Optional parts for granite sinks	D16-10 Manual waste and overflow set for single bowl granite consists of: waste and overflow set, screen basket, trap drain system: drain operation via pushing/pulling screen basket diameter 40 / 50 1 1/2" with space-saving drain pipe and odor trap screen basket: 3 1/2"	Chrome	43927000	24.90
	D17-10 Manual waste and overflow set for double bowl granite · consists of: waste and overflow set, screen basket, trap · drain system: drain operation of main bowl and additional bowl via pushing/pulling screen basket · diameter 40 / 50 · 1 1/2" with space-saving drain pipe and odor trap · screen basket: 3 1/2"	Chrome	43928000	41.50

	finish	code no.	Euro
D16-11 Automatic waste and overflow set for single bowl granite consists of: waste and overflow set, pop-up waste set, trap drain system: drain operation via turning pop-up handle diameter 40 / 50 1 1/2" with space-saving drain pipe and odor trap screen basket: 3 1/2"	Chrome	43937000	43.60
Optional parts: All turning handle for eccentric operation NEW	Stainless Steel Finish Matt Black	40953800 40953670	17.10 30.00
D17-11 Automatic waste and overflow set for double bowl granite consists of: waste and overflow set, pop-up waste set, trap drain system: drain operation of main bowl via turning pop-up handle and additional bowl via pushing/pulling screen basket diameter 40 / 50 1 1/2" with space-saving drain pipe and odor trap screen basket: 3 1/2"	Chrome	43938000	67.50
Optional parts: All turning handle for eccentric operation NEW	Stainless Steel Finish Matt Black	40953800 40953670	17.10 30.00
D16-12 Automatic waste and overflow set for single bowl granite Select consists of: waste and overflow set, pop-up waste set, trap drain system: drain operation via turning pop-up handle diameter 40 / 50 1 1/2" with space-saving drain pipe and odor trap screen basket: 3 1/2"	Chrome	43947000	30.10
D17-12 Automatic waste and overflow set for double bowl granite Select consists of: waste and overflow set, pop-up waste set, trap drain system: drain operation of main bowl via turning pop-up handle and additional bowl via pushing/pulling screen basket diameter 40 / 50 1 1/2" with space-saving drain pipe and odor trap screen basket: 3 1/2"	Chrome	43948000	47.70
Optional parts: All turning handle for eccentric	Stainless Steel Finish Matt Black	40953800 40953670	17.10 30.00

Optional parts for built-in sinks and undermount sinks		finish	code no.	Euro
and undermount sinks	A10 drain cover stainless steel sinks with 3 ½" basket strainer	Stainless Steel Finish	40952800	11.80
	A11 turning handle for eccentric operation • material: metal	Stainless Steel Finish W Matt Black	40953800 40953670	17.10 30.00
Optional parts for sBox	F12 compensating element for sBox for height compensation of the sBox up to 100 mm	.	43333000	21.40

Kitchen accessories





A71 soap-/ lotion dispenser

suitable for matched design to selected kichen mixers

projection 91 mm

material: durable metal construction


non-corroding outlet pipe filling capacity 500 ml

dosage 2 ml easy to fill up from the top

for installation in worktops up to 55 mm

easy and save installation without tools

mounting hole with 28 - 35 mm diameter needed



Chrome **NEW** Matt Black Stainless Steel Finish 40468800

finish


40468000 40468670

code no.

77.80 105.00 101.10

Euro





suitable for matched design to selected kichen mixers

projection 91 mm

material: durable metal construction

non-corroding outlet pipe

filling capacity 500 ml


dosage 2 ml easy to fill up from the top

for installation in worktops up to 55 mm

easy and save installation without tools needed

mounting hole with 28 - 35 mm diameter needed





to selected kichen mixers

projection 91 mm material: durable metal

non-corroding outlet pipe

dosage 2 ml

easy to fill up from the top

for installation in worktops up to 55 mm easy and save installation without tools

needed


A51	SC	oap-/	loti	on	disp	enser

Chrome 40448000 **NEW** Matt Black 40448670

77.80 105.00 101.10

57.00

Stainless Steel Finish 40448800





construction


filling capacity 500 ml

A41 soap-/ lotion dispense

· Chrome	40438000
NEW Brushed Black	40438340
Chrome	
NEW Matt Black	40438670

82.50 77.00 40438670 Stainless Steel Finish 40438800 74.20

mounting hole with 28 - 35 mm diameter



Soap-/ lotion dispenser

filling capacity 300 ml

Chrome	40418000	101.8
Stainless Steel Finish	40418800	1 <i>5</i> 2. <i>7</i>



					ien mixer: -
	Ø 40 40 40 40 40 40 40 40 40 40 40 40 40	Kitchen device shut-off valve for counter surfaces up to 47 mm thick shaft Ø 27 mm non-return valve connection dimension DN15 device connection DN20	finish Chrome Stainless Steel Finish	10823000 10823800	139.20 208.80
NEW	63/8	F21- Shut-off valve for concealed installation device shut-off valve for installation in kitchen sinks and worktops diameter drill hole: 35 mm connection dimension G ½ inclusive adapter G ¾ clamping range: 0 - 60 mm	Chrome Matt Black Stainless Steel Finish	72841000 72841670 72841800	65.00 84.50 84.50
	017	F15 Cutting board walnut perfect to work in and outside of the sink suitable for S51 silicaTec sinks, S71 stainless steel sinks material: walnut		40960000	124.50
	270 - 270 -	F16 Cutting board oak • perfect to work in and outside of the sink • suitable for S51 silicaTec sinks, S71 stainless steel sinks • material: oak		40961000	93.40
	100	F14 Multifunctional strainer ideal to clean fruits and vegetables or to pour out noodles suitable for S51 silicaTec sinks, S71 stainless steel sinks, kitchen sinks with a depth of 400 mm and 410 mm material: plastic	Matt Black	40963000	20.30
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	F17 Mobile drainboard • perfect to unfreeze food • for safe storage of glasses and bulky dishes • high functionality, water can run off easily into the sink • suitable for S51 silicaTec sinks, S71 stainless steel sinks • material: plastic/stainless steel	Stainless Steel	40962800	81.00

	finish	code no.	Euro
	F18 Cleaning and care spray stainless steel 250 ml · Cleaning and maintaining in one step · Finger print protection	40964000	14.20
	· Ideal for kitchen sinks and faucets · consists of: Pump spray 250 ml		
	F19 Cleaning and care spray stainless steel 28 pcs.x 30 ml	40966000	116.60
	 Cleaning and maintaining in one step Finger print protection Ideal for kitchen sinks and faucets consists of: Pump spray 30 ml filling capacity 30 ml packaging unit: 28 pieces 		
	F20 Cleaning and care set SilicaTec	40965000	23.30
	Removes limescale and bloom from the sink Protection from dirt, stains and limescale		
TO THE PARTY OF TH	Supports an easier cleaning of the sink consists of: Pump spray 250 ml limescale remover, Pump spray 250 ml impregnation spray, cleaning sponge (packaging of 3)		

General Terms and Conditions

I. Scope

1. These general terms and conditions (AGB) of Hansgrohe SE (Hansgrohe) apply, unless otherwise stated, to all purchase and work and materials contracts as well as other orders (Order) between Hansgrohe and customers who are not consumers in accordance with Section 13 of the German Civil Code (BGB) (**Buyer**). Differing general terms and conditions of the buyer are not recognised even if they are not expressly contradicted.

2. The general terms and conditions also apply for future business relations with the same buyer even if they are not expressly agreed again. Unless other-

wise stipulated, the general terms and conditions are valid as amended at the time the buyer places the order or also in the version published most recently

II. Contract closing

1. The offers of Hansgrohe are subject to change unless they are expressly identified as binding in the offer text. The order placed by the buyer is considered a binding contractual offer that remains valid for at least 8 days in the absence of a deviating provision. The contract only comes into effect if Hausgrohe provides the buyer with written (including text form) confirmation in relation to the order.

 Hansgrohe only assumes a guarantee to end consumers in accordance with a separate guarantee declaration that is designated as such.
 The documents such as figures and drawings provided by Hansgrohe as part of the contract negotiation stage as well as the technical information and specifications made by Hansgrohe are binding. Technical, constructional or other changes to the order or work are permitted if and to the extent that they are reasonable for the buyer.

A Individual agreements including trade terms have priority over the general terms and conditions. A written contract or the written confirmation of Hansgrohe is essential for the content of these agreements.

III. Scope and place of delivery, transport and transfer of risk

- 1. A delivery ex works or a delivery to another shipping location of Hansgrohe disclosed to the buyer is generally agreed and this location is the place of performance of the delivery and any supplementary performance. The risk is transferred to the buyer at the latest upon the product being dispatched. If the delivery is delayed due to the behaviour of the buyer or as a result of a circumstance beyond Hansgrohe's control, the risk is transferred to the buyer
- upon receiving notification that the products are ready for shipment.

 2. Unless otherwise stipulated, the buyer must take out travel insurance at his/her own expense and cost based on standard transport insurance conditions that covers the risk of transporting the product that is part of the order from the shipping location to the agreed destination. The buyer bears the transport costs in accordance with Point V.5.

In the event that an agreement is reached on trade terms, the latest version of Incoterms shall apply.
 Hansgrohe is entitled to partial deliveries and invoices at an acceptable level prior to the expiry of the delivery period.

5. If the delivery or shipment of the delivered item is delayed at the request of the buyer or as a result of circumstances that the buyer bears the risk and responsibility for, the buyer must refund Hansgrohe the costs incurred as a result of storing the item and the accrued interest on the capital deployed for the delivered item. In the case of storage by Hansgrohe, the entitlement amounts to at least 0.5% of the still outstanding invoice amount for each outstanding inv ding month, starting with the month after notice has been given that the products are ready for shipment. The customer still retains the right to prove that no damage or substantially less damage has occurred. However, after having set a commensurate subsequent delivery term and after the unsuccessful expiry of this term, Hansgrohe is entitled to use the delivered item for another purpose and to deliver a replacement item to the buyer subject to a reasonably extended deadline or to withdraw from the agreement.

6. Hansgrohe will procure that the products shipped by Hansgrohe to the buyer comply with the laws and regulations of the country / countries designated by the buyer. In case the buyer - after receipt of the products - exports the products to third countries it is the obligation of the buyer to make sure that the

products comply with the applicable local laws and regulations of such countries with regard to the products. If, however, the buyer chooses to export products to third countries, the buyer is solely responsible for any and all liability resulting from any non-compliance of the products.

IV. Delivery term and operational disruptions

Delivery terms start to apply at the earliest once all documentation which is required for determining the content of the order has been received if the buyer has to obtain this documentation according to the agreement and upon receipt of the down-payment. A delivery term is complied

with if the shipment is dispatched within the deadline and the buyer has been notified that the products are ready for shipment. Delivery terms are extended in the event of circumstances occurring which Hansgrohe or its suppliers are not responsible for and which do not have a substantial influence on the production or delivery of the product (e.g. labour disputes, force majeure and other operational breakdowns that are beyond a party's control) for the duration of the operational disruption. Hansgrohe is obligated to inform the buyer of the anticipated duration of the operational disruption and to state a new delivery date. If the product can also not be delivered within the new delivery period, both parties are entitled to withdraw from the agreement in whole or in part; any payment already made by the buyer is immediately refunded. Rights to demand compensation in lieu of performance in accordance with Point X. and the statutory rights of Hansgrohe, especially if a party is no longer obligated to perform its obligations (e.g., due to impossibility), remain unaffected is no longer obligated to perform its obligations (e.g. due to impossibility), remain unaffected.

3. The conditions for the delay in delivery are based on the statutory provisions irrespective of the existing regulations. Deviating from this however,

a written warning is required from the buyer in all cases.

V. Prices and subsidiary expenses

- 1. Deliveries are made at current prices when the contract is concluded in accordance with the order confirmation from Hansgrohe. All prices apply ex works / dispatch location. All prices are quoted in euros unless otherwise stated and other additional expenses (e.g. installation and instruction costs), statutory value added tax and other statutory fees (e.g. duties, fees) are disclosed at the currently prevailing rate.

 2. Hansgrohe reserves the right to increase fixed prices for a period of more than 4 months if cost increases, especially those owing to collective
- wage agreements, marketable cost prices or material price increases occur after the conclusion of the agreement. These prices are demonstrated to the customer on request.

3. Hansgrohe calculates a minimum quantity surcharge of EUR 10 for an order value of below EUR 50. Purchase quantities that are smaller than the stipulated packaging units are processed at a surcharge of 10% on the net product value.

4. If the delivery is made to a third party, a surcharge of 10% on the net product value is calculated.
5. Orders with a net product value exceeding EUR 750 are dispatched carriage paid, while the freight costs for a net product value below EUR 750 are charged to the customer in the invoice. Express costs and fees for posted goods shipments are always charged to the customer.

VI. Payment and default

1. As stipulated in the invoice, payments must be made without any deduction immediately after receiving said invoice and delivering the product to Hansgrohe. Hansgrohe is however authorised to carry out the delivery in question in whole or in part at any time against prepayment. A proviso to this effect is asserted at the latest at the time the order is confirmed. Hansgrohe expressly reserves the right to accept cheques. Cheques are only accepted on account of payment and only apply as a payment when honoured. All payments shall be made free of charge. The buyer bears the discount, collection and other bank chárges for chequés without express agreement. Payments are initially set off against costs, then against interest and then used to settle the oldest principal debt.

2. In the event of a default, default interest at the statutory rate, at least 9% per year, is calculated; it remains possible to provide proof of less

damage at the level of the statutory interest rate.

The buyer shall only be entitled to offset claims or retention rights in relation to the claims of Hansgrohe if the counterclaim is uncontested or a final décision has been reached. This does not apply if the counterclaim relates directly to the main obligation of Hansgrohe from the same

4. The assignment of claims is subject to approval from Hansgrohe.

General Terms and Conditions

5. If it becomes evident after concluding the agreement or delivering the product that the buyer is not or is no longer creditworthy, e.g. enforcement measures are being initiated against him/her, due invoices are not being paid despite receiving a reminder or any other capital deterioration occurs, Hansgrohe can immediately assert claims which are not yet due of such claims for which a cheque has been provided. In these instances, Hansgrohe can request an advance payment, a collateral security or a delivery that will only be carried out based on cash on delivery for the product that has yet to be delivered. If the buyer fails to comply with the request within the statutory deadline that it has been set, Hansgrohe is entitled to withdraw from the agreement. The statutory rights of Hansgrohe (especially in accordance with Section 321 BGB) remain unaffec-

VII. Title retention

1. Hansgrohe retains ownership of the delivered product until all claims resulting from the business relationship with the buyer at the time the agreement is concluded are settled including all claims from follow-up contracts, repeat orders or spare parts orders occurring at this time. If the value of all security rights to which Hansgrohe is entitled exceeds the value of all secured claims by more than 10%, Hansgrohe shall release a

value of all security rights to which Hansgrone is entitled exceeds the value of all secured claims by more than 10%, Hansgrone shall release a corresponding proportion of the security rights at the request of the buyer.

2. If the buyer acts in a way contrary to the contractual obligations, especially in the event of a default in payment, Hansgrohe is entitled to take back the reserved product. In the event that Hansgrohe takes back or seizes the reserved product, it is not possible to withdraw from the agreement unless Hansgrohe expressly confirms this in writing. Hansgrohe is authorised to sell the product and the sales proceeds must be taken into account for the liabilities of the buyer less utilisation costs accrued. The buyer is obligated to handle the reserved product with care and to store it separately from other products. It is also obligated to insure this product sufficiently at its own expense against damage resulting from fire.

is separately from other products. It is also obligated to insure this product sufficiently at its own expense against damage resulting from tire, water, storm, robbery and theft at the new value. Any security claims that arise in the event of a loss are to be assigned to Hansgrohe. If maintenance and inspection work is required, the buyer must carry out this work on time and at its own expense.

3. The buyer may neither pledge the reserved product nor transfer it by way of security. In the event of seizures or other encroachments by third parties, the buyer must inform Hansgrohe immediately in writing and provide Hansgrohe with all information and documentation which are required for preserving the rights of Hansgrohe. Enforcement officers or third parties are to be informed of Hansgrohe's ownership. If a third party is unable to refund Hansgrohe the judicial and extra-judicial costs of third party proceedings, the buyer is liable to Hansgrohe for the loss in the state of the party is a second of the loss of third party proceedings, the buyer is liable to Hansgrohe for the loss in the state of the party proceedings, the buyer is liable to Hansgrohe for the loss in the second of the party proceedings, the buyer is liable to Hansgrohe for the loss in the second of the party proceedings, the buyer is liable to Hansgrohe for the loss in the second of the party proceedings.

incurred subject to the assertion of further claims due to damage, change or destruction to the item itself.

4. The buyer may sell and/or process the reserved product in the course of ordinary business operations provided that Hansgrohe does not assert any rights arising from the retention of title against the buyer. The buyer shall assign to Hansgrohe all claims up to the final invoice amount including value added tax which it has accrued from the resale to its customers or third parties irrespective of whether the item has been resold with or without further processing. Hansgrohe accepts the assignment. In the event of a current account relationship between the buyer and its customer, the claim assigned to Hansgrohe by the buyer in advance also applies to any acknowledged outstanding balance and, in the event of the customer becoming bankrupt, it applies to the "causal" balance which exists at the time. The buyer may even collect the receivables after the assignment. This does not affect the entitlement of Hansgrohe to collect the claim itself. Hansgrohe will not collect the claim itself if the buyer meets its payment obligations resulting from the proceeds collected, is not overdue with its payments and there is no application for opening nsolvency proceedings.

5. The buyer is obligated to provide Hansgrohe with a precise list of claims to which it is entitled with the name and address of the customer, the amount of the individual claims, invoice data, etc., to give Hansgrohe all the information required for asserting the assigned claim, to allow this

information to be assessed and to disclose the assignment to the customers.

The buyer now declares its consent that the persons commissioned with the task of collecting the reserved product may enter the property or the

building where the reserved product is located on foot or in a vehicle in order to pick up said reserved product.

7. The buyer always processes or transforms the delivery item for Hansgrohe. If the item is processed with other objects that do not belong to Hansgrohe, Hansgrohe shall become co-owner of the new item in the ratio of the value of the delivered item to the other processed objects at the time of processing. The same rules shall apply to the item produced through processing as for the delivered item subject to retention of title. If the item is processed, mixed or combined in a way that the buyer's item is to be considered as the main item, it is considered as agreed that the buyer assigns proportional co-ownership to Hańsgrohe. The buyer shall assign the sole ownership or co-ownership resulting therefrom to Hansgrohe.

VIII. Claims for defects – period of limitation

1. The statutory regulations shall apply for the rights of the buyer in the event of material defects and defects of title unless otherwise determined below. The special statutory regulations for final deliveries of products to a consumer shall remain unaffected (supplier recourse in accordance with Sections 478, 479 BGB); however the regulations in Point X shall apply for compensating damages in the event of supplier recourse. The buyer may only make claims for defects if it duly meets the statutory inspection and complaint obligations.

- 2. If a delivery item is defective, the buyer has the following rights:

 a) Hansgrohe is obligated to rectify the fault and will do this at its own discretion by eliminating the defect through repair work or by delivering an item that is free from defects.
 - b) If the rectification of defects is unsuccessful, the buyer is entitled to withdraw from the agreement or reduce the purchase price. A rescission shall be ruled out if the breach of duty on the part of Hansgrohe is only minor in nature. The buyer shall also be entitled to claim compensation or reimbursement of expenses incurred in vain in the event of defects solely in accordance with the provisions of Point X.

 c) Rectifying the fault involves neither enhancing the defective product nor incorporating a new or repaired product unless Hansgrohe was

initially already obligated to incorporate a new or repaired product.

d) Hansgrohe shall bear the expenses incurred for examining and rectifying the defect, especially labour and material costs (not: expansion and integration costs as well as costs for transporting the product to the place where the fault is to be rectified) if a defect has actually occurred. Hansgrohe may otherwise request compensation from the buyer for the costs (especially examination and transportation costs) resulting from the unjustified request to rectify a fault unless the lack of a defect was not evident to the buyer.

e) The buyer must inform Hansgrohe of the time and facilities it requires for carrying out the repair work and replacement deliveries required by Hansgrohe. Hansgrohe is otherwise exempt from any liability for the resulting consequences. If the buyer requires the express deployment of a technician or for work to be carried out outside normal working hours for operational reasons which involve additional costs for

Hansgrohe, it must bear the extra costs incurred as a result of this (e.g. overtime surcharges, travelling longer distances).

f) A warranty is provided for replacements and improvements to the same extent as for the original delivery item, however with a time limit until the end of the warranty period of the original delivery item.

4. The buyer is solely responsible for damage resulting from natural wear and tear, inappropriate or improper use, incorrect assembly or commis-

sioning by the buyer or third party, incorrect or negligent handling, excessive use, unsuitable operating equipment or chemical, electrochemical or electrical influences provided that Hansgrohe is not culpable for this.

5. Deviating from Section 438 para. 1 no. 3 BGB, the general period of limitation for claims resulting from material and legal defects (warranty period) is one year following delivery. After the warranty period has expired, claims for defects shall no longer apply. Separate statutory regulations governing limitation (especially Sections 438 para. 1 no. 1 and 2, para. 3, 444, 479 BGB) shall remain unaffected. Compensation claims in accordance with Point X. become statute-barred solely in accordance with statutory provisions.

IX. Returns

1. Products delivered by Hansgrohe are not taken back as a rule unless the buyer is entitled to compensation (e.g. due to rescission in the event of a failed subsequent delivery).

If Hansgrohe is prepared to make an exception and take the product back, an appropriate fee (usually 25% of the net product value) is charged for this as part of an appropriate agreement. The transport risk and transportation costs are borne by the buyer.

General Terms and Conditions

X. Liability for compensation

1. Hansgrohe is liable for compensation in accordance with the statutory provisions unless otherwise stated below. In the event of breaches of duty - regardless of the legal reason - Hansgrohe shall be responsible for intent and gross negligence. Hansgrohe is only liable in the event of simple negligence:

a) for damages resulting from loss of life, physical injury or damage to health and

b) for damages resulting from the substantial infringement of important contractual obligations (obligations which must be fulfilled before the contract is executed properly and which the contractual partner may, as a matter of routine, trust that they shall be met); the liability in this case is however restricted to compensation for the typically foreseeable damage.

2. The above limitations of liability also apply in favour of the employers, employees, representatives and assistants of Hansgrohe. Only the statutory regulations apply for claims in accordance with the German Product Liability Act.

3. Exclusions or limitations of liability do not apply in so far as Hansgrohe has failed to disclose a fault with fraudulent intent or has provided a guarantee for the condition of an item.

XI. Rescission of the purchase agreement

- If the purchase agreement is rescinded (e.g. due to one of the contractual parties withdrawing), the buyer is obligated to return the delivery item
 to Hansgrohe in advance regardless of any other development in accordance with the following clauses. Hansgrohe is entitled to collect the
- delivery item from the buyer's premises.

 2. Hansgrohe may also request a reasonable payment from the buyer for the deterioration or destruction of the delivered item or for the delivered item, which is the risk and responsibility of the buyer, not being returned.

 Hansgrohe may also request payment for the use of the delivered item if the value of the delivered item has reduced between the completion
 - of its installation and its direct repossession in full by Hansgrohe. This decrease in value is calculated from the difference between the total price specified in the order and the present value as calculated from the sales proceeds or if a sale is not possible from the estimate of a sworn authorised expert.

XII. Assignment

The assignment of rights and / or the transfer of the buyer's obligations stated in the agreement are not permitted without the written approval of Hansgrohe. Section 354a of the Commercial Code (HGB) shall remain unaffected.

XIII. Export control regulations

- 1. The delivery items may be subject to the export control regulations of the Federal Republic of Germany, the European Union, the United States of America or other states.
- 2. If the delivered item is exported abroad at a later date, the buyer is responsible for complying with the statutory provisions.

XIV.Competent court and applicable law

- 1. The law of the Federal Republic of Germany shall apply to these general terms and conditions and the contractual relationship between the parties excluding international common law, especially UN Purchasing Law. The choice of law also applies to non-contractual obligations that are closely linked to this agreement. The scope and scale also determine the choice of law in accordance with statutory provisions.
- Stuttgart (Germany) is agreed as the exclusive competent court for agreements with buyers who have their head office in a member state in the European Union. All disputes that cannot be mutually agreed upon arising from or relating to agreements with buyers who have their head office outside the European Union shall be settled finally in accordance with the arbitration regulations of the Deutsches Institution für Schiedsgerichtsbarkeit e.V. Bonn (DIS) with the exclusion of the normal legal process. The place of arbitration is Stuttgart, Germany. The procedural law of this place shall apply if the arbitration regulations do not contain any corresponding provisions. The arbitration proceedings are conducted in German. The court of arbitration may also decide on the validity of this arbitration agreement.

General Terms and Conditions of Hansgrohe SE

Version: 01 April 2019

pro.hansgrohe-int.com

hansgrohe ComfortZone test

pro.hansgrohe-int.com/comfortzone-test

Spare parts shop

spares.hansgrohe.com

Planning-Data

pro.hansgrohe-int.com/planning-data

Find out more about the hansgrohe world at http://pro.hansgrohe-int.com











Find hansgrohe online and on social media.



