



AXOR



AXOR Exa-Bathtub Filler
58309XXX



AXOR Push-Open
58310XXX

DE / Montageanleitung
EN / assembly instructions

INSTALLATION

Technical drawing of a sink with a drain. The drawing shows a side view of the sink with a drain pipe. A dimension line indicates a height of 150 mm from the sink's rim to the center of the drain pipe. The drawing is labeled with '150 mm' and an upward arrow.


[illegible]

MONTAGE (siehe Seite 5) 




INSTALLATION TO DIN 1988

While installation of the bath mixer is made watch that the air gap fitting (DB) is min. 150 mm above the upper edge of the bath tub.



INSTALLATION TO EN 1717

When assembling the iBox universal with integrated safety combination (HD) pay attention that the middle of the mixer is min. 280 mm above the upper edge of the bath tub.



After completion the whole installation must be flushed.



IMPORTANT! There must be an access door for maintenance.

There is no guarantee of Hansgrohe for components and their connections produced by third parties.



ASSEMBLY (see page 5) 



AXOR Exafill
58309XXX



AXOR Push-Open
58310XXX



1





with flow limiter


2

without flow limiter




(1 MPa = 10 bar = 147 PSI)





DE / Das Ablaufventil darf nur in Wannen mit Überlauf eingesetzt werden.

EN / The drain valve may only be installed in tubs with an overflow opening.




DE / ACHTUNG! Der Verbindungsschlauch (nicht im Lieferumfang enthalten) darf nicht abknicken. Es müssen die Angaben des Schlauchherstellers beachtet werden.

Hansgrohe übernimmt keine Gewährleistung für Fremdbauteile und deren Verbindungsstellen.





EN / IMPORTANT! Don't bend the connection hose (not part of delivery). You must follow the manufacturer instructions.

There is no guarantee of Hansgrohe for components and their connections produced by third parties.



DE / Optional erhältlich:
Hansgrohe Wannensifon #60033000.

EN / Ordered seperately:
Hansgrohe bath trap #60033000.






DE / Reinigungsempfehlung/Garantie/Kontakt
EN / Cleaning recommendation/Warranty/Contact



[www.axor-design.com/
cleaning-recommendation](http://www.axor-design.com/cleaning-recommendation)




[www.axor-design.com/
cleaning-recommendation](http://www.axor-design.com/cleaning-recommendation)



[www.axor-design.com/
cleaning-recommendation](http://www.axor-design.com/cleaning-recommendation)



[www.axor-design.com/
cleaning-recommendation](http://www.axor-design.com/cleaning-recommendation)



AXOR

AXOR / Hansgrohe SE
Austraße 5-9
77761 Schiltach
Deutschland

info@axor-design.com
axor-design.com

03/2020
9.11244.01