


EN	Instructions for use /Assembly instructions	2
DE	Gebrauchsanleitung /Montageanleitung	2



iFrame Universal 1120
01025180

**Safety Notes**

⚠ Gloves should be worn during installation to prevent crushing and cutting injuries.

Installation Instructions

- Prior to installation, inspect the product for transport damages. After it has been installed, no transport or surface damage will be honoured.
- The plumbing codes applicable in the respective countries must be observed.
- Where the contractor mounts the product, he should ensure that the entire area of the wall to which the mounting plate is to be fitted, is flat (no projecting joints or tiles sticking out), that the structure of the wall is suitable for the installation of the product and has no weak points. The enclosed screws and dowels are only suitable for concrete. For another wall constructions the manufacturer's indications of the dowel manufacturer have to be taken into account.
- Attention! The use of a hydraulic connection from the hand shower to the outlet pipe is not permitted in Germany due to third-party patent rights until 12/09/2021. The same restriction also applies to other countries where similar property rights exist until the end of their legal validity. In these countries, please use a lateral hydraulic connection.

Symbol description

Assembly (see page 4)



Dismounting (see page 7)



Dimensions (see page 3)



Maintenance (see page 7)



Spare parts (see page 3)

Special accessories (order as an extra)

Flow limiter #87086000 (see page 3)



filter insert #87089000 (see page 3)



Kit de tuyaux #60308000 (voir pages 3)

Sicherheitshinweise

⚠ Bei der Montage müssen zur Vermeidung von Quetsch- und Schnittverletzungen Handschuhe getragen werden.

Montagehinweise

- Vor der Montage muss das Produkt auf Transportschäden untersucht werden. Nach dem Einbau werden keine Transport- oder Oberflächenschäden anerkannt.
- Die in den Ländern jeweils gültigen Installationsrichtlinien sind einzuhalten.
- Bei der Montage des Produktes durch qualifiziertes Fachpersonal ist darauf zu achten, dass die Befestigungsfläche im gesamten Bereich der Befestigung plan ist.
- ACHTUNG! Die Verwendung einer hydraulischen Verbindung von der Handbrause zum Auslaufrohr ist aufgrund von patentierten Rechten dritter bis zum 12/09/2021 in Deutschland nicht erlaubt. Die gleiche Einschränkung gilt auch für andere Länder, in denen es ähnliche Eigentumsrechte gibt, bis zum Ende dieser Rechtsgültigkeit. In diesen Ländern verwenden Sie bitte eine seitliche hydraulische Verbindung.

Symbolerklärung

Montage (siehe Seite 4)



Demontage (siehe Seite 7)



Maße (siehe Seite 3)



Wartung (siehe Seite 7)



Serviceteile (siehe Seite 3)

Sonderzubehör (nicht im Lieferumfang enthalten)

Durchflussbegrenzer #87086000 (siehe Seite 3)



Filtereinsatz #87089000 (siehe Seite 3)



Schlauchset #60308000 (siehe Seite 3)

